

Report of Analysis

Client:	BAPS North Bergen	Date Collected:	11/12/24
Project:	BAPS North Bergen	Date Received:	03/25/25
Client Sample ID:	SOIL-6	SDG No.:	Q1640
Lab Sample ID:	Q1640-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-41-7	Beryllium	3.25		1	0.13	3.00	ug/L	03/26/25 12:30	03/27/25 11:44	SW6010	SW3010
7440-43-9	Cadmium	11.3		1	0.094	3.00	ug/L	03/26/25 12:30	03/27/25 11:44	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP MetalGroup6			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits