

Report of Analysis

Client:	PSEG	Date Collected:	03/25/25
Project:	NYE Avenue Substation	Date Received:	03/25/25
Client Sample ID:	TP-1	SDG No.:	Q1645
Lab Sample ID:	Q1645-05	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	91.9
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142145.D	1	03/26/25 08:50	03/28/25 01:08	PB167321

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.22	U	0.10	0.22	mg/Kg
108-95-2	Phenol	0.11	U	0.014	0.11	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.11	U	0.016	0.11	mg/Kg
95-57-8	2-Chlorophenol	0.11	U	0.016	0.11	mg/Kg
95-48-7	2-Methylphenol	0.11	U	0.020	0.11	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.11	U	0.025	0.11	mg/Kg
98-86-2	Acetophenone	0.11	U	0.019	0.11	mg/Kg
65794-96-9	3+4-Methylphenols	0.22	U	0.027	0.22	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.28		0.031	0.052	mg/Kg
67-72-1	Hexachloroethane	0.11	U	0.012	0.11	mg/Kg
98-95-3	Nitrobenzene	0.11	U	0.012	0.11	mg/Kg
78-59-1	Isophorone	0.84		0.021	0.11	mg/Kg
88-75-5	2-Nitrophenol	0.11	U	0.038	0.11	mg/Kg
105-67-9	2,4-Dimethylphenol	0.11	U	0.042	0.11	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.11	U	0.020	0.11	mg/Kg
120-83-2	2,4-Dichlorophenol	0.11	U	0.019	0.11	mg/Kg
91-20-3	Naphthalene	0.11	U	0.015	0.11	mg/Kg
106-47-8	4-Chloroaniline	0.11	U	0.023	0.11	mg/Kg
87-68-3	Hexachlorobutadiene	0.11	U	0.017	0.11	mg/Kg
105-60-2	Caprolactam	0.22	U	0.034	0.22	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.11	U	0.019	0.11	mg/Kg
91-57-6	2-Methylnaphthalene	0.11	U	0.017	0.11	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.22	U	0.076	0.22	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.11	U	0.013	0.11	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.11	U	0.019	0.11	mg/Kg
92-52-4	1,1-Biphenyl	0.11	U	0.014	0.11	mg/Kg
91-58-7	2-Chloronaphthalene	0.11	U	0.015	0.11	mg/Kg
88-74-4	2-Nitroaniline	0.11	U	0.031	0.11	mg/Kg
131-11-3	Dimethylphthalate	0.11	U	0.018	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/25/25
Project:	NYE Avenue Substation	Date Received:	03/25/25
Client Sample ID:	TP-1	SDG No.:	Q1645
Lab Sample ID:	Q1645-05	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	91.9
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142145.D	1	03/26/25 08:50	03/28/25 01:08	PB167321

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.11	U	0.019	0.11	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.20		0.022	0.11	mg/Kg
99-09-2	3-Nitroaniline	0.11	U	0.030	0.11	mg/Kg
83-32-9	Acenaphthene	0.11	U	0.014	0.11	mg/Kg
51-28-5	2,4-Dinitrophenol	0.22	U	0.15	0.22	mg/Kg
100-02-7	4-Nitrophenol	0.22	U	0.070	0.22	mg/Kg
132-64-9	Dibenzofuran	0.11	U	0.015	0.11	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.15		0.033	0.11	mg/Kg
84-66-2	Diethylphthalate	0.11	U	0.019	0.11	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.11	U	0.017	0.11	mg/Kg
86-73-7	Fluorene	0.11	U	0.017	0.11	mg/Kg
100-01-6	4-Nitroaniline	0.11	U	0.042	0.11	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.22	U	0.067	0.22	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.11	U	0.022	0.11	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.074	J	0.018	0.11	mg/Kg
118-74-1	Hexachlorobenzene	0.11	U	0.017	0.11	mg/Kg
1912-24-9	Atrazine	0.11	U	0.022	0.11	mg/Kg
87-86-5	Pentachlorophenol	0.22	U	0.034	0.22	mg/Kg
85-01-8	Phenanthrene	0.11	U	0.014	0.11	mg/Kg
120-12-7	Anthracene	0.11	U	0.022	0.11	mg/Kg
86-74-8	Carbazole	0.11	U	0.020	0.11	mg/Kg
84-74-2	Di-n-butylphthalate	0.11	U	0.031	0.11	mg/Kg
206-44-0	Fluoranthene	0.11	U	0.020	0.11	mg/Kg
129-00-0	Pyrene	0.11	U	0.024	0.11	mg/Kg
85-68-7	Butylbenzylphthalate	0.11	U	0.047	0.11	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.22	U	0.024	0.22	mg/Kg
56-55-3	Benzo(a)anthracene	0.11	U	0.015	0.11	mg/Kg
218-01-9	Chrysene	0.11	U	0.013	0.11	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.11	U	0.039	0.11	mg/Kg
117-84-0	Di-n-octyl phthalate	0.22	U	0.057	0.22	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.11	U	0.012	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/25/25
Project:	NYE Avenue Substation	Date Received:	03/25/25
Client Sample ID:	TP-1	SDG No.:	Q1645
Lab Sample ID:	Q1645-05	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	91.9
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142145.D	1	03/26/25 08:50	03/28/25 01:08	PB167321

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.11	U	0.015	0.11	mg/Kg
50-32-8	Benzo(a)pyrene	0.11	U	0.019	0.11	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.11	U	0.019	0.11	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.11	U	0.018	0.11	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.11	U	0.017	0.11	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.11	U	0.017	0.11	mg/Kg
123-91-1	1,4-Dioxane	0.11	U	0.030	0.11	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.11	U	0.018	0.11	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	96.2		18 - 112	64%	SPK: 150
13127-88-3	Phenol-d6	92.3		15 - 107	62%	SPK: 150
4165-60-0	Nitrobenzene-d5	69.2		18 - 107	69%	SPK: 100
321-60-8	2-Fluorobiphenyl	74.4		20 - 109	74%	SPK: 100
118-79-6	2,4,6-Tribromophenol	80.4		10 - 116	54%	SPK: 150
1718-51-0	Terphenyl-d14	54.2		10 - 105	54%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	164000	6.869
1146-65-2	Naphthalene-d8	620000	8.151
15067-26-2	Acenaphthene-d10	304000	9.904
1517-22-2	Phenanthrene-d10	433000	11.392
1719-03-5	Chrysene-d12	335000	14.033
1520-96-3	Perylene-d12	277000	15.51

TENTATIVE IDENTIFIED COMPOUNDS

103-33-3	Azobenzene	71.9	J	10.6	ug/Kg
----------	------------	------	---	------	-------

Report of Analysis

Client:	PSEG	Date Collected:	03/25/25
Project:	NYE Avenue Substation	Date Received:	03/25/25
Client Sample ID:	TP-1	SDG No.:	Q1645
Lab Sample ID:	Q1645-05	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	91.9
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup :
		N	PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142145.D	1	03/26/25 08:50	03/28/25 01:08	PB167321

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products