

LAB CHRONICLE

OrderID:	Q1649	OrderDate:	3/26/2025 10:30:00 AM
Client:	GFE LLC	Project:	223 W. 29th St NY, NY
Contact:	Frank Galdun	Location:	I41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1649-01	SV1	Air	TO-15	TO-15	03/25/25		03/31/25	03/26/25
Q1649-02	SV2	Air	TO-15	TO-15	03/25/25		03/31/25	03/26/25

Hit Summary Sheet
SW-846

SDG No.: Q1649
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
Q1649-01	SV1	Air	Heptane	6.97	J	1.80	8.20	ug/m3
Q1649-01	SV1	Air	Acetone	23.8		2.28	4.75	ug/m3
Q1649-01	SV1	Air	Methyl tert-Butyl Ether	3.97	J	1.73	7.21	ug/m3
Q1649-01	SV1	Air	Methylene Chloride	5.56	J	2.64	6.95	ug/m3
Q1649-01	SV1	Air	2-Butanone	2.54	J	1.42	5.90	ug/m3
Q1649-01	SV1	Air	Benzene	1.34	J	1.12	6.39	ug/m3
Q1649-01	SV1	Air	Trichloroethene	1.61		0.38	0.64	ug/m3
Q1649-01	SV1	Air	Toluene	8.29		1.66	7.54	ug/m3
Q1649-01	SV1	Air	Tetrachloroethene	10.2		0.41	0.81	ug/m3
Q1649-01	SV1	Air	m/p-Xylene	7.82	J	3.65	17.4	ug/m3
Q1649-01	SV1	Air	o-Xylene	3.13	J	2.08	8.69	ug/m3
Q1649-01	SV1	Air	1,2,4-Trimethylbenzene	7.37	J	1.52	9.83	ug/m3
Q1649-01	SV1	Air	Hexane	127		1.55	7.05	ug/m3
Total Voc :				209				
Total Concentration:				209				
Client ID:	SV2							
Q1649-02	SV2	Air	Heptane	7.38	J	1.80	8.20	ug/m3
Q1649-02	SV2	Air	Acetone	21.1		2.28	4.75	ug/m3
Q1649-02	SV2	Air	Methylene Chloride	8.34		2.64	6.95	ug/m3
Q1649-02	SV2	Air	2-Butanone	2.15	J	1.42	5.90	ug/m3
Q1649-02	SV2	Air	2,2,4-Trimethylpentane	2.90	J	1.87	9.34	ug/m3
Q1649-02	SV2	Air	Benzene	2.62	J	1.12	6.39	ug/m3
Q1649-02	SV2	Air	Trichloroethene	1.83		0.38	0.64	ug/m3
Q1649-02	SV2	Air	Toluene	9.80		1.66	7.54	ug/m3
Q1649-02	SV2	Air	Tetrachloroethene	44.1		0.41	0.81	ug/m3
Q1649-02	SV2	Air	Ethyl Benzene	2.61	J	2.08	8.69	ug/m3
Q1649-02	SV2	Air	m/p-Xylene	12.2	J	3.65	17.4	ug/m3
Q1649-02	SV2	Air	o-Xylene	4.78	J	2.08	8.69	ug/m3
Q1649-02	SV2	Air	1,3,5-Trimethylbenzene	2.61	J	2.16	9.83	ug/m3
Q1649-02	SV2	Air	1,2,4-Trimethylbenzene	9.83		1.52	9.83	ug/m3
Q1649-02	SV2	Air	4-Ethyltoluene	2.70	J	2.36	9.83	ug/m3
Q1649-02	SV2	Air	Hexane	109		1.55	7.05	ug/m3
Total Voc :				244				
Total Concentration:				244				

Project : 223 W. 29th St NY, NY

Sampling Date : 03/25/25

Field Id Number : SV1

Analysis Date : 03/31/25

Laboratory Id Number : Q1649-01

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.84	U	4.15		
Chloromethane	74-87-3	50.49	0.39	U	0.81		
Vinyl Chloride	75-01-4	62.5	0.06	U	0.15		
Bromomethane	74-83-9	94.94	0.56	U	2.17		
Chloroethane	75-00-3	64.52	0.68	U	1.79		
Tetrahydrofuran	109-99-9	72.11	0.52	U	1.53		
Trichlorofluoromethane	75-69-4	137.4	0.64	U	3.6		
Dichlorotetrafluoroethane	76-14-2	170.9	0.35	U	2.45		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.64	U	4.91		
tert-Butyl alcohol	75-65-0	74.12	0.76	U	2.3		
Heptane	142-82-5	100.2	1.7	J	6.97		
1,1-Dichloroethene	75-35-4	96.94	0.56	U	2.22		
Acetone	67-64-1	58.08	10		23.8		
Carbon Disulfide	75-15-0	76.14	0.64	U	1.99		
Methyl tert-Butyl Ether	1634-04-4	88.15	1.1	J	3.97		
Methylene Chloride	75-09-2	84.94	1.6	J	5.56		
trans-1,2-Dichloroethene	156-60-5	96.94	0.76	U	3.01		
1,1-Dichloroethane	75-34-3	98.96	0.52	U	2.1		
Cyclohexane	110-82-7	84.16	0.88	U	3.03		
2-Butanone	78-93-3	72.11	0.86	J	2.54		
Carbon Tetrachloride	56-23-5	153.8	0.04	U	0.25		
cis-1,2-Dichloroethene	156-59-2	96.94	0.36	U	1.43		
Chloroform	67-66-3	119.4	0.33	U	1.61		
1,1,1-Trichloroethane	71-55-6	133.4	0.04	U	0.22		
2,2,4-Trimethylpentane	540-84-1	114.2	0.4	U	1.87		
Benzene	71-43-2	78.11	0.42	J	1.34		
1,2-Dichloroethane	107-06-2	98.96	0.36	U	1.46		
Trichloroethene	79-01-6	131.4	0.3		1.61		
1,2-Dichloropropane	78-87-5	113	0.44	U	2.03		
Bromodichloromethane	75-27-4	163.8	0.31	U	2.08		
4-Methyl-2-Pentanone	108-10-1	100.2	0.37	U	1.52		
Toluene	108-88-3	92.14	2.2		8.29		
t-1,3-Dichloropropene	10061-02-6	111	0.24	U	1.09		
cis-1,3-Dichloropropene	10061-01-5	111	0.26	U	1.18		
1,1,2-Trichloroethane	79-00-5	133.4	0.28	U	1.53		

Project : 223 W. 29th St NY, NY

Sampling Date : 03/25/25

Field Id Number : SV1

Analysis Date : 03/31/25

Laboratory Id Number : Q1649-01

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.26	U	2.22		
1,2-Dibromoethane	106-93-4	187.9	0.29	U	2.23		
Tetrachloroethene	127-18-4	165.8	1.5		10.2		
Chlorobenzene	108-90-7	112.6	0.3	U	1.38		
Ethyl Benzene	100-41-4	106.2	0.48	U	2.08		
m/p-Xylene	179601-23-1	106.2	1.8	J	7.82		
o-Xylene	95-47-6	106.2	0.72	J	3.13		
Styrene	100-42-5	104.1	0.44	U	1.87		
Bromoform	75-25-2	252.8	0.23	U	2.38		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.04	U	0.27		
2-Chlorotoluene	95-49-8	126.6	0.44	U	2.28		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.44	U	2.16		
1,2,4-Trimethylbenzene	95-63-6	120.2	1.5	J	7.37		
1,3-Dichlorobenzene	541-73-1	147	0.32	U	1.92		
1,4-Dichlorobenzene	106-46-7	147	0.21	U	1.26		
1,2-Dichlorobenzene	95-50-1	147	0.3	U	1.8		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.34	U	2.52		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.34	U	3.63		
Naphthalene	91-20-3	128.17	0.3	U	1.57		
1,3-Butadiene	106-99-0	54.09	0.52	U	1.15		
4-Ethyltoluene	622-96-8	120.2	0.48	U	2.36		
Hexane	110-54-3	86.17	36		126		
Allyl Chloride	107-05-1	76.53	0.6	U	1.88		
1,4-Dioxane	123-91-1	88.12	0.84	U	3.03		
Methyl Methacrylate	80-62-6	100.117	0.34	U	1.39		

Project : 223 W. 29th St NY, NY

Sampling Date : 03/25/25

Field Id Number : SV2

Analysis Date : 03/31/25

Laboratory Id Number : Q1649-02

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.84	U	4.15		
Chloromethane	74-87-3	50.49	0.39	U	0.81		
Vinyl Chloride	75-01-4	62.5	0.06	U	0.15		
Bromomethane	74-83-9	94.94	0.56	U	2.17		
Chloroethane	75-00-3	64.52	0.68	U	1.79		
Tetrahydrofuran	109-99-9	72.11	0.52	U	1.53		
Trichlorofluoromethane	75-69-4	137.4	0.64	U	3.6		
Dichlorotetrafluoroethane	76-14-2	170.9	0.35	U	2.45		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.64	U	4.91		
tert-Butyl alcohol	75-65-0	74.12	0.76	U	2.3		
Heptane	142-82-5	100.2	1.8	J	7.38		
1,1-Dichloroethene	75-35-4	96.94	0.56	U	2.22		
Acetone	67-64-1	58.08	8.9		21.1		
Carbon Disulfide	75-15-0	76.14	0.64	U	1.99		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.48	U	1.73		
Methylene Chloride	75-09-2	84.94	2.4		8.34		
trans-1,2-Dichloroethene	156-60-5	96.94	0.76	U	3.01		
1,1-Dichloroethane	75-34-3	98.96	0.52	U	2.1		
Cyclohexane	110-82-7	84.16	0.88	U	3.03		
2-Butanone	78-93-3	72.11	0.73	J	2.15		
Carbon Tetrachloride	56-23-5	153.8	0.04	U	0.25		
cis-1,2-Dichloroethene	156-59-2	96.94	0.36	U	1.43		
Chloroform	67-66-3	119.4	0.33	U	1.61		
1,1,1-Trichloroethane	71-55-6	133.4	0.04	U	0.22		
2,2,4-Trimethylpentane	540-84-1	114.2	0.62	J	2.9		
Benzene	71-43-2	78.11	0.82	J	2.62		
1,2-Dichloroethane	107-06-2	98.96	0.36	U	1.46		
Trichloroethene	79-01-6	131.4	0.34		1.83		
1,2-Dichloropropane	78-87-5	113	0.44	U	2.03		
Bromodichloromethane	75-27-4	163.8	0.31	U	2.08		
4-Methyl-2-Pentanone	108-10-1	100.2	0.37	U	1.52		
Toluene	108-88-3	92.14	2.6		9.8		
t-1,3-Dichloropropene	10061-02-6	111	0.24	U	1.09		
cis-1,3-Dichloropropene	10061-01-5	111	0.26	U	1.18		
1,1,2-Trichloroethane	79-00-5	133.4	0.28	U	1.53		

Project : 223 W. 29th St NY, NY

Sampling Date : 03/25/25

Field Id Number : SV2

Analysis Date : 03/31/25

Laboratory Id Number : Q1649-02

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.26	U	2.22		
1,2-Dibromoethane	106-93-4	187.9	0.29	U	2.23		
Tetrachloroethene	127-18-4	165.8	6.5		44.1		
Chlorobenzene	108-90-7	112.6	0.3	U	1.38		
Ethyl Benzene	100-41-4	106.2	0.6	J	2.61		
m/p-Xylene	179601-23-1	106.2	2.8	J	12.2		
o-Xylene	95-47-6	106.2	1.1	J	4.78		
Styrene	100-42-5	104.1	0.44	U	1.87		
Bromoform	75-25-2	252.8	0.23	U	2.38		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.04	U	0.27		
2-Chlorotoluene	95-49-8	126.6	0.44	U	2.28		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.53	J	2.61		
1,2,4-Trimethylbenzene	95-63-6	120.2	2		9.83		
1,3-Dichlorobenzene	541-73-1	147	0.32	U	1.92		
1,4-Dichlorobenzene	106-46-7	147	0.21	U	1.26		
1,2-Dichlorobenzene	95-50-1	147	0.3	U	1.8		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.34	U	2.52		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.34	U	3.63		
Naphthalene	91-20-3	128.17	0.3	U	1.57		
1,3-Butadiene	106-99-0	54.09	0.52	U	1.15		
4-Ethyltoluene	622-96-8	120.2	0.55	J	2.7		
Hexane	110-54-3	86.17	31		109		
Allyl Chloride	107-05-1	76.53	0.6	U	1.88		
1,4-Dioxane	123-91-1	88.12	0.84	U	3.03		
Methyl Methacrylate	80-62-6	100.117	0.34	U	1.39		



SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	03/25/25
Project:	223 W. 29th St NY, NY	Date Received:	03/26/25
Client Sample ID:	SV1	SDG No.:	Q1649
Lab Sample ID:	Q1649-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042207.D	4		03/31/25 13:05	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.84	4.15	U	4.15	9.89	ug/m3
74-87-3	Chloromethane	0.39	0.81	U	0.81	4.13	ug/m3
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
74-83-9	Bromomethane	0.56	2.17	U	2.17	7.77	ug/m3
75-00-3	Chloroethane	0.68	1.79	U	1.79	5.28	ug/m3
109-99-9	Tetrahydrofuran	0.52	1.53	U	1.53	5.90	ug/m3
75-69-4	Trichlorofluoromethane	0.64	3.60	U	3.60	11.2	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.64	4.91	U	4.91	15.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.35	2.45	U	2.45	14.0	ug/m3
75-65-0	tert-Butyl alcohol	0.76	2.30	U	2.30	6.06	ug/m3
142-82-5	Heptane	1.70	6.97	J	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
67-64-1	Acetone	10.0	23.8		2.28	4.75	ug/m3
75-15-0	Carbon Disulfide	0.64	1.99	U	1.99	6.23	ug/m3
1634-04-4	Methyl tert-Butyl Ether	1.10	3.97	J	1.73	7.21	ug/m3
75-09-2	Methylene Chloride	1.60	5.56	J	2.64	6.95	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.76	3.01	U	3.01	7.93	ug/m3
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
78-93-3	2-Butanone	0.86	2.54	J	1.42	5.90	ug/m3
56-23-5	Carbon Tetrachloride	0.040	0.25	U	0.25	0.75	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	U	1.43	7.93	ug/m3
67-66-3	Chloroform	0.33	1.61	U	1.61	9.77	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	0.42	1.34	J	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	0.30	1.61		0.38	0.64	ug/m3
78-87-5	1,2-Dichloropropane	0.44	2.03	U	2.03	9.24	ug/m3
75-27-4	Bromodichloromethane	0.31	2.08	U	2.08	13.4	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.37	1.52	U	1.52	8.20	ug/m3
108-88-3	Toluene	2.20	8.29		1.66	7.54	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.24	1.09	U	1.09	9.08	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.26	1.18	U	1.18	9.08	ug/m3
79-00-5	1,1,2-Trichloroethane	0.28	1.53	U	1.53	10.9	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	03/25/25
Project:	223 W. 29th St NY, NY	Date Received:	03/26/25
Client Sample ID:	SV1	SDG No.:	Q1649
Lab Sample ID:	Q1649-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042207.D	4		03/31/25 13:05	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.26	2.22	U	2.22	17.0	ug/m3
106-93-4	1,2-Dibromoethane	0.29	2.23	U	2.23	3.07	ug/m3
127-18-4	Tetrachloroethene	1.50	10.2		0.41	0.81	ug/m3
108-90-7	Chlorobenzene	0.30	1.38	U	1.38	9.21	ug/m3
100-41-4	Ethyl Benzene	0.48	2.08	U	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	1.80	7.82	J	3.65	17.4	ug/m3
95-47-6	o-Xylene	0.72	3.13	J	2.08	8.69	ug/m3
100-42-5	Styrene	0.44	1.87	U	1.87	8.52	ug/m3
75-25-2	Bromoform	0.23	2.38	U	2.38	20.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.040	0.27	U	0.27	0.82	ug/m3
95-49-8	2-Chlorotoluene	0.44	2.28	U	2.28	10.4	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.44	2.16	U	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	1.50	7.37	J	1.52	9.83	ug/m3
541-73-1	1,3-Dichlorobenzene	0.32	1.92	U	1.92	12.0	ug/m3
106-46-7	1,4-Dichlorobenzene	0.21	1.26	U	1.26	12.0	ug/m3
95-50-1	1,2-Dichlorobenzene	0.30	1.80	U	1.80	12.0	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.34	2.52	U	2.52	14.8	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.34	3.63	U	3.63	21.3	ug/m3
106-99-0	1,3-Butadiene	0.52	1.15	U	1.15	4.42	ug/m3
91-20-3	Naphthalene	0.30	1.57	U	1.57	2.10	ug/m3
622-96-8	4-Ethyltoluene	0.48	2.36	U	2.36	9.83	ug/m3
110-54-3	Hexane	36.0	127		1.55	7.05	ug/m3
107-05-1	Allyl Chloride	0.60	1.88	U	1.88	6.26	ug/m3
123-91-1	1,4-Dioxane	0.84	3.03	U	3.03	7.21	ug/m3
80-62-6	Methyl Methacrylate	0.34	1.39	U	1.39	8.19	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.90			65 - 135	99%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	189000		2.803			
540-36-3	1,4-Difluorobenzene	532000		3.981			
3114-55-4	Chlorobenzene-d5	474000		8.901			

Report of Analysis

Client:	GFE LLC	Date Collected:	03/25/25
Project:	223 W. 29th St NY, NY	Date Received:	03/26/25
Client Sample ID:	SV1	SDG No.:	Q1649
Lab Sample ID:	Q1649-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042207.D	4		03/31/25 13:05	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	03/25/25
Project:	223 W. 29th St NY, NY	Date Received:	03/26/25
Client Sample ID:	SV2	SDG No.:	Q1649
Lab Sample ID:	Q1649-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042208.D	4		03/31/25 13:36	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.84	4.15	U	4.15	9.89	ug/m3
74-87-3	Chloromethane	0.39	0.81	U	0.81	4.13	ug/m3
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
74-83-9	Bromomethane	0.56	2.17	U	2.17	7.77	ug/m3
75-00-3	Chloroethane	0.68	1.79	U	1.79	5.28	ug/m3
109-99-9	Tetrahydrofuran	0.52	1.53	U	1.53	5.90	ug/m3
75-69-4	Trichlorofluoromethane	0.64	3.60	U	3.60	11.2	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.64	4.91	U	4.91	15.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.35	2.45	U	2.45	14.0	ug/m3
75-65-0	tert-Butyl alcohol	0.76	2.30	U	2.30	6.06	ug/m3
142-82-5	Heptane	1.80	7.38	J	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
67-64-1	Acetone	8.90	21.1		2.28	4.75	ug/m3
75-15-0	Carbon Disulfide	0.64	1.99	U	1.99	6.23	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.48	1.73	U	1.73	7.21	ug/m3
75-09-2	Methylene Chloride	2.40	8.34		2.64	6.95	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.76	3.01	U	3.01	7.93	ug/m3
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
78-93-3	2-Butanone	0.73	2.15	J	1.42	5.90	ug/m3
56-23-5	Carbon Tetrachloride	0.040	0.25	U	0.25	0.75	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	U	1.43	7.93	ug/m3
67-66-3	Chloroform	0.33	1.61	U	1.61	9.77	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.62	2.90	J	1.87	9.34	ug/m3
71-43-2	Benzene	0.82	2.62	J	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	0.34	1.83		0.38	0.64	ug/m3
78-87-5	1,2-Dichloropropane	0.44	2.03	U	2.03	9.24	ug/m3
75-27-4	Bromodichloromethane	0.31	2.08	U	2.08	13.4	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.37	1.52	U	1.52	8.20	ug/m3
108-88-3	Toluene	2.60	9.80		1.66	7.54	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.24	1.09	U	1.09	9.08	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.26	1.18	U	1.18	9.08	ug/m3
79-00-5	1,1,2-Trichloroethane	0.28	1.53	U	1.53	10.9	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	03/25/25
Project:	223 W. 29th St NY, NY	Date Received:	03/26/25
Client Sample ID:	SV2	SDG No.:	Q1649
Lab Sample ID:	Q1649-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042208.D	4		03/31/25 13:36	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.26	2.22	U	2.22	17.0	ug/m3
106-93-4	1,2-Dibromoethane	0.29	2.23	U	2.23	3.07	ug/m3
127-18-4	Tetrachloroethene	6.50	44.1		0.41	0.81	ug/m3
108-90-7	Chlorobenzene	0.30	1.38	U	1.38	9.21	ug/m3
100-41-4	Ethyl Benzene	0.60	2.61	J	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	2.80	12.2	J	3.65	17.4	ug/m3
95-47-6	o-Xylene	1.10	4.78	J	2.08	8.69	ug/m3
100-42-5	Styrene	0.44	1.87	U	1.87	8.52	ug/m3
75-25-2	Bromoform	0.23	2.38	U	2.38	20.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.040	0.27	U	0.27	0.82	ug/m3
95-49-8	2-Chlorotoluene	0.44	2.28	U	2.28	10.4	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.53	2.61	J	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	2.00	9.83		1.52	9.83	ug/m3
541-73-1	1,3-Dichlorobenzene	0.32	1.92	U	1.92	12.0	ug/m3
106-46-7	1,4-Dichlorobenzene	0.21	1.26	U	1.26	12.0	ug/m3
95-50-1	1,2-Dichlorobenzene	0.30	1.80	U	1.80	12.0	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.34	2.52	U	2.52	14.8	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.34	3.63	U	3.63	21.3	ug/m3
106-99-0	1,3-Butadiene	0.52	1.15	U	1.15	4.42	ug/m3
91-20-3	Naphthalene	0.30	1.57	U	1.57	2.10	ug/m3
622-96-8	4-Ethyltoluene	0.55	2.70	J	2.36	9.83	ug/m3
110-54-3	Hexane	31.0	109		1.55	7.05	ug/m3
107-05-1	Allyl Chloride	0.60	1.88	U	1.88	6.26	ug/m3
123-91-1	1,4-Dioxane	0.84	3.03	U	3.03	7.21	ug/m3
80-62-6	Methyl Methacrylate	0.34	1.39	U	1.39	8.19	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.60			65 - 135	96%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	186000		2.806			
540-36-3	1,4-Difluorobenzene	530000		3.988			
3114-55-4	Chlorobenzene-d5	478000		8.907			

Report of Analysis

Client:	GFE LLC	Date Collected:	03/25/25
Project:	223 W. 29th St NY, NY	Date Received:	03/26/25
Client Sample ID:	SV2	SDG No.:	Q1649
Lab Sample ID:	Q1649-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042208.D	4		03/31/25 13:36	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements



QC SUMMARY

Surrogate Summary

SDG No.: Q1649

Client: GFE LLC

Analytical Method: SWTO-15

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
Q1649-01	SV1	1-Bromo-4-Fluorobenzene	10	9.87	99	65	135
Q1649-02	SV2	1-Bromo-4-Fluorobenzene	10	9.58	96	65	135
Q1669-06DUP	SSSG-DUP-1-3262025DUP	1-Bromo-4-Fluorobenzene	10	9.85	99	65	135
VL0331ABL01	VL0331ABL01	1-Bromo-4-Fluorobenzene	10	9.95	99	65	135
VL0331ABS01	VL0331ABS01	1-Bromo-4-Fluorobenzene	10	10.3	103	65	135

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1649

Client: GFE LLC

Analytical Method: SWTO-15

Datafile : VL042203.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0331ABS01	Dichlorodifluoromethane	10	10.4	ppbv	104			70	130	
	Chloromethane	10	9.70	ppbv	97			70	130	
	Vinyl Chloride	10	8.70	ppbv	87			70	130	
	Bromomethane	10	9.10	ppbv	91			70	130	
	Chloroethane	10	9.30	ppbv	93			70	130	
	Tetrahydrofuran	10	9.30	ppbv	93			70	130	
	Trichlorofluoromethane	10	10.3	ppbv	103			70	130	
	1,1,2-Trichlorotrifluoroethane	10	9.70	ppbv	97			70	130	
	Dichlorotetrafluoroethane	10	10.3	ppbv	103			70	130	
	tert-Butyl Alcohol	10	9.00	ppbv	90			70	130	
	Heptane	10	9.20	ppbv	92			70	130	
	1,1-Dichloroethene	10	9.20	ppbv	92			70	130	
	Acetone	10	8.90	ppbv	89			70	130	
	Carbon disulfide	10	9.30	ppbv	93			70	130	
	Methyl tert-butyl Ether	10	11.0	ppbv	110			70	130	
	Methylene Chloride	10	8.40	ppbv	84			70	130	
	trans-1,2-Dichloroethene	10	9.20	ppbv	92			70	130	
	1,1-Dichloroethane	10	10.0	ppbv	100			70	130	
	Cyclohexane	10	9.40	ppbv	94			70	130	
	2-Butanone	10	9.50	ppbv	95			70	130	
	Carbon Tetrachloride	10	10.6	ppbv	106			70	130	
	cis-1,2-Dichloroethene	10	10.0	ppbv	100			70	130	
	Chloroform	10	10.6	ppbv	106			70	130	
	1,1,1-Trichloroethane	10	9.80	ppbv	98			70	130	
	2,2,4-Trimethylpentane	10	9.50	ppbv	95			70	130	
	Benzene	10	9.80	ppbv	98			70	130	
	1,2-Dichloroethane	10	11.0	ppbv	110			70	130	
	Trichloroethene	10	9.70	ppbv	97			70	130	
	1,2-Dichloropropane	10	9.70	ppbv	97			70	130	
	Bromodichloromethane	10	10.8	ppbv	108			70	130	
	4-Methyl-2-Pentanone	10	8.60	ppbv	86			70	130	
	Toluene	10	9.60	ppbv	96			70	130	
	t-1,3-Dichloropropene	10	9.10	ppbv	91			70	130	
	cis-1,3-Dichloropropene	10	9.40	ppbv	94			70	130	
	1,1,2-Trichloroethane	10	10.2	ppbv	102			70	130	
	Dibromochloromethane	10	10.6	ppbv	106			70	130	
	1,2-Dibromoethane	10	10.3	ppbv	103			70	130	
	Tetrachloroethene	10	9.00	ppbv	90			70	130	
	Chlorobenzene	10	10.4	ppbv	104			70	130	
	Ethyl Benzene	10	10.1	ppbv	101			70	130	
	m/p-Xylene	20	20.6	ppbv	103			70	130	
	o-Xylene	10	10.4	ppbv	104			70	130	
	Styrene	10	10.1	ppbv	101			70	130	
	Bromoform	10	10.3	ppbv	103			70	130	
	1,1,2,2-Tetrachloroethane	10	10.4	ppbv	104			70	130	
	2-Chlorotoluene	10	10.3	ppbv	103			70	130	
	1,3,5-Trimethylbenzene	10	10.4	ppbv	104			70	130	
	1,2,4-Trimethylbenzene	10	9.80	ppbv	98			70	130	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1649

Client: GFE LLC

Analytical Method: SWTO-15

Datafile : VL042203.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0331ABS01	1,3-Dichlorobenzene	10	10.5	ppbv	105			70	130	
	1,4-Dichlorobenzene	10	10.5	ppbv	105			70	130	
	1,2-Dichlorobenzene	10	10.6	ppbv	106			70	130	
	1,2,4-Trichlorobenzene	10	9.30	ppbv	93			70	130	
	Hexachloro-1,3-butadiene	10	8.40	ppbv	84			70	130	
	Naphthalene	10	9.50	ppbv	95			70	130	
	1,3-Butadiene	10	8.70	ppbv	87			70	130	
	4-Ethyltoluene	10	10.5	ppbv	105			70	130	
	Hexane	10	9.50	ppbv	95			70	130	
	Allyl Chloride	10	8.90	ppbv	89			70	130	
	1,4-Dioxane	10	8.90	ppbv	89			70	130	
	Methyl methacrylate	10	9.20	ppbv	92			70	130	

Duplicate Sample Summary

Lab Sample Id :	Q1669-06DUP	Q1669-06
Client Id :	SSSG-DUP-1-3262025DUF	SSSG-DUP-1-3262025
DF :	1	1
Datafile :	VL042206.D	VL042204.D
Anal Date & Time :	03/31/2025 12:26	03/31/2025 11:06

Parameter	Result	Result	RPD
1,1,1-Trichloroethane	0	0	0
1,1,2,2-Tetrachloroethane	0	0	0
1,1,2-Trichloroethane	0	0	0
1,1,2-Trichlorotrifluoroethane	0	0	0
1,1-Dichloroethane	0	0	0
1,1-Dichloroethene	0	0	0
1,2,4-Trichlorobenzene	0	0	0
1,2,4-Trimethylbenzene	1.3	1.4	7.4
1,2-Dibromoethane	0	0	0
1,2-Dichlorobenzene	0	0	0
1,2-Dichloroethane	0	0	0
1,2-Dichloropropane	0	0	0
1,3,5-Trimethylbenzene	0.43	0.43	0
1,3-Butadiene	0	0	0
1,3-Dichlorobenzene	0	0	0
1,4-Dichlorobenzene	0	0	0
1,4-Dioxane	0	0	0
2,2,4-Trimethylpentane	2.3	2.3	0
2-Butanone	6.4	6.2	3.2
2-Chlorotoluene	0	0	0
4-Ethyltoluene	0.43	0.44	2.3
4-Methyl-2-Pentanone	0.41	0.4	2.5
Acetone	22.2	24	7.8
Allyl Chloride	0	0	0
Benzene	5.8	5.6	3.5
Bromodichloromethane	0	0	0
Bromoform	0	0	0
Bromomethane	0	0	0
Carbon Disulfide	0	0	0
Carbon Tetrachloride	0.07	0.07	0

Duplicate Sample Summary

Lab Sample Id :	Q1669-06DUP	Q1669-06
Client Id :	SSSG-DUP-1-3262025DUF	SSSG-DUP-1-3262025
DF :	1	1
Datafile :	VL042206.D	VL042204.D
Anal Date & Time :	03/31/2025 12:26	03/31/2025 11:06

Parameter	Result	Result	RPD
Chlorobenzene	0	0	0
Chloroethane	0	0	0
Chloroform	0	0	0
Chloromethane	0.42	0.43	2.4
cis-1,2-Dichloroethene	0	0	0
cis-1,3-Dichloropropene	0	0	0
Cyclohexane	1.5	1.5	0
Dibromochloromethane	0	0	0
Dichlorodifluoromethane	0.45	0.46	2.2
Dichlorotetrafluoroethane	0	0	0
Ethyl Benzene	1.4	1.3	7.4
Heptane	1.7	1.6	6.1
Hexachloro-1,3-Butadiene	0	0	0
Hexane	4.6	4.4	4.4
m/p-Xylene	5.1	5.1	0
Methyl Methacrylate	0	0	0
Methyl tert-Butyl Ether	0	0	0
Methylene Chloride	0.53	0.51	3.8
Naphthalene	0.37	0.43	15
o-Xylene	1.9	1.9	0
Styrene	1.4	1.4	0
t-1,3-Dichloropropene	0	0	0
tert-Butyl alcohol	0	0	0
Tetrachloroethene	0.04	0	200 *
Tetrahydrofuran	1.9	2	5.1
Toluene	10	9.7	3
trans-1,2-Dichloroethene	0	0	0
Trichloroethene	0	0	0
Trichlorofluoromethane	0.19	0.2	5.1
Vinyl Chloride	0	0	0

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0331ABL01

Lab Name: CHEMTECH

Contract: GFEL01

Lab Code: CHEM Case No.: Q1649

SAS No.: Q1649 SDG NO.: Q1649

Lab File ID: VL042202.D

Lab Sample ID: VL0331ABL01

Date Analyzed: 03/31/2025

Time Analyzed: 09:34

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0331ABS01	VL0331ABS01	VL042203.D	03/31/2025
SSSG-DUP-1-3262025DUP	Q1669-06DUP	VL042206.D	03/31/2025
SV1	Q1649-01	VL042207.D	03/31/2025
SV2	Q1649-02	VL042208.D	03/31/2025

COMMENTS: _____

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GFEL01
Lab Code: CHEM Case No.: Q1649 SAS No.: Q1649 SDG NO.: Q1649
Lab File ID: VL042171.D BFB Injection Date: 03/27/2025
Instrument ID: MSVOA_L BFB Injection Time: 07:44
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	23
75	30.0 - 66.0% of mass 95	56.3
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.0 (0.0) 1
174	50.0 - 120.0% of mass 95	63.8
175	4.0 - 9.0% of mass 174	5.1 (8) 1
176	93.0 - 101.0% of mass 174	61.1 (95.7) 1
177	5.0 - 9.0% of mass 176	4.2 (6.8) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDICCC010	VSTDICCC010	VL042172.D	03/27/2025	08:26
VSTDICCC002	VSTDICCC002	VL042173.D	03/27/2025	08:59
VSTDICCC001	VSTDICCC001	VL042174.D	03/27/2025	09:30
VSTDICCC0.5	VSTDICCC0.5	VL042175.D	03/27/2025	10:01
VSTDICCC0.1	VSTDICCC0.1	VL042176.D	03/27/2025	10:32
VSTDICCC0.03	VSTDICCC0.03	VL042177.D	03/27/2025	11:03
VSTDICCC015	VSTDICCC015	VL042178.D	03/27/2025	11:36

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GFEL01
Lab Code: CHEM Case No.: Q1649 SAS No.: Q1649 SDG NO.: Q1649
Lab File ID: VL042200.D BFB Injection Date: 03/31/2025
Instrument ID: MSVOA_L BFB Injection Time: 08:09
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	25.4
75	30.0 - 66.0% of mass 95	61.8
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.3 (0.5) 1
174	50.0 - 120.0% of mass 95	59.4
175	4.0 - 9.0% of mass 174	4.5 (7.6) 1
176	93.0 - 101.0% of mass 174	57.9 (97.6) 1
177	5.0 - 9.0% of mass 176	3.8 (6.6) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC010	VSTDCCC010	VL042201.D	03/31/2025	08:51
VL0331ABL01	VL0331ABL01	VL042202.D	03/31/2025	09:34
VL0331ABS01	VL0331ABS01	VL042203.D	03/31/2025	10:17
SSSG-DUP-1-3262025DUP	Q1669-06DUP	VL042206.D	03/31/2025	12:26
SV1	Q1649-01	VL042207.D	03/31/2025	13:05
SV2	Q1649-02	VL042208.D	03/31/2025	13:36

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: GFEL01
Lab Code: CHEM Case No.: Q1649 SAS No.: Q1649 SDG NO.: Q1649
Lab File ID: VL042201.D Date Analyzed: 03/31/2025
Instrument ID: MSVOA_L Time Analyzed: 08:51
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	161478	2.80	460403	3.98	424671	8.90
UPPER LIMIT	226069	3.13	644564	4.31	594539	9.23
LOWER LIMIT	96886.8	2.47	276242	3.65	254803	8.57
EPA SAMPLE NO.						
SV1	188990	2.80	532030	3.98	474470	8.90
SV2	185856	2.81	529863	3.99	478116	8.91
SSSG-DUP-1-3262025DUP	184777	2.81	533717	3.99	486289	8.91
VL0331ABL01	181807	2.80	517775	3.98	464953	8.90
VL0331ABS01	175685	2.80	498986	3.98	456400	8.90

IS1 = Bromochloromethane
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.



QC SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	223 W. 29th St NY, NY	Date Received:	
Client Sample ID:	VL0331ABL01	SDG No.:	Q1649
Lab Sample ID:	VL0331ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042202.D	1		03/31/25 09:34	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.21	1.04	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.10	0.21	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.16	0.90	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.24	0.57	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.19	0.66	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.12	0.35	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.010	0.060	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.090	0.29	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	223 W. 29th St NY, NY	Date Received:	
Client Sample ID:	VL0331ABL01	SDG No.:	Q1649
Lab Sample ID:	VL0331ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042202.D	1		03/31/25 09:34	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.90			65 - 135	99%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	182000		2.8			
540-36-3	1,4-Difluorobenzene	518000		3.981			
3114-55-4	Chlorobenzene-d5	465000		8.901			

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	223 W. 29th St NY, NY	Date Received:	
Client Sample ID:	VL0331ABL01	SDG No.:	Q1649
Lab Sample ID:	VL0331ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042202.D	1		03/31/25 09:34	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	223 W. 29th St NY, NY	Date Received:	
Client Sample ID:	VL0331ABS01	SDG No.:	Q1649
Lab Sample ID:	VL0331ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042203.D	1		03/31/25 10:17	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	10.4	51.4		1.04	2.47	ug/m3
74-87-3	Chloromethane	9.70	20.0		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	8.70	22.2		0.030	0.080	ug/m3
74-83-9	Bromomethane	9.10	35.3		0.54	1.94	ug/m3
75-00-3	Chloroethane	9.30	24.5		0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	9.30	27.4		0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	10.3	57.9		0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	9.70	74.3		1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	10.3	72.0		0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	9.00	27.3		0.58	1.52	ug/m3
142-82-5	Heptane	9.20	37.7		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	9.20	36.5		0.56	1.98	ug/m3
67-64-1	Acetone	8.90	21.1		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	9.30	29.0		0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	11.0	39.7		0.43	1.80	ug/m3
75-09-2	Methylene Chloride	8.40	29.2		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	9.20	36.5		0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	10.0	40.5		0.53	2.02	ug/m3
110-82-7	Cyclohexane	9.40	32.4		0.76	1.72	ug/m3
78-93-3	2-Butanone	9.50	28.0		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	10.6	66.7		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	10.0	39.6		0.36	1.98	ug/m3
67-66-3	Chloroform	10.6	51.8		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	9.80	53.5		0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	9.50	44.4		0.47	2.34	ug/m3
71-43-2	Benzene	9.80	31.3		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	11.0	44.5		0.36	2.02	ug/m3
79-01-6	Trichloroethene	9.70	52.1		0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	9.70	44.8		0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	10.8	72.3		0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	8.60	35.2		0.37	2.05	ug/m3
108-88-3	Toluene	9.60	36.2		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	9.10	41.3		0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	9.40	42.7		0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	10.2	55.6		0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	223 W. 29th St NY, NY	Date Received:	
Client Sample ID:	VL0331ABS01	SDG No.:	Q1649
Lab Sample ID:	VL0331ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042203.D	1		03/31/25 10:17	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	10.6	90.3		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	10.3	79.2		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	9.00	61.0		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	10.4	47.9		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	10.1	43.9		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	20.6	89.5		0.91	4.34	ug/m3
95-47-6	o-Xylene	10.4	45.2		0.52	2.17	ug/m3
100-42-5	Styrene	10.1	43.0		0.47	2.13	ug/m3
75-25-2	Bromoform	10.3	107		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	10.4	71.4		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	10.3	53.3		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	10.4	51.1		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	9.80	48.2		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	10.5	63.1		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	10.5	63.1		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	10.6	63.7		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	9.30	69.0		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	8.40	89.6		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	8.70	19.3		0.29	1.11	ug/m3
91-20-3	Naphthalene	9.50	49.8		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	10.5	51.6		0.59	2.46	ug/m3
110-54-3	Hexane	9.50	33.5		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	8.90	27.9		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	8.90	32.1		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	9.20	37.7		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	176000		2.803			
540-36-3	1,4-Difluorobenzene	499000		3.981			
3114-55-4	Chlorobenzene-d5	456000		8.904			

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	223 W. 29th St NY, NY	Date Received:	
Client Sample ID:	VL0331ABS01	SDG No.:	Q1649
Lab Sample ID:	VL0331ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042203.D	1		03/31/25 10:17	VL033125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements



CALIBRATION SUMMARY

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\

Method File : VL032725AIR.M

Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022

Last Update : Fri Mar 28 02:00:52 2025

Response Via : Initial Calibration

Calibration Files

0.03=VL042177.D 0.1 =VL042176.D 0.5 =VL042175.D 1 =VL042174.D 2 =VL042173.D 10 =VL042172.D 15 =VL042178.D

Compound		0.03	0.1	0.5	1	2	10	15	Avg	%RSD

1) I	Bromochloromethane	-----ISTD-----								
2) T	Dichlorodifluo...			1.602	1.514	1.482	1.404	1.380	1.476	6.03
3)	Chlorodifluoro...			1.622	1.541	1.514	1.457	1.408	1.508	5.41
4)	Chloromethane			0.660	0.597	0.618	0.573	0.570	0.603	6.17
5) T	Vinyl Chloride	0.882	0.705	0.635	0.576	0.584	0.549	0.546	0.639	18.84
6) T	Bromomethane			0.327	0.268	0.266	0.256	0.250	0.273	11.20
7)	Chloroethane			0.286	0.248	0.223	0.227	0.226	0.242	10.92
8) T	Dichlorotetra...			1.306	1.283	1.274	1.214	1.211	1.257	3.40
9) T	Propene			0.734	0.736	0.698	0.660	0.630	0.691	6.69
10) T	Heptane			1.847	1.940	1.897	1.792	1.719	1.839	4.73
11) T	Trichlorofluor...			1.562	1.457	1.480	1.339	1.346	1.437	6.59
12) T	1,1,2-Trichlor...			1.247	1.215	1.188	1.120	1.135	1.181	4.52
13)	Ethanol			0.110	0.086	0.073	0.029	0.028	0.065	55.48
14) T	Bromoethene			0.529	0.447	0.460	0.417	0.409	0.452	10.47
15) T	Acetone			1.699	1.573	1.469	1.113	1.139	1.399	18.73
16) T	1,3-Butadiene			0.952	0.705	0.608	0.573	0.577	0.683	23.38
17)	tert-Butyl alc...			1.935	1.799	1.756	1.618	1.601	1.742	7.91
18) T	1,1-Dichloroet...			0.624	0.565	0.560	0.504	0.507	0.552	8.99
19) T	Isopropyl Alcohol			1.016	0.800	0.738	0.702	0.689	0.789	16.99
20) T	Methylene Chlo...			0.624	0.563	0.545	0.438	0.435	0.521	15.85
21) T	Allyl Chloride			1.067	1.022	1.020	0.902	0.921	0.986	7.25
22) T	trans-1,2-Dich...			0.704	0.701	0.621	0.590	0.575	0.638	9.56
23) T	Vinyl Acetate			0.754	0.692	0.550	0.498	0.532	0.605	18.40
24) T	1,1-Dichloroet...			1.247	1.208	1.187	1.122	1.149	1.183	4.17
25) T	Ethyl Acetate			4.017	3.619	3.703	3.457	3.353	3.630	7.06
26) T	Hexane			1.507	1.462	1.383	1.333	1.325	1.402	5.71
27) T	Carbon Disulfide			1.608	1.512	1.538	1.436	1.423	1.503	5.07
28) T	Methyl tert-Bu...			0.921	0.886	0.894	0.831	0.832	0.873	4.56
29) T	Chloroform			2.233	2.068	2.071	1.932	1.956	2.052	5.81
30) T	Cyclohexane			1.337	1.238	1.211	1.162	1.140	1.217	6.33
31) T	cis-1,2-Dichlo...			1.507	1.460	1.426	1.371	1.353	1.423	4.44
32) T	1,1,1-Trichlor...	3.151	2.495	2.279	2.201	2.152	2.062	2.105	2.349	16.23

33) I	1,4-Difluorobenzene	-----ISTD-----								
34) T	2-Butanone			0.754	0.771	0.770	0.667	0.664	0.725	7.58
35) T	Carbon Tetrach...	1.069	0.782	0.709	0.732	0.748	0.703	0.725	0.781	16.60
36) T	Benzene			1.049	1.027	1.013	0.934	0.934	0.991	5.47
37) T	1,2-Dichloroet...			0.613	0.569	0.563	0.537	0.556	0.568	4.95
38) T	Trichloroethene	0.463	0.437	0.438	0.408	0.398	0.374	0.378	0.414	8.00
39) T	1,2-Dichloropr...			0.386	0.373	0.365	0.337	0.344	0.361	5.68

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\										
Method File : VL032725AIR.M										
40) T	1,4-Dioxane			0.234	0.197	0.191	0.169	0.167	0.192	14.08
41) T	Tetrahydrofuran			0.439	0.425	0.432	0.398	0.393	0.418	4.98
42) T	Bromodichlorom...			0.778	0.779	0.802	0.769	0.785	0.782	1.58
43) T	Methyl Methacr...			0.442	0.451	0.408	0.403	0.394	0.420	6.03
44) T	2,2,4-Trimethy...			1.781	1.689	1.723	1.608	1.576	1.675	5.00
45) T	t-1,3-Dichloro...			0.474	0.447	0.453	0.439	0.440	0.450	3.15
46) T	cis-1,3-Dichlo...			0.549	0.560	0.566	0.550	0.535	0.552	2.12
47) T	1,1,2-Trichlor...			0.419	0.382	0.379	0.364	0.365	0.382	5.88
48) T	Dibromochlorom...			0.651	0.641	0.663	0.636	0.644	0.647	1.62
49) T	Bromoform			0.566	0.588	0.597	0.582	0.570	0.581	2.18
50) T	4-Methyl-2-Pen...			1.286	1.214	1.211	1.027	1.008	1.149	10.79
51) T	2-Hexanone			0.999	1.018	1.031	0.844	0.827	0.944	10.56
52) T	Tetrachloroethene	0.572	0.359	0.401	0.361	0.371	0.343	0.345	0.393	20.64
53) T	Toluene			1.239	1.203	1.202	1.125	1.108	1.175	4.76
54) T	1,2-Dibromoethane	0.574		0.543	0.538	0.520	0.508	0.510	0.532	4.74
-----ISTD-----										
55) I	Chlorobenzene-d5									
56) T	1,1,1,2-Tetrac...			0.576	0.575	0.576	0.510	0.515	0.550	6.30
57) T	Chlorobenzene			1.024	0.979	0.994	0.875	0.871	0.949	7.46
58) T	Ethyl Benzene			1.850	1.822	1.894	1.671	1.645	1.776	6.28
59) T	m/p-Xylene			1.505	1.472	1.484	1.321	1.309	1.418	6.71
60) T	o-Xylene			1.521	1.475	1.499	1.328	1.287	1.422	7.50
61) T	Styrene			0.709	0.722	0.735	0.683	0.668	0.703	3.92
62) T	Isopropylbenzene			2.290	2.199	2.261	1.962	1.920	2.126	8.14
63) T	1,1,2,2-Tetrac...	0.986	0.800	0.907	0.889	0.893	0.796	0.777	0.864	8.78
64) T	n-propylbenzene			0.578	0.581	0.576	0.499	0.502	0.547	7.81
65) T	tert-Butylbenzene			2.190	2.071	2.144	1.736	1.691	1.966	11.96
66) T	Benzyl Chloride			0.217	0.213	0.221	0.203	0.189	0.209	6.06
67) T	sec-Butylbenzene			3.005	2.994	2.947	2.404	2.316	2.733	12.54
68) S	1-Bromo-4-Fluo...	0.820	0.827	0.832	0.810	0.828	0.813	0.820	0.821	0.98
69) T	p-Isopropyltol...			2.554	2.551	2.560	2.078	2.025	2.354	11.74
70) T	n-Butylbenzene			2.536	2.598	2.682	2.137	2.082	2.407	11.51
71) T	2-Chlorotoluene			1.717	1.728	1.759	1.538	1.510	1.650	7.07
72) T	4-Ethyltoluene			1.834	1.859	1.929	1.629	1.601	1.770	8.26
73) T	1,3,5-Trimethy...			1.616	1.671	1.677	1.387	1.381	1.546	9.71
74) T	1,2,4-Trimethy...			1.994	1.958	1.966	1.510	1.478	1.781	14.74
75) T	1,3-Dichlorobe...			1.036	1.022	1.063	0.882	0.882	0.977	8.99
76) T	1,4-Dichlorobe...			1.030	1.017	1.040	0.888	0.886	0.972	8.05
77) T	1,2-Dichlorobe...			1.012	1.031	1.014	0.850	0.850	0.951	9.78
78) T	Hexachloro-1,3...			1.057	1.113	1.086	0.802	0.784	0.968	16.65
79) T	Naphthalene	1.637		1.979	2.181	2.314	1.806	1.773	1.948	13.31
80) T	Naphthalene,2-...			0.721	0.891	1.163	0.990	1.013	0.955	17.09
81) T	1,2,4-Trichlor...			0.821	0.941	1.028	0.859	0.843	0.899	9.51

(#) = Out of Range

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GFEL01

Lab Code: CHEM Case No.: Q1649 SAS No.: Q1649 SDG No.: Q1649

Instrument ID: MSVOA_L Calibration Date/Time: 03/31/2025 08:51

Lab File ID: VL042201.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	1.476	1.509		2.24	30
Chloromethane	0.603	0.570		-5.47	30
Vinyl Chloride	0.639	0.550		-13.93	30
Bromomethane	0.273	0.252		-7.69	30
Chloroethane	0.242	0.221		-8.68	30
Tetrahydrofuran	0.418	0.371		-11.24	30
Trichlorofluoromethane	1.437	1.435		-0.14	30
1,1,2-Trichlorotrifluoroethane	1.181	1.132		-4.15	30
Dichlorotetrafluoroethane	1.257	1.261		0.32	30
tert-Butyl alcohol	1.742	1.563		-10.28	30
Heptane	1.839	1.622		-11.8	30
1,1-Dichloroethene	0.552	0.513		-7.07	30
Acetone	1.399	1.200		-14.22	30
Carbon Disulfide	1.503	1.425		-5.19	30
Methyl tert-Butyl Ether	0.873	1.103		26.35	30
Methylene Chloride	0.521	0.420		-19.39	30
trans-1,2-Dichloroethene	0.638	0.569		-10.81	30
1,1-Dichloroethane	1.183	1.151		-2.7	30
Cyclohexane	1.217	1.115		-8.38	30
2-Butanone	0.725	0.655		-9.65	30
Carbon Tetrachloride	0.781	0.807		3.33	30
cis-1,2-Dichloroethene	1.423	1.359		-4.5	30
Chloroform	2.052	2.093		2	30
1,1,1-Trichloroethane	2.349	2.228		-5.15	30
2,2,4-Trimethylpentane	1.675	1.532		-8.54	30
Benzene	0.991	0.927		-6.46	30
1,2-Dichloroethane	0.568	0.593		4.4	30
Trichloroethene	0.414	0.391		-5.56	30
1,2-Dichloropropane	0.361	0.333		-7.76	30
Bromodichloromethane	0.782	0.811		3.71	30
4-Methyl-2-Pentanone	1.149	0.949		-17.41	30
Toluene	1.175	1.070		-8.94	30
t-1,3-Dichloropropene	0.450	0.413		-8.22	30
cis-1,3-Dichloropropene	0.552	0.505		-8.51	30
1,1,2-Trichloroethane	0.382	0.366		-4.19	30
Dibromochloromethane	0.647	0.659		1.86	30
1,2-Dibromoethane	0.532	0.520		-2.26	30
Tetrachloroethene	0.393	0.337		-14.25	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GFEL01

Lab Code: CHEM Case No.: Q1649 SAS No.: Q1649 SDG No.: Q1649

Instrument ID: MSVOA_L Calibration Date/Time: 03/31/2025 08:51

Lab File ID: VL042201.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Chlorobenzene	0.949	0.917		-3.37	30
Ethyl Benzene	1.776	1.678		-5.52	30
m/p-Xylene	1.418	1.371		-3.32	30
o-Xylene	1.422	1.355		-4.71	30
Styrene	0.703	0.663		-5.69	30
Bromoform	0.581	0.568		-2.24	30
1,1,2,2-Tetrachloroethane	0.864	0.822		-4.86	30
2-Chlorotoluene	1.650	1.593		-3.45	30
1,3,5-Trimethylbenzene	1.546	1.501		-2.91	30
1,2,4-Trimethylbenzene	1.781	1.639		-7.97	30
1,3-Dichlorobenzene	0.977	0.967		-1.02	30
1,4-Dichlorobenzene	0.972	0.974		0.21	30
1,2-Dichlorobenzene	0.951	0.940		-1.16	30
1,2,4-Trichlorobenzene	0.899	0.879		-2.22	30
Hexachloro-1,3-Butadiene	0.968	0.813		-16.01	30
1,3-Butadiene	0.683	0.595		-12.88	30
Naphthalene	1.948	1.962		0.72	30
4-Ethyltoluene	1.770	1.731		-2.2	30
1-Bromo-4-Fluorobenzene	0.821	0.837		1.95	30
Hexane	1.402	1.295		-7.63	30
Allyl Chloride	0.986	0.895		-9.23	30
1,4-Dioxane	191.626	167.508		-12.59	30
Methyl Methacrylate	0.420	0.370		-11.9	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.