

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

LAB CHRONICLE

OrderID:	Q1651	OrderDate:	3/26/2025 11:20:00 AM
Client:	Tully Environmental, Inc	Project:	Transfer Station - SPDES 2025
Contact:	Dean Devoe	Location:	I31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1651-01	001-WILLETS-PT-BLV D(MAR)	WATER	TSS	SM2540 D	03/25/25 13:45		03/27/25 10:00	03/26/25
Q1651-02	002-35TH-AVE(MAR)	WATER	TSS	SM2540 D	03/25/25 13:45		03/27/25 10:00	03/26/25



SAMPLE DATA

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	03/25/25 13:45
Project:	Transfer Station - SPDES 2025	Date Received:	03/26/25
Client Sample ID:	001-WILLETS-PT-BLVD(MAR)	SDG No.:	Q1651
Lab Sample ID:	Q1651-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	78.8		1	1.00	4.00	mg/L		03/27/25 10:00	SM 2540 D-15

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	03/25/25 13:45
Project:	Transfer Station - SPDES 2025	Date Received:	03/26/25
Client Sample ID:	002-35TH-AVE(MAR)	SDG No.:	Q1651
Lab Sample ID:	Q1651-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	57.7		1	1.00	4.00	mg/L		03/27/25 10:00	SM 2540 D-15

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY

Preparation Blank Summary

Client: Tully Environmental, Inc

SDG No.: Q1651

Project: Transfer Station - SPDES 2025

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID:	LB135205BL						
TSS	mg/L	1	2.0000	J	1	4	03/27/2025

Duplicate Sample Summary

Client: Tully Environmental, Inc	SDG No.: Q1651
Project: Transfer Station - SPDES 2025	Sample ID: Q1658-02
Client ID: COMPDUP	Percent Solids for Spike Sample: 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
TSS	mg/L	+/-5	621		623		1	0.32		03/27/2025

Laboratory Control Sample Summary

Client: Tully Environmental, Inc

SDG No.: Q1651

Project: Transfer Station - SPDES 2025

Run No.: LB135205

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135205BS							
TSS	mg/L	550	533		97	1	90-110	03/27/2025



RAW DATA

TOTAL SUSPENDED SOLIDS - SM2540D

SUPERVISOR: Iwona

ANALYST: jignesh

Date: 03/26/2025

Run Number: LB135205

BalanceID: WC SC-6

OvenID: WC OVEN-1

FilterID: 17416528

ThermometerID: WET OVEN#1

TEMP1 IN: 103 °C 03/26/2025 14:00 TEMP1 OUT: 104 °C 03/26/2025 15:00
 TEMP2 IN: 103 °C 03/26/2025 15:30 TEMP2 OUT: 104 °C 03/26/2025 16:30
 TEMP3 IN: 104 °C 03/27/2025 10:00 TEMP3 OUT: 103 °C 03/27/2025 11:30
 TEMP4 IN: 104 °C 03/27/2025 12:00 TEMP4 OUT: 103 °C 03/27/2025 13:30

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Weight (g)	Result mg/L
1	LB135205BL	LB135205BL	1.5863	1.5863	100	1.5864	1.5864	1.5864	0.0001	1
2	LB135205BS	LB135205BS	1.6033	1.6033	100	1.6566	1.6566	1.6566	0.0533	533
3	Q1644-03	031925	1.4729	1.4729	2000	1.4888	1.4888	1.4888	0.0159	8
4	Q1651-01	001-WILLETTS-PT-BLVD (MAR)	1.4773	1.4773	250	1.4970	1.4970	1.4970	0.0197	78.8
5	Q1651-02	002-35TH-AVE (MAR)	1.4662	1.4662	400	1.4893	1.4893	1.4893	0.0231	57.7
6	Q1658-02	COMP	1.4725	1.4725	100	1.5346	1.5346	1.5346	0.0621	621
7	Q1658-02DUP	COMPDUP	1.5697	1.5697	100	1.6320	1.6320	1.6320	0.0623	623

A = Sample Volume (ml)
 B = Final Empty Dish Weight (g)
 C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)
 D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

WORKLIST(Hardcopy Internal Chain)

VB 135205

WorkList Name : tss cq1548

WorkList ID : 188574

Department : Wet-Chemistry

Date : 03-27-2025 08:02:32

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1644-03 L ₁ K	031925	Water	TSS	Cool 4 deg C	PSEG03	I31	03/25/2025	SM2540 D
Q1651-01 A	001-WILLETS-PT-BLVD(MAR)	Water	TSS	Cool 4 deg C	TULL01	I31	03/25/2025	SM2540 D
Q1651-02 A	002-35TH-AVE(MAR)	Water	TSS	Cool 4 deg C	TULL01	I31	03/25/2025	SM2540 D
Q1658-02 B	COMP	Water	TSS	Cool 4 deg C	ARAM01	F11	03/26/2025	SM2540 D

Date/Time 03/27/25 08:15

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 03/27/25 13:45

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB135205

Review By	jignesh	Review On	3/27/2025 11:20:08 AM
Supervise By	Iwona	Supervise On	3/27/2025 11:29:36 AM
SubDirectory	LB135205	Test	TSS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB135205BL	LB135205BL	MB	03/27/25 10:00		jignesh	OK
2	LB135205BS	LB135205BS	LCS	03/27/25 10:00		jignesh	OK
3	Q1644-03	031925	SAM	03/27/25 10:00		jignesh	OK
4	Q1651-01	001-WILLETS-PT-BLV	SAM	03/27/25 10:00		jignesh	OK
5	Q1651-02	002-35TH-AVE(MAR)	SAM	03/27/25 10:00		jignesh	OK
6	Q1658-02	COMP	SAM	03/27/25 10:00		jignesh	OK
7	Q1658-02DUP	COMPDUP	DUP	03/27/25 10:00		jignesh	OK

Prep Standard - Chemical Standard Summary

Order ID : Q1651

Test : TSS

Prepbatch ID :

Sequence ID/Qc Batch ID: LB135205,

Standard ID :

Chemical ID :

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
				/	/	



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax: (908) 788-9222
www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q1651

COC Number:

CLIENT INFORMATION

COMPANY: Tully Environmental Inc.
ADDRESS: 57 Seaview Blvd
CITY: Pt Washington STATE: NY ZIP: 11050
ATTENTION: Dean Devoe
PHONE: 718 446 7000 FAX:

PROJECT INFORMATION

PROJECT NAME: Transfer Station SPDES
PROJECT #: 252113 LOCATION:
PROJECT MANAGER:
E-MAIL:
PHONE: FAX:

BILLING INFORMATION

BILL TO: Same PO#
ADDRESS:
CITY: STATE: ZIP:
ATTENTION: PHONE:

DATA TURNAROUND INFORMATION

FAX: _____ ASAP _____ DAYS*
HARD COPY: _____ DAYS*
EDD _____ DAYS*
* TO BE APPROVED BY ALLIANCE
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

* RESULTS ONLY ☐ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

ANALYSIS

TSS	Cu, Pb, Fe								
1	2	3	4	5	6	7	8	9	

PRESERVATIVES

COMMENTS

<-- Specify Preservatives
A-HCl B-HNO3
C-H2SO4 D-NaOH
E-ICE F-Other

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles										
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	001 Willets Pt Blvd (Mar)	W		X	3/25/25	145		X	X								
2.	002 35th Ave (Mar)	W		X	3/25/25	145		X	X								
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER	DATE/TIME	RECEIVED BY	Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant MeOH extraction requires an additional 4oz. Jar for percent solid Comments:
1. D Devoe	March 25, 2025	1. <i>[Signature]</i> 11:13am	
RELINQUISHED BY	DATE/TIME	RECEIVED BY	
2.		2.	
RELINQUISHED BY	DATE/TIME	RECEIVED FOR LAB BY	
3.		3.	

Page _____ of _____

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight
ALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete
☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488