

ANALYTICAL RESULTS SUMMARY

VOLATILE ORGANICS
GENERAL CHEMISTRY
METALS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS

PROJECT NAME : RFP 905

WESTON SOLUTIONS, INC.
1090 King Georges Post Road
Suite 201
Edison, NJ - 08837-3703
Phone No: 732-585-4410

ORDER ID : Q1664
ATTENTION : Smita Sumbaly



Laboratory Certification ID # 20012



1) Signature Page	3	
2) Case Narrative	4	
2.1) VOC-TCLVOA-10- Case Narrative	4	
2.2) SPLP VOA- Case Narrative	6	
2.3) SVOC-TCL BNA -20- Case Narrative	8	
2.4) SPLP BNA- Case Narrative	11	
2.5) Pesticide-TCL- Case Narrative	14	
2.6) SPLP Pesticide- Case Narrative	16	
2.7) PCB- Case Narrative	18	
2.8) SPLP PCB- Case Narrative	20	
2.9) EPH- Case Narrative	22	
2.10) Metals-AES- Case Narrative	24	
2.11) Metals-TCLP- Case Narrative	26	
2.12) Genchem- Case Narrative	28	
3) Qualifier Page	30	
4) QA Checklist	32	
5) VOC-TCLVOA-10 Data	33	
6) SPLP VOA Data	64	
7) SVOC-TCL BNA -20 Data	96	
8) SPLP BNA Data	149	
9) Pesticide-TCL Data	183	
10) SPLP Pesticide Data	205	
11) PCB Data	230	
12) SPLP PCB Data	242	
13) EPH Data	257	
14) Metals-AES Data	363	
15) Metals-TCLP Data	380	
16) Genchem Data	395	
17) Shipping Document	417	
17.1) CHAIN OF CUSTODY	418	
17.2) Lab Certificate	427	
17.3) Internal COC	428	

Cover Page

Order ID : Q1664

Project ID : RFP 905

Client : Weston Solutions, Inc.

Lab Sample Number

Q1664-01
Q1664-02
Q1664-03
Q1664-04
Q1664-05
Q1664-06
Q1664-07
Q1664-08
Q1664-09
Q1664-10
Q1664-11
Q1664-12
Q1664-13
Q1664-14
Q1664-15
Q1664-16
Q1664-17
Q1664-18
Q1664-19
Q1664-20
Q1664-21
Q1664-22

Client Sample Number

P001-BBDGA-001-01
P001-BBDGA-001-01MS
P001-BBDGA-001-01MSD
P001-BBDGA-001-01
P001-BBDGA-001-01MS
P001-BBDGA-001-01MSD
P001-BBDGA-001-02
P001-BBDGA-001-02
P001-BBDGA-002-01
P001-BBDGA-002-01
P001-BBDGA-003-01
P001-BBDGA-003-01
P001-BBDGA-004-01
P001-BBDGA-004-01
P001-BBDGA-005-01
P001-BBDGA-005-01
P001-BBDGA-006-01
P001-BBDGA-006-01
P001-BBDGA-007-01
P001-BBDGA-007-01
P001-BBDGA-008-01
P001-BBDGA-008-01

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

APPROVED

Signature :

By Nimisha Pandya, QA/QC Supervisor at 10:56 am, Apr 08, 2025

Date: 4/8/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: VOC-TCLVOA-10

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_Y were done using GC column Rx-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-TCLVOA-10 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements except for P001-BBDGA-001-01MS passing in parent sample and MSD therefore no correction action taken.

The Retention Times were acceptable for all samples.

The MS {Q1664-02MS} with File ID: VY021740.D recoveries met the requirements for all compounds except for Methyl Acetate[462%] due to matrix interference.

The MSD {Q1664-03MSD} with File ID: VY021741.D recoveries met the acceptable requirements except for Methyl Acetate[369%] due to matrix interference.

The RPD for {Q1664-03MSD} with File ID: VY021741.D met criteria except for Acetone[22%], Methyl Acetate[22%] due to difference in results of MS and MSD.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The %RSD is greater than 20% in the Initial Calibration method (82Y032725S.M) for Methylene Chloride is passing on Linear Regression. The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Calculation:

Low Level Soil Calculation in ug/Kg dry weight basis

$$\frac{(A_x)(I_s)(D_f)}{(A_{is})(RRF)(W_s)(D)}$$

Where

Ax = Area for the compound to be measured

Ais = Area for the specific internal standard

Is = Amount of internal standard added in nanograms (ng)

RRF = Relative response factor of the initial calibration curve standard.

Df = Dilution factor

Ws= Weight of sample

D= 100 - % moisture

F. Additional Comments:

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature _____

By Nimisha Pandya, QA/QC Supervisor at 11:00 am, Apr 08, 2025



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: SPLP VOA

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCL VOA-10. This data package contains results for SPLP VOA.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_N were done using GC column Rx-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of SPLP VOA was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS {Q1664-05MS} with File ID: VN086163.D recoveries met the requirements for all compounds except for 1,1,2,2-Tetrachloroethane[33%], due to matrix interference.

The MSD {Q1664-06MSD} with File ID: VN086164.D recoveries met the acceptable requirements except for 1,1,2,2-Tetrachloroethane[35%] and Tetrachloroethene[161%], due to matrix interference.

The RPD for {Q1664-06MSD} with File ID: VN086164.D met criteria except for Bromomethane[32%], due to difference in results of MS and MSD.

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The Continuous Calibration File ID VN086140.D met the requirements except for 2-Hexanone and 4-Methyl-2-Pentanone, are failing high but no positive hit in associate samples therefore no corrective action taken.

The Tuning criteria met requirements.

E. Calculation:

Water Calculation in ug/L

$$\frac{(Ax)(Is)(Df)}{(Ais)(RRF)(V0)}$$

Where,

Ax = Area for the compound to be measured

Ais = Area for the specific internal standard

Is = Amount of internal standard added in nanograms (ng)

RRF = Relative response factor of the initial calibration curve standard.

Vo = Volume of water purged in milliliters (mL)

Df = Dilution factor.

F. Additional Comments:

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:00 am, Apr 08, 2025

Signature _____



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: SVOC-TCL BNA -20

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCL VOA-10. This data package contains results for SVOC-TCL BNA -20.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA_M using GC Column ZB-Semi Volatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of SVOC-TCL BNA -20 was based on method 8270E and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for PB167369BS [Terphenyl-d14 - 112%], marginally out of QC limits, therefore no corrective action was taken.

The Internal Standards Areas met the acceptable requirements except for P001-BBDGA-001-02, P001-BBDGA-002-01, P001-BBDGA-005-01 and P001-BBDGA-006-01, The sample was reanalyzed to confirm internal standard failure, both run were reported in Hard Copy.

The Retention Times were acceptable for all samples.

The MS {Q1664-02MS} with File ID: BM049797.D recoveries met the requirements for all compounds except for 2,2-oxybis(1-Chloropropane)[111%], 2-Chlorophenol[111%], 3+4-Methylphenols[117%], Atrazine[172%] and Benzaldehyde[111%], due to matrix interference therefore no corrective action is required .

The MSD {Q1664-03MSD} with File ID: BM049798.D recoveries met the acceptable requirements except for 2,2-oxybis(1-Chloropropane)[117%], 2,3,4,6-Tetrachlorophenol[117%], 2-Chlorophenol[111%], 3+4-Methylphenols[122%], 4-



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

Chlorophenyl-phenylether[111%], Atrazine[178%] and Benzaldehyde[117%], due to matrix interference, therefore no corrective action is required.

The RPD for {Q1664-03MSD} with File ID: BM049798.D met criteria except for 4-Chloroaniline[22%], due to matrix interference, no corrective action was taken.

The Blank Spike for {PB167369BS} with File ID: BF142177.D met requirements for all samples except for 2,4,5-Trichlorophenol[106%], 2,4-Dinitrotoluene[112%], 2,6-Dinitrotoluene[106%], 2-Chloronaphthalene[100%], 3,3-Dichlorobenzidine[19%], 4,6-Dinitro-2-methylphenol[118%], 4-Chlorophenyl-phenylether[106%], Acenaphthylene [106%], Anthracene[106%], Benzo(a)anthracene[106%], Benzo(a)pyrene[112%], Carbazole[100%], Chrysene[106%], Dimethylphthalate[100%], Hexachlorobenzene [106%], Hexachlorobutadiene[106%], Hexachlorocyclopentadiene [185%], Isophorone [100%], N-Nitrosodiphenylamine[100%], Pentachlorophenol[106%] and Pyrene[106%]. The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Blank analysis did not indicate the presence of lab contamination.

The % RSD is greater than 20% in the Initial Calibration (8270-BF031025.M) for 2,4-Dinitrophenol, this compound is passing on Linear Regression.

The % RSD is greater than 20% in the Initial Calibration (8270-BM031325.M) for 4-Nitroaniline, this compound is passing on Linear Regression, and 2,4-Dinitrophenol, 4,6-Dinitro-2-methylphenol passing on Quadratic regression.

The Continuous Calibration File ID BF142175.D met the requirements except for Benzaldehyde, The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Continuous Calibration File ID BM049784.D met the requirements except for Terphenyl-d14, The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Tuning criteria met requirements.

E. Additional Comments:

Concentration of SOIL Sample:

Concentration ug/Kg,
(dry weight basis) = (Ax) (Is) (Vt) (DF) (GPC)

$$(\text{Ais}) (\overline{\text{RRF}}) (\text{Vi}) (\text{Wt}) (\text{D})$$



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

Where,

Ax = Area of the characteristic ion for the compound to be measured.

Ais = Area of the characteristic ion for the internal standard.

Is = Amount of internal standard injected in ng.

Vi = Volume of extract injected in microliters (uL)

Vt = Volume of concentrated extract in microliters (uL)

Wt = Weight of the original sample extracted in g

Df = Dilution factor

RRF = Mean Relative Response Factor determined from the initial calibration standard.

GPC = Vin = GPC factor (If no GPC is performed, GPC=1)

Vout = Volume of extract collected after GPC cleanup.

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:02 am, Apr 08, 2025

Signature _____

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: SPLP BNA

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCL VOA-10. This data package contains results for SPLP BNA.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_G using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of SPLP BNA was based on method 8270E and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for P001-BBDGA-005-01 [2,4 and 6-Tribromophenol - 138%], as per method two surrogates are allowed to failed, therefore no corrective action was taken.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS {Q1664-05MS} with File ID: BG064135.D recoveries met the requirements for all compounds except for 1,4-Dioxane[30%], 2,3,4,6-Tetrachlorophenol[122%], 2,4,5-Trichlorophenol[123%], 2,4,6-Trichlorophenol[123%] and Hexachlorocyclopentadiene [230%], due to matrix interference, no corrective action is required.

The MSD {Q1664-06MSD} with File ID: BG064136.D recoveries met the acceptable requirements except for 1,2,4,5-Tetrachlorobenzene[103%], 1,4-Dioxane[32%], 2,3,4,6-Tetrachlorophenol[129%], 2,4,5-Trichlorophenol[125%], 2,4,6-Trichlorophenol[127%], Atrazine[164%], Hexachlorocyclopentadiene[240%] and Nitrobenzene[114%], due to matrix interference, no corrective action is required.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The RPD met criteria .

The Blank Spike for {PB167393BS} with File ID: BG064173.D met requirements for all samples except for 2,4,5-Trichlorophenol[107%], 2-Nitrophenol[118%], 3+4-Methylphenols[109%], 4,6-Dinitro-2-methylphenol[133%], Atrazine[135%], Butylbenzylphthalate[108%] and Hexachlorocyclopentadiene[230%], The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Blank analysis did not indicate the presence of lab contamination.

The % RSD is greater than 20% in the Initial Calibration (8270-BG030525.M) for Benzoic acid, 2,6-Dinitrotoluene, 2,4-Dinitrophenol, 2,4-Dinitrotoluene, 4,6-Dinitro-2-methylphenol, Butylbenzylphthalate, these compounds are passing on Linear Regression and 2-Nitrophenol, 2-Nitroaniline, are passing on Quadratic regression.

The Continuous Calibration File ID BG064130.D met the requirements except for Hexachlorocyclopentadiene, The associate samples have no positive hit for this compound therefore no corrective action was taken..

The Continuous Calibration File ID BG064164.D met the requirements except for 2,4-Dinitrophenol, 2-Nitrophenol, 4,6-Dinitro-2-methylphenol and Hexachlorocyclopentadiene, The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Tuning criteria met requirements.

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

2

2.4

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature _____

By Nimisha Pandya, QA/QC Supervisor at 11:02 am, Apr 08, 2025

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: Pesticide-TCL

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for Pesticide-TCL.

C. Analytical Techniques:

The analysis was performed on instrument ECD_L. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df,: Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of Pesticide-TCLs was based on method 8081B and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration File ID PL094947.D met the requirements except for 4,4-DDD is failing high in 2nd column but no positive hits in associated samples & associated QC passing within limits therefor no corrective action taken.

E. Additional Comments:

The soil samples results are based on a dry weight basis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Calculation for Concentration in Soil samples:

$$\text{Concentration ug/Kg (Dry weight basis)} = \frac{(Ax) (Vt) (DF) (\text{GPC})}{(\text{CF}) (\text{Vi}) (\text{Ws}) (\text{D})}$$

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vt = Volume of the concentrated extract in uL

Vi = Volume of extract injected (uL). (If a single injection is made onto two columns, use ½ the volume in the syringe as the volume injected onto each column).

Ws = Weight of sample extracted (g).

D = % dry weight or $\frac{100 - \% \text{ Moisture}}{100}$

$$\text{GPC} = \frac{\text{Vin}}{\text{Vout}} = \text{GPC factor (If no GPC is performed, GPC}=1)$$

Vin = Volume of extract loaded onto GPC column.

Vout = Volume of extract collected after GPC cleanup.

DF = Dilution Factor

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature _____

By Nimisha Pandya, QA/QC Supervisor at 11:02 am, Apr 08, 2025



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: SPLP Pesticide

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCL VOA-10. This data package contains results for SPLP Pesticide.

C. Analytical Techniques:

The analysis was performed on instrument ECD_L. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df,: Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of SPLP Pesticides was based on method 8081B and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for P001-BBDGA-005-01 [Tetrachloro-m-xylene(2) - 129%], P001-BBDGA-006-01 [Tetrachloro-m-xylene(2) - 127%] and P001-BBDGA-007-01 [Tetrachloro-m-xylene(2) - 127%], as per method one surrogate is allowed to failed, therefore no corrective action was taken.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:

F. Calculation for Concentration in Water Samples:

$$\text{Concentration ug/L} = \frac{(Ax) (Vt) (DF) (GPC)}{(CF) (Vo) (Vi)}$$

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vo = Volume of water extracted in mL.

Vi = Volume of extract injected in uL.

Vt = Volume of the concentrated extract in uL

GPC = Vin = GPC factor (If no GPC is performed, GPC=1)

Vout

Vin = Volume of extract loaded onto GPC column.

Vout = Volume of extract collected after GPC cleanup.

DF = Dilution Factor.

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:02 am, Apr 08, 2025

Signature _____

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: PCB

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for PCB.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analyses were performed on instrument GCECD_O. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration File ID PO110098.D met the requirements except for Decachlorobiphenyl is failing in 1st column but passing in 2nd column therefore no corrective action taken.

E. Additional Comments:

The soil samples results are based on a dry weight basis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Calculation for Concentration in Soil samples:

$$\text{Concentration ug/Kg (Dry weight basis)} = \frac{(Ax) (Vt) (DF) (GPC)}{(CF) (Vi) (Ws) (D)}$$

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vt = Volume of the concentrated extract in uL

Vi = Volume of extract injected (uL). (If a single injection is made onto two columns, use ½ the volume in the syringe as the volume injected onto each column).

Ws = Weight of sample extracted (g).

D = % dry weight or $\frac{100 - \% \text{ Moisture}}{100}$

GPC = $\frac{V_{in}}{V_{out}}$ = GPC factor (If no GPC is performed, GPC=1)

V_{in} = Volume of extract loaded onto GPC column.

V_{out} = Volume of extract collected after GPC cleanup.

DF = Dilution Factor

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:03 am, Apr 08, 2025

Signature _____

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: SPLP PCB

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for SPLP PCB.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analyses were performed on instrument GCECD_O. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of SPLP PCBs was based on method 8082A and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

E. Additional Comments:



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Calculation for Concentration in Water Samples:

$$\text{Concentration in ug/L} = \frac{(Ax) (Vt) (DF) (GPC)}{(CF) (Vo) (Vi)}$$

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vo = Volume of water extracted in mL.

Vi = Volume of extract injected in uL.

Vt = Volume of the concentrated extract in uL

GPC = $\frac{V_{in}}{V_{out}}$ = GPC factor (If no GPC is performed, GPC=1)

V_{in} = Volume of extract loaded onto GPC column.

V_{out} = Volume of extract collected after GPC cleanup.

DF = Dilution Factor.

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:03 am, Apr 08, 2025

Signature _____

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: EPH

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCL VOA-10. This data package contains results for EPH.

C. Analytical Techniques:

The analysis were performed on instrument FID_C. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224.The analysis were performed on instrument FID_G. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 13302.The analysis were performed on instrument FID_F. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 13302.The analysis of EPHs was based on method NJEPH and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds .

The MSD recoveries met the acceptable requirements .

The RPD for {Q1664-06} with File ID: FG015600.D met criteria except for Aromatic C16-C21[29.3%] due to difference in results of MS and MSD.

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:

The soil samples results are based on a dry weight basis.

F. Calculation for Concentration in Water Samples:

$$C \text{ (ug/L)} = \frac{(A) (D) (V_e)}{CF (V_s)}$$

Where:

C = Concentration of each compound or hydrocarbon range, ug/L

A = Area response of each compound or carbon range to be measured

D = Dilution Factor

V_s = Volume of sample extracted, mL

V_e = Final volume of extract, uL

CF = Calibration factor of each compound or carbon range for each fraction

G. Calculation for Concentration in Soil Samples:

$$C \text{ (ug/g)} = \frac{(A) (D) (V_e)}{CF (S)}$$

Where:

C = Concentration of each compound or hydrocarbon range, ug/g (dry weight basis)

A = Area response of each compound or carbon range to be measured

D = Dilution Factor

V_e = Final volume of extract, uL

CF = Calibration factor of each compound or carbon range for each fraction

S = Dry sample weight, mg

Total EPH concentration = Total of 4 Aromatic Carbon Ranges and 4 Aliphatic Carbon Ranges.

H. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:03 am, Apr 08, 2025

Signature _____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: Metals ICP-TAL,Mercury

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for Metals ICP-TAL,Mercury.

C. Analytical Techniques:

The analysis of Metals ICP-TAL was based on method 6010D, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate (P001-BBDGA-001-01DUP) analysis met criteria for all samples except for Copper due to matrix interference.

The Duplicate (P001-BBDGA-001-01MSD) analysis met criteria for all samples except for Copper due to matrix interference..

The Matrix Spike (P001-BBDGA-001-01MS) analysis met criteria for all samples except for Antimony, Barium due to matrix interference.

The Matrix Spike Duplicate (P001-BBDGA-001-01MSD) analysis met criteria for all samples except for Antimony, Zinc due to matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution (P001-BBDGA-001-01L) met criteria for all samples except for Chromium, Copper due to unknown interference.

E. Calculation:

Calculation for ICP-AES Soil Sample:

Conversion of Results from mg/L or ppm to mg/kg (Dry Weight Basis):



$$\text{Concentration (mg/kg)} = \frac{C \times V_f}{W \times S} \times DF$$

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

W = Initial aliquot amount (g) (Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

Calculation for Hg Soil Sample:

Conversion of Results from $\mu\text{g/L}$ or ppb to mg/kg :

$$\text{Concentration (mg/kg)} = \frac{C \times V_f}{W \times S} \times DF / 1000$$

Where,

C = Instrument response in $\mu\text{g/L}$ from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

F. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:03 am, Apr 08, 2025

Signature _____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: SPLP Mercury,SPLP ICP Metals

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for SPLP Mercury,SPLP ICP Metals.

C. Analytical Techniques:

The analysis of SPLP ICP Metals was based on method 6010D, digestion based on method 3050 (soils). The analysis of SPLP Mercury was based on method 7470A and digestion was based on method 7471B (soils).

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (P001-BBDGA-001-01MS) analysis met criteria for all samples except for Copper due to matrix interference.

The Matrix Spike Duplicate(P001-BBDGA-001-01MSD) analysis met criteria for all samples except for Copper due to matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

Calculation for ICP-AES Water Sample:

$$\text{Concentration or Result } (\mu\text{g/L}) = C \times \frac{V_f}{V_i} \times DF \times 1000$$



Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

Vi = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor

Calculation for Hg Water Sample:

Concentration or Result ($\mu\text{g/L}$) = C x DF

Where,

C = Instrument response in $\mu\text{g/L}$ from the calibration curve.

DF = Dilution Factor

F. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed

above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 11:03 am, Apr 08, 2025

Signature _____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions, Inc.

Project Name: RFP 905

Project # N/A

Chemtech Project # Q1664

Test Name: Cyanide,SPLP Cyanide

A. Number of Samples and Date of Receipt:

22 Solid samples were received on 03/27/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide, EPH, Mercury, Metals ICP-TAL, METALS TAL+CN, PCB, Pesticide-TCL, SPLP BNA, SPLP Cyanide, SPLP Extraction, SPLP ICP Metals, SPLP Mercury, SPLP PCB, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for Cyanide,SPLP Cyanide.

C. Analytical Techniques:

The analysis of Cyanide,SPLP Cyanide was based on method 9012B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Calculations:

Calculation for CN Soil Sample:

Conversion of Results from $\mu\text{g/L}$ or ppb to mg/kg:

$$\text{Concentration (mg/kg)} = C \times \frac{Vf}{W \times S} \times DF / 1000$$

Where,

C = Instrument response in $\mu\text{g/L}$ CN from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

W = Initial aliquot amount (g) (Fraction of Sample amount taken in prep)

S = % Solids / 100 (Fraction of Percent Solids)

DF = Dilution Factor

**Calculation for CN SPLP Sample:**

$$\text{Concentration or Result (mg/L)} = \frac{C \times V_f \times DF}{V_i} \times 1000$$

Where,

C = Instrument response in $\mu\text{g}/\text{L}$ CN from the calibration curve.

Vf = Final prepared (absorbing solution) volume (mL)

Vi = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor

F. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature _____

APPROVED*By Nimisha Pandya, QA/QC Supervisor at 11:04 am, Apr 08, 2025*

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following " Results Qualifiers" are used:

- J** Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U** Indicates the analyte was analyzed for, but not detected.
- ND** Indicates the analyte was analyzed for, but not detected
- E** Indicates the reported value is estimated because of the presence of interference
- M** Indicates Duplicate injection precision not met.
- N** Indicates the spiked sample recovery is not within control limits.
- S** Indicates the reported value was determined by the Method of Standard Addition (MSA).
- *** Indicates that the duplicate analysis is not within control limits.
- +** Indicates the correlation coefficient for the MSA is less than 0.995.
- D** Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M** Method qualifiers
 - "P"** for ICP instrument
 - "PM"** for ICP when Microwave Digestion is used
 - "CV"** for Manual Cold Vapor AA
 - "AV"** for automated Cold Vapor AA
 - "CA"** for MIDI-Distillation Spectrophotometric
 - "AS"** for Semi -Automated Spectrophotometric
 - "C"** for Manual Spectrophotometric
 - "T"** for Titrimetric
 - "NR"** for analyte not required to be analyzed
- OR** Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.
- Q** Indicates the LCS did not meet the control limits requirements
- H** Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

- | | |
|-----------|---|
| Value | If the result is a value greater than or equal to the detection limit, report the value |
| U | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required. |
| ND | Indicates the analyte was analyzed for, but not detected |
| J | Indicates an estimated value. This flag is used:
(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)
(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B | Indicates the analyte was found in the blank as well as the sample report as "12 B". |
| E | Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis. |
| D | This flag identifies all compounds identified in an analysis at a secondary dilution factor. |
| P | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P". |
| N | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used. |
| A | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product. |
| Q | Indicates the LCS did not meet the control limits requirements |

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1664

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 04/08/2025

Hit Summary Sheet
SW-846

SDG No.: Q1664
Client: Weston Solutions, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q1664-01	P001-BBDGA-001-01 P001-BBDGA-001- SOIL	Methylene Chloride	5.90	J	4.00		11.3	ug/Kg
		Total Voc :	5.90					
		Total Concentration:	5.90					
Client ID: Q1664-07	P001-BBDGA-001-02 P001-BBDGA-001- SOIL	Methylene Chloride	9.60	J	5.60		15.8	ug/Kg
		Total Voc :	9.60					
		Total Concentration:	9.60					
Client ID: Q1664-09	P001-BBDGA-002-01 P001-BBDGA-002- SOIL	Methylene Chloride	8.40	J	4.70		13.3	ug/Kg
		Total Voc :	8.40					
		Total Concentration:	8.40					
Client ID: Q1664-11	P001-BBDGA-003-01 P001-BBDGA-003- SOIL	Methylene Chloride	11.0		3.80		10.9	ug/Kg
		Total Voc :	11.0					
		Total Concentration:	11.0					
Client ID: Q1664-13	P001-BBDGA-004-01 P001-BBDGA-004- SOIL	Methylene Chloride	6.30	J	3.40		9.60	ug/Kg
		Total Voc :	6.30					
		Total Concentration:	6.30					
Client ID: Q1664-15	P001-BBDGA-005-01 P001-BBDGA-005- SOIL	Methylene Chloride	11.8	J	6.30		17.9	ug/Kg
		Total Voc :	11.8					
		Total Concentration:	11.8					
Client ID: Q1664-17	P001-BBDGA-006-01 P001-BBDGA-006- SOIL	Methylene Chloride	5.90	J	3.30		9.30	ug/Kg
		Total Voc :	5.90					
		Total Concentration:	5.90					
Client ID: Q1664-19	P001-BBDGA-007-01 P001-BBDGA-007- SOIL	Methylene Chloride	9.50	J	4.40		12.4	ug/Kg
		Total Voc :	9.50					
		Total Concentration:	9.50					
Client ID: Q1664-21	P001-BBDGA-008-01 P001-BBDGA-008- SOIL	Methylene Chloride	7.90	J	3.70		10.3	ug/Kg
		Total Voc :	7.90					
		Total Concentration:	7.90					



SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	91.8
Sample Wt/Vol:	4.82	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021695.D	1		03/28/25 16:25	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.30	U	1.30	5.70	ug/Kg
74-87-3	Chloromethane	1.30	U	1.30	5.70	ug/Kg
75-01-4	Vinyl Chloride	0.89	U	0.89	5.70	ug/Kg
74-83-9	Bromomethane	1.20	U	1.20	5.70	ug/Kg
75-00-3	Chloroethane	1.40	U	1.40	5.70	ug/Kg
75-69-4	Trichlorofluoromethane	1.40	U	1.40	5.70	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.20	U	1.20	5.70	ug/Kg
75-35-4	1,1-Dichloroethene	1.10	U	1.10	5.70	ug/Kg
67-64-1	Acetone	5.40	U	5.40	28.3	ug/Kg
75-15-0	Carbon Disulfide	1.20	U	1.20	5.70	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.82	U	0.82	5.70	ug/Kg
79-20-9	Methyl Acetate	1.70	U	1.70	5.70	ug/Kg
75-09-2	Methylene Chloride	5.90	J	4.00	11.3	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.97	U	0.97	5.70	ug/Kg
75-34-3	1,1-Dichloroethane	0.90	U	0.90	5.70	ug/Kg
110-82-7	Cyclohexane	0.89	U	0.89	5.70	ug/Kg
78-93-3	2-Butanone	7.40	U	7.40	28.3	ug/Kg
56-23-5	Carbon Tetrachloride	1.10	U	1.10	5.70	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.85	U	0.85	5.70	ug/Kg
74-97-5	Bromochloromethane	1.30	U	1.30	5.70	ug/Kg
67-66-3	Chloroform	0.95	U	0.95	5.70	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.10	U	1.10	5.70	ug/Kg
108-87-2	Methylcyclohexane	1.00	U	1.00	5.70	ug/Kg
71-43-2	Benzene	0.89	U	0.89	5.70	ug/Kg
107-06-2	1,2-Dichloroethane	0.89	U	0.89	5.70	ug/Kg
79-01-6	Trichloroethene	0.92	U	0.92	5.70	ug/Kg
78-87-5	1,2-Dichloropropane	1.00	U	1.00	5.70	ug/Kg
75-27-4	Bromodichloromethane	0.88	U	0.88	5.70	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.00	U	4.00	28.3	ug/Kg
108-88-3	Toluene	0.88	U	0.88	5.70	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	91.8
Sample Wt/Vol:	4.82	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021695.D	1		03/28/25 16:25	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.73	U	0.73	5.70	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.70	U	0.70	5.70	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.00	U	1.00	5.70	ug/Kg
591-78-6	2-Hexanone	4.20	U	4.20	28.3	ug/Kg
124-48-1	Dibromochloromethane	0.98	U	0.98	5.70	ug/Kg
106-93-4	1,2-Dibromoethane	0.99	U	0.99	5.70	ug/Kg
127-18-4	Tetrachloroethene	1.20	U	1.20	5.70	ug/Kg
108-90-7	Chlorobenzene	1.00	U	1.00	5.70	ug/Kg
100-41-4	Ethyl Benzene	0.76	U	0.76	5.70	ug/Kg
179601-23-1	m/p-Xylenes	1.40	U	1.40	11.3	ug/Kg
95-47-6	o-Xylene	0.93	U	0.93	5.70	ug/Kg
100-42-5	Styrene	0.80	U	0.80	5.70	ug/Kg
75-25-2	Bromoform	0.97	U	0.97	5.70	ug/Kg
98-82-8	Isopropylbenzene	0.88	U	0.88	5.70	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.40	U	1.40	5.70	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.90	U	1.90	5.70	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.80	U	1.80	5.70	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.60	U	1.60	5.70	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.10	U	2.10	5.70	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.40	U	3.40	5.70	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.60	U	3.60	5.70	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	58.0		63 - 155	116%	SPK: 50
1868-53-7	Dibromofluoromethane	52.7		70 - 134	105%	SPK: 50
2037-26-5	Toluene-d8	50.0		74 - 123	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.6		38 - 136	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	214000	7.707			
540-36-3	1,4-Difluorobenzene	412000	8.616			
3114-55-4	Chlorobenzene-d5	381000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	152000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	91.8
Sample Wt/Vol:	4.82	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021695.D	1		03/28/25 16:25	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	92
Sample Wt/Vol:	3.44	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021698.D	1		03/28/25 17:35	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.80	U	1.80	7.90	ug/Kg
74-87-3	Chloromethane	1.80	U	1.80	7.90	ug/Kg
75-01-4	Vinyl Chloride	1.20	U	1.20	7.90	ug/Kg
74-83-9	Bromomethane	1.70	U	1.70	7.90	ug/Kg
75-00-3	Chloroethane	2.00	U	2.00	7.90	ug/Kg
75-69-4	Trichlorofluoromethane	1.90	U	1.90	7.90	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.70	U	1.70	7.90	ug/Kg
75-35-4	1,1-Dichloroethene	1.60	U	1.60	7.90	ug/Kg
67-64-1	Acetone	7.50	U	7.50	39.5	ug/Kg
75-15-0	Carbon Disulfide	1.70	U	1.70	7.90	ug/Kg
1634-04-4	Methyl tert-butyl Ether	1.20	U	1.20	7.90	ug/Kg
79-20-9	Methyl Acetate	2.40	U	2.40	7.90	ug/Kg
75-09-2	Methylene Chloride	9.60	J	5.60	15.8	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.40	U	1.40	7.90	ug/Kg
75-34-3	1,1-Dichloroethane	1.30	U	1.30	7.90	ug/Kg
110-82-7	Cyclohexane	1.20	U	1.20	7.90	ug/Kg
78-93-3	2-Butanone	10.3	U	10.3	39.5	ug/Kg
56-23-5	Carbon Tetrachloride	1.50	U	1.50	7.90	ug/Kg
156-59-2	cis-1,2-Dichloroethene	1.20	U	1.20	7.90	ug/Kg
74-97-5	Bromochloromethane	1.80	U	1.80	7.90	ug/Kg
67-66-3	Chloroform	1.30	U	1.30	7.90	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.50	U	1.50	7.90	ug/Kg
108-87-2	Methylcyclohexane	1.40	U	1.40	7.90	ug/Kg
71-43-2	Benzene	1.20	U	1.20	7.90	ug/Kg
107-06-2	1,2-Dichloroethane	1.20	U	1.20	7.90	ug/Kg
79-01-6	Trichloroethene	1.30	U	1.30	7.90	ug/Kg
78-87-5	1,2-Dichloropropane	1.40	U	1.40	7.90	ug/Kg
75-27-4	Bromodichloromethane	1.20	U	1.20	7.90	ug/Kg
108-10-1	4-Methyl-2-Pentanone	5.70	U	5.70	39.5	ug/Kg
108-88-3	Toluene	1.20	U	1.20	7.90	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	92
Sample Wt/Vol:	3.44	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021698.D	1		03/28/25 17:35	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	1.00	U	1.00	7.90	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.98	U	0.98	7.90	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.50	U	1.50	7.90	ug/Kg
591-78-6	2-Hexanone	5.80	U	5.80	39.5	ug/Kg
124-48-1	Dibromochloromethane	1.40	U	1.40	7.90	ug/Kg
106-93-4	1,2-Dibromoethane	1.40	U	1.40	7.90	ug/Kg
127-18-4	Tetrachloroethene	1.70	U	1.70	7.90	ug/Kg
108-90-7	Chlorobenzene	1.40	U	1.40	7.90	ug/Kg
100-41-4	Ethyl Benzene	1.10	U	1.10	7.90	ug/Kg
179601-23-1	m/p-Xylenes	2.00	U	2.00	15.8	ug/Kg
95-47-6	o-Xylene	1.30	U	1.30	7.90	ug/Kg
100-42-5	Styrene	1.10	U	1.10	7.90	ug/Kg
75-25-2	Bromoform	1.40	U	1.40	7.90	ug/Kg
98-82-8	Isopropylbenzene	1.20	U	1.20	7.90	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.90	U	1.90	7.90	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.70	U	2.70	7.90	ug/Kg
106-46-7	1,4-Dichlorobenzene	2.50	U	2.50	7.90	ug/Kg
95-50-1	1,2-Dichlorobenzene	2.30	U	2.30	7.90	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.90	U	2.90	7.90	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	4.70	U	4.70	7.90	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	5.00	U	5.00	7.90	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.4		63 - 155	115%	SPK: 50
1868-53-7	Dibromofluoromethane	52.4		70 - 134	105%	SPK: 50
2037-26-5	Toluene-d8	50.2		74 - 123	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.6		38 - 136	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	217000	7.713			
540-36-3	1,4-Difluorobenzene	414000	8.615			
3114-55-4	Chlorobenzene-d5	382000	11.413			
3855-82-1	1,4-Dichlorobenzene-d4	153000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	92
Sample Wt/Vol:	3.44	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021698.D	1		03/28/25 17:35	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.5
Sample Wt/Vol:	4.01	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021699.D	1		03/28/25 17:58	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.50	U	1.50	6.70	ug/Kg
74-87-3	Chloromethane	1.50	U	1.50	6.70	ug/Kg
75-01-4	Vinyl Chloride	1.10	U	1.10	6.70	ug/Kg
74-83-9	Bromomethane	1.40	U	1.40	6.70	ug/Kg
75-00-3	Chloroethane	1.70	U	1.70	6.70	ug/Kg
75-69-4	Trichlorofluoromethane	1.60	U	1.60	6.70	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.40	U	1.40	6.70	ug/Kg
75-35-4	1,1-Dichloroethene	1.30	U	1.30	6.70	ug/Kg
67-64-1	Acetone	6.30	U	6.30	33.3	ug/Kg
75-15-0	Carbon Disulfide	1.40	U	1.40	6.70	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.97	U	0.97	6.70	ug/Kg
79-20-9	Methyl Acetate	2.10	U	2.10	6.70	ug/Kg
75-09-2	Methylene Chloride	8.40	J	4.70	13.3	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.10	U	1.10	6.70	ug/Kg
75-34-3	1,1-Dichloroethane	1.10	U	1.10	6.70	ug/Kg
110-82-7	Cyclohexane	1.10	U	1.10	6.70	ug/Kg
78-93-3	2-Butanone	8.70	U	8.70	33.3	ug/Kg
56-23-5	Carbon Tetrachloride	1.30	U	1.30	6.70	ug/Kg
156-59-2	cis-1,2-Dichloroethene	1.00	U	1.00	6.70	ug/Kg
74-97-5	Bromochloromethane	1.50	U	1.50	6.70	ug/Kg
67-66-3	Chloroform	1.10	U	1.10	6.70	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.20	U	1.20	6.70	ug/Kg
108-87-2	Methylcyclohexane	1.20	U	1.20	6.70	ug/Kg
71-43-2	Benzene	1.10	U	1.10	6.70	ug/Kg
107-06-2	1,2-Dichloroethane	1.10	U	1.10	6.70	ug/Kg
79-01-6	Trichloroethene	1.10	U	1.10	6.70	ug/Kg
78-87-5	1,2-Dichloropropane	1.20	U	1.20	6.70	ug/Kg
75-27-4	Bromodichloromethane	1.00	U	1.00	6.70	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.80	U	4.80	33.3	ug/Kg
108-88-3	Toluene	1.00	U	1.00	6.70	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.5
Sample Wt/Vol:	4.01	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021699.D	1		03/28/25 17:58	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.87	U	0.87	6.70	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.83	U	0.83	6.70	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.20	U	1.20	6.70	ug/Kg
591-78-6	2-Hexanone	4.90	U	4.90	33.3	ug/Kg
124-48-1	Dibromochloromethane	1.20	U	1.20	6.70	ug/Kg
106-93-4	1,2-Dibromoethane	1.20	U	1.20	6.70	ug/Kg
127-18-4	Tetrachloroethene	1.40	U	1.40	6.70	ug/Kg
108-90-7	Chlorobenzene	1.20	U	1.20	6.70	ug/Kg
100-41-4	Ethyl Benzene	0.89	U	0.89	6.70	ug/Kg
179601-23-1	m/p-Xylenes	1.70	U	1.70	13.3	ug/Kg
95-47-6	o-Xylene	1.10	U	1.10	6.70	ug/Kg
100-42-5	Styrene	0.95	U	0.95	6.70	ug/Kg
75-25-2	Bromoform	1.10	U	1.10	6.70	ug/Kg
98-82-8	Isopropylbenzene	1.00	U	1.00	6.70	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.60	U	1.60	6.70	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.30	U	2.30	6.70	ug/Kg
106-46-7	1,4-Dichlorobenzene	2.10	U	2.10	6.70	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.90	U	1.90	6.70	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.50	U	2.50	6.70	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	4.00	U	4.00	6.70	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	4.20	U	4.20	6.70	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	58.2		63 - 155	116%	SPK: 50
1868-53-7	Dibromofluoromethane	52.4		70 - 134	105%	SPK: 50
2037-26-5	Toluene-d8	49.8		74 - 123	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.0		38 - 136	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	215000	7.707			
540-36-3	1,4-Difluorobenzene	416000	8.616			
3114-55-4	Chlorobenzene-d5	386000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	154000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.5
Sample Wt/Vol:	4.01	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021699.D	1		03/28/25 17:58	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.6
Sample Wt/Vol:	4.86	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021700.D	1		03/28/25 18:22	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.40	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.40	ug/Kg
75-01-4	Vinyl Chloride	0.86	U	0.86	5.40	ug/Kg
74-83-9	Bromomethane	1.20	U	1.20	5.40	ug/Kg
75-00-3	Chloroethane	1.40	U	1.40	5.40	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.40	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.20	U	1.20	5.40	ug/Kg
75-35-4	1,1-Dichloroethene	1.10	U	1.10	5.40	ug/Kg
67-64-1	Acetone	5.20	U	5.20	27.2	ug/Kg
75-15-0	Carbon Disulfide	1.20	U	1.20	5.40	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.79	U	0.79	5.40	ug/Kg
79-20-9	Methyl Acetate	1.70	U	1.70	5.40	ug/Kg
75-09-2	Methylene Chloride	11.0		3.80	10.9	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.94	U	0.94	5.40	ug/Kg
75-34-3	1,1-Dichloroethane	0.87	U	0.87	5.40	ug/Kg
110-82-7	Cyclohexane	0.86	U	0.86	5.40	ug/Kg
78-93-3	2-Butanone	7.10	U	7.10	27.2	ug/Kg
56-23-5	Carbon Tetrachloride	1.10	U	1.10	5.40	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.82	U	0.82	5.40	ug/Kg
74-97-5	Bromochloromethane	1.30	U	1.30	5.40	ug/Kg
67-66-3	Chloroform	0.91	U	0.91	5.40	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.00	U	1.00	5.40	ug/Kg
108-87-2	Methylcyclohexane	0.99	U	0.99	5.40	ug/Kg
71-43-2	Benzene	0.86	U	0.86	5.40	ug/Kg
107-06-2	1,2-Dichloroethane	0.86	U	0.86	5.40	ug/Kg
79-01-6	Trichloroethene	0.88	U	0.88	5.40	ug/Kg
78-87-5	1,2-Dichloropropane	0.99	U	0.99	5.40	ug/Kg
75-27-4	Bromodichloromethane	0.85	U	0.85	5.40	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.90	U	3.90	27.2	ug/Kg
108-88-3	Toluene	0.85	U	0.85	5.40	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.6
Sample Wt/Vol:	4.86	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021700.D	1		03/28/25 18:22	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.71	U	0.71	5.40	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.67	U	0.67	5.40	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.00	U	1.00	5.40	ug/Kg
591-78-6	2-Hexanone	4.00	U	4.00	27.2	ug/Kg
124-48-1	Dibromochloromethane	0.95	U	0.95	5.40	ug/Kg
106-93-4	1,2-Dibromoethane	0.96	U	0.96	5.40	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.40	ug/Kg
108-90-7	Chlorobenzene	0.99	U	0.99	5.40	ug/Kg
100-41-4	Ethyl Benzene	0.73	U	0.73	5.40	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.9	ug/Kg
95-47-6	o-Xylene	0.89	U	0.89	5.40	ug/Kg
100-42-5	Styrene	0.77	U	0.77	5.40	ug/Kg
75-25-2	Bromoform	0.94	U	0.94	5.40	ug/Kg
98-82-8	Isopropylbenzene	0.85	U	0.85	5.40	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.40	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.90	U	1.90	5.40	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.70	U	1.70	5.40	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.60	U	1.60	5.40	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.00	U	2.00	5.40	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.20	U	3.20	5.40	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.50	U	3.50	5.40	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.0		63 - 155	118%	SPK: 50
1868-53-7	Dibromofluoromethane	52.3		70 - 134	105%	SPK: 50
2037-26-5	Toluene-d8	49.7		74 - 123	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.5		38 - 136	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	209000	7.707			
540-36-3	1,4-Difluorobenzene	407000	8.616			
3114-55-4	Chlorobenzene-d5	375000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	151000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94.6
Sample Wt/Vol:	4.86	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021700.D	1		03/28/25 18:22	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	95.4
Sample Wt/Vol:	5.46	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021701.D	1		03/28/25 18:45	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.10	U	1.10	4.80	ug/Kg
74-87-3	Chloromethane	1.10	U	1.10	4.80	ug/Kg
75-01-4	Vinyl Chloride	0.76	U	0.76	4.80	ug/Kg
74-83-9	Bromomethane	1.00	U	1.00	4.80	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	4.80	ug/Kg
75-69-4	Trichlorofluoromethane	1.20	U	1.20	4.80	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	1.00	4.80	ug/Kg
75-35-4	1,1-Dichloroethene	0.96	U	0.96	4.80	ug/Kg
67-64-1	Acetone	4.50	U	4.50	24.0	ug/Kg
75-15-0	Carbon Disulfide	1.00	U	1.00	4.80	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.70	U	0.70	4.80	ug/Kg
79-20-9	Methyl Acetate	1.50	U	1.50	4.80	ug/Kg
75-09-2	Methylene Chloride	6.30	J	3.40	9.60	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.83	U	0.83	4.80	ug/Kg
75-34-3	1,1-Dichloroethane	0.77	U	0.77	4.80	ug/Kg
110-82-7	Cyclohexane	0.76	U	0.76	4.80	ug/Kg
78-93-3	2-Butanone	6.30	U	6.30	24.0	ug/Kg
56-23-5	Carbon Tetrachloride	0.93	U	0.93	4.80	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.72	U	0.72	4.80	ug/Kg
74-97-5	Bromochloromethane	1.10	U	1.10	4.80	ug/Kg
67-66-3	Chloroform	0.81	U	0.81	4.80	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.89	U	0.89	4.80	ug/Kg
108-87-2	Methylcyclohexane	0.87	U	0.87	4.80	ug/Kg
71-43-2	Benzene	0.76	U	0.76	4.80	ug/Kg
107-06-2	1,2-Dichloroethane	0.76	U	0.76	4.80	ug/Kg
79-01-6	Trichloroethene	0.78	U	0.78	4.80	ug/Kg
78-87-5	1,2-Dichloropropane	0.87	U	0.87	4.80	ug/Kg
75-27-4	Bromodichloromethane	0.75	U	0.75	4.80	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.40	U	3.40	24.0	ug/Kg
108-88-3	Toluene	0.75	U	0.75	4.80	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	95.4
Sample Wt/Vol:	5.46	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021701.D	1		03/28/25 18:45	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.62	U	0.62	4.80	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.60	U	0.60	4.80	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.88	U	0.88	4.80	ug/Kg
591-78-6	2-Hexanone	3.50	U	3.50	24.0	ug/Kg
124-48-1	Dibromochloromethane	0.84	U	0.84	4.80	ug/Kg
106-93-4	1,2-Dibromoethane	0.84	U	0.84	4.80	ug/Kg
127-18-4	Tetrachloroethene	1.00	U	1.00	4.80	ug/Kg
108-90-7	Chlorobenzene	0.87	U	0.87	4.80	ug/Kg
100-41-4	Ethyl Benzene	0.64	U	0.64	4.80	ug/Kg
179601-23-1	m/p-Xylenes	1.20	U	1.20	9.60	ug/Kg
95-47-6	o-Xylene	0.79	U	0.79	4.80	ug/Kg
100-42-5	Styrene	0.68	U	0.68	4.80	ug/Kg
75-25-2	Bromoform	0.83	U	0.83	4.80	ug/Kg
98-82-8	Isopropylbenzene	0.75	U	0.75	4.80	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.20	U	1.20	4.80	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.60	U	1.60	4.80	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.50	U	1.50	4.80	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.40	U	1.40	4.80	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.80	U	1.80	4.80	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.90	U	2.90	4.80	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.10	U	3.10	4.80	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	62.1		63 - 155	124%	SPK: 50
1868-53-7	Dibromofluoromethane	54.1		70 - 134	108%	SPK: 50
2037-26-5	Toluene-d8	50.5		74 - 123	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.6		38 - 136	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	214000	7.707			
540-36-3	1,4-Difluorobenzene	408000	8.615			
3114-55-4	Chlorobenzene-d5	393000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	162000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	95.4
Sample Wt/Vol:	5.46	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021701.D	1		03/28/25 18:45	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	91.7
Sample Wt/Vol:	3.05	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021702.D	1		03/28/25 19:09	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	2.00	U	2.00	8.90	ug/Kg
74-87-3	Chloromethane	2.00	U	2.00	8.90	ug/Kg
75-01-4	Vinyl Chloride	1.40	U	1.40	8.90	ug/Kg
74-83-9	Bromomethane	1.90	U	1.90	8.90	ug/Kg
75-00-3	Chloroethane	2.30	U	2.30	8.90	ug/Kg
75-69-4	Trichlorofluoromethane	2.20	U	2.20	8.90	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.90	U	1.90	8.90	ug/Kg
75-35-4	1,1-Dichloroethene	1.80	U	1.80	8.90	ug/Kg
67-64-1	Acetone	8.50	U	8.50	44.7	ug/Kg
75-15-0	Carbon Disulfide	1.90	U	1.90	8.90	ug/Kg
1634-04-4	Methyl tert-butyl Ether	1.30	U	1.30	8.90	ug/Kg
79-20-9	Methyl Acetate	2.80	U	2.80	8.90	ug/Kg
75-09-2	Methylene Chloride	11.8	J	6.30	17.9	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.50	U	1.50	8.90	ug/Kg
75-34-3	1,1-Dichloroethane	1.40	U	1.40	8.90	ug/Kg
110-82-7	Cyclohexane	1.40	U	1.40	8.90	ug/Kg
78-93-3	2-Butanone	11.7	U	11.7	44.7	ug/Kg
56-23-5	Carbon Tetrachloride	1.70	U	1.70	8.90	ug/Kg
156-59-2	cis-1,2-Dichloroethene	1.30	U	1.30	8.90	ug/Kg
74-97-5	Bromochloromethane	2.10	U	2.10	8.90	ug/Kg
67-66-3	Chloroform	1.50	U	1.50	8.90	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.70	U	1.70	8.90	ug/Kg
108-87-2	Methylcyclohexane	1.60	U	1.60	8.90	ug/Kg
71-43-2	Benzene	1.40	U	1.40	8.90	ug/Kg
107-06-2	1,2-Dichloroethane	1.40	U	1.40	8.90	ug/Kg
79-01-6	Trichloroethene	1.40	U	1.40	8.90	ug/Kg
78-87-5	1,2-Dichloropropane	1.60	U	1.60	8.90	ug/Kg
75-27-4	Bromodichloromethane	1.40	U	1.40	8.90	ug/Kg
108-10-1	4-Methyl-2-Pentanone	6.40	U	6.40	44.7	ug/Kg
108-88-3	Toluene	1.40	U	1.40	8.90	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	91.7
Sample Wt/Vol:	3.05	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021702.D	1		03/28/25 19:09	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	1.20	U	1.20	8.90	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	1.10	U	1.10	8.90	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.60	U	1.60	8.90	ug/Kg
591-78-6	2-Hexanone	6.60	U	6.60	44.7	ug/Kg
124-48-1	Dibromochloromethane	1.60	U	1.60	8.90	ug/Kg
106-93-4	1,2-Dibromoethane	1.60	U	1.60	8.90	ug/Kg
127-18-4	Tetrachloroethene	1.90	U	1.90	8.90	ug/Kg
108-90-7	Chlorobenzene	1.60	U	1.60	8.90	ug/Kg
100-41-4	Ethyl Benzene	1.20	U	1.20	8.90	ug/Kg
179601-23-1	m/p-Xylenes	2.20	U	2.20	17.9	ug/Kg
95-47-6	o-Xylene	1.50	U	1.50	8.90	ug/Kg
100-42-5	Styrene	1.30	U	1.30	8.90	ug/Kg
75-25-2	Bromoform	1.50	U	1.50	8.90	ug/Kg
98-82-8	Isopropylbenzene	1.40	U	1.40	8.90	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	2.20	U	2.20	8.90	ug/Kg
541-73-1	1,3-Dichlorobenzene	3.10	U	3.10	8.90	ug/Kg
106-46-7	1,4-Dichlorobenzene	2.80	U	2.80	8.90	ug/Kg
95-50-1	1,2-Dichlorobenzene	2.60	U	2.60	8.90	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	3.30	U	3.30	8.90	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	5.30	U	5.30	8.90	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	5.70	U	5.70	8.90	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.7		63 - 155	115%	SPK: 50
1868-53-7	Dibromofluoromethane	52.5		70 - 134	105%	SPK: 50
2037-26-5	Toluene-d8	50.4		74 - 123	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.3		38 - 136	93%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	217000	7.707			
540-36-3	1,4-Difluorobenzene	415000	8.616			
3114-55-4	Chlorobenzene-d5	390000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	155000	13.347			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	91.7
Sample Wt/Vol:	3.05	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021702.D	1		03/28/25 19:09	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.9
Sample Wt/Vol:	5.74	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021703.D	1		03/28/25 19:32	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.10	U	1.10	4.60	ug/Kg
74-87-3	Chloromethane	1.10	U	1.10	4.60	ug/Kg
75-01-4	Vinyl Chloride	0.73	U	0.73	4.60	ug/Kg
74-83-9	Bromomethane	0.99	U	0.99	4.60	ug/Kg
75-00-3	Chloroethane	1.20	U	1.20	4.60	ug/Kg
75-69-4	Trichlorofluoromethane	1.10	U	1.10	4.60	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	0.98	U	0.98	4.60	ug/Kg
75-35-4	1,1-Dichloroethene	0.93	U	0.93	4.60	ug/Kg
67-64-1	Acetone	4.40	U	4.40	23.2	ug/Kg
75-15-0	Carbon Disulfide	0.98	U	0.98	4.60	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.68	U	0.68	4.60	ug/Kg
79-20-9	Methyl Acetate	1.40	U	1.40	4.60	ug/Kg
75-09-2	Methylene Chloride	5.90	J	3.30	9.30	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.80	U	0.80	4.60	ug/Kg
75-34-3	1,1-Dichloroethane	0.74	U	0.74	4.60	ug/Kg
110-82-7	Cyclohexane	0.73	U	0.73	4.60	ug/Kg
78-93-3	2-Butanone	6.10	U	6.10	23.2	ug/Kg
56-23-5	Carbon Tetrachloride	0.90	U	0.90	4.60	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.70	U	0.70	4.60	ug/Kg
74-97-5	Bromochloromethane	1.10	U	1.10	4.60	ug/Kg
67-66-3	Chloroform	0.78	U	0.78	4.60	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.86	U	0.86	4.60	ug/Kg
108-87-2	Methylcyclohexane	0.84	U	0.84	4.60	ug/Kg
71-43-2	Benzene	0.73	U	0.73	4.60	ug/Kg
107-06-2	1,2-Dichloroethane	0.73	U	0.73	4.60	ug/Kg
79-01-6	Trichloroethene	0.75	U	0.75	4.60	ug/Kg
78-87-5	1,2-Dichloropropane	0.84	U	0.84	4.60	ug/Kg
75-27-4	Bromodichloromethane	0.72	U	0.72	4.60	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.30	U	3.30	23.2	ug/Kg
108-88-3	Toluene	0.72	U	0.72	4.60	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.9
Sample Wt/Vol:	5.74	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021703.D	1		03/28/25 19:32	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.60	U	0.60	4.60	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.58	U	0.58	4.60	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.85	U	0.85	4.60	ug/Kg
591-78-6	2-Hexanone	3.40	U	3.40	23.2	ug/Kg
124-48-1	Dibromochloromethane	0.81	U	0.81	4.60	ug/Kg
106-93-4	1,2-Dibromoethane	0.82	U	0.82	4.60	ug/Kg
127-18-4	Tetrachloroethene	0.97	U	0.97	4.60	ug/Kg
108-90-7	Chlorobenzene	0.84	U	0.84	4.60	ug/Kg
100-41-4	Ethyl Benzene	0.62	U	0.62	4.60	ug/Kg
179601-23-1	m/p-Xylenes	1.20	U	1.20	9.30	ug/Kg
95-47-6	o-Xylene	0.76	U	0.76	4.60	ug/Kg
100-42-5	Styrene	0.66	U	0.66	4.60	ug/Kg
75-25-2	Bromoform	0.80	U	0.80	4.60	ug/Kg
98-82-8	Isopropylbenzene	0.72	U	0.72	4.60	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.10	U	1.10	4.60	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.60	U	1.60	4.60	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.40	U	1.40	4.60	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.30	U	1.30	4.60	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.70	U	1.70	4.60	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.80	U	2.80	4.60	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	2.90	U	2.90	4.60	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.0		63 - 155	114%	SPK: 50
1868-53-7	Dibromofluoromethane	52.7		70 - 134	105%	SPK: 50
2037-26-5	Toluene-d8	50.3		74 - 123	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.7		38 - 136	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	216000	7.707			
540-36-3	1,4-Difluorobenzene	410000	8.616			
3114-55-4	Chlorobenzene-d5	382000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	151000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	93.9
Sample Wt/Vol:	5.74	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021703.D	1		03/28/25 19:32	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	92.8
Sample Wt/Vol:	4.35 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021704.D	1		03/28/25 19:55	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.40	U	1.40	6.20	ug/Kg
74-87-3	Chloromethane	1.40	U	1.40	6.20	ug/Kg
75-01-4	Vinyl Chloride	0.98	U	0.98	6.20	ug/Kg
74-83-9	Bromomethane	1.30	U	1.30	6.20	ug/Kg
75-00-3	Chloroethane	1.60	U	1.60	6.20	ug/Kg
75-69-4	Trichlorofluoromethane	1.50	U	1.50	6.20	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.30	U	1.30	6.20	ug/Kg
75-35-4	1,1-Dichloroethene	1.20	U	1.20	6.20	ug/Kg
67-64-1	Acetone	5.90	U	5.90	31.0	ug/Kg
75-15-0	Carbon Disulfide	1.30	U	1.30	6.20	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.90	U	0.90	6.20	ug/Kg
79-20-9	Methyl Acetate	1.90	U	1.90	6.20	ug/Kg
75-09-2	Methylene Chloride	9.50	J	4.40	12.4	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.10	U	1.10	6.20	ug/Kg
75-34-3	1,1-Dichloroethane	0.99	U	0.99	6.20	ug/Kg
110-82-7	Cyclohexane	0.98	U	0.98	6.20	ug/Kg
78-93-3	2-Butanone	8.10	U	8.10	31.0	ug/Kg
56-23-5	Carbon Tetrachloride	1.20	U	1.20	6.20	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.93	U	0.93	6.20	ug/Kg
74-97-5	Bromochloromethane	1.40	U	1.40	6.20	ug/Kg
67-66-3	Chloroform	1.00	U	1.00	6.20	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.20	U	1.20	6.20	ug/Kg
108-87-2	Methylcyclohexane	1.10	U	1.10	6.20	ug/Kg
71-43-2	Benzene	0.98	U	0.98	6.20	ug/Kg
107-06-2	1,2-Dichloroethane	0.98	U	0.98	6.20	ug/Kg
79-01-6	Trichloroethene	1.00	U	1.00	6.20	ug/Kg
78-87-5	1,2-Dichloropropane	1.10	U	1.10	6.20	ug/Kg
75-27-4	Bromodichloromethane	0.97	U	0.97	6.20	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.40	U	4.40	31.0	ug/Kg
108-88-3	Toluene	0.97	U	0.97	6.20	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	92.8
Sample Wt/Vol:	4.35	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021704.D	1		03/28/25 19:55	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.81	U	0.81	6.20	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.77	U	0.77	6.20	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.10	U	1.10	6.20	ug/Kg
591-78-6	2-Hexanone	4.60	U	4.60	31.0	ug/Kg
124-48-1	Dibromochloromethane	1.10	U	1.10	6.20	ug/Kg
106-93-4	1,2-Dibromoethane	1.10	U	1.10	6.20	ug/Kg
127-18-4	Tetrachloroethene	1.30	U	1.30	6.20	ug/Kg
108-90-7	Chlorobenzene	1.10	U	1.10	6.20	ug/Kg
100-41-4	Ethyl Benzene	0.83	U	0.83	6.20	ug/Kg
179601-23-1	m/p-Xylenes	1.50	U	1.50	12.4	ug/Kg
95-47-6	o-Xylene	1.00	U	1.00	6.20	ug/Kg
100-42-5	Styrene	0.88	U	0.88	6.20	ug/Kg
75-25-2	Bromoform	1.10	U	1.10	6.20	ug/Kg
98-82-8	Isopropylbenzene	0.97	U	0.97	6.20	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.50	U	1.50	6.20	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.10	U	2.10	6.20	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.90	U	1.90	6.20	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.80	U	1.80	6.20	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.30	U	2.30	6.20	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.70	U	3.70	6.20	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.90	U	3.90	6.20	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.9		63 - 155	120%	SPK: 50
1868-53-7	Dibromofluoromethane	53.5		70 - 134	107%	SPK: 50
2037-26-5	Toluene-d8	49.9		74 - 123	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.0		38 - 136	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	201000	7.713			
540-36-3	1,4-Difluorobenzene	381000	8.616			
3114-55-4	Chlorobenzene-d5	354000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	143000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	92.8
Sample Wt/Vol:	4.35	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021704.D	1		03/28/25 19:55	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94
Sample Wt/Vol:	5.14	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021705.D	1		03/28/25 20:19	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.20	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.20	ug/Kg
75-01-4	Vinyl Chloride	0.82	U	0.82	5.20	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.20	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.20	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.20	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.20	ug/Kg
75-35-4	1,1-Dichloroethene	1.00	U	1.00	5.20	ug/Kg
67-64-1	Acetone	4.90	U	4.90	25.9	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.20	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.76	U	0.76	5.20	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.20	ug/Kg
75-09-2	Methylene Chloride	7.90	J	3.70	10.3	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.89	U	0.89	5.20	ug/Kg
75-34-3	1,1-Dichloroethane	0.83	U	0.83	5.20	ug/Kg
110-82-7	Cyclohexane	0.82	U	0.82	5.20	ug/Kg
78-93-3	2-Butanone	6.80	U	6.80	25.9	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.20	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.78	U	0.78	5.20	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.20	ug/Kg
67-66-3	Chloroform	0.87	U	0.87	5.20	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.96	U	0.96	5.20	ug/Kg
108-87-2	Methylcyclohexane	0.94	U	0.94	5.20	ug/Kg
71-43-2	Benzene	0.82	U	0.82	5.20	ug/Kg
107-06-2	1,2-Dichloroethane	0.82	U	0.82	5.20	ug/Kg
79-01-6	Trichloroethene	0.84	U	0.84	5.20	ug/Kg
78-87-5	1,2-Dichloropropane	0.94	U	0.94	5.20	ug/Kg
75-27-4	Bromodichloromethane	0.81	U	0.81	5.20	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.70	U	3.70	25.9	ug/Kg
108-88-3	Toluene	0.81	U	0.81	5.20	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94
Sample Wt/Vol:	5.14	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021705.D	1		03/28/25 20:19	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.67	U	0.67	5.20	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.64	U	0.64	5.20	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.95	U	0.95	5.20	ug/Kg
591-78-6	2-Hexanone	3.80	U	3.80	25.9	ug/Kg
124-48-1	Dibromochloromethane	0.90	U	0.90	5.20	ug/Kg
106-93-4	1,2-Dibromoethane	0.91	U	0.91	5.20	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.20	ug/Kg
108-90-7	Chlorobenzene	0.94	U	0.94	5.20	ug/Kg
100-41-4	Ethyl Benzene	0.69	U	0.69	5.20	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.3	ug/Kg
95-47-6	o-Xylene	0.85	U	0.85	5.20	ug/Kg
100-42-5	Styrene	0.73	U	0.73	5.20	ug/Kg
75-25-2	Bromoform	0.89	U	0.89	5.20	ug/Kg
98-82-8	Isopropylbenzene	0.81	U	0.81	5.20	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.20	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.80	U	1.80	5.20	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.60	U	1.60	5.20	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.50	U	1.50	5.20	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.90	U	1.90	5.20	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.10	U	3.10	5.20	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.30	U	3.30	5.20	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.4		63 - 155	113%	SPK: 50
1868-53-7	Dibromofluoromethane	51.6		70 - 134	103%	SPK: 50
2037-26-5	Toluene-d8	50.1		74 - 123	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.2		38 - 136	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	213000	7.713			
540-36-3	1,4-Difluorobenzene	414000	8.616			
3114-55-4	Chlorobenzene-d5	381000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	149000	13.346			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Analytical Method:	SW8260	% Solid:	94
Sample Wt/Vol:	5.14	Units: g	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021705.D	1		03/28/25 20:19	VY032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM
Client:	Weston Solutions, Inc.	Project:	RFP 905
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-04	P001-BBDGA-001-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-07	P001-BBDGA-001-02	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-08	P001-BBDGA-001-02	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-09	P001-BBDGA-002-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-10	P001-BBDGA-002-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-11	P001-BBDGA-003-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-12	P001-BBDGA-003-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-13	P001-BBDGA-004-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-14	P001-BBDGA-004-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-15	P001-BBDGA-005-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-16	P001-BBDGA-005-01	Water			03/26/25		03/27/25	

A

B

C

D

LAB CHRONICLE

Q1664-17	P001-BBDGA-006-01	SOIL	SPLP VOA	8260D	03/28/25	
			VOC-TCLVOA-10	8260D	03/26/25	03/27/25
Q1664-18	P001-BBDGA-006-01	Water	SPLP VOA	8260D	03/26/25	03/27/25
Q1664-19	P001-BBDGA-007-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25	03/27/25
Q1664-20	P001-BBDGA-007-01	Water	SPLP VOA	8260D	03/26/25	03/27/25
Q1664-21	P001-BBDGA-008-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25	03/27/25
Q1664-22	P001-BBDGA-008-01	Water	SPLP VOA	8260D	03/26/25	03/27/25

Hit Summary Sheet
SW-846

SDG No.: Q1664
Client: Weston Solutions, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	P001-BBDGA-001-01							
Q1664-04	P001-BBDGA-001- WATER	Acetone		22.8	J	1.50	25.0	ug/L
Q1664-04	P001-BBDGA-001- WATER	Methylene Chloride		3.60	J	0.28	5.00	ug/L
		Total Voc :		26.4				
		Total Concentration:		26.4				
Client ID:	P001-BBDGA-001-02							
Q1664-08	P001-BBDGA-001- WATER	Acetone		16.2	J	1.50	25.0	ug/L
Q1664-08	P001-BBDGA-001- WATER	Methylene Chloride		3.80	J	0.28	5.00	ug/L
		Total Voc :		20.0				
		Total Concentration:		20.0				
Client ID:	P001-BBDGA-002-01							
Q1664-10	P001-BBDGA-002- WATER	Acetone		21.5	J	1.50	25.0	ug/L
Q1664-10	P001-BBDGA-002- WATER	Methylene Chloride		3.90	J	0.28	5.00	ug/L
		Total Voc :		25.4				
		Total Concentration:		25.4				
Client ID:	P001-BBDGA-003-01							
Q1664-12	P001-BBDGA-003- WATER	Acetone		16.4	J	1.50	25.0	ug/L
Q1664-12	P001-BBDGA-003- WATER	Methylene Chloride		3.70	J	0.28	5.00	ug/L
		Total Voc :		20.1				
		Total Concentration:		20.1				
Client ID:	P001-BBDGA-004-01							
Q1664-14	P001-BBDGA-004- WATER	Acetone		15.3	J	1.50	25.0	ug/L
Q1664-14	P001-BBDGA-004- WATER	Methylene Chloride		3.60	J	0.28	5.00	ug/L
		Total Voc :		18.9				
		Total Concentration:		18.9				
Client ID:	P001-BBDGA-005-01							
Q1664-16	P001-BBDGA-005- WATER	Acetone		14.9	J	1.50	25.0	ug/L
Q1664-16	P001-BBDGA-005- WATER	Methylene Chloride		3.30	J	0.28	5.00	ug/L
		Total Voc :		18.2				
		Total Concentration:		18.2				
Client ID:	P001-BBDGA-006-01							
Q1664-18	P001-BBDGA-006- WATER	Acetone		15.5	J	1.50	25.0	ug/L
Q1664-18	P001-BBDGA-006- WATER	Methylene Chloride		3.50	J	0.28	5.00	ug/L
		Total Voc :		19.0				
		Total Concentration:		19.0				
Client ID:	P001-BBDGA-007-01							
Q1664-20	P001-BBDGA-007- WATER	Acetone		15.7	J	1.50	25.0	ug/L
Q1664-20	P001-BBDGA-007- WATER	Methylene Chloride		3.80	J	0.28	5.00	ug/L
		Total Voc :		19.5				
		Total Concentration:		19.5				
Client ID:	P001-BBDGA-008-01							

**Hit Summary Sheet
SW-846**

SDG No.: Q1664

Client: Weston Solutions, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1664-22	P001-BBDGA-008- WATER		Acetone	21.0	J	1.50	25.0	ug/L
Q1664-22	P001-BBDGA-008- WATER		Methylene Chloride	3.90	J	0.28	5.00	ug/L
		Total Voc :		24.9				
		Total Concentration:		24.9				



SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086162.D	1		03/28/25 19:54	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	22.8	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.60	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086162.D	1		03/28/25 19:54	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.4		74 - 125	115%	SPK: 50
1868-53-7	Dibromofluoromethane	53.5		75 - 124	107%	SPK: 50
2037-26-5	Toluene-d8	49.0		86 - 113	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.8		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	168000	8.224			
540-36-3	1,4-Difluorobenzene	312000	9.1			
3114-55-4	Chlorobenzene-d5	285000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	116000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086162.D	1		03/28/25 19:54	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086153.D	1		03/28/25 16:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	16.2	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.80	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086153.D	1		03/28/25 16:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.8		74 - 125	116%	SPK: 50
1868-53-7	Dibromofluoromethane	52.3		75 - 124	105%	SPK: 50
2037-26-5	Toluene-d8	47.2		86 - 113	94%	SPK: 50
460-00-4	4-Bromofluorobenzene	42.6		77 - 121	85%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	170000	8.224			
540-36-3	1,4-Difluorobenzene	326000	9.1			
3114-55-4	Chlorobenzene-d5	284000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	114000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086153.D	1		03/28/25 16:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086154.D	1		03/28/25 16:42	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	21.5	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.90	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086154.D	1		03/28/25 16:42	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.8		74 - 125	114%	SPK: 50
1868-53-7	Dibromofluoromethane	53.4		75 - 124	107%	SPK: 50
2037-26-5	Toluene-d8	48.4		86 - 113	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.3		77 - 121	89%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	175000	8.224			
540-36-3	1,4-Difluorobenzene	327000	9.1			
3114-55-4	Chlorobenzene-d5	298000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	126000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086154.D	1		03/28/25 16:42	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086155.D	1		03/28/25 17:06	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	16.4	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.70	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086155.D	1		03/28/25 17:06	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.5		74 - 125	113%	SPK: 50
1868-53-7	Dibromofluoromethane	52.2		75 - 124	104%	SPK: 50
2037-26-5	Toluene-d8	48.1		86 - 113	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.0		77 - 121	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	180000	8.224			
540-36-3	1,4-Difluorobenzene	341000	9.1			
3114-55-4	Chlorobenzene-d5	305000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	129000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086155.D	1		03/28/25 17:06	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086156.D	1		03/28/25 17:30	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	15.3	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.60	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086156.D	1		03/28/25 17:30	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.6		74 - 125	115%	SPK: 50
1868-53-7	Dibromofluoromethane	53.5		75 - 124	107%	SPK: 50
2037-26-5	Toluene-d8	48.7		86 - 113	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.5		77 - 121	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	177000	8.224			
540-36-3	1,4-Difluorobenzene	334000	9.1			
3114-55-4	Chlorobenzene-d5	305000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	130000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086156.D	1		03/28/25 17:30	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086157.D	1		03/28/25 17:54	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	14.9	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.30	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086157.D	1		03/28/25 17:54	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	57.3		74 - 125	115%	SPK: 50
1868-53-7	Dibromofluoromethane	52.8		75 - 124	106%	SPK: 50
2037-26-5	Toluene-d8	49.0		86 - 113	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.4		77 - 121	91%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	178000	8.224			
540-36-3	1,4-Difluorobenzene	335000	9.1			
3114-55-4	Chlorobenzene-d5	307000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	131000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086157.D	1		03/28/25 17:54	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086158.D	1		03/28/25 18:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	15.5	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.50	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086158.D	1		03/28/25 18:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.0		74 - 125	118%	SPK: 50
1868-53-7	Dibromofluoromethane	52.9		75 - 124	106%	SPK: 50
2037-26-5	Toluene-d8	48.1		86 - 113	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.1		77 - 121	90%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	172000	8.224			
540-36-3	1,4-Difluorobenzene	330000	9.1			
3114-55-4	Chlorobenzene-d5	299000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	127000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086158.D	1		03/28/25 18:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086159.D	1		03/28/25 18:42	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	15.7	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.80	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086159.D	1		03/28/25 18:42	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.2		74 - 125	118%	SPK: 50
1868-53-7	Dibromofluoromethane	54.1		75 - 124	108%	SPK: 50
2037-26-5	Toluene-d8	49.2		86 - 113	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.0		77 - 121	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	168000	8.224			
540-36-3	1,4-Difluorobenzene	321000	9.1			
3114-55-4	Chlorobenzene-d5	300000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	131000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086159.D	1		03/28/25 18:42	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086160.D	1		03/28/25 19:06	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	5.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
67-64-1	Acetone	21.0	J	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	3.90	J	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	25.0	ug/L
108-88-3	Toluene	0.14	U	0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086160.D	1		03/28/25 19:06	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	10.0	ug/L
95-47-6	o-Xylene	0.12	U	0.12	5.00	ug/L
100-42-5	Styrene	0.15	U	0.15	5.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	58.7		74 - 125	117%	SPK: 50
1868-53-7	Dibromofluoromethane	54.5		75 - 124	109%	SPK: 50
2037-26-5	Toluene-d8	49.5		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	45.8		77 - 121	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	176000	8.224			
540-36-3	1,4-Difluorobenzene	331000	9.1			
3114-55-4	Chlorobenzene-d5	306000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	131000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: SPLP VOA
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086160.D	1		03/28/25 19:06	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM
Client:	Weston Solutions, Inc.	Project:	RFP 905
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-04	P001-BBDGA-001-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-07	P001-BBDGA-001-02	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-08	P001-BBDGA-001-02	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-09	P001-BBDGA-002-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-10	P001-BBDGA-002-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-11	P001-BBDGA-003-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-12	P001-BBDGA-003-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-13	P001-BBDGA-004-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-14	P001-BBDGA-004-01	Water	SPLP VOA	8260D	03/26/25		03/27/25	03/28/25
Q1664-15	P001-BBDGA-005-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25		03/27/25	03/28/25
Q1664-16	P001-BBDGA-005-01	Water			03/26/25		03/27/25	

LAB CHRONICLE

			SPLP VOA	8260D	03/28/25	
Q1664-17	P001-BBDGA-006-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25	03/27/25
Q1664-18	P001-BBDGA-006-01	Water	SPLP VOA	8260D	03/26/25	03/27/25
Q1664-19	P001-BBDGA-007-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25	03/27/25
Q1664-20	P001-BBDGA-007-01	Water	SPLP VOA	8260D	03/26/25	03/27/25
Q1664-21	P001-BBDGA-008-01	SOIL	VOC-TCLVOA-10	8260D	03/26/25	03/27/25
Q1664-22	P001-BBDGA-008-01	Water	SPLP VOA	8260D	03/26/25	03/27/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1664

Client: Weston Solutions, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
	Client ID : P001-BBDGA-001-01							
Q1664-01	P001-BBDGA-001-01	SOIL	1-Heneicosanol *	180.000	J	0	0	ug/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	420.000	AB	0	0	ug/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Benzophenone *	180.000	J	0	0	ug/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,400.000	JB	0	0	ug/Kg
			Total Tics :	2,180.00				
			Total Concentration:	2,180.00				
	Client ID : P001-BBDGA-001-02							
Q1664-07	P001-BBDGA-001-02	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	320.000	AB	0	0	ug/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Benzophenone *	160.000	J	0	0	ug/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Butane, 2-methoxy-2-methyl- *	1,600.000	JB	0	0	ug/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	n-Tetracosanol-1 *	150.000	J	0	0	ug/Kg
			Total Tics :	2,230.00				
			Total Concentration:	2,230.00				
	Client ID : P001-BBDGA-002-01							
Q1664-09	P001-BBDGA-002-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	200.000	AB	0	0	ug/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Benzophenone *	130.000	J	0	0	ug/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,300.000	JB	0	0	ug/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Pentadecafluoroctanoic acid, oct: *	210.000	J	0	0	ug/Kg
			Total Tics :	1,840.00				
			Total Concentration:	1,840.00				
	Client ID : P001-BBDGA-003-01							
Q1664-11	P001-BBDGA-003-01	SOIL	1-Heneicosanol *	160.000	J	0	0	ug/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	240.000	AB	0	0	ug/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Benzophenone *	140.000	J	0	0	ug/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,700.000	JB	0	0	ug/Kg
			Total Tics :	2,240.00				
			Total Concentration:	2,240.00				
	Client ID : P001-BBDGA-004-01							
Q1664-13	P001-BBDGA-004-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	250.000	AB	0	0	ug/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Benzophenone *	120.000	J	0	0	ug/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,400.000	JB	0	0	ug/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Pentadecafluoroctanoic acid, oct: *	190.000	J	0	0	ug/Kg
			Total Tics :	1,960.00				
			Total Concentration:	1,960.00				
	Client ID : P001-BBDGA-005-01							

Hit Summary Sheet
SW-846

SDG No.: Q1664

Client: Weston Solutions, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1664-15	P001-BBDGA-005-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	220.000	AB	0	0	ug/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Benzophenone *	110.000	J	0	0	ug/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,300.000	JB	0	0	ug/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Docosyl pentafluoropropionate *	140.000	J	0	0	ug/Kg
			Total Tics :	1,770.00				
			Total Concentration:	1,770.00				

Client ID : P001-BBDGA-006-01

Q1664-17	P001-BBDGA-006-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	240.000	AB	0	0	ug/Kg
Q1664-17	P001-BBDGA-006-01	SOIL	Benzophenone *	120.000	J	0	0	ug/Kg
Q1664-17	P001-BBDGA-006-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,600.000	JB	0	0	ug/Kg
Q1664-17	P001-BBDGA-006-01	SOIL	Dichloroacetic acid, heptadecyl es *	170.000	J	0	0	ug/Kg
			Total Tics :	2,130.00				
			Total Concentration:	2,130.00				

Client ID : P001-BBDGA-007-01

Q1664-19	P001-BBDGA-007-01	SOIL	1-Hexacosene *	240.000	J	0	0	ug/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	320.000	AB	0	0	ug/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Benzophenone *	340.000	J	0	0	ug/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,800.000	JB	0	0	ug/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	n-Hexadecanoic acid *	73.200	J	0	0	ug/Kg
			Total Tics :	2,773.20				
			Total Concentration:	2,773.20				

Client ID : P001-BBDGA-008-01

Q1664-21	P001-BBDGA-008-01	SOIL	2-Pentanone, 4-hydroxy-4-methyl *	230.000	AB	0	0	ug/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Benzophenone *	270.000	J	0	0	ug/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Butane, 2-methoxy-2-methyl- *	1,300.000	JB	0	0	ug/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Heptadecyl heptafluorobutyrate *	210.000	J	0	0	ug/Kg
			Total Tics :	2,010.00				
			Total Concentration:	2,010.00				



SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-01			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.8	
Sample Wt/Vol:	30.05	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142188.D	1	03/28/25 09:40	03/31/25 18:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	360	ug/Kg
108-95-2	Phenol	24.0	U	24.0	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	26.4	U	26.4	180	ug/Kg
95-57-8	2-Chlorophenol	26.5	U	26.5	180	ug/Kg
95-48-7	2-Methylphenol	32.5	U	32.5	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.8	U	40.8	180	ug/Kg
98-86-2	Acetophenone	32.1	U	32.1	180	ug/Kg
65794-96-9	3+4-Methylphenols	44.7	U	44.7	360	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	51.5	U	51.5	87.0	ug/Kg
67-72-1	Hexachloroethane	19.1	U	19.1	180	ug/Kg
98-95-3	Nitrobenzene	19.9	U	19.9	180	ug/Kg
78-59-1	Isophorone	35.7	UQ	35.7	180	ug/Kg
88-75-5	2-Nitrophenol	63.3	U	63.3	180	ug/Kg
105-67-9	2,4-Dimethylphenol	70.5	U	70.5	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	33.5	U	33.5	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.8	U	30.8	180	ug/Kg
91-20-3	Naphthalene	24.7	U	24.7	180	ug/Kg
106-47-8	4-Chloroaniline	38.5	U	38.5	180	ug/Kg
87-68-3	Hexachlorobutadiene	27.5	UQ	27.5	180	ug/Kg
105-60-2	Caprolactam	56.7	U	56.7	360	ug/Kg
59-50-7	4-Chloro-3-methylphenol	31.2	U	31.2	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.8	U	27.8	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	130	UQ	130	360	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.5	U	21.5	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.6	UQ	31.6	180	ug/Kg
92-52-4	1,1-Biphenyl	23.7	U	23.7	180	ug/Kg
91-58-7	2-Chloronaphthalene	24.5	UQ	24.5	180	ug/Kg
88-74-4	2-Nitroaniline	52.3	U	52.3	180	ug/Kg
131-11-3	Dimethylphthalate	29.5	UQ	29.5	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-01			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.8	
Sample Wt/Vol:	30.05	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142188.D	1	03/28/25 09:40	03/31/25 18:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	31.4	UQ	31.4	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	36.5	UQ	36.5	180	ug/Kg
99-09-2	3-Nitroaniline	50.0	U	50.0	180	ug/Kg
83-32-9	Acenaphthene	23.2	U	23.2	180	ug/Kg
51-28-5	2,4-Dinitrophenol	250	U	250	360	ug/Kg
100-02-7	4-Nitrophenol	120	U	120	360	ug/Kg
132-64-9	Dibenzofuran	24.7	U	24.7	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	54.5	UQ	54.5	180	ug/Kg
84-66-2	Diethylphthalate	30.8	U	30.8	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	29.0	UQ	29.0	180	ug/Kg
86-73-7	Fluorene	27.5	U	27.5	180	ug/Kg
100-01-6	4-Nitroaniline	69.8	U	69.8	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	360	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.8	UQ	35.8	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	30.2	U	30.2	180	ug/Kg
118-74-1	Hexachlorobenzene	27.5	UQ	27.5	180	ug/Kg
1912-24-9	Atrazine	37.0	U	37.0	180	ug/Kg
87-86-5	Pentachlorophenol	55.8	UQ	55.8	360	ug/Kg
85-01-8	Phenanthrene	22.7	U	22.7	180	ug/Kg
120-12-7	Anthracene	36.2	UQ	36.2	180	ug/Kg
86-74-8	Carbazole	33.9	UQ	33.9	180	ug/Kg
84-74-2	Di-n-butylphthalate	52.1	U	52.1	180	ug/Kg
206-44-0	Fluoranthene	32.6	U	32.6	180	ug/Kg
129-00-0	Pyrene	39.2	UQ	39.2	180	ug/Kg
85-68-7	Butylbenzylphthalate	77.6	U	77.6	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.9	UQ	39.9	360	ug/Kg
56-55-3	Benzo(a)anthracene	25.0	UQ	25.0	180	ug/Kg
218-01-9	Chrysene	21.6	UQ	21.6	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	64.4	U	64.4	180	ug/Kg
117-84-0	Di-n-octyl phthalate	94.4	U	94.4	360	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.7	U	20.7	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-01			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.8	
Sample Wt/Vol:	30.05	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142188.D	1	03/28/25 09:40	03/31/25 18:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	24.4	U	24.4	180	ug/Kg
50-32-8	Benzo(a)pyrene	32.1	UQ	32.1	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.6	U	31.6	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.8	U	29.8	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.9	U	27.9	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.8	U	27.8	180	ug/Kg
123-91-1	1,4-Dioxane	49.2	U	49.2	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.8	U	29.8	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	94.0		18 - 112	63%	SPK: 150
13127-88-3	Phenol-d6	102		15 - 107	68%	SPK: 150
4165-60-0	Nitrobenzene-d5	78.8		18 - 107	79%	SPK: 100
321-60-8	2-Fluorobiphenyl	85.3		20 - 109	85%	SPK: 100
118-79-6	2,4,6-Tribromophenol	66.1		10 - 116	44%	SPK: 150
1718-51-0	Terphenyl-d14	64.4		10 - 105	64%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	111000	6.863			
1146-65-2	Naphthalene-d8	420000	8.145			
15067-26-2	Acenaphthene-d10	224000	9.904			
1517-22-2	Phenanthrene-d10	340000	11.392			
1719-03-5	Chrysene-d12	280000	14.033			
1520-96-3	Perylene-d12	335000	15.51			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	1400	JB		2.13	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	420	AB		5.08	ug/Kg
000119-61-9	Benzophenone	180	J		10.6	ug/Kg
015594-90-8	1-Heneicosanol	180	J		13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	91.8
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	GPC Cleanup :	N
		Level :	LOW
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142188.D	1	03/28/25 09:40	03/31/25 18:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-07			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92	
Sample Wt/Vol:	30.06	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142191.D	1	03/28/25 09:40	03/31/25 20:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	360	ug/Kg
108-95-2	Phenol	24.0	U	24.0	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	26.4	U	26.4	180	ug/Kg
95-57-8	2-Chlorophenol	26.5	U	26.5	180	ug/Kg
95-48-7	2-Methylphenol	32.4	U	32.4	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.7	U	40.7	180	ug/Kg
98-86-2	Acetophenone	32.0	U	32.0	180	ug/Kg
65794-96-9	3+4-Methylphenols	44.6	U	44.6	360	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	51.4	U	51.4	86.8	ug/Kg
67-72-1	Hexachloroethane	19.1	U	19.1	180	ug/Kg
98-95-3	Nitrobenzene	19.9	U	19.9	180	ug/Kg
78-59-1	Isophorone	35.6	UQ	35.6	180	ug/Kg
88-75-5	2-Nitrophenol	63.1	U	63.1	180	ug/Kg
105-67-9	2,4-Dimethylphenol	70.3	U	70.3	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	33.4	U	33.4	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.7	U	30.7	180	ug/Kg
91-20-3	Naphthalene	24.6	U	24.6	180	ug/Kg
106-47-8	4-Chloroaniline	38.4	U	38.4	180	ug/Kg
87-68-3	Hexachlorobutadiene	27.4	UQ	27.4	180	ug/Kg
105-60-2	Caprolactam	56.5	U	56.5	360	ug/Kg
59-50-7	4-Chloro-3-methylphenol	31.1	U	31.1	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.8	U	27.8	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	130	UQ	130	360	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.5	U	21.5	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.6	UQ	31.6	180	ug/Kg
92-52-4	1,1-Biphenyl	23.6	U	23.6	180	ug/Kg
91-58-7	2-Chloronaphthalene	24.4	UQ	24.4	180	ug/Kg
88-74-4	2-Nitroaniline	52.2	U	52.2	180	ug/Kg
131-11-3	Dimethylphthalate	29.4	UQ	29.4	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-07			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92	
Sample Wt/Vol:	30.06	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142191.D	1	03/28/25 09:40	03/31/25 20:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	31.4	UQ	31.4	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	36.4	UQ	36.4	180	ug/Kg
99-09-2	3-Nitroaniline	49.9	U	49.9	180	ug/Kg
83-32-9	Acenaphthene	23.1	U	23.1	180	ug/Kg
51-28-5	2,4-Dinitrophenol	250	U	250	360	ug/Kg
100-02-7	4-Nitrophenol	120	U	120	360	ug/Kg
132-64-9	Dibenzofuran	24.6	U	24.6	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	54.3	UQ	54.3	180	ug/Kg
84-66-2	Diethylphthalate	30.7	U	30.7	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	29.0	UQ	29.0	180	ug/Kg
86-73-7	Fluorene	27.4	U	27.4	180	ug/Kg
100-01-6	4-Nitroaniline	69.6	U	69.6	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	360	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.7	UQ	35.7	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	30.2	U	30.2	180	ug/Kg
118-74-1	Hexachlorobenzene	27.4	UQ	27.4	180	ug/Kg
1912-24-9	Atrazine	36.9	U	36.9	180	ug/Kg
87-86-5	Pentachlorophenol	55.6	UQ	55.6	360	ug/Kg
85-01-8	Phenanthrene	22.7	U	22.7	180	ug/Kg
120-12-7	Anthracene	36.1	UQ	36.1	180	ug/Kg
86-74-8	Carbazole	33.8	UQ	33.8	180	ug/Kg
84-74-2	Di-n-butylphthalate	52.0	U	52.0	180	ug/Kg
206-44-0	Fluoranthene	32.5	U	32.5	180	ug/Kg
129-00-0	Pyrene	39.1	UQ	39.1	180	ug/Kg
85-68-7	Butylbenzylphthalate	77.5	U	77.5	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.8	UQ	39.8	360	ug/Kg
56-55-3	Benzo(a)anthracene	25.0	UQ	25.0	180	ug/Kg
218-01-9	Chrysene	21.6	UQ	21.6	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	64.2	U	64.2	180	ug/Kg
117-84-0	Di-n-octyl phthalate	94.2	U	94.2	360	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.6	U	20.6	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-07			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92	
Sample Wt/Vol:	30.06	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142191.D	1	03/28/25 09:40	03/31/25 20:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	24.3	U	24.3	180	ug/Kg
50-32-8	Benzo(a)pyrene	32.0	UQ	32.0	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.6	U	31.6	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.7	U	29.7	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.9	U	27.9	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.8	U	27.8	180	ug/Kg
123-91-1	1,4-Dioxane	49.0	U	49.0	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.7	U	29.7	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	102		18 - 112	68%	SPK: 150
13127-88-3	Phenol-d6	100		15 - 107	67%	SPK: 150
4165-60-0	Nitrobenzene-d5	75.7		18 - 107	76%	SPK: 100
321-60-8	2-Fluorobiphenyl	84.3		20 - 109	84%	SPK: 100
118-79-6	2,4,6-Tribromophenol	82.1		10 - 116	55%	SPK: 150
1718-51-0	Terphenyl-d14	57.8		10 - 105	58%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	107000	6.863			
1146-65-2	Naphthalene-d8	406000	8.145			
15067-26-2	Acenaphthene-d10	205000	9.904			
1517-22-2	Phenanthrene-d10	293000	11.392			
1719-03-5	Chrysene-d12	246000	14.033			
1520-96-3	Perylene-d12	308000	15.509			

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	1600	JB	2.14	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	320	AB	5.08	ug/Kg
000119-61-9	Benzophenone	160	J	10.6	ug/Kg
000506-51-4	n-Tetracosanol-1	150	J	13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	92
Sample Wt/Vol:	30.06	Units: g	Final Vol: 1000 uL
Soil Aliquot Vol:		uL	Test: SVOC-TCL BNA -20
Extraction Type :		Decanted : N	Level : LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142191.D	1	03/28/25 09:40	03/31/25 20:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-07RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92	
Sample Wt/Vol:	30.06	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049796.D	1	03/28/25 09:40	04/02/25 18:39	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	360	ug/Kg
108-95-2	Phenol	24.0	U	24.0	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	26.4	U	26.4	180	ug/Kg
95-57-8	2-Chlorophenol	26.5	U	26.5	180	ug/Kg
95-48-7	2-Methylphenol	32.4	U	32.4	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.7	U	40.7	180	ug/Kg
98-86-2	Acetophenone	32.0	U	32.0	180	ug/Kg
65794-96-9	3+4-Methylphenols	44.6	U	44.6	360	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	51.4	U	51.4	86.8	ug/Kg
67-72-1	Hexachloroethane	19.1	U	19.1	180	ug/Kg
98-95-3	Nitrobenzene	19.9	U	19.9	180	ug/Kg
78-59-1	Isophorone	35.6	UQ	35.6	180	ug/Kg
88-75-5	2-Nitrophenol	63.1	U	63.1	180	ug/Kg
105-67-9	2,4-Dimethylphenol	70.3	U	70.3	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	33.4	U	33.4	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.7	U	30.7	180	ug/Kg
91-20-3	Naphthalene	24.6	U	24.6	180	ug/Kg
106-47-8	4-Chloroaniline	38.4	U	38.4	180	ug/Kg
87-68-3	Hexachlorobutadiene	27.4	UQ	27.4	180	ug/Kg
105-60-2	Caprolactam	56.5	U	56.5	360	ug/Kg
59-50-7	4-Chloro-3-methylphenol	31.1	U	31.1	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.8	U	27.8	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	130	UQ	130	360	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.5	U	21.5	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.6	UQ	31.6	180	ug/Kg
92-52-4	1,1-Biphenyl	23.6	U	23.6	180	ug/Kg
91-58-7	2-Chloronaphthalene	24.4	UQ	24.4	180	ug/Kg
88-74-4	2-Nitroaniline	52.2	U	52.2	180	ug/Kg
131-11-3	Dimethylphthalate	29.4	UQ	29.4	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-07RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92	
Sample Wt/Vol:	30.06	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049796.D	1	03/28/25 09:40	04/02/25 18:39	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	31.4	UQ	31.4	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	36.4	UQ	36.4	180	ug/Kg
99-09-2	3-Nitroaniline	49.9	U	49.9	180	ug/Kg
83-32-9	Acenaphthene	23.1	U	23.1	180	ug/Kg
51-28-5	2,4-Dinitrophenol	250	U	250	360	ug/Kg
100-02-7	4-Nitrophenol	120	U	120	360	ug/Kg
132-64-9	Dibenzofuran	24.6	U	24.6	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	54.3	UQ	54.3	180	ug/Kg
84-66-2	Diethylphthalate	30.7	U	30.7	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	29.0	UQ	29.0	180	ug/Kg
86-73-7	Fluorene	27.4	U	27.4	180	ug/Kg
100-01-6	4-Nitroaniline	69.6	U	69.6	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	360	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.7	UQ	35.7	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	30.2	U	30.2	180	ug/Kg
118-74-1	Hexachlorobenzene	27.4	UQ	27.4	180	ug/Kg
1912-24-9	Atrazine	36.9	U	36.9	180	ug/Kg
87-86-5	Pentachlorophenol	55.6	UQ	55.6	360	ug/Kg
85-01-8	Phenanthrene	22.7	U	22.7	180	ug/Kg
120-12-7	Anthracene	36.1	UQ	36.1	180	ug/Kg
86-74-8	Carbazole	33.8	UQ	33.8	180	ug/Kg
84-74-2	Di-n-butylphthalate	52.0	U	52.0	180	ug/Kg
206-44-0	Fluoranthene	32.5	U	32.5	180	ug/Kg
129-00-0	Pyrene	39.1	UQ	39.1	180	ug/Kg
85-68-7	Butylbenzylphthalate	77.5	U	77.5	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.8	UQ	39.8	360	ug/Kg
56-55-3	Benzo(a)anthracene	25.0	UQ	25.0	180	ug/Kg
218-01-9	Chrysene	21.6	UQ	21.6	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	64.2	U	64.2	180	ug/Kg
117-84-0	Di-n-octyl phthalate	94.2	U	94.2	360	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.6	U	20.6	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-07RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92	
Sample Wt/Vol:	30.06	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049796.D	1	03/28/25 09:40	04/02/25 18:39	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	24.3	U	24.3	180	ug/Kg
50-32-8	Benzo(a)pyrene	32.0	UQ	32.0	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.6	U	31.6	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.7	U	29.7	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.9	U	27.9	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.8	U	27.8	180	ug/Kg
123-91-1	1,4-Dioxane	49.0	U	49.0	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.7	U	29.7	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	113		18 - 112	75%	SPK: 150
13127-88-3	Phenol-d6	116		15 - 107	78%	SPK: 150
4165-60-0	Nitrobenzene-d5	78.6		18 - 107	79%	SPK: 100
321-60-8	2-Fluorobiphenyl	77.1		20 - 109	77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	115		10 - 116	77%	SPK: 150
1718-51-0	Terphenyl-d14	84.0		10 - 105	84%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	266000	7.787			
1146-65-2	Naphthalene-d8	914000	10.58			
15067-26-2	Acenaphthene-d10	564000	14.427			
1517-22-2	Phenanthrene-d10	1100000	17.168			
1719-03-5	Chrysene-d12	1170000	21.403			
1520-96-3	Perylene-d12	1260000	24.403			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-09			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.5	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142182.D	1	03/28/25 09:40	03/31/25 15:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	350	ug/Kg
108-95-2	Phenol	23.6	U	23.6	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	25.9	U	25.9	180	ug/Kg
95-57-8	2-Chlorophenol	26.0	U	26.0	180	ug/Kg
95-48-7	2-Methylphenol	31.9	U	31.9	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.0	U	40.0	180	ug/Kg
98-86-2	Acetophenone	31.5	U	31.5	180	ug/Kg
65794-96-9	3+4-Methylphenols	43.8	U	43.8	350	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	50.6	U	50.6	85.3	ug/Kg
67-72-1	Hexachloroethane	18.8	U	18.8	180	ug/Kg
98-95-3	Nitrobenzene	19.5	U	19.5	180	ug/Kg
78-59-1	Isophorone	35.0	UQ	35.0	180	ug/Kg
88-75-5	2-Nitrophenol	62.1	U	62.1	180	ug/Kg
105-67-9	2,4-Dimethylphenol	69.1	U	69.1	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	32.9	U	32.9	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.2	U	30.2	180	ug/Kg
91-20-3	Naphthalene	24.2	U	24.2	180	ug/Kg
106-47-8	4-Chloroaniline	37.8	U	37.8	180	ug/Kg
87-68-3	Hexachlorobutadiene	27.0	UQ	27.0	180	ug/Kg
105-60-2	Caprolactam	55.6	U	55.6	350	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.6	U	30.6	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.3	U	27.3	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	350	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.1	U	21.1	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.0	UQ	31.0	180	ug/Kg
92-52-4	1,1-Biphenyl	23.3	U	23.3	180	ug/Kg
91-58-7	2-Chloronaphthalene	24.0	UQ	24.0	180	ug/Kg
88-74-4	2-Nitroaniline	51.3	U	51.3	180	ug/Kg
131-11-3	Dimethylphthalate	28.9	UQ	28.9	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-09			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.5	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142182.D	1	03/28/25 09:40	03/31/25 15:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	30.8	UQ	30.8	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	35.8	UQ	35.8	180	ug/Kg
99-09-2	3-Nitroaniline	49.1	U	49.1	180	ug/Kg
83-32-9	Acenaphthene	22.7	U	22.7	180	ug/Kg
51-28-5	2,4-Dinitrophenol	240	U	240	350	ug/Kg
100-02-7	4-Nitrophenol	110	U	110	350	ug/Kg
132-64-9	Dibenzofuran	24.2	U	24.2	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	53.4	UQ	53.4	180	ug/Kg
84-66-2	Diethylphthalate	30.2	U	30.2	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.5	UQ	28.5	180	ug/Kg
86-73-7	Fluorene	27.0	U	27.0	180	ug/Kg
100-01-6	4-Nitroaniline	68.5	U	68.5	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	350	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.1	UQ	35.1	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.7	U	29.7	180	ug/Kg
118-74-1	Hexachlorobenzene	27.0	UQ	27.0	180	ug/Kg
1912-24-9	Atrazine	36.3	U	36.3	180	ug/Kg
87-86-5	Pentachlorophenol	54.7	UQ	54.7	350	ug/Kg
85-01-8	Phenanthrene	22.3	U	22.3	180	ug/Kg
120-12-7	Anthracene	35.5	UQ	35.5	180	ug/Kg
86-74-8	Carbazole	33.3	UQ	33.3	180	ug/Kg
84-74-2	Di-n-butylphthalate	51.1	U	51.1	180	ug/Kg
206-44-0	Fluoranthene	32.0	U	32.0	180	ug/Kg
129-00-0	Pyrene	38.4	UQ	38.4	180	ug/Kg
85-68-7	Butylbenzylphthalate	76.2	U	76.2	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.1	UQ	39.1	350	ug/Kg
56-55-3	Benzo(a)anthracene	24.5	UQ	24.5	180	ug/Kg
218-01-9	Chrysene	21.2	UQ	21.2	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	63.1	U	63.1	180	ug/Kg
117-84-0	Di-n-octyl phthalate	92.6	U	92.6	350	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.3	U	20.3	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-09			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.5	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142182.D	1	03/28/25 09:40	03/31/25 15:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	23.9	U	23.9	180	ug/Kg
50-32-8	Benzo(a)pyrene	31.5	UQ	31.5	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.0	U	31.0	180	ug/Kg
53-70-3	Dibenzo(a,h)anthracene	29.2	U	29.2	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.4	U	27.4	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.3	U	27.3	180	ug/Kg
123-91-1	1,4-Dioxane	48.2	U	48.2	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.2	U	29.2	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	95.4		18 - 112	64%	SPK: 150
13127-88-3	Phenol-d6	92.8		15 - 107	62%	SPK: 150
4165-60-0	Nitrobenzene-d5	65.8		18 - 107	66%	SPK: 100
321-60-8	2-Fluorobiphenyl	72.3		20 - 109	72%	SPK: 100
118-79-6	2,4,6-Tribromophenol	83.1		10 - 116	55%	SPK: 150
1718-51-0	Terphenyl-d14	54.5		10 - 105	55%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	102000	6.863			
1146-65-2	Naphthalene-d8	395000	8.145			
15067-26-2	Acenaphthene-d10	204000	9.904			
1517-22-2	Phenanthrene-d10	307000	11.392			
1719-03-5	Chrysene-d12	235000	14.033			
1520-96-3	Perylene-d12	291000	15.51			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	1300	JB		2.13	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	200	AB		5.08	ug/Kg
000119-61-9	Benzophenone	130	J		10.6	ug/Kg
1000406-04-8	Pentadecafluoroctanoic acid, octa	210	J		13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	93.5
Sample Wt/Vol:	30.08	Units: g	Final Vol: 1000 uL
Soil Aliquot Vol:		uL	Test: SVOC-TCL BNA -20
Extraction Type :		Decanted : N	Level : LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142182.D	1	03/28/25 09:40	03/31/25 15:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-09RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.5	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049793.D	1	03/28/25 09:40	04/02/25 16:43	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	350	ug/Kg
108-95-2	Phenol	23.6	U	23.6	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	25.9	U	25.9	180	ug/Kg
95-57-8	2-Chlorophenol	26.0	U	26.0	180	ug/Kg
95-48-7	2-Methylphenol	31.9	U	31.9	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.0	U	40.0	180	ug/Kg
98-86-2	Acetophenone	31.5	U	31.5	180	ug/Kg
65794-96-9	3+4-Methylphenols	43.8	U	43.8	350	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	50.6	U	50.6	85.3	ug/Kg
67-72-1	Hexachloroethane	18.8	U	18.8	180	ug/Kg
98-95-3	Nitrobenzene	19.5	U	19.5	180	ug/Kg
78-59-1	Isophorone	35.0	UQ	35.0	180	ug/Kg
88-75-5	2-Nitrophenol	62.1	U	62.1	180	ug/Kg
105-67-9	2,4-Dimethylphenol	69.1	U	69.1	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	32.9	U	32.9	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.2	U	30.2	180	ug/Kg
91-20-3	Naphthalene	24.2	U	24.2	180	ug/Kg
106-47-8	4-Chloroaniline	37.8	U	37.8	180	ug/Kg
87-68-3	Hexachlorobutadiene	27.0	UQ	27.0	180	ug/Kg
105-60-2	Caprolactam	55.6	U	55.6	350	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.6	U	30.6	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.3	U	27.3	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	350	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.1	U	21.1	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.0	UQ	31.0	180	ug/Kg
92-52-4	1,1-Biphenyl	23.3	U	23.3	180	ug/Kg
91-58-7	2-Chloronaphthalene	24.0	UQ	24.0	180	ug/Kg
88-74-4	2-Nitroaniline	51.3	U	51.3	180	ug/Kg
131-11-3	Dimethylphthalate	28.9	UQ	28.9	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-09RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.5	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049793.D	1	03/28/25 09:40	04/02/25 16:43	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	30.8	UQ	30.8	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	35.8	UQ	35.8	180	ug/Kg
99-09-2	3-Nitroaniline	49.1	U	49.1	180	ug/Kg
83-32-9	Acenaphthene	22.7	U	22.7	180	ug/Kg
51-28-5	2,4-Dinitrophenol	240	U	240	350	ug/Kg
100-02-7	4-Nitrophenol	110	U	110	350	ug/Kg
132-64-9	Dibenzofuran	24.2	U	24.2	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	53.4	UQ	53.4	180	ug/Kg
84-66-2	Diethylphthalate	30.2	U	30.2	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.5	UQ	28.5	180	ug/Kg
86-73-7	Fluorene	27.0	U	27.0	180	ug/Kg
100-01-6	4-Nitroaniline	68.5	U	68.5	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	350	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.1	UQ	35.1	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.7	U	29.7	180	ug/Kg
118-74-1	Hexachlorobenzene	27.0	UQ	27.0	180	ug/Kg
1912-24-9	Atrazine	36.3	U	36.3	180	ug/Kg
87-86-5	Pentachlorophenol	54.7	UQ	54.7	350	ug/Kg
85-01-8	Phenanthrene	22.3	U	22.3	180	ug/Kg
120-12-7	Anthracene	35.5	UQ	35.5	180	ug/Kg
86-74-8	Carbazole	33.3	UQ	33.3	180	ug/Kg
84-74-2	Di-n-butylphthalate	51.1	U	51.1	180	ug/Kg
206-44-0	Fluoranthene	32.0	U	32.0	180	ug/Kg
129-00-0	Pyrene	38.4	UQ	38.4	180	ug/Kg
85-68-7	Butylbenzylphthalate	76.2	U	76.2	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.1	UQ	39.1	350	ug/Kg
56-55-3	Benzo(a)anthracene	24.5	UQ	24.5	180	ug/Kg
218-01-9	Chrysene	21.2	UQ	21.2	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	63.1	U	63.1	180	ug/Kg
117-84-0	Di-n-octyl phthalate	92.6	U	92.6	350	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.3	U	20.3	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-09RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.5	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049793.D	1	03/28/25 09:40	04/02/25 16:43	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	23.9	U	23.9	180	ug/Kg
50-32-8	Benzo(a)pyrene	31.5	UQ	31.5	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.0	U	31.0	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.2	U	29.2	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.4	U	27.4	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.3	U	27.3	180	ug/Kg
123-91-1	1,4-Dioxane	48.2	U	48.2	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.2	U	29.2	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	100		18 - 112	67%	SPK: 150
13127-88-3	Phenol-d6	103		15 - 107	69%	SPK: 150
4165-60-0	Nitrobenzene-d5	68.1		18 - 107	68%	SPK: 100
321-60-8	2-Fluorobiphenyl	64.7		20 - 109	65%	SPK: 100
118-79-6	2,4,6-Tribromophenol	113		10 - 116	75%	SPK: 150
1718-51-0	Terphenyl-d14	71.7		10 - 105	72%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	265000	7.787			
1146-65-2	Naphthalene-d8	911000	10.581			
15067-26-2	Acenaphthene-d10	584000	14.427			
1517-22-2	Phenanthrene-d10	1160000	17.168			
1719-03-5	Chrysene-d12	1250000	21.403			
1520-96-3	Perylene-d12	1280000	24.397			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-003-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-11			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	94.6	
Sample Wt/Vol:	30.02	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142184.D	1	03/28/25 09:40	03/31/25 16:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

TARGETS

100-52-7	Benzaldehyde	160	U	160	350	ug/Kg
108-95-2	Phenol	23.3	U	23.3	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	25.7	U	25.7	180	ug/Kg
95-57-8	2-Chlorophenol	25.8	U	25.8	180	ug/Kg
95-48-7	2-Methylphenol	31.6	U	31.6	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	39.6	U	39.6	180	ug/Kg
98-86-2	Acetophenone	31.2	U	31.2	180	ug/Kg
65794-96-9	3+4-Methylphenols	43.4	U	43.4	350	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	50.1	U	50.1	84.5	ug/Kg
67-72-1	Hexachloroethane	18.6	U	18.6	180	ug/Kg
98-95-3	Nitrobenzene	19.3	U	19.3	180	ug/Kg
78-59-1	Isophorone	34.6	UQ	34.6	180	ug/Kg
88-75-5	2-Nitrophenol	61.5	U	61.5	180	ug/Kg
105-67-9	2,4-Dimethylphenol	68.5	U	68.5	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	32.5	U	32.5	180	ug/Kg
120-83-2	2,4-Dichlorophenol	29.9	U	29.9	180	ug/Kg
91-20-3	Naphthalene	24.0	U	24.0	180	ug/Kg
106-47-8	4-Chloroaniline	37.4	U	37.4	180	ug/Kg
87-68-3	Hexachlorobutadiene	26.7	UQ	26.7	180	ug/Kg
105-60-2	Caprolactam	55.0	U	55.0	350	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.3	U	30.3	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.0	U	27.0	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	350	ug/Kg
88-06-2	2,4,6-Trichlorophenol	20.9	U	20.9	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	30.7	UQ	30.7	180	ug/Kg
92-52-4	1,1-Biphenyl	23.0	U	23.0	180	ug/Kg
91-58-7	2-Chloronaphthalene	23.8	UQ	23.8	180	ug/Kg
88-74-4	2-Nitroaniline	50.8	U	50.8	180	ug/Kg
131-11-3	Dimethylphthalate	28.6	UQ	28.6	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-003-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-11			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	94.6	
Sample Wt/Vol:	30.02	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142184.D	1	03/28/25 09:40	03/31/25 16:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	30.5	UQ	30.5	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	35.5	UQ	35.5	180	ug/Kg
99-09-2	3-Nitroaniline	48.6	U	48.6	180	ug/Kg
83-32-9	Acenaphthene	22.5	U	22.5	180	ug/Kg
51-28-5	2,4-Dinitrophenol	240	U	240	350	ug/Kg
100-02-7	4-Nitrophenol	110	U	110	350	ug/Kg
132-64-9	Dibenzofuran	24.0	U	24.0	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	52.9	UQ	52.9	180	ug/Kg
84-66-2	Diethylphthalate	29.9	U	29.9	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.2	UQ	28.2	180	ug/Kg
86-73-7	Fluorene	26.7	U	26.7	180	ug/Kg
100-01-6	4-Nitroaniline	67.8	U	67.8	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	350	ug/Kg
86-30-6	n-Nitrosodiphenylamine	34.8	UQ	34.8	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.4	U	29.4	180	ug/Kg
118-74-1	Hexachlorobenzene	26.7	UQ	26.7	180	ug/Kg
1912-24-9	Atrazine	35.9	U	35.9	180	ug/Kg
87-86-5	Pentachlorophenol	54.2	UQ	54.2	350	ug/Kg
85-01-8	Phenanthrene	22.1	U	22.1	180	ug/Kg
120-12-7	Anthracene	35.2	UQ	35.2	180	ug/Kg
86-74-8	Carbazole	33.0	UQ	33.0	180	ug/Kg
84-74-2	Di-n-butylphthalate	50.6	U	50.6	180	ug/Kg
206-44-0	Fluoranthene	31.7	U	31.7	180	ug/Kg
129-00-0	Pyrene	38.0	UQ	38.0	180	ug/Kg
85-68-7	Butylbenzylphthalate	75.4	U	75.4	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	38.8	UQ	38.8	350	ug/Kg
56-55-3	Benzo(a)anthracene	24.3	UQ	24.3	180	ug/Kg
218-01-9	Chrysene	21.0	UQ	21.0	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	62.5	U	62.5	180	ug/Kg
117-84-0	Di-n-octyl phthalate	91.7	U	91.7	350	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.1	U	20.1	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-003-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-11			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	94.6	
Sample Wt/Vol:	30.02	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142184.D	1	03/28/25 09:40	03/31/25 16:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	23.7	U	23.7	180	ug/Kg
50-32-8	Benzo(a)pyrene	31.2	UQ	31.2	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	30.7	U	30.7	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	28.9	U	28.9	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.1	U	27.1	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.0	U	27.0	180	ug/Kg
123-91-1	1,4-Dioxane	47.7	U	47.7	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	28.9	U	28.9	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	113		18 - 112	75%	SPK: 150
13127-88-3	Phenol-d6	108		15 - 107	72%	SPK: 150
4165-60-0	Nitrobenzene-d5	78.0		18 - 107	78%	SPK: 100
321-60-8	2-Fluorobiphenyl	84.1		20 - 109	84%	SPK: 100
118-79-6	2,4,6-Tribromophenol	99.1		10 - 116	66%	SPK: 150
1718-51-0	Terphenyl-d14	67.7		10 - 105	68%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	106000	6.863			
1146-65-2	Naphthalene-d8	411000	8.145			
15067-26-2	Acenaphthene-d10	219000	9.904			
1517-22-2	Phenanthrene-d10	340000	11.392			
1719-03-5	Chrysene-d12	255000	14.033			
1520-96-3	Perylene-d12	303000	15.51			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	1700	JB		2.14	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	240	AB		5.09	ug/Kg
000119-61-9	Benzophenone	140	J		10.6	ug/Kg
015594-90-8	1-Heneicosanol	160	J		13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	94.6
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	GPC Cleanup :	N
		Level :	LOW
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142184.D	1	03/28/25 09:40	03/31/25 16:58	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-004-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-13			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	95.4	
Sample Wt/Vol:	30.04	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142185.D	1	03/28/25 09:40	03/31/25 17:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	160	U	160	350	ug/Kg
108-95-2	Phenol	23.1	U	23.1	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	25.4	U	25.4	180	ug/Kg
95-57-8	2-Chlorophenol	25.5	U	25.5	180	ug/Kg
95-48-7	2-Methylphenol	31.3	U	31.3	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	39.3	U	39.3	180	ug/Kg
98-86-2	Acetophenone	30.9	U	30.9	180	ug/Kg
65794-96-9	3+4-Methylphenols	43.0	U	43.0	350	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	49.6	U	49.6	83.7	ug/Kg
67-72-1	Hexachloroethane	18.4	U	18.4	180	ug/Kg
98-95-3	Nitrobenzene	19.2	U	19.2	180	ug/Kg
78-59-1	Isophorone	34.3	UQ	34.3	180	ug/Kg
88-75-5	2-Nitrophenol	60.9	U	60.9	180	ug/Kg
105-67-9	2,4-Dimethylphenol	67.8	U	67.8	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	32.2	U	32.2	180	ug/Kg
120-83-2	2,4-Dichlorophenol	29.6	U	29.6	180	ug/Kg
91-20-3	Naphthalene	23.8	U	23.8	180	ug/Kg
106-47-8	4-Chloroaniline	37.1	U	37.1	180	ug/Kg
87-68-3	Hexachlorobutadiene	26.5	UQ	26.5	180	ug/Kg
105-60-2	Caprolactam	54.5	U	54.5	350	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.0	U	30.0	180	ug/Kg
91-57-6	2-Methylnaphthalene	26.8	U	26.8	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	350	ug/Kg
88-06-2	2,4,6-Trichlorophenol	20.7	U	20.7	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	30.5	UQ	30.5	180	ug/Kg
92-52-4	1,1-Biphenyl	22.8	U	22.8	180	ug/Kg
91-58-7	2-Chloronaphthalene	23.6	UQ	23.6	180	ug/Kg
88-74-4	2-Nitroaniline	50.4	U	50.4	180	ug/Kg
131-11-3	Dimethylphthalate	28.4	UQ	28.4	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-004-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-13			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	95.4	
Sample Wt/Vol:	30.04	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142185.D	1	03/28/25 09:40	03/31/25 17:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	30.3	UQ	30.3	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	35.2	UQ	35.2	180	ug/Kg
99-09-2	3-Nitroaniline	48.2	U	48.2	180	ug/Kg
83-32-9	Acenaphthene	22.3	U	22.3	180	ug/Kg
51-28-5	2,4-Dinitrophenol	240	U	240	350	ug/Kg
100-02-7	4-Nitrophenol	110	U	110	350	ug/Kg
132-64-9	Dibenzofuran	23.8	U	23.8	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	52.4	UQ	52.4	180	ug/Kg
84-66-2	Diethylphthalate	29.6	U	29.6	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.0	UQ	28.0	180	ug/Kg
86-73-7	Fluorene	26.5	U	26.5	180	ug/Kg
100-01-6	4-Nitroaniline	67.2	U	67.2	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	350	ug/Kg
86-30-6	n-Nitrosodiphenylamine	34.4	UQ	34.4	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.1	U	29.1	180	ug/Kg
118-74-1	Hexachlorobenzene	26.5	UQ	26.5	180	ug/Kg
1912-24-9	Atrazine	35.6	U	35.6	180	ug/Kg
87-86-5	Pentachlorophenol	53.7	UQ	53.7	350	ug/Kg
85-01-8	Phenanthrene	21.9	U	21.9	180	ug/Kg
120-12-7	Anthracene	34.9	UQ	34.9	180	ug/Kg
86-74-8	Carbazole	32.7	UQ	32.7	180	ug/Kg
84-74-2	Di-n-butylphthalate	50.1	U	50.1	180	ug/Kg
206-44-0	Fluoranthene	31.4	U	31.4	180	ug/Kg
129-00-0	Pyrene	37.7	UQ	37.7	180	ug/Kg
85-68-7	Butylbenzylphthalate	74.7	U	74.7	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	38.4	UQ	38.4	350	ug/Kg
56-55-3	Benzo(a)anthracene	24.1	UQ	24.1	180	ug/Kg
218-01-9	Chrysene	20.8	UQ	20.8	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	62.0	U	62.0	180	ug/Kg
117-84-0	Di-n-octyl phthalate	90.9	U	90.9	350	ug/Kg
205-99-2	Benzo(b)fluoranthene	19.9	U	19.9	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-004-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-13			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	95.4	
Sample Wt/Vol:	30.04	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142185.D	1	03/28/25 09:40	03/31/25 17:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	23.4	U	23.4	180	ug/Kg
50-32-8	Benzo(a)pyrene	30.9	UQ	30.9	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	30.5	U	30.5	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	28.7	U	28.7	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	26.9	U	26.9	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	26.8	U	26.8	180	ug/Kg
123-91-1	1,4-Dioxane	47.3	U	47.3	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	28.7	U	28.7	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	113		18 - 112	75%	SPK: 150
13127-88-3	Phenol-d6	114		15 - 107	76%	SPK: 150
4165-60-0	Nitrobenzene-d5	73.9		18 - 107	74%	SPK: 100
321-60-8	2-Fluorobiphenyl	86.6		20 - 109	87%	SPK: 100
118-79-6	2,4,6-Tribromophenol	96.6		10 - 116	64%	SPK: 150
1718-51-0	Terphenyl-d14	67.6		10 - 105	68%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	116000	6.863			
1146-65-2	Naphthalene-d8	475000	8.145			
15067-26-2	Acenaphthene-d10	241000	9.904			
1517-22-2	Phenanthrene-d10	374000	11.392			
1719-03-5	Chrysene-d12	266000	14.033			
1520-96-3	Perylene-d12	318000	15.51			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	1400	JB		2.13	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	250	AB		5.09	ug/Kg
000119-61-9	Benzophenone	120	J		10.6	ug/Kg
1000406-04-8	Pentadecafluoroctanoic acid, octa	190	J		13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	95.4
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	GPC Cleanup :	N
		Level :	LOW
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142185.D	1	03/28/25 09:40	03/31/25 17:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-15			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.7	
Sample Wt/Vol:	30.03	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142189.D	1	03/28/25 09:40	03/31/25 19:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	360	ug/Kg
108-95-2	Phenol	24.1	U	24.1	190	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	26.5	U	26.5	190	ug/Kg
95-57-8	2-Chlorophenol	26.6	U	26.6	190	ug/Kg
95-48-7	2-Methylphenol	32.6	U	32.6	190	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.9	U	40.9	190	ug/Kg
98-86-2	Acetophenone	32.1	U	32.1	190	ug/Kg
65794-96-9	3+4-Methylphenols	44.8	U	44.8	360	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	51.6	U	51.6	87.2	ug/Kg
67-72-1	Hexachloroethane	19.2	U	19.2	190	ug/Kg
98-95-3	Nitrobenzene	19.9	U	19.9	190	ug/Kg
78-59-1	Isophorone	35.7	UQ	35.7	190	ug/Kg
88-75-5	2-Nitrophenol	63.4	U	63.4	190	ug/Kg
105-67-9	2,4-Dimethylphenol	70.6	U	70.6	190	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	33.6	U	33.6	190	ug/Kg
120-83-2	2,4-Dichlorophenol	30.8	U	30.8	190	ug/Kg
91-20-3	Naphthalene	24.7	U	24.7	190	ug/Kg
106-47-8	4-Chloroaniline	38.6	U	38.6	190	ug/Kg
87-68-3	Hexachlorobutadiene	27.6	UQ	27.6	190	ug/Kg
105-60-2	Caprolactam	56.8	U	56.8	360	ug/Kg
59-50-7	4-Chloro-3-methylphenol	31.3	U	31.3	190	ug/Kg
91-57-6	2-Methylnaphthalene	27.9	U	27.9	190	ug/Kg
77-47-4	Hexachlorocyclopentadiene	130	UQ	130	360	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.6	U	21.6	190	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.7	UQ	31.7	190	ug/Kg
92-52-4	1,1-Biphenyl	23.7	U	23.7	190	ug/Kg
91-58-7	2-Chloronaphthalene	24.5	UQ	24.5	190	ug/Kg
88-74-4	2-Nitroaniline	52.4	U	52.4	190	ug/Kg
131-11-3	Dimethylphthalate	29.5	UQ	29.5	190	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-15			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.7	
Sample Wt/Vol:	30.03	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142189.D	1	03/28/25 09:40	03/31/25 19:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	31.5	UQ	31.5	190	ug/Kg
606-20-2	2,6-Dinitrotoluene	36.6	UQ	36.6	190	ug/Kg
99-09-2	3-Nitroaniline	50.1	U	50.1	190	ug/Kg
83-32-9	Acenaphthene	23.2	U	23.2	190	ug/Kg
51-28-5	2,4-Dinitrophenol	250	U	250	360	ug/Kg
100-02-7	4-Nitrophenol	120	U	120	360	ug/Kg
132-64-9	Dibenzofuran	24.7	U	24.7	190	ug/Kg
121-14-2	2,4-Dinitrotoluene	54.6	UQ	54.6	190	ug/Kg
84-66-2	Diethylphthalate	30.8	U	30.8	190	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	29.1	UQ	29.1	190	ug/Kg
86-73-7	Fluorene	27.6	U	27.6	190	ug/Kg
100-01-6	4-Nitroaniline	69.9	U	69.9	190	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	360	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.8	UQ	35.8	190	ug/Kg
101-55-3	4-Bromophenyl-phenylether	30.3	U	30.3	190	ug/Kg
118-74-1	Hexachlorobenzene	27.6	UQ	27.6	190	ug/Kg
1912-24-9	Atrazine	37.0	U	37.0	190	ug/Kg
87-86-5	Pentachlorophenol	55.9	UQ	55.9	360	ug/Kg
85-01-8	Phenanthrene	22.8	U	22.8	190	ug/Kg
120-12-7	Anthracene	36.3	UQ	36.3	190	ug/Kg
86-74-8	Carbazole	34.0	UQ	34.0	190	ug/Kg
84-74-2	Di-n-butylphthalate	52.2	U	52.2	190	ug/Kg
206-44-0	Fluoranthene	32.7	U	32.7	190	ug/Kg
129-00-0	Pyrene	39.2	UQ	39.2	190	ug/Kg
85-68-7	Butylbenzylphthalate	77.8	U	77.8	190	ug/Kg
91-94-1	3,3-Dichlorobenzidine	40.0	UQ	40.0	360	ug/Kg
56-55-3	Benzo(a)anthracene	25.1	UQ	25.1	190	ug/Kg
218-01-9	Chrysene	21.7	UQ	21.7	190	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	64.5	U	64.5	190	ug/Kg
117-84-0	Di-n-octyl phthalate	94.6	U	94.6	360	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.7	U	20.7	190	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-15			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.7	
Sample Wt/Vol:	30.03	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142189.D	1	03/28/25 09:40	03/31/25 19:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	24.4	U	24.4	190	ug/Kg
50-32-8	Benzo(a)pyrene	32.1	UQ	32.1	190	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.7	U	31.7	190	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.9	U	29.9	190	ug/Kg
191-24-2	Benzo(g,h,i)perylene	28.0	U	28.0	190	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.9	U	27.9	190	ug/Kg
123-91-1	1,4-Dioxane	49.2	U	49.2	190	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.9	U	29.9	190	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	95.6		18 - 112	64%	SPK: 150
13127-88-3	Phenol-d6	94.5		15 - 107	63%	SPK: 150
4165-60-0	Nitrobenzene-d5	67.6		18 - 107	68%	SPK: 100
321-60-8	2-Fluorobiphenyl	76.0		20 - 109	76%	SPK: 100
118-79-6	2,4,6-Tribromophenol	85.9		10 - 116	57%	SPK: 150
1718-51-0	Terphenyl-d14	55.2		10 - 105	55%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	107000	6.863			
1146-65-2	Naphthalene-d8	410000	8.145			
15067-26-2	Acenaphthene-d10	208000	9.904			
1517-22-2	Phenanthrene-d10	314000	11.392			
1719-03-5	Chrysene-d12	257000	14.027			
1520-96-3	Perylene-d12	317000	15.504			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	1300	JB		2.13	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	220	AB		5.08	ug/Kg
000119-61-9	Benzophenone	110	J		10.6	ug/Kg
1000351-80-9	Docosyl pentafluoropropionate	140	J		13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	91.7
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	GPC Cleanup :	N
		Level :	LOW
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142189.D	1	03/28/25 09:40	03/31/25 19:26	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-15RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.7	
Sample Wt/Vol:	30.03	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049795.D	1	03/28/25 09:40	04/02/25 18:00	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	360	ug/Kg
108-95-2	Phenol	24.1	U	24.1	190	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	26.5	U	26.5	190	ug/Kg
95-57-8	2-Chlorophenol	26.6	U	26.6	190	ug/Kg
95-48-7	2-Methylphenol	32.6	U	32.6	190	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.9	U	40.9	190	ug/Kg
98-86-2	Acetophenone	32.1	U	32.1	190	ug/Kg
65794-96-9	3+4-Methylphenols	44.8	U	44.8	360	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	51.6	U	51.6	87.2	ug/Kg
67-72-1	Hexachloroethane	19.2	U	19.2	190	ug/Kg
98-95-3	Nitrobenzene	19.9	U	19.9	190	ug/Kg
78-59-1	Isophorone	35.7	UQ	35.7	190	ug/Kg
88-75-5	2-Nitrophenol	63.4	U	63.4	190	ug/Kg
105-67-9	2,4-Dimethylphenol	70.6	U	70.6	190	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	33.6	U	33.6	190	ug/Kg
120-83-2	2,4-Dichlorophenol	30.8	U	30.8	190	ug/Kg
91-20-3	Naphthalene	24.7	U	24.7	190	ug/Kg
106-47-8	4-Chloroaniline	38.6	U	38.6	190	ug/Kg
87-68-3	Hexachlorobutadiene	27.6	UQ	27.6	190	ug/Kg
105-60-2	Caprolactam	56.8	U	56.8	360	ug/Kg
59-50-7	4-Chloro-3-methylphenol	31.3	U	31.3	190	ug/Kg
91-57-6	2-Methylnaphthalene	27.9	U	27.9	190	ug/Kg
77-47-4	Hexachlorocyclopentadiene	130	UQ	130	360	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.6	U	21.6	190	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.7	UQ	31.7	190	ug/Kg
92-52-4	1,1-Biphenyl	23.7	U	23.7	190	ug/Kg
91-58-7	2-Chloronaphthalene	24.5	UQ	24.5	190	ug/Kg
88-74-4	2-Nitroaniline	52.4	U	52.4	190	ug/Kg
131-11-3	Dimethylphthalate	29.5	UQ	29.5	190	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-15RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.7	
Sample Wt/Vol:	30.03	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049795.D	1	03/28/25 09:40	04/02/25 18:00	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	31.5	UQ	31.5	190	ug/Kg
606-20-2	2,6-Dinitrotoluene	36.6	UQ	36.6	190	ug/Kg
99-09-2	3-Nitroaniline	50.1	U	50.1	190	ug/Kg
83-32-9	Acenaphthene	23.2	U	23.2	190	ug/Kg
51-28-5	2,4-Dinitrophenol	250	U	250	360	ug/Kg
100-02-7	4-Nitrophenol	120	U	120	360	ug/Kg
132-64-9	Dibenzofuran	24.7	U	24.7	190	ug/Kg
121-14-2	2,4-Dinitrotoluene	54.6	UQ	54.6	190	ug/Kg
84-66-2	Diethylphthalate	30.8	U	30.8	190	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	29.1	UQ	29.1	190	ug/Kg
86-73-7	Fluorene	27.6	U	27.6	190	ug/Kg
100-01-6	4-Nitroaniline	69.9	U	69.9	190	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	360	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.8	UQ	35.8	190	ug/Kg
101-55-3	4-Bromophenyl-phenylether	30.3	U	30.3	190	ug/Kg
118-74-1	Hexachlorobenzene	27.6	UQ	27.6	190	ug/Kg
1912-24-9	Atrazine	37.0	U	37.0	190	ug/Kg
87-86-5	Pentachlorophenol	55.9	UQ	55.9	360	ug/Kg
85-01-8	Phenanthrene	22.8	U	22.8	190	ug/Kg
120-12-7	Anthracene	36.3	UQ	36.3	190	ug/Kg
86-74-8	Carbazole	34.0	UQ	34.0	190	ug/Kg
84-74-2	Di-n-butylphthalate	52.2	U	52.2	190	ug/Kg
206-44-0	Fluoranthene	32.7	U	32.7	190	ug/Kg
129-00-0	Pyrene	39.2	UQ	39.2	190	ug/Kg
85-68-7	Butylbenzylphthalate	77.8	U	77.8	190	ug/Kg
91-94-1	3,3-Dichlorobenzidine	40.0	UQ	40.0	360	ug/Kg
56-55-3	Benzo(a)anthracene	25.1	UQ	25.1	190	ug/Kg
218-01-9	Chrysene	21.7	UQ	21.7	190	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	64.5	U	64.5	190	ug/Kg
117-84-0	Di-n-octyl phthalate	94.6	U	94.6	360	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.7	U	20.7	190	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-15RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	91.7	
Sample Wt/Vol:	30.03	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049795.D	1	03/28/25 09:40	04/02/25 18:00	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	24.4	U	24.4	190	ug/Kg
50-32-8	Benzo(a)pyrene	32.1	UQ	32.1	190	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.7	U	31.7	190	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.9	U	29.9	190	ug/Kg
191-24-2	Benzo(g,h,i)perylene	28.0	U	28.0	190	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.9	U	27.9	190	ug/Kg
123-91-1	1,4-Dioxane	49.2	U	49.2	190	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.9	U	29.9	190	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	103		18 - 112	69%	SPK: 150
13127-88-3	Phenol-d6	107		15 - 107	72%	SPK: 150
4165-60-0	Nitrobenzene-d5	71.2		18 - 107	71%	SPK: 100
321-60-8	2-Fluorobiphenyl	68.6		20 - 109	69%	SPK: 100
118-79-6	2,4,6-Tribromophenol	117		10 - 116	78%	SPK: 150
1718-51-0	Terphenyl-d14	78.1		10 - 105	78%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	265000	7.786			
1146-65-2	Naphthalene-d8	908000	10.58			
15067-26-2	Acenaphthene-d10	583000	14.427			
1517-22-2	Phenanthrene-d10	1150000	17.168			
1719-03-5	Chrysene-d12	1240000	21.403			
1520-96-3	Perylene-d12	1250000	24.397			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-17			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.9	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142186.D	1	03/28/25 09:40	03/31/25 17:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	350	ug/Kg
108-95-2	Phenol	23.5	U	23.5	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	25.8	U	25.8	180	ug/Kg
95-57-8	2-Chlorophenol	25.9	U	25.9	180	ug/Kg
95-48-7	2-Methylphenol	31.8	U	31.8	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	39.8	U	39.8	180	ug/Kg
98-86-2	Acetophenone	31.3	U	31.3	180	ug/Kg
65794-96-9	3+4-Methylphenols	43.7	U	43.7	350	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	50.3	U	50.3	85.0	ug/Kg
67-72-1	Hexachloroethane	18.7	U	18.7	180	ug/Kg
98-95-3	Nitrobenzene	19.4	U	19.4	180	ug/Kg
78-59-1	Isophorone	34.8	UQ	34.8	180	ug/Kg
88-75-5	2-Nitrophenol	61.8	U	61.8	180	ug/Kg
105-67-9	2,4-Dimethylphenol	68.8	U	68.8	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	32.7	U	32.7	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.1	U	30.1	180	ug/Kg
91-20-3	Naphthalene	24.1	U	24.1	180	ug/Kg
106-47-8	4-Chloroaniline	37.6	U	37.6	180	ug/Kg
87-68-3	Hexachlorobutadiene	26.9	UQ	26.9	180	ug/Kg
105-60-2	Caprolactam	55.3	U	55.3	350	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.5	U	30.5	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.2	U	27.2	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	350	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.0	U	21.0	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	30.9	UQ	30.9	180	ug/Kg
92-52-4	1,1-Biphenyl	23.2	U	23.2	180	ug/Kg
91-58-7	2-Chloronaphthalene	23.9	UQ	23.9	180	ug/Kg
88-74-4	2-Nitroaniline	51.1	U	51.1	180	ug/Kg
131-11-3	Dimethylphthalate	28.8	UQ	28.8	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-17			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.9	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142186.D	1	03/28/25 09:40	03/31/25 17:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	30.7	UQ	30.7	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	35.7	UQ	35.7	180	ug/Kg
99-09-2	3-Nitroaniline	48.9	U	48.9	180	ug/Kg
83-32-9	Acenaphthene	22.6	U	22.6	180	ug/Kg
51-28-5	2,4-Dinitrophenol	240	U	240	350	ug/Kg
100-02-7	4-Nitrophenol	110	U	110	350	ug/Kg
132-64-9	Dibenzofuran	24.1	U	24.1	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	53.2	UQ	53.2	180	ug/Kg
84-66-2	Diethylphthalate	30.1	U	30.1	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.4	UQ	28.4	180	ug/Kg
86-73-7	Fluorene	26.9	U	26.9	180	ug/Kg
100-01-6	4-Nitroaniline	68.2	U	68.2	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	350	ug/Kg
86-30-6	n-Nitrosodiphenylamine	34.9	UQ	34.9	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.5	U	29.5	180	ug/Kg
118-74-1	Hexachlorobenzene	26.9	UQ	26.9	180	ug/Kg
1912-24-9	Atrazine	36.1	U	36.1	180	ug/Kg
87-86-5	Pentachlorophenol	54.5	UQ	54.5	350	ug/Kg
85-01-8	Phenanthrene	22.2	U	22.2	180	ug/Kg
120-12-7	Anthracene	35.4	UQ	35.4	180	ug/Kg
86-74-8	Carbazole	33.1	UQ	33.1	180	ug/Kg
84-74-2	Di-n-butylphthalate	50.9	U	50.9	180	ug/Kg
206-44-0	Fluoranthene	31.9	U	31.9	180	ug/Kg
129-00-0	Pyrene	38.2	UQ	38.2	180	ug/Kg
85-68-7	Butylbenzylphthalate	75.8	U	75.8	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.0	UQ	39.0	350	ug/Kg
56-55-3	Benzo(a)anthracene	24.4	UQ	24.4	180	ug/Kg
218-01-9	Chrysene	21.1	UQ	21.1	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	62.9	U	62.9	180	ug/Kg
117-84-0	Di-n-octyl phthalate	92.2	U	92.2	350	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.2	U	20.2	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-17			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.9	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142186.D	1	03/28/25 09:40	03/31/25 17:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	23.8	U	23.8	180	ug/Kg
50-32-8	Benzo(a)pyrene	31.3	UQ	31.3	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	30.9	U	30.9	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.1	U	29.1	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.3	U	27.3	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.2	U	27.2	180	ug/Kg
123-91-1	1,4-Dioxane	48.0	U	48.0	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.1	U	29.1	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	110		18 - 112	73%	SPK: 150
13127-88-3	Phenol-d6	104		15 - 107	70%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.2		18 - 107	77%	SPK: 100
321-60-8	2-Fluorobiphenyl	84.3		20 - 109	84%	SPK: 100
118-79-6	2,4,6-Tribromophenol	96.9		10 - 116	65%	SPK: 150
1718-51-0	Terphenyl-d14	63.4		10 - 105	63%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	106000	6.863			
1146-65-2	Naphthalene-d8	404000	8.145			
15067-26-2	Acenaphthene-d10	210000	9.904			
1517-22-2	Phenanthrene-d10	324000	11.392			
1719-03-5	Chrysene-d12	248000	14.033			
1520-96-3	Perylene-d12	304000	15.51			

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	1600	JB	2.14	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	240	AB	5.09	ug/Kg
000119-61-9	Benzophenone	120	J	10.6	ug/Kg
1000282-98-2	Dichloroacetic acid, heptadecyl es	170	J	13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	93.9
Sample Wt/Vol:	30.08	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	GPC Cleanup :	N
		Level :	LOW
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142186.D	1	03/28/25 09:40	03/31/25 17:57	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-17RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.9	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049794.D	1	03/28/25 09:40	04/02/25 17:22	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	350	ug/Kg
108-95-2	Phenol	23.5	U	23.5	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	25.8	U	25.8	180	ug/Kg
95-57-8	2-Chlorophenol	25.9	U	25.9	180	ug/Kg
95-48-7	2-Methylphenol	31.8	U	31.8	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	39.8	U	39.8	180	ug/Kg
98-86-2	Acetophenone	31.3	U	31.3	180	ug/Kg
65794-96-9	3+4-Methylphenols	43.7	U	43.7	350	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	50.3	U	50.3	85.0	ug/Kg
67-72-1	Hexachloroethane	18.7	U	18.7	180	ug/Kg
98-95-3	Nitrobenzene	19.4	U	19.4	180	ug/Kg
78-59-1	Isophorone	34.8	UQ	34.8	180	ug/Kg
88-75-5	2-Nitrophenol	61.8	U	61.8	180	ug/Kg
105-67-9	2,4-Dimethylphenol	68.8	U	68.8	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	32.7	U	32.7	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.1	U	30.1	180	ug/Kg
91-20-3	Naphthalene	24.1	U	24.1	180	ug/Kg
106-47-8	4-Chloroaniline	37.6	U	37.6	180	ug/Kg
87-68-3	Hexachlorobutadiene	26.9	UQ	26.9	180	ug/Kg
105-60-2	Caprolactam	55.3	U	55.3	350	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.5	U	30.5	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.2	U	27.2	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	350	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.0	U	21.0	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	30.9	UQ	30.9	180	ug/Kg
92-52-4	1,1-Biphenyl	23.2	U	23.2	180	ug/Kg
91-58-7	2-Chloronaphthalene	23.9	UQ	23.9	180	ug/Kg
88-74-4	2-Nitroaniline	51.1	U	51.1	180	ug/Kg
131-11-3	Dimethylphthalate	28.8	UQ	28.8	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-17RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.9	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049794.D	1	03/28/25 09:40	04/02/25 17:22	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	30.7	UQ	30.7	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	35.7	UQ	35.7	180	ug/Kg
99-09-2	3-Nitroaniline	48.9	U	48.9	180	ug/Kg
83-32-9	Acenaphthene	22.6	U	22.6	180	ug/Kg
51-28-5	2,4-Dinitrophenol	240	U	240	350	ug/Kg
100-02-7	4-Nitrophenol	110	U	110	350	ug/Kg
132-64-9	Dibenzofuran	24.1	U	24.1	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	53.2	UQ	53.2	180	ug/Kg
84-66-2	Diethylphthalate	30.1	U	30.1	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.4	UQ	28.4	180	ug/Kg
86-73-7	Fluorene	26.9	U	26.9	180	ug/Kg
100-01-6	4-Nitroaniline	68.2	U	68.2	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	350	ug/Kg
86-30-6	n-Nitrosodiphenylamine	34.9	UQ	34.9	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.5	U	29.5	180	ug/Kg
118-74-1	Hexachlorobenzene	26.9	UQ	26.9	180	ug/Kg
1912-24-9	Atrazine	36.1	U	36.1	180	ug/Kg
87-86-5	Pentachlorophenol	54.5	UQ	54.5	350	ug/Kg
85-01-8	Phenanthrene	22.2	U	22.2	180	ug/Kg
120-12-7	Anthracene	35.4	UQ	35.4	180	ug/Kg
86-74-8	Carbazole	33.1	UQ	33.1	180	ug/Kg
84-74-2	Di-n-butylphthalate	50.9	U	50.9	180	ug/Kg
206-44-0	Fluoranthene	31.9	U	31.9	180	ug/Kg
129-00-0	Pyrene	38.2	UQ	38.2	180	ug/Kg
85-68-7	Butylbenzylphthalate	75.8	U	75.8	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.0	UQ	39.0	350	ug/Kg
56-55-3	Benzo(a)anthracene	24.4	UQ	24.4	180	ug/Kg
218-01-9	Chrysene	21.1	UQ	21.1	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	62.9	U	62.9	180	ug/Kg
117-84-0	Di-n-octyl phthalate	92.2	U	92.2	350	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.2	U	20.2	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01RE			SDG No.:	Q1664	
Lab Sample ID:	Q1664-17RE			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	93.9	
Sample Wt/Vol:	30.08	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049794.D	1	03/28/25 09:40	04/02/25 17:22	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	23.8	U	23.8	180	ug/Kg
50-32-8	Benzo(a)pyrene	31.3	UQ	31.3	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	30.9	U	30.9	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.1	U	29.1	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.3	U	27.3	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.2	U	27.2	180	ug/Kg
123-91-1	1,4-Dioxane	48.0	U	48.0	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.1	U	29.1	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	120		18 - 112	80%	SPK: 150
13127-88-3	Phenol-d6	122		15 - 107	81%	SPK: 150
4165-60-0	Nitrobenzene-d5	81.8		18 - 107	82%	SPK: 100
321-60-8	2-Fluorobiphenyl	78.6		20 - 109	79%	SPK: 100
118-79-6	2,4,6-Tribromophenol	132		10 - 116	88%	SPK: 150
1718-51-0	Terphenyl-d14	85.4		10 - 105	85%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	265000	7.787			
1146-65-2	Naphthalene-d8	906000	10.58			
15067-26-2	Acenaphthene-d10	570000	14.427			
1517-22-2	Phenanthrene-d10	1130000	17.168			
1719-03-5	Chrysene-d12	1220000	21.403			
1520-96-3	Perylene-d12	1240000	24.397			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-007-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-19			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92.8	
Sample Wt/Vol:	30.05	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142190.D	1	03/28/25 09:40	03/31/25 19:56	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	360	ug/Kg
108-95-2	Phenol	23.8	U	23.8	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	26.1	U	26.1	180	ug/Kg
95-57-8	2-Chlorophenol	26.2	U	26.2	180	ug/Kg
95-48-7	2-Methylphenol	32.2	U	32.2	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	40.3	U	40.3	180	ug/Kg
98-86-2	Acetophenone	31.7	U	31.7	180	ug/Kg
65794-96-9	3+4-Methylphenols	44.2	U	44.2	360	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	51.0	U	51.0	86.1	ug/Kg
67-72-1	Hexachloroethane	18.9	U	18.9	180	ug/Kg
98-95-3	Nitrobenzene	19.7	U	19.7	180	ug/Kg
78-59-1	Isophorone	35.3	UQ	35.3	180	ug/Kg
88-75-5	2-Nitrophenol	62.6	U	62.6	180	ug/Kg
105-67-9	2,4-Dimethylphenol	69.7	U	69.7	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	33.1	U	33.1	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.4	U	30.4	180	ug/Kg
91-20-3	Naphthalene	24.4	U	24.4	180	ug/Kg
106-47-8	4-Chloroaniline	38.1	U	38.1	180	ug/Kg
87-68-3	Hexachlorobutadiene	27.2	UQ	27.2	180	ug/Kg
105-60-2	Caprolactam	56.0	U	56.0	360	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.9	U	30.9	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.5	U	27.5	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	360	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.3	U	21.3	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	31.3	UQ	31.3	180	ug/Kg
92-52-4	1,1-Biphenyl	23.5	U	23.5	180	ug/Kg
91-58-7	2-Chloronaphthalene	24.2	UQ	24.2	180	ug/Kg
88-74-4	2-Nitroaniline	51.7	U	51.7	180	ug/Kg
131-11-3	Dimethylphthalate	29.2	UQ	29.2	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-007-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-19			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92.8	
Sample Wt/Vol:	30.05	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142190.D	1	03/28/25 09:40	03/31/25 19:56	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	31.1	UQ	31.1	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	36.1	UQ	36.1	180	ug/Kg
99-09-2	3-Nitroaniline	49.5	U	49.5	180	ug/Kg
83-32-9	Acenaphthene	22.9	U	22.9	180	ug/Kg
51-28-5	2,4-Dinitrophenol	250	U	250	360	ug/Kg
100-02-7	4-Nitrophenol	120	U	120	360	ug/Kg
132-64-9	Dibenzofuran	24.4	U	24.4	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	53.9	UQ	53.9	180	ug/Kg
84-66-2	Diethylphthalate	30.4	U	30.4	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.7	UQ	28.7	180	ug/Kg
86-73-7	Fluorene	27.2	U	27.2	180	ug/Kg
100-01-6	4-Nitroaniline	69.1	U	69.1	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	360	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.4	UQ	35.4	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.9	U	29.9	180	ug/Kg
118-74-1	Hexachlorobenzene	27.2	UQ	27.2	180	ug/Kg
1912-24-9	Atrazine	36.6	U	36.6	180	ug/Kg
87-86-5	Pentachlorophenol	55.2	UQ	55.2	360	ug/Kg
85-01-8	Phenanthrene	22.5	U	22.5	180	ug/Kg
120-12-7	Anthracene	35.8	UQ	35.8	180	ug/Kg
86-74-8	Carbazole	33.6	UQ	33.6	180	ug/Kg
84-74-2	Di-n-butylphthalate	51.5	U	51.5	180	ug/Kg
206-44-0	Fluoranthene	32.3	U	32.3	180	ug/Kg
129-00-0	Pyrene	38.7	UQ	38.7	180	ug/Kg
85-68-7	Butylbenzylphthalate	76.8	U	76.8	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.5	UQ	39.5	360	ug/Kg
56-55-3	Benzo(a)anthracene	24.7	UQ	24.7	180	ug/Kg
218-01-9	Chrysene	21.4	UQ	21.4	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	63.7	U	63.7	180	ug/Kg
117-84-0	Di-n-octyl phthalate	93.4	U	93.4	360	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.4	U	20.4	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-007-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-19			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	92.8	
Sample Wt/Vol:	30.05	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142190.D	1	03/28/25 09:40	03/31/25 19:56	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	24.1	U	24.1	180	ug/Kg
50-32-8	Benzo(a)pyrene	31.7	UQ	31.7	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	31.3	U	31.3	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.5	U	29.5	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.6	U	27.6	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.5	U	27.5	180	ug/Kg
123-91-1	1,4-Dioxane	48.6	U	48.6	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.5	U	29.5	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	134		18 - 112	89%	SPK: 150
13127-88-3	Phenol-d6	140		15 - 107	93%	SPK: 150
4165-60-0	Nitrobenzene-d5	98.0		18 - 107	98%	SPK: 100
321-60-8	2-Fluorobiphenyl	99.7		20 - 109	100%	SPK: 100
118-79-6	2,4,6-Tribromophenol	129		10 - 116	86%	SPK: 150
1718-51-0	Terphenyl-d14	72.9		10 - 105	73%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	123000	6.863			
1146-65-2	Naphthalene-d8	471000	8.145			
15067-26-2	Acenaphthene-d10	231000	9.904			
1517-22-2	Phenanthrene-d10	352000	11.386			
1719-03-5	Chrysene-d12	257000	14.033			
1520-96-3	Perylene-d12	307000	15.509			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	1800	JB		2.15	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	320	AB		5.09	ug/Kg
000119-61-9	Benzophenone	340	J		10.6	ug/Kg
000057-10-3	n-Hexadecanoic acid	73.2	J		11.9	ug/Kg
018835-33-1	1-Hexacosene	240	J		13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	92.8
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	GPC Cleanup :	N
		Level :	LOW
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142190.D	1	03/28/25 09:40	03/31/25 19:56	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-008-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-21			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	94	
Sample Wt/Vol:	30.02	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142187.D	1	03/28/25 09:40	03/31/25 18:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	170	U	170	350	ug/Kg
108-95-2	Phenol	23.5	U	23.5	180	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	25.8	U	25.8	180	ug/Kg
95-57-8	2-Chlorophenol	25.9	U	25.9	180	ug/Kg
95-48-7	2-Methylphenol	31.8	U	31.8	180	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	39.9	U	39.9	180	ug/Kg
98-86-2	Acetophenone	31.4	U	31.4	180	ug/Kg
65794-96-9	3+4-Methylphenols	43.7	U	43.7	350	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	50.4	U	50.4	85.0	ug/Kg
67-72-1	Hexachloroethane	18.7	U	18.7	180	ug/Kg
98-95-3	Nitrobenzene	19.5	U	19.5	180	ug/Kg
78-59-1	Isophorone	34.9	UQ	34.9	180	ug/Kg
88-75-5	2-Nitrophenol	61.9	U	61.9	180	ug/Kg
105-67-9	2,4-Dimethylphenol	68.9	U	68.9	180	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	32.7	U	32.7	180	ug/Kg
120-83-2	2,4-Dichlorophenol	30.1	U	30.1	180	ug/Kg
91-20-3	Naphthalene	24.1	U	24.1	180	ug/Kg
106-47-8	4-Chloroaniline	37.6	U	37.6	180	ug/Kg
87-68-3	Hexachlorobutadiene	26.9	UQ	26.9	180	ug/Kg
105-60-2	Caprolactam	55.4	U	55.4	350	ug/Kg
59-50-7	4-Chloro-3-methylphenol	30.5	U	30.5	180	ug/Kg
91-57-6	2-Methylnaphthalene	27.2	U	27.2	180	ug/Kg
77-47-4	Hexachlorocyclopentadiene	120	UQ	120	350	ug/Kg
88-06-2	2,4,6-Trichlorophenol	21.0	U	21.0	180	ug/Kg
95-95-4	2,4,5-Trichlorophenol	30.9	UQ	30.9	180	ug/Kg
92-52-4	1,1-Biphenyl	23.2	U	23.2	180	ug/Kg
91-58-7	2-Chloronaphthalene	23.9	UQ	23.9	180	ug/Kg
88-74-4	2-Nitroaniline	51.1	U	51.1	180	ug/Kg
131-11-3	Dimethylphthalate	28.8	UQ	28.8	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-008-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-21			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	94	
Sample Wt/Vol:	30.02	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :				Decanted :	N	Level :
Injection Volume :				GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142187.D	1	03/28/25 09:40	03/31/25 18:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	30.7	UQ	30.7	180	ug/Kg
606-20-2	2,6-Dinitrotoluene	35.7	UQ	35.7	180	ug/Kg
99-09-2	3-Nitroaniline	48.9	U	48.9	180	ug/Kg
83-32-9	Acenaphthene	22.6	U	22.6	180	ug/Kg
51-28-5	2,4-Dinitrophenol	240	U	240	350	ug/Kg
100-02-7	4-Nitrophenol	110	U	110	350	ug/Kg
132-64-9	Dibenzofuran	24.1	U	24.1	180	ug/Kg
121-14-2	2,4-Dinitrotoluene	53.3	UQ	53.3	180	ug/Kg
84-66-2	Diethylphthalate	30.1	U	30.1	180	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	28.4	UQ	28.4	180	ug/Kg
86-73-7	Fluorene	26.9	U	26.9	180	ug/Kg
100-01-6	4-Nitroaniline	68.3	U	68.3	180	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	110	UQ	110	350	ug/Kg
86-30-6	n-Nitrosodiphenylamine	35.0	UQ	35.0	180	ug/Kg
101-55-3	4-Bromophenyl-phenylether	29.6	U	29.6	180	ug/Kg
118-74-1	Hexachlorobenzene	26.9	UQ	26.9	180	ug/Kg
1912-24-9	Atrazine	36.1	U	36.1	180	ug/Kg
87-86-5	Pentachlorophenol	54.5	UQ	54.5	350	ug/Kg
85-01-8	Phenanthrene	22.2	U	22.2	180	ug/Kg
120-12-7	Anthracene	35.4	UQ	35.4	180	ug/Kg
86-74-8	Carbazole	33.2	UQ	33.2	180	ug/Kg
84-74-2	Di-n-butylphthalate	50.9	U	50.9	180	ug/Kg
206-44-0	Fluoranthene	31.9	U	31.9	180	ug/Kg
129-00-0	Pyrene	38.3	UQ	38.3	180	ug/Kg
85-68-7	Butylbenzylphthalate	75.9	U	75.9	180	ug/Kg
91-94-1	3,3-Dichlorobenzidine	39.0	UQ	39.0	350	ug/Kg
56-55-3	Benzo(a)anthracene	24.5	UQ	24.5	180	ug/Kg
218-01-9	Chrysene	21.2	UQ	21.2	180	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	62.9	U	62.9	180	ug/Kg
117-84-0	Di-n-octyl phthalate	92.3	U	92.3	350	ug/Kg
205-99-2	Benzo(b)fluoranthene	20.2	U	20.2	180	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-008-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-21			Matrix:	SOIL	
Analytical Method:	SW8270			% Solid:	94	
Sample Wt/Vol:	30.02	Units:	g	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SVOC-TCL BNA -20	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3541					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142187.D	1	03/28/25 09:40	03/31/25 18:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	23.8	U	23.8	180	ug/Kg
50-32-8	Benzo(a)pyrene	31.4	UQ	31.4	180	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	30.9	U	30.9	180	ug/Kg
53-70-3	Dibenz(a,h)anthracene	29.1	U	29.1	180	ug/Kg
191-24-2	Benzo(g,h,i)perylene	27.3	U	27.3	180	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	27.2	U	27.2	180	ug/Kg
123-91-1	1,4-Dioxane	48.1	U	48.1	180	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	29.1	U	29.1	180	ug/Kg
SURROGATES						
367-12-4	2-Fluorophenol	101		18 - 112	67%	SPK: 150
13127-88-3	Phenol-d6	99.1		15 - 107	66%	SPK: 150
4165-60-0	Nitrobenzene-d5	72.0		18 - 107	72%	SPK: 100
321-60-8	2-Fluorobiphenyl	78.3		20 - 109	78%	SPK: 100
118-79-6	2,4,6-Tribromophenol	89.3		10 - 116	60%	SPK: 150
1718-51-0	Terphenyl-d14	57.9		10 - 105	58%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	108000	6.863			
1146-65-2	Naphthalene-d8	412000	8.145			
15067-26-2	Acenaphthene-d10	217000	9.904			
1517-22-2	Phenanthrene-d10	330000	11.392			
1719-03-5	Chrysene-d12	261000	14.033			
1520-96-3	Perylene-d12	317000	15.51			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	1300	JB		2.13	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	230	AB		5.08	ug/Kg
000119-61-9	Benzophenone	270	J		10.6	ug/Kg
959085-66-6	Heptadecyl heptafluorobutyrate	210	J		13.9	ug/Kg

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	94
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	GPC Cleanup :	N
		Level :	LOW
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142187.D	1	03/28/25 09:40	03/31/25 18:27	PB167369

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31,VOA Ref. #2 Soil					
<hr/>								
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-07	P001-BBDGA-001-02	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-07RE	P001-BBDGA-001-02R E	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	04/02/25	03/27/25
Q1664-09	P001-BBDGA-002-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-09RE	P001-BBDGA-002-01R E	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	04/02/25	03/27/25
Q1664-11	P001-BBDGA-003-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-13	P001-BBDGA-004-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-15	P001-BBDGA-005-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-15RE	P001-BBDGA-005-01R E	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	04/02/25	03/27/25
Q1664-17	P001-BBDGA-006-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25

LAB CHRONICLE

Q1664-17RE	P001-BBDGA-006-01R E	SOIL		03/26/25		03/27/25
		SVOC-TCL BNA -20	8270E		03/28/25	04/02/25
Q1664-19	P001-BBDGA-007-01	SOIL		03/26/25		03/27/25
		SVOC-TCL BNA -20	8270E		03/28/25	03/31/25
Q1664-21	P001-BBDGA-008-01	SOIL		03/26/25		03/27/25
		SVOC-TCL BNA -20	8270E		03/28/25	03/31/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1664

Client: Weston Solutions, Inc.

Sample ID	Client ID	Parameter	Concentration	C	MDL	RDL	Units
Client ID : P001-BBDGA-003-01							
Q1664-12	P001-BBDGA-003-01	WATER Dimethylphthalate	10.100	0.61		5	ug/L
		Total Svoc :	10.10				
		Total Concentration:	10.10				
Client ID : P001-BBDGA-004-01							
Q1664-14	P001-BBDGA-004-01	WATER Dimethylphthalate	8.400	0.61		5	ug/L
		Total Svoc :	8.40				
		Total Concentration:	8.40				
Client ID : P001-BBDGA-005-01							
Q1664-16	P001-BBDGA-005-01	WATER Dimethylphthalate	11.500	0.61		5	ug/L
		Total Svoc :	11.50				
		Total Concentration:	11.50				
Client ID : P001-BBDGA-007-01							
Q1664-20	P001-BBDGA-007-01	WATER Pentachlorophenol	3.800	J	1.6	10	ug/L
		Total Svoc :	3.80				
		Total Concentration:	3.80				



SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/31/25	
Project:	RFP 905			Date Received:	03/31/25	
Client Sample ID:	PB167393TB			SDG No.:	Q1664	
Lab Sample ID:	PB167393TB			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064169.D	1	03/31/25 11:00	04/03/25 16:34	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/31/25	
Project:	RFP 905			Date Received:	03/31/25	
Client Sample ID:	PB167393TB			SDG No.:	Q1664	
Lab Sample ID:	PB167393TB			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064169.D	1	03/31/25 11:00	04/03/25 16:34	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/31/25	
Project:	RFP 905			Date Received:	03/31/25	
Client Sample ID:	PB167393TB			SDG No.:	Q1664	
Lab Sample ID:	PB167393TB			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064169.D	1	03/31/25 11:00	04/03/25 16:34	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	134		10 - 139	89%	SPK: 150
13127-88-3	Phenol-d6	132		10 - 134	88%	SPK: 150
4165-60-0	Nitrobenzene-d5	97.9		49 - 133	98%	SPK: 100
321-60-8	2-Fluorobiphenyl	85.4		52 - 132	85%	SPK: 100
118-79-6	2,4,6-Tribromophenol	157		44 - 137	105%	SPK: 150
1718-51-0	Terphenyl-d14	92.1		48 - 125	92%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	29000	7.858			
1146-65-2	Naphthalene-d8	129000	10.649			
15067-26-2	Acenaphthene-d10	102000	14.486			
1517-22-2	Phenanthrene-d10	242000	17.224			
1719-03-5	Chrysene-d12	251000	21.454			
1520-96-3	Perylene-d12	272000	24.468			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-04			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064134.D	1	03/31/25 11:00	04/01/25 14:23	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-04			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064134.D	1	03/31/25 11:00	04/01/25 14:23	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-04			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064134.D	1	03/31/25 11:00	04/01/25 14:23	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	55.8		10 - 139	37%	SPK: 150
13127-88-3	Phenol-d6	31.5		10 - 134	21%	SPK: 150
4165-60-0	Nitrobenzene-d5	112		49 - 133	112%	SPK: 100
321-60-8	2-Fluorobiphenyl	100		52 - 132	100%	SPK: 100
118-79-6	2,4,6-Tribromophenol	195		44 - 137	130%	SPK: 150
1718-51-0	Terphenyl-d14	102		48 - 125	102%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	36100	7.861			
1146-65-2	Naphthalene-d8	146000	10.646			
15067-26-2	Acenaphthene-d10	101000	14.483			
1517-22-2	Phenanthrene-d10	238000	17.221			
1719-03-5	Chrysene-d12	264000	21.451			
1520-96-3	Perylene-d12	281000	24.465			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-08			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064137.D	1	03/31/25 11:00	04/01/25 16:24	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-08			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064137.D	1	03/31/25 11:00	04/01/25 16:24	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-08			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064137.D	1	03/31/25 11:00	04/01/25 16:24	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	61.8		10 - 139	41%	SPK: 150
13127-88-3	Phenol-d6	34.6		10 - 134	23%	SPK: 150
4165-60-0	Nitrobenzene-d5	117		49 - 133	117%	SPK: 100
321-60-8	2-Fluorobiphenyl	104		52 - 132	104%	SPK: 100
118-79-6	2,4,6-Tribromophenol	199		44 - 137	132%	SPK: 150
1718-51-0	Terphenyl-d14	99.2		48 - 125	99%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	33100	7.859			
1146-65-2	Naphthalene-d8	138000	10.649			
15067-26-2	Acenaphthene-d10	94400	14.48			
1517-22-2	Phenanthrene-d10	227000	17.224			
1719-03-5	Chrysene-d12	264000	21.454			
1520-96-3	Perylene-d12	282000	24.463			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-10			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064138.D	1	03/31/25 11:00	04/01/25 17:04	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-10			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064138.D	1	03/31/25 11:00	04/01/25 17:04	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-10			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064138.D	1	03/31/25 11:00	04/01/25 17:04	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	61.5		10 - 139	41%	SPK: 150
13127-88-3	Phenol-d6	34.9		10 - 134	23%	SPK: 150
4165-60-0	Nitrobenzene-d5	118		49 - 133	118%	SPK: 100
321-60-8	2-Fluorobiphenyl	109		52 - 132	109%	SPK: 100
118-79-6	2,4,6-Tribromophenol	204		44 - 137	136%	SPK: 150
1718-51-0	Terphenyl-d14	107		48 - 125	107%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	32900	7.859			
1146-65-2	Naphthalene-d8	138000	10.644			
15067-26-2	Acenaphthene-d10	91900	14.481			
1517-22-2	Phenanthrene-d10	219000	17.224			
1719-03-5	Chrysene-d12	250000	21.449			
1520-96-3	Perylene-d12	273000	24.463			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-003-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-12			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064139.D	1	03/31/25 11:00	04/01/25 17:45	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	10.1		0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-003-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-12			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064139.D	1	03/31/25 11:00	04/01/25 17:45	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-003-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-12			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064139.D	1	03/31/25 11:00	04/01/25 17:45	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	61.3		10 - 139	41%	SPK: 150
13127-88-3	Phenol-d6	34.6		10 - 134	23%	SPK: 150
4165-60-0	Nitrobenzene-d5	121		49 - 133	121%	SPK: 100
321-60-8	2-Fluorobiphenyl	109		52 - 132	109%	SPK: 100
118-79-6	2,4,6-Tribromophenol	206		44 - 137	137%	SPK: 150
1718-51-0	Terphenyl-d14	110		48 - 125	110%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	34100	7.86			
1146-65-2	Naphthalene-d8	141000	10.645			
15067-26-2	Acenaphthene-d10	95400	14.482			
1517-22-2	Phenanthrene-d10	229000	17.22			
1719-03-5	Chrysene-d12	252000	21.45			
1520-96-3	Perylene-d12	272000	24.464			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-004-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-14			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064140.D	1	03/31/25 11:00	04/01/25 18:25	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	8.40		0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-004-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-14			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064140.D	1	03/31/25 11:00	04/01/25 18:25	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-004-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-14			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064140.D	1	03/31/25 11:00	04/01/25 18:25	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	37.8		10 - 139	25%	SPK: 150
13127-88-3	Phenol-d6	22.8		10 - 134	15%	SPK: 150
4165-60-0	Nitrobenzene-d5	111		49 - 133	111%	SPK: 100
321-60-8	2-Fluorobiphenyl	99.5		52 - 132	100%	SPK: 100
118-79-6	2,4,6-Tribromophenol	126		44 - 137	84%	SPK: 150
1718-51-0	Terphenyl-d14	97.4		48 - 125	97%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	35600	7.857			
1146-65-2	Naphthalene-d8	148000	10.648			
15067-26-2	Acenaphthene-d10	101000	14.479			
1517-22-2	Phenanthrene-d10	236000	17.223			
1719-03-5	Chrysene-d12	265000	21.453			
1520-96-3	Perylene-d12	282000	24.462			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-16			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064141.D	1	03/31/25 11:00	04/01/25 19:05	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	11.5		0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-16			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064141.D	1	03/31/25 11:00	04/01/25 19:05	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-005-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-16			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064141.D	1	03/31/25 11:00	04/01/25 19:05	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	64.7		10 - 139	43%	SPK: 150
13127-88-3	Phenol-d6	36.2		10 - 134	24%	SPK: 150
4165-60-0	Nitrobenzene-d5	121		49 - 133	121%	SPK: 100
321-60-8	2-Fluorobiphenyl	112		52 - 132	112%	SPK: 100
118-79-6	2,4,6-Tribromophenol	207	*	44 - 137	138%	SPK: 150
1718-51-0	Terphenyl-d14	106		48 - 125	106%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	32900	7.862			
1146-65-2	Naphthalene-d8	140000	10.647			
15067-26-2	Acenaphthene-d10	95100	14.484			
1517-22-2	Phenanthrene-d10	227000	17.222			
1719-03-5	Chrysene-d12	259000	21.452			
1520-96-3	Perylene-d12	276000	24.466			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-18			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064142.D	1	03/31/25 11:00	04/01/25 19:45	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-18			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064142.D	1	03/31/25 11:00	04/01/25 19:45	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-006-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-18			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064142.D	1	03/31/25 11:00	04/01/25 19:45	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	63.7		10 - 139	42%	SPK: 150
13127-88-3	Phenol-d6	38.2		10 - 134	25%	SPK: 150
4165-60-0	Nitrobenzene-d5	119		49 - 133	119%	SPK: 100
321-60-8	2-Fluorobiphenyl	109		52 - 132	109%	SPK: 100
118-79-6	2,4,6-Tribromophenol	206		44 - 137	137%	SPK: 150
1718-51-0	Terphenyl-d14	105		48 - 125	105%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	34900	7.859			
1146-65-2	Naphthalene-d8	141000	10.644			
15067-26-2	Acenaphthene-d10	96400	14.481			
1517-22-2	Phenanthrene-d10	231000	17.224			
1719-03-5	Chrysene-d12	262000	21.449			
1520-96-3	Perylene-d12	281000	24.457			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-007-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-20			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064143.D	1	03/31/25 11:00	04/01/25 20:26	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-007-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-20			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064143.D	1	03/31/25 11:00	04/01/25 20:26	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	3.80	J	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-007-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-20			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064143.D	1	03/31/25 11:00	04/01/25 20:26	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	61.6		10 - 139	41%	SPK: 150
13127-88-3	Phenol-d6	35.0		10 - 134	23%	SPK: 150
4165-60-0	Nitrobenzene-d5	117		49 - 133	117%	SPK: 100
321-60-8	2-Fluorobiphenyl	104		52 - 132	104%	SPK: 100
118-79-6	2,4,6-Tribromophenol	186		44 - 137	124%	SPK: 150
1718-51-0	Terphenyl-d14	104		48 - 125	104%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	34800	7.861			
1146-65-2	Naphthalene-d8	145000	10.646			
15067-26-2	Acenaphthene-d10	101000	14.483			
1517-22-2	Phenanthrene-d10	225000	17.221			
1719-03-5	Chrysene-d12	256000	21.451			
1520-96-3	Perylene-d12	278000	24.46			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-008-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-22			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064144.D	1	03/31/25 11:00	04/01/25 21:06	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	UQ	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	UQ	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	UQ	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	UQ	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-008-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-22			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064144.D	1	03/31/25 11:00	04/01/25 21:06	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	UQ	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	UQ	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	UQ	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-008-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-22			Matrix:	Water	
Analytical Method:	SW8270			% Solid:	0	
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000	uL
Soil Aliquot Vol:	uL			Test:	SPLP BNA	
Extraction Type :	Decanted : N			Level :	LOW	
Injection Volume :	GPC Factor : 1.0			GPC Cleanup :	N	PH :
Prep Method :	SW3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BG064144.D	1	03/31/25 11:00	04/01/25 21:06	PB167393

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenz(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	77.3		10 - 139	52%	SPK: 150
13127-88-3	Phenol-d6	47.2		10 - 134	31%	SPK: 150
4165-60-0	Nitrobenzene-d5	119		49 - 133	119%	SPK: 100
321-60-8	2-Fluorobiphenyl	106		52 - 132	106%	SPK: 100
118-79-6	2,4,6-Tribromophenol	199		44 - 137	132%	SPK: 150
1718-51-0	Terphenyl-d14	103		48 - 125	103%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	34100	7.859			
1146-65-2	Naphthalene-d8	146000	10.644			
15067-26-2	Acenaphthene-d10	99400	14.481			
1517-22-2	Phenanthrene-d10	240000	17.219			
1719-03-5	Chrysene-d12	276000	21.449			
1520-96-3	Perylene-d12	287000	24.463			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM
Client:	Weston Solutions, Inc.	Project:	RFP 905
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-04	P001-BBDGA-001-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-07	P001-BBDGA-001-02	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-07RE	P001-BBDGA-001-02R E	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	04/02/25	03/27/25
Q1664-08	P001-BBDGA-001-02	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-09	P001-BBDGA-002-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-09RE	P001-BBDGA-002-01R E	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	04/02/25	03/27/25
Q1664-10	P001-BBDGA-002-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-11	P001-BBDGA-003-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-12	P001-BBDGA-003-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-13	P001-BBDGA-004-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25

LAB CHRONICLE

Q1664-14	P001-BBDGA-004-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-15	P001-BBDGA-005-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-15RE	P001-BBDGA-005-01R E	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	04/02/25	03/27/25
Q1664-16	P001-BBDGA-005-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-17	P001-BBDGA-006-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-17RE	P001-BBDGA-006-01R E	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	04/02/25	03/27/25
Q1664-18	P001-BBDGA-006-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-19	P001-BBDGA-007-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-20	P001-BBDGA-007-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25
Q1664-21	P001-BBDGA-008-01	SOIL	SVOC-TCL BNA -20	8270E	03/26/25	03/28/25	03/31/25	03/27/25
Q1664-22	P001-BBDGA-008-01	Water	SPLP BNA	8270E	03/26/25	03/31/25	04/01/25	03/27/25

Hit Summary Sheet
SW-846

SDG No.: Q1664

Order ID: Q1664

Client: Weston Solutions, Inc.

Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000



SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	91.8 Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094934.D	1	03/28/25 08:53	03/28/25 13:52	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.90	ug/kg
319-85-7	beta-BHC	0.20	U	0.20	1.90	ug/kg
319-86-8	delta-BHC	0.42	U	0.42	1.90	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.90	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.90	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.90	ug/kg
1024-57-3	Heptachlor epoxide	0.21	U	0.21	1.90	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.90	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.90	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.90	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.90	ug/kg
33213-65-9	Endosulfan II	0.32	U	0.32	1.90	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.90	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.90	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.90	ug/kg
72-43-5	Methoxychlor	0.40	U	0.40	1.90	ug/kg
53494-70-5	Endrin ketone	0.21	U	0.21	1.90	ug/kg
7421-93-4	Endrin aldehyde	0.40	U	0.40	1.90	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.90	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.90	ug/kg
8001-35-2	Toxaphene	5.90	U	5.90	35.9	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	15.5		20 - 144	77%	SPK: 20
877-09-8	Tetrachloro-m-xylene	15.6		19 - 148	78%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	91.8 Decanted:
Sample Wt/Vol:	30.02 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	Pesticide-TCL
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094934.D	1	03/28/25 08:53	03/28/25 13:52	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-07			Matrix:	SOIL	
Analytical Method:	SW8081			% Solid:	92	Decanted:
Sample Wt/Vol:	30.03	Units:	g	Final Vol:	10000	uL
Soil Aliquot Vol:	uL			Test:	Pesticide-TCL	
Extraction Type:				Injection Volume :		
GPC Factor :	1.0	PH :				
Prep Method :	SW3541B					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094937.D	1	03/28/25 08:53	03/28/25 14:33	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.80	ug/kg
319-85-7	beta-BHC	0.20	U	0.20	1.80	ug/kg
319-86-8	delta-BHC	0.42	U	0.42	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.80	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.80	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.21	U	0.21	1.80	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.80	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.80	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.80	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.80	ug/kg
33213-65-9	Endosulfan II	0.31	U	0.31	1.80	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.80	ug/kg
72-43-5	Methoxychlor	0.40	U	0.40	1.80	ug/kg
53494-70-5	Endrin ketone	0.21	U	0.21	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.40	U	0.40	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.80	ug/kg
8001-35-2	Toxaphene	5.90	U	5.90	35.8	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	19.0		20 - 144	95%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.2		19 - 148	96%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	92 Decanted:
Sample Wt/Vol:	30.03	Units:	g Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094937.D	1	03/28/25 08:53	03/28/25 14:33	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	93.5 Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094938.D	1	03/28/25 08:53	03/28/25 14:46	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.80	ug/kg
319-85-7	beta-BHC	0.19	U	0.19	1.80	ug/kg
319-86-8	delta-BHC	0.42	U	0.42	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.80	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.80	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.20	U	0.20	1.80	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.80	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.80	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.80	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.80	ug/kg
33213-65-9	Endosulfan II	0.31	U	0.31	1.80	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.80	ug/kg
72-43-5	Methoxychlor	0.39	U	0.39	1.80	ug/kg
53494-70-5	Endrin ketone	0.20	U	0.20	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.39	U	0.39	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.80	ug/kg
8001-35-2	Toxaphene	5.80	U	5.80	35.2	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.1		20 - 144	105%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.9		19 - 148	104%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	93.5 Decanted:
Sample Wt/Vol:	30.08	Units:	g Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094938.D	1	03/28/25 08:53	03/28/25 14:46	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	94.6 Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094939.D	1	03/28/25 08:53	03/28/25 15:00	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.80	ug/kg
319-85-7	beta-BHC	0.19	U	0.19	1.80	ug/kg
319-86-8	delta-BHC	0.41	U	0.41	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.80	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.80	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.20	U	0.20	1.80	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.80	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.80	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.80	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.80	ug/kg
33213-65-9	Endosulfan II	0.31	U	0.31	1.80	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.80	ug/kg
72-43-5	Methoxychlor	0.39	U	0.39	1.80	ug/kg
53494-70-5	Endrin ketone	0.20	U	0.20	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.39	U	0.39	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.80	ug/kg
8001-35-2	Toxaphene	5.70	U	5.70	34.8	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	20.6		20 - 144	103%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.4		19 - 148	102%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	94.6 Decanted:
Sample Wt/Vol:	30.06 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	Pesticide-TCL
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094939.D	1	03/28/25 08:53	03/28/25 15:00	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	95.4 Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094940.D	1	03/28/25 08:53	03/28/25 15:14	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.80	ug/kg
319-85-7	beta-BHC	0.19	U	0.19	1.80	ug/kg
319-86-8	delta-BHC	0.41	U	0.41	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.80	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.80	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.20	U	0.20	1.80	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.80	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.80	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.80	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.80	ug/kg
33213-65-9	Endosulfan II	0.30	U	0.30	1.80	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.80	ug/kg
72-43-5	Methoxychlor	0.39	U	0.39	1.80	ug/kg
53494-70-5	Endrin ketone	0.20	U	0.20	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.39	U	0.39	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.80	ug/kg
8001-35-2	Toxaphene	5.70	U	5.70	34.6	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	20.9		20 - 144	104%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.8		19 - 148	104%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	95.4 Decanted:
Sample Wt/Vol:	30.02	Units:	g Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094940.D	1	03/28/25 08:53	03/28/25 15:14	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25			
Project:	RFP 905			Date Received:	03/27/25			
Client Sample ID:	P001-BBDGA-005-01			SDG No.:	Q1664			
Lab Sample ID:	Q1664-15			Matrix:	SOIL			
Analytical Method:	SW8081			% Solid:	91.7	Decanted:		
Sample Wt/Vol:	30.05	Units:	g	Final Vol:	10000	uL		
Soil Aliquot Vol:	uL			Test:	Pesticide-TCL			
Extraction Type:				Injection Volume :				
GPC Factor :	1.0	PH :						
Prep Method :	SW3541B							

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094941.D	1	03/28/25 08:53	03/28/25 15:27	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.90	ug/kg
319-85-7	beta-BHC	0.20	U	0.20	1.90	ug/kg
319-86-8	delta-BHC	0.42	U	0.42	1.90	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.90	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.90	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.90	ug/kg
1024-57-3	Heptachlor epoxide	0.21	U	0.21	1.90	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.90	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.90	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.90	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.90	ug/kg
33213-65-9	Endosulfan II	0.32	U	0.32	1.90	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.90	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.90	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.90	ug/kg
72-43-5	Methoxychlor	0.40	U	0.40	1.90	ug/kg
53494-70-5	Endrin ketone	0.21	U	0.21	1.90	ug/kg
7421-93-4	Endrin aldehyde	0.40	U	0.40	1.90	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.90	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.90	ug/kg
8001-35-2	Toxaphene	5.90	U	5.90	35.9	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	20.0		20 - 144	100%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.0		19 - 148	100%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	91.7 Decanted:
Sample Wt/Vol:	30.05 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	Pesticide-TCL
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094941.D	1	03/28/25 08:53	03/28/25 15:27	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	93.9 Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094942.D	1	03/28/25 08:53	03/28/25 15:41	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.80	ug/kg
319-85-7	beta-BHC	0.19	U	0.19	1.80	ug/kg
319-86-8	delta-BHC	0.42	U	0.42	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.80	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.80	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.20	U	0.20	1.80	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.80	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.80	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.80	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.80	ug/kg
33213-65-9	Endosulfan II	0.31	U	0.31	1.80	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.80	ug/kg
72-43-5	Methoxychlor	0.39	U	0.39	1.80	ug/kg
53494-70-5	Endrin ketone	0.20	U	0.20	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.39	U	0.39	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.80	ug/kg
8001-35-2	Toxaphene	5.80	U	5.80	35.1	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	20.7		20 - 144	103%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.9		19 - 148	105%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	93.9 Decanted:
Sample Wt/Vol:	30.01 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	Pesticide-TCL
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094942.D	1	03/28/25 08:53	03/28/25 15:41	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	92.8 Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094943.D	1	03/28/25 08:53	03/28/25 15:54	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.80	ug/kg
319-85-7	beta-BHC	0.19	U	0.19	1.80	ug/kg
319-86-8	delta-BHC	0.42	U	0.42	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.80	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.80	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.20	U	0.20	1.80	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.80	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.80	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.80	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.80	ug/kg
33213-65-9	Endosulfan II	0.31	U	0.31	1.80	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.80	ug/kg
72-43-5	Methoxychlor	0.40	U	0.40	1.80	ug/kg
53494-70-5	Endrin ketone	0.20	U	0.20	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.40	U	0.40	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.80	ug/kg
8001-35-2	Toxaphene	5.80	U	5.80	35.5	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	19.9		20 - 144	100%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.0		19 - 148	105%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	92.8 Decanted:
Sample Wt/Vol:	30.03	Units:	g Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094943.D	1	03/28/25 08:53	03/28/25 15:54	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	94 Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094944.D	1	03/28/25 08:53	03/28/25 16:08	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.14	U	0.14	1.80	ug/kg
319-85-7	beta-BHC	0.19	U	0.19	1.80	ug/kg
319-86-8	delta-BHC	0.41	U	0.41	1.80	ug/kg
58-89-9	gamma-BHC (Lindane)	0.15	U	0.15	1.80	ug/kg
76-44-8	Heptachlor	0.13	U	0.13	1.80	ug/kg
309-00-2	Aldrin	0.13	U	0.13	1.80	ug/kg
1024-57-3	Heptachlor epoxide	0.20	U	0.20	1.80	ug/kg
959-98-8	Endosulfan I	0.15	U	0.15	1.80	ug/kg
60-57-1	Dieldrin	0.15	U	0.15	1.80	ug/kg
72-55-9	4,4-DDE	0.15	U	0.15	1.80	ug/kg
72-20-8	Endrin	0.15	U	0.15	1.80	ug/kg
33213-65-9	Endosulfan II	0.31	U	0.31	1.80	ug/kg
72-54-8	4,4-DDD	0.16	U	0.16	1.80	ug/kg
1031-07-8	Endosulfan Sulfate	0.14	U	0.14	1.80	ug/kg
50-29-3	4,4-DDT	0.15	U	0.15	1.80	ug/kg
72-43-5	Methoxychlor	0.39	U	0.39	1.80	ug/kg
53494-70-5	Endrin ketone	0.20	U	0.20	1.80	ug/kg
7421-93-4	Endrin aldehyde	0.39	U	0.39	1.80	ug/kg
5103-71-9	alpha-Chlordane	0.13	U	0.13	1.80	ug/kg
5103-74-2	gamma-Chlordane	0.16	U	0.16	1.80	ug/kg
8001-35-2	Toxaphene	5.70	U	5.70	35.1	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.1		20 - 144	106%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.7		19 - 148	109%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	94 Decanted:
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	Test: Pesticide-TCL
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094944.D	1	03/28/25 08:53	03/28/25 16:08	PB167367

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil					
<hr/>								
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-13	P001-BBDGA-004-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-15	P001-BBDGA-005-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-17	P001-BBDGA-006-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-19	P001-BBDGA-007-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
Q1664-21	P001-BBDGA-008-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	

LAB CHRONICLE

PCB	8082A	03/28/25	03/28/25
Pesticide-TCL	8081B	03/28/25	03/28/25

Hit Summary Sheet
SW-846

SDG No.: Q1664

Order ID: Q1664

Client: Weston Solutions, Inc.

Project ID: RFP 905

Sample ID	Client ID	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	P001-BBDGA-004-01						
Q1664-14	P001-BBDGA-004-01	WATER alpha-BHC	0.013 J	0.0039	0.050 ug/L		

Total Concentration:**0.013**



A
B
C
D

SAMPLE DATA

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	
Project:	RFP 905			Date Received:	03/31/25
Client Sample ID:	PB167395TB			SDG No.:	Q1664
Lab Sample ID:	PB167395TB			Matrix:	WATER
Analytical Method:	SW8081			% Solid:	0 Decanted:
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000 uL
Soil Aliquot Vol:			uL	Test:	SPLP Pesticide
Extraction Type:				Injection Volume :	
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094963.D	1	03/31/25 12:10	03/31/25 18:24	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	23.1		43 - 140	116%	SPK: 20
877-09-8	Tetrachloro-m-xylene	22.0		77 - 126	110%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	
Project:	RFP 905	Date Received:	03/31/25
Client Sample ID:	PB167395TB	SDG No.:	Q1664
Lab Sample ID:	PB167395TB	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000	Units:	mL Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: SPLP Pesticide
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094963.D	1	03/31/25 12:10	03/31/25 18:24	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094964.D	1	03/31/25 12:10	03/31/25 18:37	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	24.8		43 - 140	124%	SPK: 20
877-09-8	Tetrachloro-m-xylene	23.3		77 - 126	116%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094964.D	1	03/31/25 12:10	03/31/25 18:37	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-02			SDG No.:	Q1664	
Lab Sample ID:	Q1664-08			Matrix:	WATER	
Analytical Method:	SW8081			% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000	uL
Soil Aliquot Vol:	uL			Test:	SPLP Pesticide	
Extraction Type:				Injection Volume :		
GPC Factor :	1.0	PH :				
Prep Method :	3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094967.D	1	03/31/25 12:10	03/31/25 19:18	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	21.8		43 - 140	109%	SPK: 20
877-09-8	Tetrachloro-m-xylene	23.4		77 - 126	117%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094967.D	1	03/31/25 12:10	03/31/25 19:18	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-002-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-10			Matrix:	WATER	
Analytical Method:	SW8081			% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000	uL
Soil Aliquot Vol:	uL			Test:	SPLP Pesticide	
Extraction Type:				Injection Volume :		
GPC Factor :	1.0	PH :				
Prep Method :	3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094968.D	1	03/31/25 12:10	03/31/25 19:32	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	18.2		43 - 140	91%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.4		77 - 126	107%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000	Units:	mL Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: SPLP Pesticide
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094968.D	1	03/31/25 12:10	03/31/25 19:32	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094972.D	1	03/31/25 12:10	03/31/25 20:40	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.2		43 - 140	111%	SPK: 20
877-09-8	Tetrachloro-m-xylene	22.6		77 - 126	113%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094972.D	1	03/31/25 12:10	03/31/25 20:40	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094973.D	1	03/31/25 12:10	03/31/25 20:54	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.013	J	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.9		43 - 140	115%	SPK: 20
877-09-8	Tetrachloro-m-xylene	24.1		77 - 126	121%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094973.D	1	03/31/25 12:10	03/31/25 20:54	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094974.D	1	03/31/25 12:10	03/31/25 21:07	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	26.6		43 - 140	133%	SPK: 20
877-09-8	Tetrachloro-m-xylene	25.8	*	77 - 126	129%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000	Units:	mL Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: SPLP Pesticide
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094974.D	1	03/31/25 12:10	03/31/25 21:07	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094975.D	1	03/31/25 12:10	03/31/25 21:21	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	25.7		43 - 140	129%	SPK: 20
877-09-8	Tetrachloro-m-xylene	25.5	*	77 - 126	127%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094975.D	1	03/31/25 12:10	03/31/25 21:21	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-007-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-20			Matrix:	WATER	
Analytical Method:	SW8081			% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000	uL
Soil Aliquot Vol:	uL			Test:	SPLP Pesticide	
Extraction Type:				Injection Volume :		
GPC Factor :	1.0	PH :				
Prep Method :	3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094976.D	1	03/31/25 12:10	03/31/25 21:35	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	26.9		43 - 140	134%	SPK: 20
877-09-8	Tetrachloro-m-xylene	25.5	*	77 - 126	127%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000	Units:	mL Final Vol: 10000 uL
Soil Aliquot Vol:			uL Test: SPLP Pesticide
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094976.D	1	03/31/25 12:10	03/31/25 21:35	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	03/26/25	
Project:	RFP 905			Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-008-01			SDG No.:	Q1664	
Lab Sample ID:	Q1664-22			Matrix:	WATER	
Analytical Method:	SW8081			% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000	uL
Soil Aliquot Vol:	uL			Test:	SPLP Pesticide	
Extraction Type:				Injection Volume :		
GPC Factor :	1.0	PH :				
Prep Method :	3510C					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094977.D	1	03/31/25 12:10	03/31/25 21:48	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
319-84-6	alpha-BHC	0.0039	U	0.0039	0.050	ug/L
319-85-7	beta-BHC	0.0049	U	0.0049	0.050	ug/L
319-86-8	delta-BHC	0.011	U	0.011	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
309-00-2	Aldrin	0.0036	U	0.0036	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
959-98-8	Endosulfan I	0.0031	U	0.0031	0.050	ug/L
60-57-1	Dieldrin	0.0036	U	0.0036	0.050	ug/L
72-55-9	4,4-DDE	0.0037	U	0.0037	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
33213-65-9	Endosulfan II	0.0079	U	0.0079	0.050	ug/L
72-54-8	4,4-DDD	0.0071	U	0.0071	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.0037	U	0.0037	0.050	ug/L
50-29-3	4,4-DDT	0.0035	U	0.0035	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
53494-70-5	Endrin ketone	0.0093	U	0.0093	0.050	ug/L
7421-93-4	Endrin aldehyde	0.011	U	0.011	0.050	ug/L
5103-71-9	alpha-Chlordane	0.0035	U	0.0035	0.050	ug/L
5103-74-2	gamma-Chlordane	0.0039	U	0.0039	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	25.6		43 - 140	128%	SPK: 20
877-09-8	Tetrachloro-m-xylene	24.5		77 - 126	123%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	WATER
Analytical Method:	SW8081	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP Pesticide
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094977.D	1	03/31/25 12:10	03/31/25 21:48	PB167395

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31,VOA Ref. #2 Soil					
<hr/>								
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-04	P001-BBDGA-001-01	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
			SPLP Pesticide	8081B		03/31/25	03/31/25	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-08	P001-BBDGA-001-02	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
			SPLP Pesticide	8081B		03/31/25	03/31/25	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-10	P001-BBDGA-002-01	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
			SPLP Pesticide	8081B		03/31/25	03/31/25	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	

 A
B
C
D

LAB CHRONICLE

Q1664-12	P001-BBDGA-003-01	WATER	SPLP PCB SPLP Pesticide	8082A 8081B	03/26/25	03/31/25 03/31/25	03/31/25 03/31/25	03/27/25
Q1664-13	P001-BBDGA-004-01	SOIL	PCB Pesticide-TCL EPH	8082A 8081B NJEPH	03/26/25	03/28/25 03/28/25 03/28/25	03/28/25 03/28/25 03/28/25	03/27/25
Q1664-14	P001-BBDGA-004-01	WATER	SPLP PCB SPLP Pesticide	8082A 8081B	03/26/25	03/31/25 03/31/25	03/31/25 03/31/25	03/27/25
Q1664-15	P001-BBDGA-005-01	SOIL	PCB Pesticide-TCL EPH EPH	8082A 8081B NJEPH NJEPH	03/26/25	03/28/25 03/28/25 03/28/25 03/28/25	03/28/25 03/28/25 03/28/25 03/29/25	03/27/25
Q1664-16	P001-BBDGA-005-01	WATER	SPLP PCB SPLP Pesticide	8082A 8081B	03/26/25	03/31/25 03/31/25	03/31/25 03/31/25	03/27/25
Q1664-17	P001-BBDGA-006-01	SOIL	PCB Pesticide-TCL EPH EPH	8082A 8081B NJEPH NJEPH	03/26/25	03/28/25 03/28/25 03/28/25 03/28/25	03/28/25 03/28/25 03/28/25 03/29/25	03/27/25
Q1664-18	P001-BBDGA-006-01	WATER	SPLP PCB SPLP Pesticide	8082A 8081B	03/26/25	03/31/25 03/31/25	04/01/25 03/31/25	03/27/25
Q1664-19	P001-BBDGA-007-01	SOIL	PCB Pesticide-TCL EPH EPH	8082A 8081B NJEPH NJEPH	03/26/25	03/28/25 03/28/25 03/28/25 03/28/25	03/28/25 03/28/25 03/28/25 03/29/25	03/27/25
Q1664-20	P001-BBDGA-007-01	WATER			03/26/25			03/27/25

A

B

C

D

LAB CHRONICLE

Q1664-21	P001-BBDGA-008-01	SOIL	SPLP PCB	8082A	03/31/25	03/31/25
			SPLP Pesticide	8081B	03/31/25	03/31/25
				03/26/25		03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/29/25
Q1664-22	P001-BBDGA-008-01	WATER		03/26/25		03/27/25
			SPLP PCB	8082A	03/31/25	04/01/25
			SPLP Pesticide	8081B	03/31/25	03/31/25

Hit Summary Sheet
SW-846

SDG No.: Q1664

Order ID: Q1664

Client: Weston Solutions, Inc.

Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000



A
B
C
D

SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	91.8 Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070973.D	1	03/28/25 08:53	03/28/25 15:16	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.30	U	4.30	18.5	ug/kg
11104-28-2	Aroclor-1221	4.40	U	4.40	18.5	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.5	ug/kg
53469-21-9	Aroclor-1242	4.40	U	4.40	18.5	ug/kg
12672-29-6	Aroclor-1248	6.40	U	6.40	18.5	ug/kg
11097-69-1	Aroclor-1254	3.50	U	3.50	18.5	ug/kg
37324-23-5	Aroclor-1262	5.50	U	5.50	18.5	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	18.5	ug/kg
11096-82-5	Aroclor-1260	3.50	U	3.50	18.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.0		32 - 144	120%	SPK: 20
2051-24-3	Decachlorobiphenyl	22.7		32 - 175	114%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	92 Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070976.D	1	03/28/25 08:53	03/28/25 16:05	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.30	U	4.30	18.5	ug/kg
11104-28-2	Aroclor-1221	4.40	U	4.40	18.5	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.5	ug/kg
53469-21-9	Aroclor-1242	4.40	U	4.40	18.5	ug/kg
12672-29-6	Aroclor-1248	6.40	U	6.40	18.5	ug/kg
11097-69-1	Aroclor-1254	3.50	U	3.50	18.5	ug/kg
37324-23-5	Aroclor-1262	5.50	U	5.50	18.5	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	18.5	ug/kg
11096-82-5	Aroclor-1260	3.50	U	3.50	18.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	23.6		32 - 144	118%	SPK: 20
2051-24-3	Decachlorobiphenyl	25.0		32 - 175	125%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	93.5 Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070977.D	1	03/28/25 08:53	03/28/25 16:21	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	18.1	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.1	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.1	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.1	ug/kg
12672-29-6	Aroclor-1248	6.30	U	6.30	18.1	ug/kg
11097-69-1	Aroclor-1254	3.40	U	3.40	18.1	ug/kg
37324-23-5	Aroclor-1262	5.40	U	5.40	18.1	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	18.1	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	18.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	25.2		32 - 144	126%	SPK: 20
2051-24-3	Decachlorobiphenyl	28.8		32 - 175	144%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	94.6 Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070978.D	1	03/28/25 08:53	03/28/25 16:37	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	17.9	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	17.9	ug/kg
11141-16-5	Aroclor-1232	3.90	U	3.90	17.9	ug/kg
53469-21-9	Aroclor-1242	4.20	U	4.20	17.9	ug/kg
12672-29-6	Aroclor-1248	6.20	U	6.20	17.9	ug/kg
11097-69-1	Aroclor-1254	3.40	U	3.40	17.9	ug/kg
37324-23-5	Aroclor-1262	5.30	U	5.30	17.9	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	17.9	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	17.9	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.9		32 - 144	124%	SPK: 20
2051-24-3	Decachlorobiphenyl	26.6		32 - 175	133%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	95.4 Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070979.D	1	03/28/25 08:53	03/28/25 16:53	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.10	U	4.10	17.8	ug/kg
11104-28-2	Aroclor-1221	4.20	U	4.20	17.8	ug/kg
11141-16-5	Aroclor-1232	3.90	U	3.90	17.8	ug/kg
53469-21-9	Aroclor-1242	4.20	U	4.20	17.8	ug/kg
12672-29-6	Aroclor-1248	6.20	U	6.20	17.8	ug/kg
11097-69-1	Aroclor-1254	3.40	U	3.40	17.8	ug/kg
37324-23-5	Aroclor-1262	5.30	U	5.30	17.8	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	17.8	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	17.8	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	25.2		32 - 144	126%	SPK: 20
2051-24-3	Decachlorobiphenyl	24.9		32 - 175	124%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	91.7 Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070980.D	1	03/28/25 08:53	03/28/25 17:10	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.30	U	4.30	18.5	ug/kg
11104-28-2	Aroclor-1221	4.40	U	4.40	18.5	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.5	ug/kg
53469-21-9	Aroclor-1242	4.40	U	4.40	18.5	ug/kg
12672-29-6	Aroclor-1248	6.40	U	6.40	18.5	ug/kg
11097-69-1	Aroclor-1254	3.50	U	3.50	18.5	ug/kg
37324-23-5	Aroclor-1262	5.50	U	5.50	18.5	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	18.5	ug/kg
11096-82-5	Aroclor-1260	3.50	U	3.50	18.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	25.4		32 - 144	127%	SPK: 20
2051-24-3	Decachlorobiphenyl	26.3		32 - 175	131%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	93.9 Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110094.D	1	03/28/25 08:53	03/28/25 13:39	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	18.1	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.1	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.1	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.1	ug/kg
12672-29-6	Aroclor-1248	6.30	U	6.30	18.1	ug/kg
11097-69-1	Aroclor-1254	3.40	U	3.40	18.1	ug/kg
37324-23-5	Aroclor-1262	5.30	U	5.30	18.1	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	18.1	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	18.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.5		32 - 144	92%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.2		32 - 175	66%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	92.8
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:		uL	
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110095.D	1	03/28/25 08:53	03/28/25 13:57	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.30	U	4.30	18.3	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.3	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.3	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.3	ug/kg
12672-29-6	Aroclor-1248	6.40	U	6.40	18.3	ug/kg
11097-69-1	Aroclor-1254	3.50	U	3.50	18.3	ug/kg
37324-23-5	Aroclor-1262	5.40	U	5.40	18.3	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	18.3	ug/kg
11096-82-5	Aroclor-1260	3.50	U	3.50	18.3	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.9		32 - 144	99%	SPK: 20
2051-24-3	Decachlorobiphenyl	14.2		32 - 175	71%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	94 Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol: 10000 uL
Soil Aliquot Vol:		uL	Test: PCB
Extraction Type:			Injection Volume :
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110096.D	1	03/28/25 08:53	03/28/25 14:16	PB167364

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	18.1	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.1	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.1	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.1	ug/kg
12672-29-6	Aroclor-1248	6.30	U	6.30	18.1	ug/kg
11097-69-1	Aroclor-1254	3.40	U	3.40	18.1	ug/kg
37324-23-5	Aroclor-1262	5.30	U	5.30	18.1	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	18.1	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	18.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.9		32 - 144	105%	SPK: 20
2051-24-3	Decachlorobiphenyl	15.6		32 - 175	78%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil					
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-07	P001-BBDGA-001-02	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-09	P001-BBDGA-002-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-11	P001-BBDGA-003-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-13	P001-BBDGA-004-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-15	P001-BBDGA-005-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-17	P001-BBDGA-006-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-19	P001-BBDGA-007-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25
Q1664-21	P001-BBDGA-008-01	SOIL	PCB	8082A	03/26/25	03/28/25	03/28/25	03/27/25

A

B

C

D

Hit Summary Sheet
SW-846

SDG No.: Q1664

Order ID: Q1664

Client: Weston Solutions, Inc.

Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000



A
B
C
D

SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.			Date Collected:	
Project:	RFP 905			Date Received:	03/31/25
Client Sample ID:	PB167394TB			SDG No.:	Q1664
Lab Sample ID:	PB167394TB			Matrix:	WATER
Analytical Method:	SW8082A			% Solid:	0 Decanted:
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	10000 uL
Soil Aliquot Vol:			uL	Test:	SPLP PCB
Extraction Type:				Injection Volume :	
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110125.D	1	03/31/25 11:35	03/31/25 18:36	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.3		16 - 158	101%	SPK: 20
2051-24-3	Decachlorobiphenyl	20.3		10 - 173	101%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110126.D	1	03/31/25 11:35	03/31/25 18:54	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	23.1		16 - 158	115%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.1		10 - 173	116%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110129.D	1	03/31/25 11:35	03/31/25 19:48	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.8		16 - 158	114%	SPK: 20
2051-24-3	Decachlorobiphenyl	22.6		10 - 173	113%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110130.D	1	03/31/25 11:35	03/31/25 20:07	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.3		16 - 158	111%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.7		10 - 173	109%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110131.D	1	03/31/25 11:35	03/31/25 20:25	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	23.5		16 - 158	117%	SPK: 20
2051-24-3	Decachlorobiphenyl	24.0		10 - 173	120%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110132.D	1	03/31/25 11:35	03/31/25 20:44	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	23.5		16 - 158	117%	SPK: 20
2051-24-3	Decachlorobiphenyl	22.5		10 - 173	112%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071023.D	1	03/31/25 11:35	03/31/25 17:02	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	30.5		16 - 158	152%	SPK: 20
2051-24-3	Decachlorobiphenyl	31.9		10 - 173	160%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110145.D	1	03/31/25 11:35	04/01/25 10:48	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.8		16 - 158	109%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.9		10 - 173	110%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071025.D	1	03/31/25 11:35	03/31/25 17:35	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	28.9		16 - 158	145%	SPK: 20
2051-24-3	Decachlorobiphenyl	28.4		10 - 173	142%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0 Decanted:
Sample Wt/Vol:	1000 mL	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	SPLP PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110146.D	1	03/31/25 11:35	04/01/25 11:07	PB167394

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.097	U	0.097	0.50	ug/L
11104-28-2	Aroclor-1221	0.13	U	0.13	0.50	ug/L
11141-16-5	Aroclor-1232	0.096	U	0.096	0.50	ug/L
53469-21-9	Aroclor-1242	0.12	U	0.12	0.50	ug/L
12672-29-6	Aroclor-1248	0.071	U	0.071	0.50	ug/L
11097-69-1	Aroclor-1254	0.094	U	0.094	0.50	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.50	ug/L
11100-14-4	Aroclor-1268	0.11	U	0.11	0.50	ug/L
11096-82-5	Aroclor-1260	0.081	U	0.081	0.50	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.9		16 - 158	100%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.5		10 - 173	108%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31,VOA Ref. #2 Soil					
<hr/>								
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-04	P001-BBDGA-001-01	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-08	P001-BBDGA-001-02	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-10	P001-BBDGA-002-01	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-12	P001-BBDGA-003-01	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
Q1664-13	P001-BBDGA-004-01	SOIL			03/26/25			03/27/25

LAB CHRONICLE

			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
Q1664-14	P001-BBDGA-004-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	03/31/25
Q1664-15	P001-BBDGA-005-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/29/25
Q1664-16	P001-BBDGA-005-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	03/31/25
Q1664-17	P001-BBDGA-006-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/29/25
Q1664-18	P001-BBDGA-006-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	04/01/25
Q1664-19	P001-BBDGA-007-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/29/25
Q1664-20	P001-BBDGA-007-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	03/31/25
Q1664-21	P001-BBDGA-008-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/29/25
Q1664-22	P001-BBDGA-008-01	WATER			03/26/25	03/27/25

LAB CHRONICLE

SPLP PCB

8082A

03/31/25

04/01/25



SAMPLE

DATA

A
B
C

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.8
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 17:57	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.31	J	1	0.15	1.09	mg/kg	FF015746.D
Aliphatic C12-C16	Aliphatic C12-C16	1.81		1	0.12	0.73	mg/kg	FF015746.D
Aliphatic C16-C21	Aliphatic C16-C21	0.71	J	1	0.14	1.09	mg/kg	FF015746.D
Aliphatic C21-C28	Aliphatic C21-C28	0.90	J	1	0.58	1.45	mg/kg	FF015746.D
Aliphatic C28-C40	Aliphatic C28-C40	2.79		1	1.28	2.17	mg/kg	FF015746.D
Aromatic C10-C12	Aromatic C10-C12	0.59	J	1	0.13	0.73	mg/kg	FG015576.D
Aromatic C12-C16	Aromatic C12-C16	0.82	J	1	0.25	1.09	mg/kg	FG015576.D
Aromatic C16-C21	Aromatic C16-C21	2.83		1	0.44	1.81	mg/kg	FG015576.D
Aromatic C21-C36	Aromatic C21-C36	1.41	J	1	1.29	2.90	mg/kg	FG015576.D
Total AliphaticEPH	Total AliphaticEPH	6.52	J		2.27	6.53	mg/kg	
Total AromaticEPH	Total AromaticEPH	5.65	J		2.10	6.53	mg/kg	
Total EPH	Total EPH	12.2	J		4.37	13.1	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.8
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FF015746.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.31	J	0.15	1.09	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	1.81		0.12	0.73	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.71	J	0.14	1.09	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.90	J	0.58	1.45	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	2.79		1.28	2.17	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	52.5		40 - 140	105%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

13

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID: Q1664-01 Acq On: 28 Mar 2025 17:57
Client Sample ID: P001-BBDGA-001-01 Operator: YP\AJ
Data file: FF015746.D Misc:
Instrument: FID_F ALS Vial: 24
Dilution Factor: 1 Sample Multiplier: 1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.211	6.833	556682	4.333	300 ug/ml
Aliphatic C12-C16	6.834	10.268	3282160	24.938	200 ug/ml
Aliphatic C16-C21	10.269	13.634	1319596	9.748	300 ug/ml
Aliphatic C21-C28	13.635	17.200	1648508	12.462	400 ug/ml
Aliphatic C28-C40	17.201	22.202	4155991	38.429	600 ug/ml
Aliphatic EPH	3.211	22.202	10962937	89.91	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	13.373	13.373	5953433	52.46	ug/ml
Aliphatic C9-C28	3.211	17.200	6806946	51.481	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.8
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015576.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.59	J	0.13	0.73	mg/kg
Aromatic C12-C16	Aromatic C12-C16	0.82	J	0.25	1.09	mg/kg
Aromatic C16-C21	Aromatic C16-C21	2.83		0.44	1.81	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.41	J	1.29	2.90	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	38.8		40 - 140	78%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	28.3		40 - 140	57%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	31.5		40 - 140	63%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

13

Quantitation Report For Aromatic EPH Range.

Lab Sample ID: Q1664-01 Acq On: 28 Mar 2025 17:57
Client Sample ID: P001-BBDGA-001-01 Operator: YP\AJ
Data file: FG015576.D Misc:
Instrument: FID_G ALS Vial: 74
Dilution Factor: 1 Sample Multiplier: 1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	1085495	8.101	200 ug/ml
Aromatic C12-C16	6.330	9.039	1559916	11.374	300 ug/ml
Aromatic C16-C21	9.040	13.371	5437926	39.007	500 ug/ml
Aromatic C21-C36	13.372	18.837	2531506	19.444	800 ug/ml
Aromatic EPH	4.449	18.837	10614843	77.925	ug/ml
2-Bromonaphthalene (SURR)	7.964	7.964	4736444	38.77	ug/ml
2-Fluorobiphenyl (SURR)	8.842	8.842	2337684	28.28	ug/ml
ortho-Terphenyl (SURR)	11.916	11.916	4599447	31.54	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 17:59	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	10.1	J	1	8.28	30.0	ug/l	FC068472.D
Aliphatic C12-C16	Aliphatic C12-C16	32.9		1	13.5	20.0	ug/l	FC068472.D
Aliphatic C16-C21	Aliphatic C16-C21	13.6	J	1	8.34	30.0	ug/l	FC068472.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068472.D
Aliphatic C28-C40	Aliphatic C28-C40	39.1	J	1	23.8	60.0	ug/l	FC068472.D
Aromatic C10-C12	Aromatic C10-C12	15.9	J	1	2.07	20.0	ug/l	FG015598.D
Aromatic C12-C16	Aromatic C12-C16	65.6		1	4.26	30.0	ug/l	FG015598.D
Aromatic C16-C21	Aromatic C16-C21	67.4		1	8.27	50.0	ug/l	FG015598.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015598.D
Total AliphaticEPH	Total AliphaticEPH	95.7	J		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	149	J		38.4	180	ug/l	
Total EPH	Total EPH	245	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068472.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	10.1	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	32.9		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	13.6	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	39.1	J	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	41.1		40 - 140	82%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-04	Acq On:	01 Apr 2025 17:59
Client Sample ID:	P001-BBDGA-001-01	Operator:	YP/AJ
Data file:	FC068472.D	Misc:	
Instrument:	FID_C	ALS Vial:	14
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	815790	5.026	300 ug/ml
Aliphatic C12-C16	6.360	9.742	2768396	16.46	200 ug/ml
Aliphatic C16-C21	9.743	13.096	1162612	6.779	300 ug/ml
Aliphatic C21-C28	13.097	16.749	824245	4.881	400 ug/ml
Aliphatic C28-C40	16.750	21.544	2658895	19.526	600 ug/ml
Aliphatic EPH	3.097	21.544	8229938	52.671	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	6129327	41.12	ug/ml
Aliphatic C9-C28	3.097	16.749	5571043	33.146	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015598.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	15.9	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	65.6		4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	67.4		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	43.1		40 - 140	86%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	33.5		40 - 140	67%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	42.1		40 - 140	84%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-04	Acq On:	01 Apr 2025 17:29
Client Sample ID:	P001-BBDGA-001-01	Operator:	YP\AJ
Data file:	FG015598.D	Misc:	
Instrument:	FID_G	ALS Vial:	26
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	1066109	7.956	200 ug/ml
Aromatic C12-C16	6.330	9.035	4496241	32.783	300 ug/ml
Aromatic C16-C21	9.036	13.365	4700633	33.718	500 ug/ml
Aromatic C21-C36	13.366	18.829	1497442	11.502	800 ug/ml
Aromatic EPH	4.450	18.829	11760425	85.959	ug/ml
ortho-Terphenyl (SURR)	11.912	11.912	6142442	42.12	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	5263544	43.09	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	2769876	33.51	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 19:55	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.54	J	1	0.15	1.09	mg/kg	FF015750.D
Aliphatic C12-C16	Aliphatic C12-C16	2.80		1	0.12	0.72	mg/kg	FF015750.D
Aliphatic C16-C21	Aliphatic C16-C21	1.23		1	0.14	1.09	mg/kg	FF015750.D
Aliphatic C21-C28	Aliphatic C21-C28	1.11	J	1	0.58	1.45	mg/kg	FF015750.D
Aliphatic C28-C40	Aliphatic C28-C40	2.71		1	1.28	2.17	mg/kg	FF015750.D
Aromatic C10-C12	Aromatic C10-C12	0.60	J	1	0.13	0.72	mg/kg	FG015580.D
Aromatic C12-C16	Aromatic C12-C16	0.89	J	1	0.25	1.09	mg/kg	FG015580.D
Aromatic C16-C21	Aromatic C16-C21	4.63		1	0.43	1.81	mg/kg	FG015580.D
Aromatic C21-C36	Aromatic C21-C36	1.39	J	1	1.29	2.90	mg/kg	FG015580.D
Total AliphaticEPH	Total AliphaticEPH	8.39			2.27	6.52	mg/kg	
Total AromaticEPH	Total AromaticEPH	7.51			2.10	6.52	mg/kg	
Total EPH	Total EPH	15.9			4.37	13.0	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FF015750.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.54	J	0.15	1.09	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	2.80		0.12	0.72	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	1.23		0.14	1.09	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	1.11	J	0.58	1.45	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	2.71		1.28	2.17	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	34.1		40 - 140	68%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-07	Acq On:	28 Mar 2025 19:55
Client Sample ID:	P001-BBDGA-001-02	Operator:	YP\AJ
Data file:	FF015750.D	Misc:	
Instrument:	FID_F	ALS Vial:	28
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.211	6.833	954005	7.426	300 ug/ml
Aliphatic C12-C16	6.834	10.268	5088258	38.66	200 ug/ml
Aliphatic C16-C21	10.269	13.634	2290918	16.923	300 ug/ml
Aliphatic C21-C28	13.635	17.200	2026782	15.322	400 ug/ml
Aliphatic C28-C40	17.201	22.202	4052122	37.469	600 ug/ml
Aliphatic EPH	3.211	22.202	14412085	115.8	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	13.371	13.371	3868576	34.09	ug/ml
Aliphatic C9-C28	3.211	17.200	10359963	78.331	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015580.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.60	J	0.13	0.72	mg/kg
Aromatic C12-C16	Aromatic C12-C16	0.89	J	0.25	1.09	mg/kg
Aromatic C16-C21	Aromatic C16-C21	4.63		0.43	1.81	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.39	J	1.29	2.90	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	33.6		40 - 140	67%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	24.5		40 - 140	49%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	20.0		40 - 140	40%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

13

Quantitation Report For Aromatic EPH Range.

Lab Sample ID: Q1664-07 Acq On: 28 Mar 2025 19:55
Client Sample ID: P001-BBDGA-001-02 Operator: YP\AJ
Data file: FG015580.D Misc:
Instrument: FID_G ALS Vial: 78
Dilution Factor: 1 Sample Multiplier: 1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	1105429	8.25	200 ug/ml
Aromatic C12-C16	6.330	9.039	1691156	12.331	300 ug/ml
Aromatic C16-C21	9.040	13.371	8917449	63.965	500 ug/ml
Aromatic C21-C36	13.372	18.837	2506350	19.251	800 ug/ml
Aromatic EPH	4.449	18.837	14220384	103.797	ug/ml
2-Bromonaphthalene (SURR)	7.964	7.964	4099312	33.56	ug/ml
2-Fluorobiphenyl (SURR)	8.842	8.842	2028349	24.54	ug/ml
ortho-Terphenyl (SURR)	11.912	11.912	2923106	20.04	ug/ml

A

B

C

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 19:51	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	8.49	J	1	8.28	30.0	ug/l	FC068475.D
Aliphatic C12-C16	Aliphatic C12-C16	24.8		1	13.5	20.0	ug/l	FC068475.D
Aliphatic C16-C21	Aliphatic C16-C21	13.0	J	1	8.34	30.0	ug/l	FC068475.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068475.D
Aliphatic C28-C40	Aliphatic C28-C40	39.4	J	1	23.8	60.0	ug/l	FC068475.D
Aromatic C10-C12	Aromatic C10-C12	11.7	J	1	2.07	20.0	ug/l	FG015601.D
Aromatic C12-C16	Aromatic C12-C16	22.9	J	1	4.26	30.0	ug/l	FG015601.D
Aromatic C16-C21	Aromatic C16-C21	57.3		1	8.27	50.0	ug/l	FG015601.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015601.D
Total AliphaticEPH	Total AliphaticEPH	85.7	J		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	91.9	J		38.4	180	ug/l	
Total EPH	Total EPH	178	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068475.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	8.49	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	24.8		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	13.0	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	39.4	J	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	43.0		40 - 140	86%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-08	Acq On:	01 Apr 2025 19:51
Client Sample ID:	P001-BBDGA-001-02	Operator:	YP/AJ
Data file:	FC068475.D	Misc:	
Instrument:	FID_C	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	688918	4.244	300 ug/ml
Aliphatic C12-C16	6.360	9.742	2087736	12.413	200 ug/ml
Aliphatic C16-C21	9.743	13.096	1112234	6.485	300 ug/ml
Aliphatic C21-C28	13.097	16.749	1001665	5.932	400 ug/ml
Aliphatic C28-C40	16.750	21.544	2680734	19.686	600 ug/ml
Aliphatic EPH	3.097	21.544	7571287	48.76	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	6402050	42.95	ug/ml
Aliphatic C9-C28	3.097	16.749	4890553	29.074	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015601.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	11.7	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	22.9	J	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	57.3		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	43.4		40 - 140	87%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	34.9		40 - 140	70%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	42.8		40 - 140	86%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-08	Acq On:	01 Apr 2025 18:57
Client Sample ID:	P001-BBDGA-001-02	Operator:	YP\AJ
Data file:	FG015601.D	Misc:	
Instrument:	FID_G	ALS Vial:	29
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	783488	5.847	200 ug/ml
Aromatic C12-C16	6.330	9.035	1573562	11.473	300 ug/ml
Aromatic C16-C21	9.036	13.365	3995267	28.658	500 ug/ml
Aromatic C21-C36	13.366	18.829	2157691	16.573	800 ug/ml
Aromatic EPH	4.450	18.829	8510008	62.551	ug/ml
ortho-Terphenyl (SURR)	11.912	11.912	6234413	42.75	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	5297311	43.37	ug/ml
2-Fluorobiphenyl (SURR)	8.839	8.839	2886272	34.92	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.5
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 16:48	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.42	J	1	0.15	1.07	mg/kg	FC068433.D
Aliphatic C12-C16	Aliphatic C12-C16	0.99		1	0.12	0.71	mg/kg	FC068433.D
Aliphatic C16-C21	Aliphatic C16-C21	0.49	J	1	0.14	1.07	mg/kg	FC068433.D
Aliphatic C21-C28	Aliphatic C21-C28	0.98	J	1	0.57	1.42	mg/kg	FC068433.D
Aliphatic C28-C40	Aliphatic C28-C40	1.74	J	1	1.26	2.14	mg/kg	FC068433.D
Aromatic C10-C12	Aromatic C10-C12	0.64	J	1	0.13	0.71	mg/kg	FG015581.D
Aromatic C12-C16	Aromatic C12-C16	4.06		1	0.25	1.07	mg/kg	FG015581.D
Aromatic C16-C21	Aromatic C16-C21	2.67		1	0.43	1.78	mg/kg	FG015581.D
Aromatic C21-C36	Aromatic C21-C36	1.27	U	1	1.27	2.85	mg/kg	FG015581.D
Total AliphaticEPH	Total AliphaticEPH	4.61	J		2.23	6.41	mg/kg	
Total AromaticEPH	Total AromaticEPH	7.37			2.07	6.41	mg/kg	
Total EPH	Total EPH	12.0	J		4.30	12.8	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.5
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068433.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.42	J	0.15	1.07	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	0.99		0.12	0.71	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.49	J	0.14	1.07	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.98	J	0.57	1.42	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.74	J	1.26	2.14	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	31.2		40 - 140	62%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-09	Acq On:	28 Mar 2025 16:48
Client Sample ID:	P001-BBDGA-002-01	Operator:	YP/AJ
Data file:	FC068433.D	Misc:	
Instrument:	FID_C	ALS Vial:	11
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.100	6.360	945621	5.826	300 ug/ml
Aliphatic C12-C16	6.361	9.742	2339416	13.909	200 ug/ml
Aliphatic C16-C21	9.743	13.094	1178746	6.873	300 ug/ml
Aliphatic C21-C28	13.095	16.746	2315792	13.713	400 ug/ml
Aliphatic C28-C40	16.747	21.538	3329027	24.447	600 ug/ml
Aliphatic EPH	3.100	21.538	10108602	64.768	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	4654577	31.22	ug/ml
Aliphatic C9-C28	3.100	16.746	6779575	40.321	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.5
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015581.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.64	J	0.13	0.71	mg/kg
Aromatic C12-C16	Aromatic C12-C16	4.06		0.25	1.07	mg/kg
Aromatic C16-C21	Aromatic C16-C21	2.67		0.43	1.78	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.27	U	1.27	2.85	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	49.7		40 - 140	99%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	39.5		40 - 140	79%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	23.3		40 - 140	46%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-09	Acq On:	28 Mar 2025 20:24
Client Sample ID:	P001-BBDGA-002-01	Operator:	YP\AJ
Data file:	FG015581.D	Misc:	
Instrument:	FID_G	ALS Vial:	79
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	1206931	9.007	200 ug/ml
Aromatic C12-C16	6.330	9.039	7817661	57	300 ug/ml
Aromatic C16-C21	9.040	13.371	5230452	37.518	500 ug/ml
Aromatic C21-C36	13.372	18.837	2088001	16.038	800 ug/ml
Aromatic EPH	4.449	18.837	16343045	119.563	ug/ml
2-Bromonaphthalene (SURR)	7.964	7.964	6074548	49.73	ug/ml
2-Fluorobiphenyl (SURR)	8.842	8.842	3269260	39.55	ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	3390112	23.25	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 20:27	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	8.23	J	1	8.28	30.0	ug/l	FC068476.D
Aliphatic C12-C16	Aliphatic C12-C16	33.8		1	13.5	20.0	ug/l	FC068476.D
Aliphatic C16-C21	Aliphatic C16-C21	13.5	J	1	8.34	30.0	ug/l	FC068476.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068476.D
Aliphatic C28-C40	Aliphatic C28-C40	38.3	J	1	23.8	60.0	ug/l	FC068476.D
Aromatic C10-C12	Aromatic C10-C12	16.7	J	1	2.07	20.0	ug/l	FG015602.D
Aromatic C12-C16	Aromatic C12-C16	65.3		1	4.26	30.0	ug/l	FG015602.D
Aromatic C16-C21	Aromatic C16-C21	81.6		1	8.27	50.0	ug/l	FG015602.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015602.D
Total AliphaticEPH	Total AliphaticEPH	93.8	J		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	164	J		38.4	180	ug/l	
Total EPH	Total EPH	257	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068476.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	8.23	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	33.8		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	13.5	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	38.3	J	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	45.0		40 - 140	90%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-10	Acq On:	01 Apr 2025 20:27
Client Sample ID:	P001-BBDGA-002-01	Operator:	YP/AJ
Data file:	FC068476.D	Misc:	
Instrument:	FID_C	ALS Vial:	18
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	667794	4.114	300 ug/ml
Aliphatic C12-C16	6.360	9.742	2843995	16.909	200 ug/ml
Aliphatic C16-C21	9.743	13.096	1157754	6.75	300 ug/ml
Aliphatic C21-C28	13.097	16.749	853283	5.053	400 ug/ml
Aliphatic C28-C40	16.750	21.544	2609569	19.164	600 ug/ml
Aliphatic EPH	3.097	21.544	8132395	51.99	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	6701020	44.95	ug/ml
Aliphatic C9-C28	3.097	16.749	5522826	32.826	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015602.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	16.7	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	65.3		4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	81.6		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	47.2		40 - 140	94%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	33.9		40 - 140	68%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	48.6		40 - 140	97%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-10	Acq On:	01 Apr 2025 19:26
Client Sample ID:	P001-BBDGA-002-01	Operator:	YP\AJ
Data file:	FG015602.D	Misc:	
Instrument:	FID_G	ALS Vial:	30
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	1122145	8.374	200 ug/ml
Aromatic C12-C16	6.330	9.035	4479028	32.657	300 ug/ml
Aromatic C16-C21	9.036	13.365	5685299	40.781	500 ug/ml
Aromatic C21-C36	13.366	18.829	1948051	14.963	800 ug/ml
Aromatic EPH	4.450	18.829	13234523	96.776	ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	7082460	48.57	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	5764421	47.19	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	2801378	33.89	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94.6
Sample Wt/Vol:	30.01 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 17:25	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.47	J	1	0.15	1.06	mg/kg	FC068434.D
Aliphatic C12-C16	Aliphatic C12-C16	1.16		1	0.12	0.70	mg/kg	FC068434.D
Aliphatic C16-C21	Aliphatic C16-C21	0.53	J	1	0.14	1.06	mg/kg	FC068434.D
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	1	0.56	1.41	mg/kg	FC068434.D
Aliphatic C28-C40	Aliphatic C28-C40	1.41	J	1	1.25	2.11	mg/kg	FC068434.D
Aromatic C10-C12	Aromatic C10-C12	0.62	J	1	0.13	0.70	mg/kg	FG015582.D
Aromatic C12-C16	Aromatic C12-C16	2.60		1	0.24	1.06	mg/kg	FG015582.D
Aromatic C16-C21	Aromatic C16-C21	2.77		1	0.42	1.76	mg/kg	FG015582.D
Aromatic C21-C36	Aromatic C21-C36	1.26	U	1	1.26	2.82	mg/kg	FG015582.D
Total AliphaticEPH	Total AliphaticEPH	3.57	J		2.21	6.34	mg/kg	
Total AromaticEPH	Total AromaticEPH	5.99	J		2.05	6.34	mg/kg	
Total EPH	Total EPH	9.56	J		4.26	12.7	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94.6
Sample Wt/Vol:	30.01	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068434.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.47	J	0.15	1.06	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	1.16		0.12	0.70	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.53	J	0.14	1.06	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	0.56	1.41	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.41	J	1.25	2.11	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	27.2		40 - 140	54%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-11	Acq On:	28 Mar 2025 17:25
Client Sample ID:	P001-BBDGA-003-01	Operator:	YP/AJ
Data file:	FC068434.D	Misc:	
Instrument:	FID_C	ALS Vial:	12
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.100	6.360	1078478	6.644	300 ug/ml
Aliphatic C12-C16	6.361	9.742	2779150	16.523	200 ug/ml
Aliphatic C16-C21	9.743	13.094	1290589	7.525	300 ug/ml
Aliphatic C21-C28	13.095	16.746	1171075	6.935	400 ug/ml
Aliphatic C28-C40	16.747	21.538	2716127	19.946	600 ug/ml
Aliphatic EPH	3.100	21.538	9035419	57.574	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	4048332	27.16	ug/ml
Aliphatic C9-C28	3.100	16.746	6319292	37.627	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94.6
Sample Wt/Vol:	30.01	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015582.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.62	J	0.13	0.70	mg/kg
Aromatic C12-C16	Aromatic C12-C16	2.60		0.24	1.06	mg/kg
Aromatic C16-C21	Aromatic C16-C21	2.77		0.42	1.76	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.26	U	1.26	2.82	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	50.3		40 - 140	101%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	40.1		40 - 140	80%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	22.0		40 - 140	44%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-11	Acq On:	28 Mar 2025 20:53
Client Sample ID:	P001-BBDGA-003-01	Operator:	YP\AJ
Data file:	FG015582.D	Misc:	
Instrument:	FID_G	ALS Vial:	80
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	1177467	8.787	200 ug/ml
Aromatic C12-C16	6.330	9.039	5052472	36.839	300 ug/ml
Aromatic C16-C21	9.040	13.371	5487908	39.365	500 ug/ml
Aromatic C21-C36	13.372	18.837	2086505	16.026	800 ug/ml
Aromatic EPH	4.449	18.837	13804352	101.017	ug/ml
2-Bromonaphthalene (SURR)	7.964	7.964	6147217	50.32	ug/ml
2-Fluorobiphenyl (SURR)	8.841	8.841	3315697	40.11	ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	3209047	22.01	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 21:04	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	7.91	J	1	8.28	30.0	ug/l	FC068477.D
Aliphatic C12-C16	Aliphatic C12-C16	38.5		1	13.5	20.0	ug/l	FC068477.D
Aliphatic C16-C21	Aliphatic C16-C21	12.9	J	1	8.34	30.0	ug/l	FC068477.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068477.D
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	1	23.8	60.0	ug/l	FC068477.D
Aromatic C10-C12	Aromatic C10-C12	16.8	J	1	2.07	20.0	ug/l	FG015603.D
Aromatic C12-C16	Aromatic C12-C16	24.2	J	1	4.26	30.0	ug/l	FG015603.D
Aromatic C16-C21	Aromatic C16-C21	171		1	8.27	50.0	ug/l	FG015603.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015603.D
Total AliphaticEPH	Total AliphaticEPH	66.4	U		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	212			38.4	180	ug/l	
Total EPH	Total EPH	271	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068477.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	7.91	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	38.5		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	12.9	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	46.7		40 - 140	93%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-12	Acq On:	01 Apr 2025 21:04
Client Sample ID:	P001-BBDGA-003-01	Operator:	YP/AJ
Data file:	FC068477.D	Misc:	
Instrument:	FID_C	ALS Vial:	19
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	641909	3.955	300 ug/ml
Aliphatic C12-C16	6.360	9.742	3238831	19.257	200 ug/ml
Aliphatic C16-C21	9.743	13.096	1104683	6.441	300 ug/ml
Aliphatic C21-C28	13.097	16.749	684119	4.051	400 ug/ml
Aliphatic C28-C40	16.750	21.544	2214903	16.266	600 ug/ml
Aliphatic EPH	3.097	21.544	7884445	49.969	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	6957119	46.67	ug/ml
Aliphatic C9-C28	3.097	16.749	5669542	33.704	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015603.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	16.8	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	24.2	J	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	171		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	48.0		40 - 140	96%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	32.4		40 - 140	65%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	48.0		40 - 140	96%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-12	Acq On:	01 Apr 2025 19:55
Client Sample ID:	P001-BBDGA-003-01	Operator:	YP\AJ
Data file:	FG015603.D	Misc:	
Instrument:	FID_G	ALS Vial:	31
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	1126094	8.404	200 ug/ml
Aromatic C12-C16	6.330	9.035	1660428	12.107	300 ug/ml
Aromatic C16-C21	9.036	13.365	11957798	85.774	500 ug/ml
Aromatic C21-C36	13.366	18.829	1393204	10.701	800 ug/ml
Aromatic EPH	4.450	18.829	16137524	116.985	ug/ml
ortho-Terphenyl (SURR)	11.912	11.912	6994550	47.96	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	5864076	48.01	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	2680124	32.42	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	95.4
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 18:02	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.37	J	1	0.15	1.05	mg/kg	FC068435.D
Aliphatic C12-C16	Aliphatic C12-C16	0.80		1	0.12	0.70	mg/kg	FC068435.D
Aliphatic C16-C21	Aliphatic C16-C21	0.41	J	1	0.14	1.05	mg/kg	FC068435.D
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	1	0.56	1.40	mg/kg	FC068435.D
Aliphatic C28-C40	Aliphatic C28-C40	1.48	J	1	1.24	2.09	mg/kg	FC068435.D
Aromatic C10-C12	Aromatic C10-C12	0.61	J	1	0.13	0.70	mg/kg	FG015583.D
Aromatic C12-C16	Aromatic C12-C16	0.75	J	1	0.24	1.05	mg/kg	FG015583.D
Aromatic C16-C21	Aromatic C16-C21	2.45		1	0.42	1.75	mg/kg	FG015583.D
Aromatic C21-C36	Aromatic C21-C36	1.25	U	1	1.25	2.79	mg/kg	FG015583.D
Total AliphaticEPH	Total AliphaticEPH	3.05	J		2.19	6.29	mg/kg	
Total AromaticEPH	Total AromaticEPH	3.80	J		2.04	6.29	mg/kg	
Total EPH	Total EPH	6.86	J		4.23	12.6	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	95.4
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068435.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.37	J	0.15	1.05	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	0.80		0.12	0.70	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.41	J	0.14	1.05	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	0.56	1.40	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.48	J	1.24	2.09	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	35.5		40 - 140	71%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-13	Acq On:	28 Mar 2025 18:02
Client Sample ID:	P001-BBDGA-004-01	Operator:	YP/AJ
Data file:	FC068435.D	Misc:	
Instrument:	FID_C	ALS Vial:	13
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.100	6.360	860385	5.301	300 ug/ml
Aliphatic C12-C16	6.361	9.742	1922355	11.429	200 ug/ml
Aliphatic C16-C21	9.743	13.094	997770	5.818	300 ug/ml
Aliphatic C21-C28	13.095	16.746	903654	5.351	400 ug/ml
Aliphatic C28-C40	16.747	21.538	2894075	21.253	600 ug/ml
Aliphatic EPH	3.100	21.538	7578239	49.152	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.827	12.827	5296863	35.53	ug/ml
Aliphatic C9-C28	3.100	16.746	4684164	27.899	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	95.4
Sample Wt/Vol:	30.03	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015583.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.61	J	0.13	0.70	mg/kg
Aromatic C12-C16	Aromatic C12-C16	0.75	J	0.24	1.05	mg/kg
Aromatic C16-C21	Aromatic C16-C21	2.45		0.42	1.75	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.25	U	1.25	2.79	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	48.7		40 - 140	97%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	41.3		40 - 140	83%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	28.5		40 - 140	57%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

13

Quantitation Report For Aromatic EPH Range.

Lab Sample ID: Q1664-13 Acq On: 28 Mar 2025 21:23
Client Sample ID: P001-BBDGA-004-01 Operator: YP\AJ
Data file: FG015583.D Misc:
Instrument: FID_G ALS Vial: 81
Dilution Factor: 1 Sample Multiplier: 1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	1162573	8.676	200 ug/ml
Aromatic C12-C16	6.330	9.039	1467138	10.697	300 ug/ml
Aromatic C16-C21	9.040	13.371	4885475	35.044	500 ug/ml
Aromatic C21-C36	13.372	18.837	1899009	14.586	800 ug/ml
Aromatic EPH	4.449	18.837	9414195	69.003	ug/ml
ortho-Terphenyl (SURR)	11.914	11.914	4161705	28.54	ug/ml
2-Bromonaphthalene (SURR)	7.964	7.964	5952853	48.73	ug/ml
2-Fluorobiphenyl (SURR)	8.842	8.842	3417363	41.34	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 21:42	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	9.32	J	1	8.28	30.0	ug/l	FC068478.D
Aliphatic C12-C16	Aliphatic C12-C16	43.3		1	13.5	20.0	ug/l	FC068478.D
Aliphatic C16-C21	Aliphatic C16-C21	15.6	J	1	8.34	30.0	ug/l	FC068478.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068478.D
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	1	23.8	60.0	ug/l	FC068478.D
Aromatic C10-C12	Aromatic C10-C12	21.4		1	2.07	20.0	ug/l	FG015604.D
Aromatic C12-C16	Aromatic C12-C16	126		1	4.26	30.0	ug/l	FG015604.D
Aromatic C16-C21	Aromatic C16-C21	94.7		1	8.27	50.0	ug/l	FG015604.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015604.D
Total AliphaticEPH	Total AliphaticEPH	68.2	J		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	242			38.4	180	ug/l	
Total EPH	Total EPH	310	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068478.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	9.32	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	43.3		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	15.6	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	53.1		40 - 140	106%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-14	Acq On:	01 Apr 2025 21:42
Client Sample ID:	P001-BBDGA-004-01	Operator:	YP/AJ
Data file:	FC068478.D	Misc:	
Instrument:	FID_C	ALS Vial:	20
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	756480	4.66	300 ug/ml
Aliphatic C12-C16	6.360	9.742	3643012	21.66	200 ug/ml
Aliphatic C16-C21	9.743	13.096	1339663	7.811	300 ug/ml
Aliphatic C21-C28	13.097	16.749	934721	5.535	400 ug/ml
Aliphatic C28-C40	16.750	21.544	2375261	17.443	600 ug/ml
Aliphatic EPH	3.097	21.544	9049137	57.109	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.827	12.827	7917913	53.11	ug/ml
Aliphatic C9-C28	3.097	16.749	6673876	39.666	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015604.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	21.4		2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	126		4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	94.7		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	54.1		40 - 140	108%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	36.4		40 - 140	73%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	56.3		40 - 140	113%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-14	Acq On:	01 Apr 2025 20:25
Client Sample ID:	P001-BBDGA-004-01	Operator:	YP\AJ
Data file:	FG015604.D	Misc:	
Instrument:	FID_G	ALS Vial:	32
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	1437003	10.724	200 ug/ml
Aromatic C12-C16	6.330	9.035	8686933	63.338	300 ug/ml
Aromatic C16-C21	9.036	13.365	6599402	47.338	500 ug/ml
Aromatic C21-C36	13.366	18.829	2061184	15.832	800 ug/ml
Aromatic EPH	4.450	18.829	18784522	137.232	ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	8207815	56.28	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	6613750	54.14	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	3005093	36.36	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.7
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 18:39	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.30	J	1	0.15	1.09	mg/kg	FC068436.D
Aliphatic C12-C16	Aliphatic C12-C16	1.25		1	0.12	0.73	mg/kg	FC068436.D
Aliphatic C16-C21	Aliphatic C16-C21	0.40	J	1	0.14	1.09	mg/kg	FC068436.D
Aliphatic C21-C28	Aliphatic C21-C28	0.58	U	1	0.58	1.45	mg/kg	FC068436.D
Aliphatic C28-C40	Aliphatic C28-C40	1.28	U	1	1.28	2.18	mg/kg	FC068436.D
Aromatic C10-C12	Aromatic C10-C12	0.60	J	1	0.13	0.73	mg/kg	FG015586.D
Aromatic C12-C16	Aromatic C12-C16	0.78	J	1	0.25	1.09	mg/kg	FG015586.D
Aromatic C16-C21	Aromatic C16-C21	2.60		1	0.44	1.81	mg/kg	FG015586.D
Aromatic C21-C36	Aromatic C21-C36	1.30	U	1	1.30	2.90	mg/kg	FG015586.D
Total AliphaticEPH	Total AliphaticEPH	2.27	U		2.27	6.54	mg/kg	
Total AromaticEPH	Total AromaticEPH	3.98	J		2.12	6.53	mg/kg	
Total EPH	Total EPH	5.93	J		4.39	13.1	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.7
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068436.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.30	J	0.15	1.09	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	1.25		0.12	0.73	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.40	J	0.14	1.09	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.58	U	0.58	1.45	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.28	U	1.28	2.18	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	28.0		40 - 140	56%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-15	Acq On:	28 Mar 2025 18:39
Client Sample ID:	P001-BBDGA-005-01	Operator:	YP/AJ
Data file:	FC068436.D	Misc:	
Instrument:	FID_C	ALS Vial:	14
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.100	6.360	674846	4.158	300 ug/ml
Aliphatic C12-C16	6.361	9.742	2907493	17.287	200 ug/ml
Aliphatic C16-C21	9.743	13.094	948332	5.529	300 ug/ml
Aliphatic C21-C28	13.095	16.746	759499	4.498	400 ug/ml
Aliphatic C28-C40	16.747	21.538	2358586	17.321	600 ug/ml
Aliphatic EPH	3.100	21.538	7648756	48.792	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.827	12.827	4174143	28	ug/ml
Aliphatic C9-C28	3.100	16.746	5290170	31.472	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.7
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015586.D	1	03/28/25	03/29/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.60	J	0.13	0.73	mg/kg
Aromatic C12-C16	Aromatic C12-C16	0.78	J	0.25	1.09	mg/kg
Aromatic C16-C21	Aromatic C16-C21	2.60		0.44	1.81	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.30	U	1.30	2.90	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	47.7		40 - 140	95%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	36.8		40 - 140	74%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	28.4		40 - 140	57%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-15	Acq On:	29 Mar 2025 00:19
Client Sample ID:	P001-BBDGA-005-01	Operator:	YP\AJ
Data file:	FG015586.D	Misc:	
Instrument:	FID_G	ALS Vial:	82
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	1107750	8.267	200 ug/ml
Aromatic C12-C16	6.330	9.039	1468990	10.711	300 ug/ml
Aromatic C16-C21	9.040	13.371	4994329	35.825	500 ug/ml
Aromatic C21-C36	13.372	18.837	2062024	15.838	800 ug/ml
Aromatic EPH	4.449	18.837	9633093	70.64	ug/ml
2-Bromonaphthalene (SURR)	7.964	7.964	5830250	47.73	ug/ml
2-Fluorobiphenyl (SURR)	8.841	8.841	3038736	36.76	ug/ml
ortho-Terphenyl (SURR)	11.914	11.914	4135520	28.36	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 22:19	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	6.19	J	1	8.28	30.0	ug/l	FC068479.D
Aliphatic C12-C16	Aliphatic C12-C16	23.6		1	13.5	20.0	ug/l	FC068479.D
Aliphatic C16-C21	Aliphatic C16-C21	9.01	J	1	8.34	30.0	ug/l	FC068479.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068479.D
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	1	23.8	60.0	ug/l	FC068479.D
Aromatic C10-C12	Aromatic C10-C12	17.9	J	1	2.07	20.0	ug/l	FG015605.D
Aromatic C12-C16	Aromatic C12-C16	23.8	J	1	4.26	30.0	ug/l	FG015605.D
Aromatic C16-C21	Aromatic C16-C21	181		1	8.27	50.0	ug/l	FG015605.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015605.D
Total AliphaticEPH	Total AliphaticEPH	66.4	U		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	223			38.4	180	ug/l	
Total EPH	Total EPH	262	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068479.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	6.19	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	23.6		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	9.01	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	48.7		40 - 140	97%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-16	Acq On:	01 Apr 2025 22:19
Client Sample ID:	P001-BBDGA-005-01	Operator:	YP/AJ
Data file:	FC068479.D	Misc:	
Instrument:	FID_C	ALS Vial:	21
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	502047	3.093	ug/ml
Aliphatic C12-C16	6.360	9.742	1984739	11.8	ug/ml
Aliphatic C16-C21	9.743	13.096	772231	4.503	ug/ml
Aliphatic C21-C28	13.097	16.749	545814	3.232	ug/ml
Aliphatic C28-C40	16.750	21.544	2042778	15.001	ug/ml
Aliphatic EPH	3.097	21.544	5847609	37.629	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	7259966	48.7	ug/ml
Aliphatic C9-C28	3.097	16.749	3804831	22.628	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015605.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	17.9	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	23.8	J	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	181		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	54.2		40 - 140	108%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	42.5		40 - 140	85%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	56.8		40 - 140	114%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

13

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-16	Acq On:	01 Apr 2025 20:54
Client Sample ID:	P001-BBDGA-005-01	Operator:	YP\AJ
Data file:	FG015605.D	Misc:	
Instrument:	FID_G	ALS Vial:	33
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	1199635	8.953	200 ug/ml
Aromatic C12-C16	6.330	9.035	1635450	11.924	300 ug/ml
Aromatic C16-C21	9.036	13.365	12630852	90.602	500 ug/ml
Aromatic C21-C36	13.366	18.829	1175312	9.027	800 ug/ml
Aromatic EPH	4.450	18.829	16641249	120.506	ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	8284246	56.81	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	6617414	54.17	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	3509453	42.46	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.9
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 19:16	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.31	J	1	0.15	1.06	mg/kg	FC068437.D
Aliphatic C12-C16	Aliphatic C12-C16	0.72		1	0.12	0.71	mg/kg	FC068437.D
Aliphatic C16-C21	Aliphatic C16-C21	0.39	J	1	0.14	1.06	mg/kg	FC068437.D
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	1	0.56	1.42	mg/kg	FC068437.D
Aliphatic C28-C40	Aliphatic C28-C40	1.26	U	1	1.26	2.13	mg/kg	FC068437.D
Aromatic C10-C12	Aromatic C10-C12	0.49	J	1	0.13	0.71	mg/kg	FG015587.D
Aromatic C12-C16	Aromatic C12-C16	0.65	J	1	0.25	1.06	mg/kg	FG015587.D
Aromatic C16-C21	Aromatic C16-C21	2.39		1	0.43	1.77	mg/kg	FG015587.D
Aromatic C21-C36	Aromatic C21-C36	1.27	U	1	1.27	2.84	mg/kg	FG015587.D
Total AliphaticEPH	Total AliphaticEPH	2.23	U		2.23	6.38	mg/kg	
Total AromaticEPH	Total AromaticEPH	3.53	J		2.07	6.38	mg/kg	
Total EPH	Total EPH	4.94	J		4.30	12.8	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.9
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068437.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.31	J	0.15	1.06	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	0.72		0.12	0.71	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.39	J	0.14	1.06	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	0.56	1.42	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.26	U	1.26	2.13	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.2		40 - 140	66%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-17	Acq On:	28 Mar 2025 19:16
Client Sample ID:	P001-BBDGA-006-01	Operator:	YP/AJ
Data file:	FC068437.D	Misc:	
Instrument:	FID_C	ALS Vial:	15
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.100	6.360	701504	4.322	300 ug/ml
Aliphatic C12-C16	6.361	9.742	1695160	10.079	200 ug/ml
Aliphatic C16-C21	9.743	13.094	934344	5.448	300 ug/ml
Aliphatic C21-C28	13.095	16.746	855865	5.068	400 ug/ml
Aliphatic C28-C40	16.747	21.538	2195115	16.12	600 ug/ml
Aliphatic EPH	3.100	21.538	6381988	41.036	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.827	12.827	4946063	33.18	ug/ml
Aliphatic C9-C28	3.100	16.746	4186873	24.917	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.9
Sample Wt/Vol:	30.02	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015587.D	1	03/28/25	03/29/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.49	J	0.13	0.71	mg/kg
Aromatic C12-C16	Aromatic C12-C16	0.65	J	0.25	1.06	mg/kg
Aromatic C16-C21	Aromatic C16-C21	2.39		0.43	1.77	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.27	U	1.27	2.84	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	52.3		40 - 140	105%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	45.3		40 - 140	90%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	32.1		40 - 140	64%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-17	Acq On:	29 Mar 2025 00:48
Client Sample ID:	P001-BBDGA-006-01	Operator:	YP\AJ
Data file:	FG015587.D	Misc:	
Instrument:	FID_G	ALS Vial:	83
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	926105	6.911	200 ug/ml
Aromatic C12-C16	6.330	9.039	1255874	9.157	300 ug/ml
Aromatic C16-C21	9.040	13.371	4689455	33.638	500 ug/ml
Aromatic C21-C36	13.372	18.837	1822278	13.997	800 ug/ml
Aromatic EPH	4.449	18.837	8693712	63.703	ug/ml
2-Bromonaphthalene (SURR)	7.964	7.964	6388259	52.3	ug/ml
2-Fluorobiphenyl (SURR)	8.842	8.842	3740447	45.25	ug/ml
ortho-Terphenyl (SURR)	11.914	11.914	4681327	32.1	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 22:56	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	7.17	J	1	8.28	30.0	ug/l	FC068480.D
Aliphatic C12-C16	Aliphatic C12-C16	28.2		1	13.5	20.0	ug/l	FC068480.D
Aliphatic C16-C21	Aliphatic C16-C21	7.69	J	1	8.34	30.0	ug/l	FC068480.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068480.D
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	1	23.8	60.0	ug/l	FC068480.D
Aromatic C10-C12	Aromatic C10-C12	13.6	J	1	2.07	20.0	ug/l	FG015606.D
Aromatic C12-C16	Aromatic C12-C16	18.8	J	1	4.26	30.0	ug/l	FG015606.D
Aromatic C16-C21	Aromatic C16-C21	50.8		1	8.27	50.0	ug/l	FG015606.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015606.D
Total AliphaticEPH	Total AliphaticEPH	66.4	U		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	83.2	J		38.4	180	ug/l	
Total EPH	Total EPH	126	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068480.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	7.17	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	28.2		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	7.69	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	48.7		40 - 140	97%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-18	Acq On:	01 Apr 2025 22:56
Client Sample ID:	P001-BBDGA-006-01	Operator:	YP/AJ
Data file:	FC068480.D	Misc:	
Instrument:	FID_C	ALS Vial:	22
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	581669	3.583	300 ug/ml
Aliphatic C12-C16	6.360	9.742	2368018	14.079	200 ug/ml
Aliphatic C16-C21	9.743	13.096	659583	3.846	300 ug/ml
Aliphatic C21-C28	13.097	16.749	665760	3.942	400 ug/ml
Aliphatic C28-C40	16.750	21.544	2072921	15.223	600 ug/ml
Aliphatic EPH	3.097	21.544	6347951	40.674	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.827	12.827	7255926	48.67	ug/ml
Aliphatic C9-C28	3.097	16.749	4275030	25.45	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015606.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	13.6	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	18.8	J	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	50.8		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	49.6		40 - 140	99%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	35.3		40 - 140	71%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	51.5		40 - 140	103%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-18	Acq On:	01 Apr 2025 21:23
Client Sample ID:	P001-BBDGA-006-01	Operator:	YP\AJ
Data file:	FG015606.D	Misc:	
Instrument:	FID_G	ALS Vial:	34
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	910836	6.797	200 ug/ml
Aromatic C12-C16	6.330	9.035	1288592	9.395	300 ug/ml
Aromatic C16-C21	9.036	13.365	3540653	25.397	500 ug/ml
Aromatic C21-C36	13.366	18.829	865341	6.647	800 ug/ml
Aromatic EPH	4.450	18.829	6605422	48.237	ug/ml
ortho-Terphenyl (SURR)	11.912	11.912	7503240	51.45	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	6063779	49.64	ug/ml
2-Fluorobiphenyl (SURR)	8.839	8.839	2920469	35.33	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.8
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 19:53	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.98	J	1	0.15	1.08	mg/kg	FC068438.D
Aliphatic C12-C16	Aliphatic C12-C16	3.25		1	0.12	0.72	mg/kg	FC068438.D
Aliphatic C16-C21	Aliphatic C16-C21	1.57		1	0.14	1.08	mg/kg	FC068438.D
Aliphatic C21-C28	Aliphatic C21-C28	0.57	U	1	0.57	1.43	mg/kg	FC068438.D
Aliphatic C28-C40	Aliphatic C28-C40	1.32	J	1	1.27	2.15	mg/kg	FC068438.D
Aromatic C10-C12	Aromatic C10-C12	0.40	J	1	0.13	0.72	mg/kg	FG015588.D
Aromatic C12-C16	Aromatic C12-C16	0.50	J	1	0.25	1.08	mg/kg	FG015588.D
Aromatic C16-C21	Aromatic C16-C21	1.61	J	1	0.43	1.79	mg/kg	FG015588.D
Aromatic C21-C36	Aromatic C21-C36	1.28	U	1	1.28	2.87	mg/kg	FG015588.D
Total AliphaticEPH	Total AliphaticEPH	7.12			2.25	6.46	mg/kg	
Total AromaticEPH	Total AromaticEPH	2.51	J		2.09	6.46	mg/kg	
Total EPH	Total EPH	9.63	J		4.34	12.9	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.8
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068438.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.98	J	0.15	1.08	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	3.25		0.12	0.72	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	1.57		0.14	1.08	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.57	U	0.57	1.43	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.32	J	1.27	2.15	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	47.1		40 - 140	94%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-19	Acq On:	28 Mar 2025 19:53
Client Sample ID:	P001-BBDGA-007-01	Operator:	YP/AJ
Data file:	FC068438.D	Misc:	
Instrument:	FID_C	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.100	6.360	2219989	13.677	300 ug/ml
Aliphatic C12-C16	6.361	9.742	7630758	45.369	200 ug/ml
Aliphatic C16-C21	9.743	13.094	3751721	21.875	300 ug/ml
Aliphatic C21-C28	13.095	16.746	753659	4.463	400 ug/ml
Aliphatic C28-C40	16.747	21.538	2497427	18.34	600 ug/ml
Aliphatic EPH	3.100	21.538	16853554	103.723	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.828	12.828	7019416	47.09	ug/ml
Aliphatic C9-C28	3.100	16.746	14356127	85.384	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.8
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015588.D	1	03/28/25	03/29/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.40	J	0.13	0.72	mg/kg
Aromatic C12-C16	Aromatic C12-C16	0.50	J	0.25	1.08	mg/kg
Aromatic C16-C21	Aromatic C16-C21	1.61	J	0.43	1.79	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.28	U	1.28	2.87	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	29.0		40 - 140	58%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	23.8		40 - 140	48%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	27.4		40 - 140	55%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-19	Acq On:	29 Mar 2025 01:18
Client Sample ID:	P001-BBDGA-007-01	Operator:	YP\AJ
Data file:	FG015588.D	Misc:	
Instrument:	FID_G	ALS Vial:	84
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	748611	5.587	200 ug/ml
Aromatic C12-C16	6.330	9.039	962661	7.019	300 ug/ml
Aromatic C16-C21	9.040	13.371	3133015	22.473	500 ug/ml
Aromatic C21-C36	13.372	18.837	1658008	12.735	800 ug/ml
Aromatic EPH	4.449	18.837	6502295	47.814	ug/ml
2-Bromonaphthalene (SURR)	7.962	7.962	3546906	29.04	ug/ml
2-Fluorobiphenyl (SURR)	8.841	8.841	1963842	23.76	ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	4001081	27.44	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/01/25 23:33	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	12.0	J	1	8.28	30.0	ug/l	FC068481.D
Aliphatic C12-C16	Aliphatic C12-C16	37.7		1	13.5	20.0	ug/l	FC068481.D
Aliphatic C16-C21	Aliphatic C16-C21	35.6		1	8.34	30.0	ug/l	FC068481.D
Aliphatic C21-C28	Aliphatic C21-C28	29.0	J	1	12.5	40.0	ug/l	FC068481.D
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	1	23.8	60.0	ug/l	FC068481.D
Aromatic C10-C12	Aromatic C10-C12	22.6		1	2.07	20.0	ug/l	FG015607.D
Aromatic C12-C16	Aromatic C12-C16	33.1		1	4.26	30.0	ug/l	FG015607.D
Aromatic C16-C21	Aromatic C16-C21	189		1	8.27	50.0	ug/l	FG015607.D
Aromatic C21-C36	Aromatic C21-C36	95.0		1	23.8	80.0	ug/l	FG015607.D
Total AliphaticEPH	Total AliphaticEPH	114	J		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	340			38.4	180	ug/l	
Total EPH	Total EPH	454			105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068481.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	12.0	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	37.7		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	35.6		8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	29.0	J	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	53.1		40 - 140	106%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-20	Acq On:	01 Apr 2025 23:33
Client Sample ID:	P001-BBDGA-007-01	Operator:	YP/AJ
Data file:	FC068481.D	Misc:	
Instrument:	FID_C	ALS Vial:	23
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	970191	5.977	300 ug/ml
Aliphatic C12-C16	6.360	9.742	3173176	18.866	200 ug/ml
Aliphatic C16-C21	9.743	13.096	3054594	17.81	300 ug/ml
Aliphatic C21-C28	13.097	16.749	2446758	14.489	400 ug/ml
Aliphatic C28-C40	16.750	21.544	2208633	16.219	600 ug/ml
Aliphatic EPH	3.097	21.544	11853352	73.362	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	7918885	53.12	ug/ml
Aliphatic C9-C28	3.097	16.749	9644719	57.142	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015607.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	22.6		2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	33.1		4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	189		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	95.0		23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	40.7		40 - 140	81%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	33.1		40 - 140	66%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	41.6		40 - 140	83%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-20	Acq On:	01 Apr 2025 21:53
Client Sample ID:	P001-BBDGA-007-01	Operator:	YP\AJ
Data file:	FG015607.D	Misc:	
Instrument:	FID_G	ALS Vial:	35
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	1515594	11.311	200 ug/ml
Aromatic C12-C16	6.330	9.035	2273159	16.574	300 ug/ml
Aromatic C16-C21	9.036	13.365	13205755	94.726	500 ug/ml
Aromatic C21-C36	13.366	18.829	6182390	47.486	800 ug/ml
Aromatic EPH	4.450	18.829	23176898	170.097	ug/ml
ortho-Terphenyl (SURR)	11.911	11.911	6060947	41.56	ug/ml
2-Bromonaphthalene (SURR)	7.960	7.960	4968217	40.67	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	2734929	33.09	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

Prep Date :	Date Analyzed :	Prep Batch ID
03/28/25 08:10	03/28/25 20:30	PB167362

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	0.53	J	1	0.15	1.06	mg/kg	FC068439.D
Aliphatic C12-C16	Aliphatic C12-C16	2.19		1	0.12	0.71	mg/kg	FC068439.D
Aliphatic C16-C21	Aliphatic C16-C21	0.73	J	1	0.14	1.06	mg/kg	FC068439.D
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	1	0.56	1.42	mg/kg	FC068439.D
Aliphatic C28-C40	Aliphatic C28-C40	1.25	U	1	1.25	2.12	mg/kg	FC068439.D
Aromatic C10-C12	Aromatic C10-C12	0.38	J	1	0.13	0.71	mg/kg	FG015589.D
Aromatic C12-C16	Aromatic C12-C16	0.55	J	1	0.24	1.06	mg/kg	FG015589.D
Aromatic C16-C21	Aromatic C16-C21	3.04		1	0.43	1.77	mg/kg	FG015589.D
Aromatic C21-C36	Aromatic C21-C36	1.26	U	1	1.26	2.83	mg/kg	FG015589.D
Total AliphaticEPH	Total AliphaticEPH	3.45	J		2.22	6.37	mg/kg	
Total AromaticEPH	Total AromaticEPH	3.96	J		2.06	6.37	mg/kg	
Total EPH	Total EPH	7.41	J		4.27	12.7	mg/kg	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068439.D	1	03/28/25	03/28/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	0.53	J	0.15	1.06	mg/kg
Aliphatic C12-C16	Aliphatic C12-C16	2.19		0.12	0.71	mg/kg
Aliphatic C16-C21	Aliphatic C16-C21	0.73	J	0.14	1.06	mg/kg
Aliphatic C21-C28	Aliphatic C21-C28	0.56	U	0.56	1.42	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.25	U	1.25	2.12	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.2		40 - 140	66%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-21	Acq On:	28 Mar 2025 20:30
Client Sample ID:	P001-BBDGA-008-01	Operator:	YP/AJ
Data file:	FC068439.D	Misc:	
Instrument:	FID_C	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.100	6.360	1208051	7.442	300 ug/ml
Aliphatic C12-C16	6.361	9.742	5195070	30.887	200 ug/ml
Aliphatic C16-C21	9.743	13.094	1775606	10.353	300 ug/ml
Aliphatic C21-C28	13.095	16.746	646750	3.83	400 ug/ml
Aliphatic C28-C40	16.747	21.538	2158642	15.852	600 ug/ml
Aliphatic EPH	3.100	21.538	10984119	68.365	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.827	12.827	4944409	33.17	ug/ml
Aliphatic C9-C28	3.100	16.746	8825477	52.512	1200 ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		uL	
Prep Method :		Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015589.D	1	03/28/25	03/29/25	PB167362

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	0.38	J	0.13	0.71	mg/kg
Aromatic C12-C16	Aromatic C12-C16	0.55	J	0.24	1.06	mg/kg
Aromatic C16-C21	Aromatic C16-C21	3.04		0.43	1.77	mg/kg
Aromatic C21-C36	Aromatic C21-C36	1.26	U	1.26	2.83	mg/kg
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	33.7		40 - 140	67%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	28.2		40 - 140	56%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	20.6		40 - 140	41%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-21	Acq On:	29 Mar 2025 01:47
Client Sample ID:	P001-BBDGA-008-01	Operator:	YP\AJ
Data file:	FG015589.D	Misc:	
Instrument:	FID_G	ALS Vial:	85
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.449	6.329	708872	5.29	200 ug/ml
Aromatic C12-C16	6.330	9.039	1061061	7.736	300 ug/ml
Aromatic C16-C21	9.040	13.371	5980506	42.899	500 ug/ml
Aromatic C21-C36	13.372	18.837	1508682	11.588	800 ug/ml
Aromatic EPH	4.449	18.837	9259121	67.513	ug/ml
2-Bromonaphthalene (SURR)	7.963	7.963	4112715	33.67	ug/ml
2-Fluorobiphenyl (SURR)	8.841	8.841	2331797	28.21	ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	3000891	20.58	ug/ml

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
04/01/25 08:13	04/02/25 0:09	PB167402

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	10.8	J	1	8.28	30.0	ug/l	FC068482.D
Aliphatic C12-C16	Aliphatic C12-C16	38.4		1	13.5	20.0	ug/l	FC068482.D
Aliphatic C16-C21	Aliphatic C16-C21	20.9	J	1	8.34	30.0	ug/l	FC068482.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC068482.D
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	1	23.8	60.0	ug/l	FC068482.D
Aromatic C10-C12	Aromatic C10-C12	17.7	J	1	2.07	20.0	ug/l	FG015608.D
Aromatic C12-C16	Aromatic C12-C16	25.7	J	1	4.26	30.0	ug/l	FG015608.D
Aromatic C16-C21	Aromatic C16-C21	66.2		1	8.27	50.0	ug/l	FG015608.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FG015608.D
Total AliphaticEPH	Total AliphaticEPH	70.1	J		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	110	J		38.4	180	ug/l	
Total EPH	Total EPH	180	J		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068482.D	1	04/01/25	04/02/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	10.8	J	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	38.4		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	20.9	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	52.6		40 - 140	105%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1664-22	Acq On:	02 Apr 2025 00:09
Client Sample ID:	P001-BBDGA-008-01	Operator:	YP/AJ
Data file:	FC068482.D	Misc:	
Instrument:	FID_C	ALS Vial:	24
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	872594	5.376	300
Aliphatic C12-C16	6.360	9.742	3230454	19.207	200
Aliphatic C16-C21	9.743	13.096	1795511	10.469	300
Aliphatic C21-C28	13.097	16.749	617132	3.654	400
Aliphatic C28-C40	16.750	21.544	2087984	15.333	600
Aliphatic EPH	3.097	21.544	8603675	54.039	ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0	ug/ml
1-chlorooctadecane (SURR)	12.826	12.826	7841644	52.6	ug/ml
Aliphatic C9-C28	3.097	16.749	6515691	38.706	1200

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015608.D	1	04/01/25	04/01/25	PB167402

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	17.7	J	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	25.7	J	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	66.2		8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	53.5		40 - 140	107%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	46.2		40 - 140	92%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	57.3		40 - 140	115%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aromatic EPH Range.

Lab Sample ID:	Q1664-22	Acq On:	01 Apr 2025 22:22
Client Sample ID:	P001-BBDGA-008-01	Operator:	YP\AJ
Data file:	FG015608.D	Misc:	
Instrument:	FID_G	ALS Vial:	36
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	1188846	8.872	200 ug/ml
Aromatic C12-C16	6.330	9.035	1765512	12.873	300 ug/ml
Aromatic C16-C21	9.036	13.365	4611667	33.08	500 ug/ml
Aromatic C21-C36	13.366	18.829	1186289	9.112	800 ug/ml
Aromatic EPH	4.450	18.829	8752314	63.936	ug/ml
ortho-Terphenyl (SURR)	11.914	11.914	8349751	57.26	ug/ml
2-Bromonaphthalene (SURR)	7.961	7.961	6537204	53.52	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	3818986	46.2	ug/ml

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31,VOA Ref. #2 Soil					
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-04	P001-BBDGA-001-01	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
			SPLP Pesticide	8081B		03/31/25	03/31/25	
			EPH	NJEPH		04/01/25	04/01/25	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-08	P001-BBDGA-001-02	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
			SPLP Pesticide	8081B		03/31/25	03/31/25	
			EPH	NJEPH		04/01/25	04/01/25	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	
			Pesticide-TCL	8081B		03/28/25	03/28/25	
			EPH	NJEPH		03/28/25	03/28/25	
Q1664-10	P001-BBDGA-002-01	WATER			03/26/25			03/27/25
			SPLP PCB	8082A		03/31/25	03/31/25	
			SPLP Pesticide	8081B		03/31/25	03/31/25	
			EPH	NJEPH		04/01/25	04/01/25	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25			03/27/25
			PCB	8082A		03/28/25	03/28/25	

LAB CHRONICLE

			Pesticide-TCL EPH	8081B NJEPH	03/28/25 03/28/25	03/28/25 03/28/25
Q1664-12	P001-BBDGA-003-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	03/31/25
			SPLP Pesticide EPH	8081B NJEPH	03/31/25 04/01/25	03/31/25 04/01/25
Q1664-13	P001-BBDGA-004-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL EPH	8081B NJEPH	03/28/25 03/28/25	03/28/25 03/28/25
Q1664-14	P001-BBDGA-004-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	03/31/25
			SPLP Pesticide EPH	8081B NJEPH	03/31/25 04/01/25	03/31/25 04/01/25
Q1664-15	P001-BBDGA-005-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL EPH	8081B NJEPH	03/28/25 03/28/25	03/28/25 03/28/25
Q1664-16	P001-BBDGA-005-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	03/31/25
			SPLP Pesticide EPH	8081B NJEPH	03/31/25 04/01/25	03/31/25 04/01/25
Q1664-17	P001-BBDGA-006-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL EPH	8081B NJEPH	03/28/25 03/28/25	03/28/25 03/28/25
Q1664-18	P001-BBDGA-006-01	WATER			03/26/25	03/27/25
			SPLP PCB	8082A	03/31/25	04/01/25
			SPLP Pesticide EPH	8081B NJEPH	03/31/25 04/01/25	03/31/25 04/01/25
Q1664-19	P001-BBDGA-007-01	SOIL			03/26/25	03/27/25

LAB CHRONICLE

			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/29/25
Q1664-20	P001-BBDGA-007-01	Water			03/26/25	03/27/25
			EPH	NJEPH	04/01/25	04/01/25
			SPLP PCB	8082A	03/31/25	03/31/25
			SPLP Pesticide	8081B	03/31/25	03/31/25
Q1664-21	P001-BBDGA-008-01	SOIL			03/26/25	03/27/25
			PCB	8082A	03/28/25	03/28/25
			Pesticide-TCL	8081B	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/28/25
			EPH	NJEPH	03/28/25	03/29/25
Q1664-22	P001-BBDGA-008-01	Water			03/26/25	03/27/25
			EPH	NJEPH	04/01/25	04/01/25
			EPH	NJEPH	04/01/25	04/02/25
			SPLP PCB	8082A	03/31/25	04/01/25
			SPLP Pesticide	8081B	03/31/25	03/31/25

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	
Project:	RFP 905	Date Received:	
Client Sample ID:	PB167402TB	SDG No.:	Q1664
Lab Sample ID:	PB167402TB	Matrix:	water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068471.D	1		04/01/25	FC040125AL

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	8.28	U	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	13.5	U	13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	8.34	U	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	32.5		40 - 140	65%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB167402TB	Acq On:	01 Apr 2025 17:22
Client Sample ID:	PB167402TB	Operator:	YP/AJ
Data file:	FC068471.D	Misc:	
Instrument:	FID_C	ALS Vial:	13
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.097	6.359	0	300	ug/ml
Aliphatic C12-C16	6.360	9.742	0	200	ug/ml
Aliphatic C16-C21	9.743	13.096	0	300	ug/ml
Aliphatic C21-C28	13.097	16.749	0	400	ug/ml
Aliphatic C28-C40	16.750	21.544	0	600	ug/ml
Aliphatic EPH	3.097	21.544	0		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0		ug/ml
1-chlorooctadecane (SURR)	12.825	12.825	4840636	32.47	ug/ml
Aliphatic C9-C28	3.097	16.749	0	1200	ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC040125AL\
 Data File : FC068471.D
 Signal(s) : FID1A.ch
 Acq On : 01 Apr 2025 17:22
 Operator : YP/AJ
 Sample : PB167402TB
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
PB167402TB

Integration File: autoint1.e
 Quant Time: Apr 02 02:59:16 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 032625.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 26 13:35:27 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rx1-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds
 12) S 1-chlorooctadecane (S... 12.825 4840636 32.471 ug/ml
 Spiked Amount 50.000 Recovery = 64.94%

Target Compounds


(f)=RT Delta > 1/2 Window (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC040125AL\
 Data File : FC068471.D
 Signal(s) : FID1A.ch
 Acq On : 01 Apr 2025 17:22
 Operator : YP/AJ
 Sample : PB167402TB
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
PB167402TB

Integration File: autoint1.e
 Quant Time: Apr 02 02:59:16 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 032625.M
 Quant Title : GC Extractables
 QLast Update : Wed Mar 26 13:35:27 2025
 Response via : Initial Calibration
 Integrator: ChemStation


Volume Inj. : 1 ul
 Signal Phase : Rx1-1ms
 Signal Info : 20M x 0.18mm x 0.18um





#9 ortho-Terphenyl (SURR)

R.T.: 0.000 min
Exp R.T.: 11.385 min
Instrument:
Response: 0 FID_C
Conc: N.D.
ClientSampleId :
PB167402TB



#12 1-chlorooctadecane (SURR)

R.T.: 12.825 min
Delta R.T.: -0.002 min
Response: 4840636
Conc: 32.47 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC040125AL\
Data File : FC068471.D
Signal (s) : FID1A.ch
Acq On : 01 Apr 2025 17:22
Sample : PB167402TB
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aiphatic EPH 032625.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R. T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	12.825	12.778	12.918	BB	398426	4840636	100.00%	100.000%
Sum of corrected areas:							4840636	

Aiphatic EPH 032625.M Wed Apr 02 03:29:52 2025

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	
Project:	RFP 905	Date Received:	
Client Sample ID:	PB167402TB	SDG No.:	Q1664
Lab Sample ID:	PB167402TB	Matrix:	water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		uL	
Prep Method :	SW3510	Test:	EPH

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015597.D	1		04/01/25	FG040125AR

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aromatic C10-C12	Aromatic C10-C12	2.07	U	2.07	20.0	ug/l
Aromatic C12-C16	Aromatic C12-C16	4.26	U	4.26	30.0	ug/l
Aromatic C16-C21	Aromatic C16-C21	8.27	U	8.27	50.0	ug/l
Aromatic C21-C36	Aromatic C21-C36	23.8	U	23.8	80.0	ug/l
SURROGATES						
580-13-2	2-Bromonaphthalene (SURR)	44.2		40 - 140	88%	SPK: 50
321-60-8	2-Fluorobiphenyl (SURR)	32.5		40 - 140	65%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	37.9		40 - 140	76%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

13

Quantitation Report For Aromatic EPH Range.

Lab Sample ID: PB167402TB Acq On: 01 Apr 2025 17:00
Client Sample ID: PB167402TB Operator: YP\AJ
Data file: FG015597.D Misc:
Instrument: FID_G ALS Vial: 25
Dilution Factor: 1 Sample Multiplier: 1.00

Compound	R.T.	Response	Conc	highest_standard	Units
Aromatic C10-C12	4.450	6.329	0	200	ug/ml
Aromatic C12-C16	6.330	9.035	0	300	ug/ml
Aromatic C16-C21	9.036	13.365	0	500	ug/ml
Aromatic C21-C36	13.366	18.829	0	800	ug/ml
Aromatic EPH	4.450	18.829	0		ug/ml
ortho-Terphenyl (SURR)	11.912	11.912	5532463	37.94	ug/ml
2-Bromonaphthalene (SURR)	7.960	7.960	5395823	44.17	ug/ml
2-Fluorobiphenyl (SURR)	8.838	8.838	2684362	32.48	ug/ml

A

B

C

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG040125AR\
 Data File : FG015597.D
 Signal(s) : FID1A.ch
 Acq On : 01 Apr 2025 17:00
 Operator : YP\AJ
 Sample : PB167402TB
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :
PB167402TB

Integration File: autoint1.e
 Quant Time: Apr 02 01:16:10 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\Aromatic EPH 031725.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 18 05:13:04 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 μ l
 Signal Phase : Rx1-1ms
 Signal Info : 20M x 0.18mm x 0.18 μ m

Compound	R.T.	Response	Conc Units
<hr/>			
System Monitoring Compounds			
4) S 2-Bromonaphthalene (S...	7.960	5395823	44.172 ug/ml
Spiked Amount 50.000		Recovery =	88.34%
6) S 2-Fluorobiphenyl (SURR)	8.838	2684362	32.476 ug/ml
Spiked Amount 50.000 Range 0 - 131		Recovery =	64.95%
11) S ortho-Terphenyl (SURR)	11.912	5532463	37.938 ug/ml
Spiked Amount 50.000		Recovery =	75.88%

Target Compounds


(f)=RT Delta > 1/2 Window (m)=manual int.




Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG040125AR\
 Data File : FG015597.D
 Signal(s) : FID1A.ch
 Acq On : 01 Apr 2025 17:00
 Operator : YP\AJ
 Sample : PB167402TB
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
FID_G
ClientSampleId :
PB167402TB

Integration File: autoint1.e
 Quant Time: Apr 02 01:16:10 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\Aromatic EPH 031725.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 18 05:13:04 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 μ l
 Signal Phase : Rx1-1ms
 Signal Info : 20M x 0.18mm x 0.18 μ m





#4 2-Bromonaphthalene (SURR)

R.T.: 7.960 min
 Delta R.T.: -0.008 min
 Response: 5395823
 Conc: 44.17 ug/ml

Instrument: FID_G
 ClientSampleId: PB167402TB

#6 2-Fluorobiphenyl (SURR)

R.T.: 8.838 min
 Delta R.T.: -0.007 min
 Response: 2684362
 Conc: 32.48 ug/ml

#11 ortho-Terphenyl (SURR)

R.T.: 11.912 min
 Delta R.T.: -0.006 min
 Response: 5532463
 Conc: 37.94 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG040125AR\
Data File : FG015597.D
Signal (s) : FID1A.ch
Acq On : 01 Apr 2025 17:00
Sample : PB167402TB
Misc :
ALS Vi al : 25 Sample Multipl ier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\Aromatic EPH 031725.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R. T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	7. 960	7. 890	8. 067	BB	499190	5395823	97. 53%	39. 638%
2	8. 838	8. 807	8. 955	BB	194137	2684362	48. 52%	19. 720%
3	11. 912	11. 859	11. 980	BB	486898	5532463	100. 00%	40. 642%
Sum of corrected areas:								13612647

Aromatic EPH 031725.M Wed Apr 02 02:26:59 2025

Hit Summary Sheet
SW-846

SDG No.: Q1664

Order ID: Q1664

Client: Weston Solutions, Inc.

Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	P001-BBDGA-001-01							
Q1664-01	P001-BBDGA-001-01	SOIL	Aluminum	14900		2.25	4.68	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Arsenic	2.10		0.27	0.94	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Barium	12.3		0.60	4.68	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Beryllium	0.36		0.011	0.28	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Cadmium	0.29		0.015	0.28	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Calcium	19700		2.62	93.5	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Chromium	22.4		0.050	0.47	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Cobalt	30.9		0.054	1.40	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Copper	180		0.44	0.94	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Iron	33800		2.52	4.68	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Lead	2.91		0.14	0.56	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Magnesium	28800		3.21	93.5	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Manganese	444		0.066	0.94	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Mercury	0.0090	J	0.0080	0.015	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Nickel	39.4		0.084	1.87	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Potassium	77.7	J	26.8	93.5	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Silver	0.34	J	0.049	0.47	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Sodium	796		33.8	93.5	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Thallium	1.72	J	0.41	1.87	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Vanadium	48.9		0.25	1.87	mg/Kg
Q1664-01	P001-BBDGA-001-01	SOIL	Zinc	37.3		0.10	1.87	mg/Kg
Client ID :	P001-BBDGA-001-02							
Q1664-07	P001-BBDGA-001-02	SOIL	Aluminum	14000		2.30	4.77	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Arsenic	1.58		0.28	0.95	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Barium	9.12		0.61	4.77	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Beryllium	0.31		0.011	0.29	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Cadmium	0.25	J	0.015	0.29	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Calcium	21100		2.67	95.3	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Chromium	25.1		0.051	0.48	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Cobalt	27.0		0.055	1.43	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Copper	140		0.45	0.95	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Iron	30200		2.56	4.77	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Lead	2.83		0.14	0.57	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Magnesium	25300		3.27	95.3	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Manganese	383		0.068	0.95	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Mercury	0.032		0.0080	0.015	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Nickel	36.8		0.086	1.91	mg/Kg

Hit Summary Sheet
SW-846

SDG No.:	Q1664			Order ID:	Q1664			
Client:	Weston Solutions, Inc.			Project ID:	RFP 905			
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1664-07	P001-BBDGA-001-02	SOIL	Potassium	72.6	J	27.4	95.3	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Silver	0.25	J	0.050	0.48	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Sodium	699		34.4	95.3	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Thallium	1.50	J	0.42	1.91	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Vanadium	47.3		0.26	1.91	mg/Kg
Q1664-07	P001-BBDGA-001-02	SOIL	Zinc	35.3		0.11	1.91	mg/Kg
Client ID :	P001-BBDGA-002-01							
Q1664-09	P001-BBDGA-002-01	SOIL	Aluminum	8380		2.21	4.59	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Arsenic	1.03		0.27	0.92	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Barium	11.1		0.59	4.59	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Beryllium	0.22	J	0.011	0.28	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Calcium	13500		2.57	91.8	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Chromium	20.4		0.050	0.46	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Cobalt	13.8		0.053	1.38	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Copper	145		0.43	0.92	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Iron	17800		2.47	4.59	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Lead	2.21		0.14	0.55	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Magnesium	11100		3.15	91.8	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Manganese	243		0.065	0.92	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Nickel	23.2		0.083	1.84	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Potassium	67.4	J	26.3	91.8	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Silver	0.50		0.048	0.46	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Sodium	929		33.1	91.8	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Thallium	0.73	J	0.40	1.84	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Vanadium	28.5		0.25	1.84	mg/Kg
Q1664-09	P001-BBDGA-002-01	SOIL	Zinc	26.9		0.10	1.84	mg/Kg
Client ID :	P001-BBDGA-003-01							
Q1664-11	P001-BBDGA-003-01	SOIL	Aluminum	12700		2.44	5.06	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Arsenic	1.49		0.29	1.01	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Barium	22.4		0.65	5.06	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Beryllium	0.29	J	0.012	0.30	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Cadmium	0.030	J	0.016	0.30	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Calcium	30800		2.83	101	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Chromium	24.5		0.055	0.51	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Cobalt	20.3		0.059	1.52	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Copper	133		0.48	1.01	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Iron	25500		2.72	5.06	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Lead	3.01		0.15	0.61	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Magnesium	15200		3.47	101	mg/Kg

Hit Summary Sheet
SW-846

SDG No.:	Q1664			Order ID:	Q1664			
Client:	Weston Solutions, Inc.			Project ID:	RFP 905			
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1664-11	P001-BBDGA-003-01	SOIL	Manganese	359		0.072	1.01	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Nickel	33.5		0.091	2.02	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Potassium	107		29.0	101	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Silver	0.53		0.053	0.51	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Sodium	1960		36.5	101	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Thallium	0.97	J	0.45	2.02	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Vanadium	42.2		0.27	2.02	mg/Kg
Q1664-11	P001-BBDGA-003-01	SOIL	Zinc	39.0		0.11	2.02	mg/Kg
Client ID :	P001-BBDGA-004-01							
Q1664-13	P001-BBDGA-004-01	SOIL	Aluminum	6450		2.43	5.04	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Arsenic	0.87	J	0.29	1.01	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Barium	12.7		0.65	5.04	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Beryllium	0.28	J	0.012	0.30	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Calcium	7730		2.82	101	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Chromium	18.4		0.054	0.50	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Cobalt	11.1		0.058	1.51	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Copper	69.9		0.47	1.01	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Iron	14000		2.71	5.04	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Lead	2.24		0.15	0.61	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Magnesium	8020		3.46	101	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Manganese	231		0.072	1.01	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Nickel	19.6		0.091	2.02	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Potassium	78.8	J	28.9	101	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Silver	0.40	J	0.052	0.50	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Sodium	586		36.4	101	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Vanadium	25.7		0.27	2.02	mg/Kg
Q1664-13	P001-BBDGA-004-01	SOIL	Zinc	21.7		0.11	2.02	mg/Kg
Client ID :	P001-BBDGA-005-01							
Q1664-15	P001-BBDGA-005-01	SOIL	Aluminum	11200		2.24	4.64	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Arsenic	1.46		0.27	0.93	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Barium	31.2		0.59	4.64	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Beryllium	0.26	J	0.011	0.28	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Cadmium	1.02		0.015	0.28	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Calcium	17500		2.60	92.8	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Chromium	25.3		0.050	0.46	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Cobalt	19.9		0.054	1.39	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Copper	160		0.44	0.93	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Iron	23200		2.50	4.64	mg/Kg
Q1664-15	P001-BBDGA-005-01	SOIL	Lead	2.62		0.14	0.56	mg/Kg

Hit Summary Sheet
SW-846

SDG No.:	Q1664				Order ID:	Q1664			
Client:	Weston Solutions, Inc.				Project ID:	RFP 905			
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units	
Q1664-15	P001-BBDGA-005-01	SOIL	Magnesium	15500		3.18	92.8	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Manganese	330		0.066	0.93	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Mercury	0.010	J	0.0080	0.014	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Nickel	32.0		0.084	1.86	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Potassium	107		26.6	92.8	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Silver	0.58		0.048	0.46	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Sodium	1240		33.5	92.8	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Thallium	0.86	J	0.41	1.86	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Vanadium	41.6		0.25	1.86	mg/Kg	
Q1664-15	P001-BBDGA-005-01	SOIL	Zinc	30.5		0.10	1.86	mg/Kg	
Client ID :	P001-BBDGA-006-01								
Q1664-17	P001-BBDGA-006-01	SOIL	Aluminum	7060		2.43	5.05	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Arsenic	0.76	J	0.29	1.01	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Barium	8.11		0.65	5.05	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Beryllium	0.20	J	0.012	0.30	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Calcium	7970		2.83	101	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Chromium	12.0		0.055	0.51	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Cobalt	12.4		0.059	1.51	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Copper	56.1		0.47	1.01	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Iron	17500		2.72	5.05	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Lead	1.79		0.15	0.61	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Magnesium	9570		3.46	101	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Manganese	190		0.072	1.01	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Nickel	21.2		0.091	2.02	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Potassium	60.2	J	29.0	101	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Selenium	0.38	J	0.33	1.01	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Silver	0.41	J	0.052	0.51	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Sodium	824		36.4	101	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Thallium	0.83	J	0.44	2.02	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Vanadium	23.1		0.27	2.02	mg/Kg	
Q1664-17	P001-BBDGA-006-01	SOIL	Zinc	59.7		0.11	2.02	mg/Kg	
Client ID :	P001-BBDGA-007-01								
Q1664-19	P001-BBDGA-007-01	SOIL	Aluminum	8260		2.30	4.77	mg/Kg	
Q1664-19	P001-BBDGA-007-01	SOIL	Arsenic	0.89	J	0.28	0.95	mg/Kg	
Q1664-19	P001-BBDGA-007-01	SOIL	Barium	9.10		0.61	4.77	mg/Kg	
Q1664-19	P001-BBDGA-007-01	SOIL	Beryllium	0.19	J	0.011	0.29	mg/Kg	
Q1664-19	P001-BBDGA-007-01	SOIL	Calcium	7870		2.67	95.4	mg/Kg	
Q1664-19	P001-BBDGA-007-01	SOIL	Chromium	20.4		0.051	0.48	mg/Kg	
Q1664-19	P001-BBDGA-007-01	SOIL	Cobalt	14.7		0.055	1.43	mg/Kg	

Hit Summary Sheet
SW-846

SDG No.:	Q1664				Order ID:	Q1664			
Client:	Weston Solutions, Inc.				Project ID:	RFP 905			
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL		RDL	Units
Q1664-19	P001-BBDGA-007-01	SOIL	Copper	68.9		0.45		0.95	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Iron	18900		2.57		4.77	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Lead	1.78		0.14		0.57	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Magnesium	13100		3.27		95.4	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Manganese	199		0.068		0.95	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Mercury	0.0080	J	0.0080		0.015	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Nickel	22.8		0.086		1.91	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Potassium	49.9	J	27.4		95.4	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Selenium	0.43	J	0.32		0.95	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Silver	0.38	J	0.050		0.48	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Sodium	567		34.4		95.4	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Thallium	0.80	J	0.42		1.91	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Vanadium	31.8		0.26		1.91	mg/Kg
Q1664-19	P001-BBDGA-007-01	SOIL	Zinc	17.6		0.11		1.91	mg/Kg
Client ID :	P001-BBDGA-008-01								
Q1664-21	P001-BBDGA-008-01	SOIL	Aluminum	10900		2.43		5.04	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Arsenic	1.12		0.29		1.01	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Barium	13.8		0.65		5.04	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Beryllium	0.23	J	0.012		0.30	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Calcium	24800		2.82		101	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Chromium	23.3		0.054		0.50	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Cobalt	16.3		0.058		1.51	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Copper	194		0.47		1.01	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Iron	20700		2.71		5.04	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Lead	2.23		0.15		0.61	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Magnesium	12200		3.46		101	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Manganese	343		0.072		1.01	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Mercury	0.0070	J	0.0070		0.013	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Nickel	27.9		0.091		2.02	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Potassium	79.8	J	28.9		101	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Silver	0.73		0.052		0.50	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Sodium	1300		36.4		101	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Thallium	0.67	J	0.44		2.02	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Vanadium	33.1		0.27		2.02	mg/Kg
Q1664-21	P001-BBDGA-008-01	SOIL	Zinc	29.2		0.11		2.02	mg/Kg



A
B
C
D

SAMPLE DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
Level (low/med):	low	% Solid:	91.8

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.	
7429-90-5	Aluminum	14900		1	2.25	4.68	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-36-0	Antimony	0.14	UN	1	0.14	2.34	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-38-2	Arsenic	2.10		1	0.27	0.94	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-39-3	Barium	12.3		N	1	0.60	4.68	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050
7440-41-7	Beryllium	0.36		1	0.011	0.28	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-43-9	Cadmium	0.29		1	0.015	0.28	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-70-2	Calcium	19700		1	2.62	93.5	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-47-3	Chromium	22.4		1	0.050	0.47	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-48-4	Cobalt	30.9		1	0.054	1.40	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-50-8	Copper	180	*	1	0.44	0.94	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7439-89-6	Iron	33800		1	2.52	4.68	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7439-92-1	Lead	2.91		1	0.14	0.56	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7439-95-4	Magnesium	28800		1	3.21	93.5	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7439-96-5	Manganese	444		1	0.066	0.94	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7439-97-6	Mercury	0.0090	J	1	0.0080	0.015	mg/Kg	03/31/25 09:45	03/31/25 12:45	SW7471B		
7440-02-0	Nickel	39.4		1	0.084	1.87	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-09-7	Potassium	77.7	J	1	26.8	93.5	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7782-49-2	Selenium	0.31	U	1	0.31	0.94	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-22-4	Silver	0.34	J	1	0.049	0.47	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-23-5	Sodium	796		1	33.8	93.5	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-28-0	Thallium	1.72	J	1	0.41	1.87	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-62-2	Vanadium	48.9		1	0.25	1.87	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	
7440-66-6	Zinc	37.3	N	1	0.10	1.87	mg/Kg	03/28/25 10:05	03/31/25 13:46	SW6010	SW3050	

Color Before:	Gray	Clarity Before:	Texture:	Medium
Color After:	Yellow	Clarity After:	Artifacts:	
Comments:	METALS TAL+CN			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
Level (low/med):	low	% Solid:	92

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	14000		1	2.30	4.77	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-36-0	Antimony	0.14	UN	1	0.14	2.38	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-38-2	Arsenic	1.58		1	0.28	0.95	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-39-3	Barium	9.12	N	1	0.61	4.77	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-41-7	Beryllium	0.31		1	0.011	0.29	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-43-9	Cadmium	0.25	J	1	0.015	0.29	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-70-2	Calcium	21100		1	2.67	95.3	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-47-3	Chromium	25.1		1	0.051	0.48	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-48-4	Cobalt	27.0		1	0.055	1.43	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-50-8	Copper	140	*	1	0.45	0.95	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7439-89-6	Iron	30200		1	2.56	4.77	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7439-92-1	Lead	2.83		1	0.14	0.57	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7439-95-4	Magnesium	25300		1	3.27	95.3	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7439-96-5	Manganese	383		1	0.068	0.95	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7439-97-6	Mercury	0.032		1	0.0080	0.015	mg/Kg	03/31/25 09:45	03/31/25 12:59	SW7471B	
7440-02-0	Nickel	36.8		1	0.086	1.91	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-09-7	Potassium	72.6	J	1	27.4	95.3	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7782-49-2	Selenium	0.32	U	1	0.32	0.95	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-22-4	Silver	0.25	J	1	0.050	0.48	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-23-5	Sodium	699		1	34.4	95.3	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-28-0	Thallium	1.50	J	1	0.42	1.91	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-62-2	Vanadium	47.3		1	0.26	1.91	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050
7440-66-6	Zinc	35.3	N	1	0.11	1.91	mg/Kg	03/28/25 10:05	03/31/25 14:19	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Texture:	Medium
Color After:	Yellow	Clarity After:	Artifacts:	
Comments:	METALS TAL+CN			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
Level (low/med):	low	% Solid:	93.5

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	8380		1	2.21	4.59	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-36-0	Antimony	0.14	UN	1	0.14	2.30	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-38-2	Arsenic	1.03		1	0.27	0.92	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-39-3	Barium	11.1	N	1	0.59	4.59	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-41-7	Beryllium	0.22	J	1	0.011	0.28	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-43-9	Cadmium	0.015	U	1	0.015	0.28	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-70-2	Calcium	13500		1	2.57	91.8	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-47-3	Chromium	20.4		1	0.050	0.46	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-48-4	Cobalt	13.8		1	0.053	1.38	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-50-8	Copper	145	*	1	0.43	0.92	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7439-89-6	Iron	17800		1	2.47	4.59	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7439-92-1	Lead	2.21		1	0.14	0.55	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7439-95-4	Magnesium	11100		1	3.15	91.8	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7439-96-5	Manganese	243		1	0.065	0.92	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7439-97-6	Mercury	0.0080	U	1	0.0080	0.014	mg/Kg	03/31/25 09:45	03/31/25 13:01	SW7471B	
7440-02-0	Nickel	23.2		1	0.083	1.84	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-09-7	Potassium	67.4	J	1	26.3	91.8	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7782-49-2	Selenium	0.30	U	1	0.30	0.92	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-22-4	Silver	0.50		1	0.048	0.46	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-23-5	Sodium	929		1	33.1	91.8	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-28-0	Thallium	0.73	J	1	0.40	1.84	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-62-2	Vanadium	28.5		1	0.25	1.84	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050
7440-66-6	Zinc	26.9	N	1	0.10	1.84	mg/Kg	03/28/25 10:05	03/31/25 14:23	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Medium
Color After:	Yellow	Clarity After:	Artifacts:
Comments:	METALS TAL+CN		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
Level (low/med):	low	% Solid:	94.6

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	12700		1	2.44	5.06	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-36-0	Antimony	0.15	UN	1	0.15	2.53	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-38-2	Arsenic	1.49		1	0.29	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-39-3	Barium	22.4	N	1	0.65	5.06	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-41-7	Beryllium	0.29	J	1	0.012	0.30	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-43-9	Cadmium	0.030	J	1	0.016	0.30	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-70-2	Calcium	30800		1	2.83	101	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-47-3	Chromium	24.5		1	0.055	0.51	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-48-4	Cobalt	20.3		1	0.059	1.52	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-50-8	Copper	133	*	1	0.48	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7439-89-6	Iron	25500		1	2.72	5.06	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7439-92-1	Lead	3.01		1	0.15	0.61	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7439-95-4	Magnesium	15200		1	3.47	101	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7439-96-5	Manganese	359		1	0.072	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7439-97-6	Mercury	0.0080	U	1	0.0080	0.015	mg/Kg	03/31/25 09:45	03/31/25 13:03	SW7471B	
7440-02-0	Nickel	33.5		1	0.091	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-09-7	Potassium	107		1	29.0	101	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7782-49-2	Selenium	0.33	U	1	0.33	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-22-4	Silver	0.53		1	0.053	0.51	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-23-5	Sodium	1960		1	36.5	101	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-28-0	Thallium	0.97	J	1	0.45	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-62-2	Vanadium	42.2		1	0.27	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050
7440-66-6	Zinc	39.0	N	1	0.11	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:28	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Medium
Color After:	Yellow	Clarity After:	Artifacts:
Comments:	METALS TAL+CN		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
Level (low/med):	low	% Solid:	95.4

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	6450		1	2.43	5.04	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-36-0	Antimony	0.15	UN	1	0.15	2.52	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-38-2	Arsenic	0.87	J	1	0.29	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-39-3	Barium	12.7	N	1	0.65	5.04	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-41-7	Beryllium	0.28	J	1	0.012	0.30	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-43-9	Cadmium	0.016	U	1	0.016	0.30	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-70-2	Calcium	7730		1	2.82	101	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-47-3	Chromium	18.4		1	0.054	0.50	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-48-4	Cobalt	11.1		1	0.058	1.51	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-50-8	Copper	69.9	*	1	0.47	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7439-89-6	Iron	14000		1	2.71	5.04	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7439-92-1	Lead	2.24		1	0.15	0.61	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7439-95-4	Magnesium	8020		1	3.46	101	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7439-96-5	Manganese	231		1	0.072	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7439-97-6	Mercury	0.0070	U	1	0.0070	0.013	mg/Kg	03/31/25 09:45	03/31/25 13:05	SW7471B	
7440-02-0	Nickel	19.6		1	0.091	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-09-7	Potassium	78.8	J	1	28.9	101	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7782-49-2	Selenium	0.33	U	1	0.33	1.01	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-22-4	Silver	0.40	J	1	0.052	0.50	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-23-5	Sodium	586		1	36.4	101	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-28-0	Thallium	0.44	U	1	0.44	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-62-2	Vanadium	25.7		1	0.27	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050
7440-66-6	Zinc	21.7	N	1	0.11	2.02	mg/Kg	03/28/25 10:05	03/31/25 14:32	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Medium
Color After:	Yellow	Clarity After:	Artifacts:
Comments:	METALS TAL+CN		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
Level (low/med):	low	% Solid:	91.7

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	11200		1	2.24	4.64	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-36-0	Antimony	0.14	UN	1	0.14	2.32	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-38-2	Arsenic	1.46		1	0.27	0.93	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-39-3	Barium	31.2	N	1	0.59	4.64	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-41-7	Beryllium	0.26	J	1	0.011	0.28	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-43-9	Cadmium	1.02		1	0.015	0.28	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-70-2	Calcium	17500		1	2.60	92.8	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-47-3	Chromium	25.3		1	0.050	0.46	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-48-4	Cobalt	19.9		1	0.054	1.39	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-50-8	Copper	160	*	1	0.44	0.93	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7439-89-6	Iron	23200		1	2.50	4.64	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7439-92-1	Lead	2.62		1	0.14	0.56	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7439-95-4	Magnesium	15500		1	3.18	92.8	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7439-96-5	Manganese	330		1	0.066	0.93	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7439-97-6	Mercury	0.010	J	1	0.0080	0.014	mg/Kg	03/31/25 09:45	03/31/25 13:08	SW7471B	
7440-02-0	Nickel	32.0		1	0.084	1.86	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-09-7	Potassium	107		1	26.6	92.8	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7782-49-2	Selenium	0.31	U	1	0.31	0.93	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-22-4	Silver	0.58		1	0.048	0.46	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-23-5	Sodium	1240		1	33.5	92.8	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-28-0	Thallium	0.86	J	1	0.41	1.86	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-62-2	Vanadium	41.6		1	0.25	1.86	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050
7440-66-6	Zinc	30.5	N	1	0.10	1.86	mg/Kg	03/28/25 10:05	03/31/25 15:02	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Medium
Color After:	Yellow	Clarity After:	Artifacts:
Comments:	METALS TAL+CN		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
Level (low/med):	low	% Solid:	93.9

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	7060		1	2.43	5.05	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-36-0	Antimony	0.15	UN	1	0.15	2.52	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-38-2	Arsenic	0.76	J	1	0.29	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-39-3	Barium	8.11	N	1	0.65	5.05	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-41-7	Beryllium	0.20	J	1	0.012	0.30	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-43-9	Cadmium	0.016	U	1	0.016	0.30	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-70-2	Calcium	7970		1	2.83	101	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-47-3	Chromium	12.0		1	0.055	0.51	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-48-4	Cobalt	12.4		1	0.059	1.51	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-50-8	Copper	56.1	*	1	0.47	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7439-89-6	Iron	17500		1	2.72	5.05	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7439-92-1	Lead	1.79		1	0.15	0.61	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7439-95-4	Magnesium	9570		1	3.46	101	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7439-96-5	Manganese	190		1	0.072	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7439-97-6	Mercury	0.0080	U	1	0.0080	0.015	mg/Kg	03/31/25 09:45	03/31/25 13:10	SW7471B	
7440-02-0	Nickel	21.2		1	0.091	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-09-7	Potassium	60.2	J	1	29.0	101	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7782-49-2	Selenium	0.38	J	1	0.33	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-22-4	Silver	0.41	J	1	0.052	0.51	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-23-5	Sodium	824		1	36.4	101	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-28-0	Thallium	0.83	J	1	0.44	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-62-2	Vanadium	23.1		1	0.27	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050
7440-66-6	Zinc	59.7	N	1	0.11	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:06	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Texture:	Medium
Color After:	Yellow	Clarity After:	Artifacts:	
Comments:	METALS TAL+CN			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
Level (low/med):	low	% Solid:	92.8

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	8260		1	2.30	4.77	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-36-0	Antimony	0.14	UN	1	0.14	2.38	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-38-2	Arsenic	0.89	J	1	0.28	0.95	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-39-3	Barium	9.10	N	1	0.61	4.77	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-41-7	Beryllium	0.19	J	1	0.011	0.29	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-43-9	Cadmium	0.015	U	1	0.015	0.29	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-70-2	Calcium	7870		1	2.67	95.4	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-47-3	Chromium	20.4		1	0.051	0.48	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-48-4	Cobalt	14.7		1	0.055	1.43	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-50-8	Copper	68.9	*	1	0.45	0.95	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7439-89-6	Iron	18900		1	2.57	4.77	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7439-92-1	Lead	1.78		1	0.14	0.57	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7439-95-4	Magnesium	13100		1	3.27	95.4	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7439-96-5	Manganese	199		1	0.068	0.95	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7439-97-6	Mercury	0.0080	J	1	0.0080	0.015	mg/Kg	03/31/25 09:45	03/31/25 13:12	SW7471B	
7440-02-0	Nickel	22.8		1	0.086	1.91	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-09-7	Potassium	49.9	J	1	27.4	95.4	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7782-49-2	Selenium	0.43	J	1	0.32	0.95	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-22-4	Silver	0.38	J	1	0.050	0.48	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-23-5	Sodium	567		1	34.4	95.4	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-28-0	Thallium	0.80	J	1	0.42	1.91	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-62-2	Vanadium	31.8		1	0.26	1.91	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050
7440-66-6	Zinc	17.6	N	1	0.11	1.91	mg/Kg	03/28/25 10:05	03/31/25 15:10	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Medium
Color After:	Yellow	Clarity After:	Artifacts:
Comments:	METALS TAL+CN		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
Level (low/med):	low	% Solid:	94

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	10900		1	2.43	5.04	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-36-0	Antimony	0.15	UN	1	0.15	2.52	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-38-2	Arsenic	1.12		1	0.29	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-39-3	Barium	13.8	N	1	0.65	5.04	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-41-7	Beryllium	0.23	J	1	0.012	0.30	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-43-9	Cadmium	0.016	U	1	0.016	0.30	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-70-2	Calcium	24800		1	2.82	101	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-47-3	Chromium	23.3		1	0.054	0.50	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-48-4	Cobalt	16.3		1	0.058	1.51	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-50-8	Copper	194	*	1	0.47	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7439-89-6	Iron	20700		1	2.71	5.04	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7439-92-1	Lead	2.23		1	0.15	0.61	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7439-95-4	Magnesium	12200		1	3.46	101	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7439-96-5	Manganese	343		1	0.072	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7439-97-6	Mercury	0.0070	J	1	0.0070	0.013	mg/Kg	03/31/25 09:45	03/31/25 13:15	SW7471B	
7440-02-0	Nickel	27.9		1	0.091	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-09-7	Potassium	79.8	J	1	28.9	101	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7782-49-2	Selenium	0.33	U	1	0.33	1.01	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-22-4	Silver	0.73		1	0.052	0.50	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-23-5	Sodium	1300		1	36.4	101	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-28-0	Thallium	0.67	J	1	0.44	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-62-2	Vanadium	33.1		1	0.27	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050
7440-66-6	Zinc	29.2	N	1	0.11	2.02	mg/Kg	03/28/25 10:05	03/31/25 15:15	SW6010	SW3050

Color Before:	Gray	Clarity Before:	Medium
Color After:	Yellow	Clarity After:	Artifacts:
Comments:	METALS TAL+CN		

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil					
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-04	P001-BBDGA-001-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-08	P001-BBDGA-001-02	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-10	P001-BBDGA-002-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-12	P001-BBDGA-003-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-13	P001-BBDGA-004-01	SOIL			03/26/25			03/27/25

A
 B
 C
 D

LAB CHRONICLE

			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-14	P001-BBDGA-004-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-15	P001-BBDGA-005-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-16	P001-BBDGA-005-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-17	P001-BBDGA-006-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-18	P001-BBDGA-006-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-19	P001-BBDGA-007-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-20	P001-BBDGA-007-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-21	P001-BBDGA-008-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-22	P001-BBDGA-008-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25

Hit Summary Sheet
SW-846

SDG No.: Q1664

Order ID: Q1664

Client: Weston Solutions, Inc.

Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	P001-BBDGA-001-01							
Q1664-04	P001-BBDGA-001-01	Water	Aluminum	5040		28.3	50.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Barium	109		6.28	50.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Beryllium	1.22	J	0.13	3.00	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Calcium	463000		33.0	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Chromium	21.9		0.66	5.00	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Cobalt	54.4		0.50	15.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Copper	323		7.07	10.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Iron	60100		18.5	50.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Lead	4.13	J	3.51	6.00	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Magnesium	51300		39.4	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Manganese	6990		1.46	10.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Nickel	63.4		0.85	20.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Potassium	1340		685	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Sodium	16600		237	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Vanadium	73.0		3.06	20.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Zinc	474		1.75	20.0	ug/L
Client ID :	P001-BBDGA-001-02							
Q1664-08	P001-BBDGA-001-02	Water	Aluminum	751		28.3	50.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Barium	136		6.28	50.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Calcium	118000		33.0	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Chromium	1.47	J	0.66	5.00	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Cobalt	1.13	J	0.50	15.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Iron	1460		18.5	50.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Magnesium	12300		39.4	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Manganese	987		1.46	10.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Nickel	2.74	J	0.85	20.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Potassium	745	J	685	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Sodium	11100		237	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Vanadium	7.90	J	3.06	20.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Zinc	42.6		1.75	20.0	ug/L
Client ID :	P001-BBDGA-002-01							
Q1664-10	P001-BBDGA-002-01	Water	Barium	134		6.28	50.0	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Calcium	127000		33.0	1000	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Magnesium	4920		39.4	1000	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Manganese	807		1.46	10.0	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Potassium	833	J	685	1000	ug/L

Hit Summary Sheet
SW-846

SDG No.:	Q1664			Order ID:	Q1664			
Client:	Weston Solutions, Inc.			Project ID:	RFP 905			
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1664-10	P001-BBDGA-002-01	Water	Sodium	24000		237	1000	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Vanadium	6.50	J	3.06	20.0	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Zinc	36.9		1.75	20.0	ug/L
Client ID :	P001-BBDGA-003-01							
Q1664-12	P001-BBDGA-003-01	Water	Barium	88.1		6.28	50.0	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Calcium	122000		33.0	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Magnesium	4530		39.4	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Manganese	798		1.46	10.0	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Potassium	727	J	685	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Sodium	22400		237	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Vanadium	5.37	J	3.06	20.0	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Zinc	56.8		1.75	20.0	ug/L
Client ID :	P001-BBDGA-004-01							
Q1664-14	P001-BBDGA-004-01	Water	Aluminum	272		28.3	50.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Barium	109		6.28	50.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Cadmium	0.14	J	0.094	3.00	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Calcium	120000		33.0	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Cobalt	1.05	J	0.50	15.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Iron	346		18.5	50.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Magnesium	6500		39.4	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Manganese	1790		1.46	10.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Nickel	3.17	J	0.85	20.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Potassium	1020		685	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Sodium	12700		237	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Vanadium	4.37	J	3.06	20.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Zinc	70.8		1.75	20.0	ug/L
Client ID :	P001-BBDGA-005-01							
Q1664-16	P001-BBDGA-005-01	Water	Barium	148		6.28	50.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Cadmium	0.16	J	0.094	3.00	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Calcium	122000		33.0	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Iron	19.2	J	18.5	50.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Magnesium	6470		39.4	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Manganese	1050		1.46	10.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Nickel	1.15	J	0.85	20.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Potassium	959	J	685	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Sodium	29100		237	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Vanadium	7.04	J	3.06	20.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Zinc	63.0		1.75	20.0	ug/L

Hit Summary Sheet
SW-846

SDG No.:	Q1664			Order ID:	Q1664			
Client:	Weston Solutions, Inc.			Project ID:	RFP 905			
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	P001-BBDGA-006-01							
Q1664-18	P001-BBDGA-006-01	Water	Barium	92.0		6.28	50.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Calcium	157000		33.0	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Cobalt	1.20	J	0.50	15.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Iron	78.8		18.5	50.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Magnesium	6150		39.4	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Manganese	1410		1.46	10.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Nickel	3.22	J	0.85	20.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Potassium	1220		685	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Sodium	29600		237	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Vanadium	5.37	J	3.06	20.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Zinc	71.0		1.75	20.0	ug/L
Client ID :	P001-BBDGA-007-01							
Q1664-20	P001-BBDGA-007-01	Water	Barium	75.9		6.28	50.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Cadmium	0.19	J	0.094	3.00	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Calcium	104000		33.0	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Cobalt	1.29	J	0.50	15.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Iron	45.4	J	18.5	50.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Magnesium	8520		39.4	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Manganese	1070		1.46	10.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Nickel	3.67	J	0.85	20.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Potassium	1030		685	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Sodium	10500		237	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Vanadium	6.43	J	3.06	20.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Zinc	27.9		1.75	20.0	ug/L
Client ID :	P001-BBDGA-008-01							
Q1664-22	P001-BBDGA-008-01	Water	Barium	53.4		6.28	50.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Calcium	111000		33.0	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Iron	39.6	J	18.5	50.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Magnesium	5550		39.4	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Manganese	388		1.46	10.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Potassium	915	J	685	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Sodium	27400		237	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Vanadium	9.12	J	3.06	20.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Zinc	16.3	J	1.75	20.0	ug/L



A
B
C
D

SAMPLE DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	5040		1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-39-3	Barium	109		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-41-7	Beryllium	1.22	J	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-70-2	Calcium	463000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-47-3	Chromium	21.9		1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-48-4	Cobalt	54.4		1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-50-8	Copper	323	N	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-89-6	Iron	60100		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-92-1	Lead	4.13	J	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-95-4	Magnesium	51300		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-96-5	Manganese	6990		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 11:52	SW7470A	
7440-02-0	Nickel	63.4		1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-09-7	Potassium	1340		1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-23-5	Sodium	16600		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-62-2	Vanadium	73.0		1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-66-6	Zinc	474		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	751		1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-39-3	Barium	136		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-70-2	Calcium	118000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-47-3	Chromium	1.47	J	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-48-4	Cobalt	1.13	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-89-6	Iron	1460		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-95-4	Magnesium	12300		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-96-5	Manganese	987		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:06	SW7470A	
7440-02-0	Nickel	2.74	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-09-7	Potassium	745	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-23-5	Sodium	11100		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-62-2	Vanadium	7.90	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-66-6	Zinc	42.6		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-39-3	Barium	134		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-70-2	Calcium	127000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-89-6	Iron	18.5	U	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-95-4	Magnesium	4920		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-96-5	Manganese	807		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:08	SW7470A	
7440-02-0	Nickel	0.85	U	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-09-7	Potassium	833	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-23-5	Sodium	24000		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-62-2	Vanadium	6.50	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-66-6	Zinc	36.9		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-39-3	Barium	88.1		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-70-2	Calcium	122000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-89-6	Iron	18.5	U	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-95-4	Magnesium	4530		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-96-5	Manganese	798		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:10	SW7470A	
7440-02-0	Nickel	0.85	U	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-09-7	Potassium	727	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-23-5	Sodium	22400		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-62-2	Vanadium	5.37	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-66-6	Zinc	56.8		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	272		1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-39-3	Barium	109		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-43-9	Cadmium	0.14	J	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-70-2	Calcium	120000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-48-4	Cobalt	1.05	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-89-6	Iron	346		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-95-4	Magnesium	6500		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-96-5	Manganese	1790		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:12	SW7470A	
7440-02-0	Nickel	3.17	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-09-7	Potassium	1020		1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-23-5	Sodium	12700		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-62-2	Vanadium	4.37	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-66-6	Zinc	70.8		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-39-3	Barium	148		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-43-9	Cadmium	0.16	J	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-70-2	Calcium	122000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-89-6	Iron	19.2	J	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-95-4	Magnesium	6470		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-96-5	Manganese	1050		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:15	SW7470A	
7440-02-0	Nickel	1.15	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-09-7	Potassium	959	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-23-5	Sodium	29100		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-62-2	Vanadium	7.04	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-66-6	Zinc	63.0		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-39-3	Barium	92.0		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-70-2	Calcium	157000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-48-4	Cobalt	1.20	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-89-6	Iron	78.8		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-95-4	Magnesium	6150		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-96-5	Manganese	1410		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:17	SW7470A	
7440-02-0	Nickel	3.22	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-09-7	Potassium	1220		1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-23-5	Sodium	29600		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-62-2	Vanadium	5.37	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-66-6	Zinc	71.0		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-39-3	Barium	75.9		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-43-9	Cadmium	0.19	J	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-70-2	Calcium	104000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-48-4	Cobalt	1.29	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-89-6	Iron	45.4	J	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-95-4	Magnesium	8520		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-96-5	Manganese	1070		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:19	SW7470A	
7440-02-0	Nickel	3.67	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-09-7	Potassium	1030		1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-23-5	Sodium	10500		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-62-2	Vanadium	6.43	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-66-6	Zinc	27.9		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-39-3	Barium	53.4		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-70-2	Calcium	111000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-89-6	Iron	39.6	J	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-95-4	Magnesium	5550		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-96-5	Manganese	388		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:22	SW7470A	
7440-02-0	Nickel	0.85	U	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-09-7	Potassium	915	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-23-5	Sodium	27400		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-62-2	Vanadium	9.12	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-66-6	Zinc	16.3	J	1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil					
<hr/>								
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-04	P001-BBDGA-001-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-08	P001-BBDGA-001-02	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-10	P001-BBDGA-002-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-12	P001-BBDGA-003-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-13	P001-BBDGA-004-01	SOIL			03/26/25			03/27/25

LAB CHRONICLE

			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-14	P001-BBDGA-004-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-15	P001-BBDGA-005-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-16	P001-BBDGA-005-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-17	P001-BBDGA-006-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-18	P001-BBDGA-006-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-19	P001-BBDGA-007-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-20	P001-BBDGA-007-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25
Q1664-21	P001-BBDGA-008-01	SOIL			03/26/25	03/27/25
			Mercury	7471B	03/31/25	03/31/25
			Metals ICP-TAL	6010D	03/28/25	03/31/25
Q1664-22	P001-BBDGA-008-01	Water			03/26/25	03/27/25
			SPLP ICP Metals	6010D	03/31/25	04/01/25
			SPLP Mercury	7470A	04/01/25	04/01/25



SAMPLE

DATA

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:30
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-01	Matrix:	SOIL
		% Solid:	91.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.18	J	1	0.045	0.27	mg/Kg	03/31/25 08:00	03/31/25 11:11	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:30
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0017	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:30	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:30
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-07	Matrix:	SOIL
		% Solid:	92

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.19	J	1	0.044	0.26	mg/Kg	03/31/25 08:00	03/31/25 11:19	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:30
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0012	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:38	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:35
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-09	Matrix:	SOIL
		% Solid:	93.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.29		1	0.044	0.26	mg/Kg	03/31/25 08:00	03/31/25 11:19	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:35
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0013	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:38	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:40
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-11	Matrix:	SOIL
		% Solid:	94.6

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.092	J	1	0.043	0.25	mg/Kg	03/31/25 08:00	03/31/25 11:19	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:40
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.011		1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:38	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:45
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-13	Matrix:	SOIL
		% Solid:	95.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.093	J	1	0.044	0.26	mg/Kg	03/31/25 08:00	03/31/25 11:24	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:45
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0014	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:38	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:50
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-15	Matrix:	SOIL
		% Solid:	91.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.069	J	1	0.045	0.27	mg/Kg	03/31/25 08:00	03/31/25 11:24	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:50
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0012	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:44	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:55
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-17	Matrix:	SOIL
		% Solid:	93.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.096	J	1	0.043	0.26	mg/Kg	03/31/25 08:00	03/31/25 11:24	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 09:55
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0012	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:44	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 10:00
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-19	Matrix:	SOIL
		% Solid:	92.8

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.25	J	1	0.044	0.26	mg/Kg	03/31/25 08:00	03/31/25 11:24	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 10:00
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0013	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:44	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 10:05
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-21	Matrix:	SOIL
		% Solid:	94

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.10	J	1	0.043	0.25	mg/Kg	03/31/25 08:00	03/31/25 11:24	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25 10:05
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0017	J	1	0.00096	0.0050	mg/L	03/31/25 12:00	03/31/25 14:44	9012B

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM					
Client:	Weston Solutions, Inc.	Project:	RFP 905					
Contact:	Smita Sumbaly	Location:	I31, VOA Ref. #2 Soil					
<hr/>								
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25 09:30			03/27/25
			Cyanide	9012B		03/31/25	03/31/25 11:11	
Q1664-04	P001-BBDGA-001-01	WATER			03/26/25 09:30			03/27/25
			SPLP Cyanide	9012B		03/31/25	03/31/25 14:30	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25 09:30			03/27/25
			Cyanide	9012B		03/31/25	03/31/25 11:19	
Q1664-08	P001-BBDGA-001-02	WATER			03/26/25 09:30			03/27/25
			SPLP Cyanide	9012B		03/31/25	03/31/25 14:38	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25 09:35			03/27/25
			Cyanide	9012B		03/31/25	03/31/25 11:19	
Q1664-10	P001-BBDGA-002-01	WATER			03/26/25 09:35			03/27/25
			SPLP Cyanide	9012B		03/31/25	03/31/25 14:38	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25 09:40			03/27/25
			Cyanide	9012B		03/31/25	03/31/25 11:19	

LAB CHRONICLE

Q1664-12	P001-BBDGA-003-01	WATER		03/26/25 09:40		03/27/25
		SPLP Cyanide	9012B		03/31/25	03/31/25 14:38
Q1664-13	P001-BBDGA-004-01	SOIL		03/26/25 09:45		03/27/25
		Cyanide	9012B		03/31/25	03/31/25 11:24
Q1664-14	P001-BBDGA-004-01	WATER		03/26/25 09:45		03/27/25
		SPLP Cyanide	9012B		03/31/25	03/31/25 14:38
Q1664-15	P001-BBDGA-005-01	SOIL		03/26/25 09:50		03/27/25
		Cyanide	9012B		03/31/25	03/31/25 11:24
Q1664-16	P001-BBDGA-005-01	WATER		03/26/25 09:50		03/27/25
		SPLP Cyanide	9012B		03/31/25	03/31/25 14:44
Q1664-17	P001-BBDGA-006-01	SOIL		03/26/25 09:55		03/27/25
		Cyanide	9012B		03/31/25	03/31/25 11:24
Q1664-18	P001-BBDGA-006-01	WATER		03/26/25 09:55		03/27/25
		SPLP Cyanide	9012B		03/31/25	03/31/25 14:44
Q1664-19	P001-BBDGA-007-01	SOIL		03/26/25 10:00		03/27/25
		Cyanide	9012B		03/31/25	03/31/25 11:24
Q1664-20	P001-BBDGA-007-01	WATER		03/26/25 10:00		03/27/25

LAB CHRONICLE

		SPLP Cyanide	9012B	03/31/25	03/31/25 14:44	
Q1664-21	P001-BBDGA-008-01	SOIL		03/26/25 10:05		03/27/25
		Cyanide	9012B		03/31/25 11:24	
Q1664-22	P001-BBDGA-008-01	WATER		03/26/25 10:05		03/27/25
		SPLP Cyanide	9012B		03/31/25 14:44	



SHIPPING DOCUMENTS

Q1664

17

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-001-01	P001-BBDGA-001			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	09:30	9	5-g Encore	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	09:30	6	8 oz glass	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	09:30	3	4 oz glass w/septum	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	09:30	6	8 oz glass	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			E	EPH (TAT 3 Days)	Stone	3/26/2025	09:30	3	8 oz glass	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			F	SPLP EPH	Stone	3/26/2025	09:30	3	8 oz glass	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			G	SPLP VOCs	Stone	3/26/2025	09:30	9	5-g Encore	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	09:30	6	8 oz glass	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	09:30	3	4 oz glass w/septum	4 C	Y
P001-BBDGA-001-01	P001-BBDGA-001			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	09:30	6	8 oz glass	4 C	Y

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.	SAMPLES TRANSFERRED FROM
	CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	WESTON	8:35 3-27-25	CR	8:35 3-27-25	IF GUN #1 214
					no custody seal
					Temp Blank present

Q1664

17

Page 2 of 9

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservati ve	Lab QC
P001-BBDGA-001-02	P001-BBDGA-001			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	09:30	3	5-g Encore	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	09:30	2	8 oz glass	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	09:30	1	4 oz glass w/septum	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	09:30	2	8 oz glass	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			E	EPH (TAT 3 Days)	Stone	3/26/2025	09:30	1	8 oz glass	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			F	SPLP EPH	Stone	3/26/2025	09:30	1	8 oz glass	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			G	SPLP VOCs	Stone	3/26/2025	09:30	3	5-g Encore	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	09:30	2	8 oz glass	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	09:30	1	4 oz glass w/septum	4 C	N
P001-BBDGA-001-02	P001-BBDGA-001			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	09:30	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	<i>M. Weston</i>	0835 3/27/25	<i>CF</i>	8:35 3-27-25	IR-Pm #1 21°C
					No custody seal
					Temp Blank present

Q1664

17

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-002-01	P001-BBDGA-002			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	09:35	3	5-g Encore	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	09:35	2	8 oz glass	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	09:35	1	4 oz glass w/septum	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	09:35	2	8 oz glass	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			E	EPH (TAT 3 Days)	Stone	3/26/2025	09:35	1	8 oz glass	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			F	SPLP EPH	Stone	3/26/2025	09:35	1	8 oz glass	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			G	SPLP VOCs	Stone	3/26/2025	09:35	3	5-g Encore	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	09:35	2	8 oz glass	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	09:35	1	4 oz glass w/septum	4 C	N
P001-BBDGA-002-01	P001-BBDGA-002			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	09:35	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.	SAMPLES TRANSFERRED FROM
	CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	<i>Mrs WESTON</i>	0835 3/27/25	<i>CF</i>	0835 3-27-25	IR Count 1 2-1°C No Custody Seal No Total Temp Blank

17.1

Q1664

17

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-003-01	P001-BBDGA-003			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	09:40	3	5-g Encore	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	09:40	2	8 oz glass	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	09:40	1	4 oz glass w/septum	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	09:40	2	8 oz glass	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			E	EPH (TAT 3 Days)	Stone	3/26/2025	09:40	1	8 oz glass	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			F	SPLP EPH	Stone	3/26/2025	09:40	1	8 oz glass	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			G	SPLP VOCs	Stone	3/26/2025	09:40	3	5-g Encore	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	09:40	2	8 oz glass	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	09:40	1	4 oz glass w/septum	4 C	N
P001-BBDGA-003-01	P001-BBDGA-003			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	09:40	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.

SAMPLES TRANSFERRED FROM

CHAIN OF CUSTODY

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	Rh WESTON	0835 3/27/25	CR	8:35 3-27-25	TR Cont # 1 2.1 No Custody Seal Temp Blank present

17.1

Q1664

17

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-004-01	P001-BBDGA-004			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	09:45	3	5-g Encore	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	09:45	2	8 oz glass	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	09:45	1	4 oz glass w/septum	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	09:45	2	8 oz glass	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			E	EPH (TAT 3 Days)	Stone	3/26/2025	09:45	1	8 oz glass	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			F	SPLP EPH	Stone	3/26/2025	09:45	1	8 oz glass	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			G	SPLP VOCs	Stone	3/26/2025	09:45	3	5-g Encore	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	09:45	2	8 oz glass	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	09:45	1	4 oz glass w/septum	4 C	N
P001-BBDGA-004-01	P001-BBDGA-004			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	09:45	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	Mr. WESTON	09:35 3/27/25	CR	09:38 3-27-25	If Cont#1 2-1°C No Custody Seal Temp Blk present

Q1664

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-005-01	P001-BBDGA-005			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	09:50	3	5-g Encore	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	09:50	2	8 oz glass	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	09:50	1	4 oz glass w/septum	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	09:50	2	8 oz glass	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			E	EPH (TAT 3 Days)	Stone	3/26/2025	09:50	1	8 oz glass	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			F	SPLP EPH	Stone	3/26/2025	09:50	1	8 oz glass	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			G	SPLP VOCs	Stone	3/26/2025	09:50	3	5-g Encore	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	09:50	2	8 oz glass	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	09:50	1	4 oz glass w/septum	4 C	N
P001-BBDGA-005-01	P001-BBDGA-005			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	09:50	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	Mr Weston	08:35 3/27/25	CR	8:35 3-27-25	In Bart 1 21 no custody seal top blank page

Q1664

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-006-01	P001-BBDGA-006			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	09:55	3	5-g Encore	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	09:55	2	8 oz glass	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	09:55	1	4 oz glass w/septum	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	09:55	2	8 oz glass	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			E	EPH (TAT 3 Days)	Stone	3/26/2025	09:55	1	8 oz glass	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			F	SPLP EPH	Stone	3/26/2025	09:55	1	8 oz glass	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			G	SPLP VOCs	Stone	3/26/2025	09:55	3	5-g Encore	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	09:55	2	8 oz glass	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	09:55	1	4 oz glass w/septum	4 C	N
P001-BBDGA-006-01	P001-BBDGA-006			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	09:55	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	WESTON	3/27/25 0835	CD	8:35 3-27-25	IR Band 1 2-1 no custody Seal intact Temp Blkt pt

Q1664

17

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-007-01	P001-BBDGA-007			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	10:00	3	5-g Encore	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	10:00	2	8 oz glass	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	10:00	1	4 oz glass w/septum	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	10:00	2	8 oz glass	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			E	EPH (TAT 3 Days)	Stone	3/26/2025	10:00	1	8 oz glass	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			F	SPLP EPH	Stone	3/26/2025	10:00	1	8 oz glass	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			G	SPLP VOCs	Stone	3/26/2025	10:00	3	5-g Encore	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	10:00	2	8 oz glass	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	10:00	1	4 oz glass w/septum	4 C	N
P001-BBDGA-007-01	P001-BBDGA-007			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	10:00	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	Mr. WESTON	3/27/25 0835	<i>[Signature]</i>	8:35 3-27-25	IR Cont #1 2-1 no custody seal Temp back part

17.1

Q1664

17

USEPA

DateShipped: 3/26/2025

CarrierName: Hand Deliver

AirbillNo: N/a

CHAIN OF CUSTODY RECORD

Site #: 02FP

Contact Name Josh Frizzell

(470) 277-4600

No: 2-032625-0004-0037-01

RFP# 905A

Lab: Alliance Technical Group, LLC - Non
CLP

Lab Phone: 908-728-3144

Lab #	Sample #	Location	CLP Sample #	Tag	Analyses	Matrix	Sample Date	Sample Time	Numb Cont	Container	Preservative	Lab QC
P001-BBDGA-008-01	P001-BBDGA-008			A	TAL VOCs (TAT 3 Days)	Stone	3/26/2025	10:05	3	5-g Encore	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			B	TAL SVOC+Pest+PCB (TAT 3 Days)	Stone	3/26/2025	10:05	2	8 oz glass	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			C	Percent Moisture (TAT 3 Days)	Stone	3/26/2025	10:05	1	4 oz glass w/septum	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			D	TAL Metals+Hg+CN (TAT 3 Days)	Stone	3/26/2025	10:05	2	8 oz glass	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			E	EPH (TAT 3 Days)	Stone	3/26/2025	10:05	1	8 oz glass	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			F	SPLP EPH	Stone	3/26/2025	10:05	1	8 oz glass	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			G	SPLP VOCs	Stone	3/26/2025	10:05	3	5-g Encore	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			H	SPLP SVOCs + Pest+PCBs (TAT 7 Days)	Stone	3/26/2025	10:05	2	8 oz glass	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			I	Percent Moisture (SPLP) (TAT 7 Days)	Stone	3/26/2025	10:05	1	4 oz glass w/septum	4 C	N
P001-BBDGA-008-01	P001-BBDGA-008			J	SPLP Metals+Hg+CN (TAT 7 Days)	Stone	3/26/2025	10:05	2	8 oz glass	4 C	N

Special Instructions: Please email results to S.Sumbaly@WestonSolutions.com and Josh.Frizzell@WestonSolutions.com. TAT for TAL analyses is 3 days. TAT for SPLP analyses is 7 days.

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
ALL SAMPLES ALL ANALYSES	Mr. WESTON	0835 3/27/25	Q	8:35 3/27/25	2R Cont 1 21 no custody seal Temp blank page

17.1

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1664 ROYF02

Order Date : 3/27/2025 10:47:00 AM

Project Mgr :

Client Name : Weston Solutions, Inc.

Project Name : RFP 905

Report Type : Level 4

Client Contact : Smita Sumbaly

Receive DateTime : 3/27/2025 8:35:00 AM

EDD Type : EXCEL NOCLEANUP

Invoice Name : Weston Solutions, Inc.

Purchase Order :

Hard Copy Date :

Invoice Contact : Smita Sumbaly

Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1664-01	P001-BBDGA-001-01	Solid	03/26/2025	09:30	VOC-TCLVOA-10		8260D	10 Bus. Days	3 Days
Q1664-02	Q1664-01MS	Solid	03/26/2025	09:30	VOC-TCLVOA-10		8260D	10 Bus. Days	
Q1664-03	Q1664-01MSD	Solid	03/26/2025	09:30	VOC-TCLVOA-10		8260D	10 Bus. Days	
Q1664-07	P001-BBDGA-001-02	Solid	03/26/2025	09:30	VOC-TCLVOA-10		8260D	10 Bus. Days	
Q1664-09	P001-BBDGA-002-01	Solid	03/26/2025	09:35	VOC-TCLVOA-10		8260D	10 Bus. Days	
Q1664-11	P001-BBDGA-003-01	Solid	03/26/2025	09:40	VOC-TCLVOA-10		8260D	10 Bus. Days	
Q1664-13	P001-BBDGA-004-01	Solid	03/26/2025	09:45	VOC-TCLVOA-10		8260D	10 Bus. Days	
Q1664-15	P001-BBDGA-005-01	Solid	03/26/2025	09:50	VOC-TCLVOA-10		8260D	10 Bus. Days	

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1664	ROYF02	Order Date : 3/27/2025 10:47:00 AM	Project Mgr :
Client Name : Weston Solutions, Inc.		Project Name : RFP 905	Report Type : Level 4
Client Contact : Smita Sumbaly		Receive DateTime : 3/27/2025 8:35:00 AM	EDD Type : EXCEL NOCLEANUP
Invoice Name : Weston Solutions, Inc.		Purchase Order :	Hard Copy Date :
Invoice Contact : Smita Sumbaly			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1664-17	P001-BBDGA-006-01	Solid	03/26/2025	09:55	VOC-TCLVOA-10		8260D	10 Bus. Days	3 days
Q1664-19	P001-BBDGA-007-01	Solid	03/26/2025	10:00	VOC-TCLVOA-10		8260D	10 Bus. Days	
Q1664-21	P001-BBDGA-008-01	Solid	03/26/2025	10:05	VOC-TCLVOA-10		8260D	10 Bus. Days	
					VOC-TCLVOA-10		8260D	10 Bus. Days	

Relinquished By :

Date / Time : 3/27/25 12:00

Received By :

Date / Time : 3/27/25 12:00

Storage Area : VOA Refrigerator Room