

Hit Summary Sheet SW-846

SDG No.: Q1664
Client: Weston Solutions, Inc.

Order ID: Q1664
Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : P001-BBDGA-001-01								
Q1664-04	P001-BBDGA-001-01	Water	Aluminum	5040		28.3	50.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Barium	109		6.28	50.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Beryllium	1.22	J	0.13	3.00	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Calcium	463000		33.0	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Chromium	21.9		0.66	5.00	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Cobalt	54.4		0.50	15.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Copper	323		7.07	10.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Iron	60100		18.5	50.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Lead	4.13	J	3.51	6.00	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Magnesium	51300		39.4	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Manganese	6990		1.46	10.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Nickel	63.4		0.85	20.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Potassium	1340		685	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Sodium	16600		237	1000	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Vanadium	73.0		3.06	20.0	ug/L
Q1664-04	P001-BBDGA-001-01	Water	Zinc	474		1.75	20.0	ug/L
Client ID : P001-BBDGA-001-02								
Q1664-08	P001-BBDGA-001-02	Water	Aluminum	751		28.3	50.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Barium	136		6.28	50.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Calcium	118000		33.0	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Chromium	1.47	J	0.66	5.00	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Cobalt	1.13	J	0.50	15.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Iron	1460		18.5	50.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Magnesium	12300		39.4	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Manganese	987		1.46	10.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Nickel	2.74	J	0.85	20.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Potassium	745	J	685	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Sodium	11100		237	1000	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Vanadium	7.90	J	3.06	20.0	ug/L
Q1664-08	P001-BBDGA-001-02	Water	Zinc	42.6		1.75	20.0	ug/L
Client ID : P001-BBDGA-002-01								
Q1664-10	P001-BBDGA-002-01	Water	Barium	134		6.28	50.0	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Calcium	127000		33.0	1000	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Magnesium	4920		39.4	1000	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Manganese	807		1.46	10.0	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Potassium	833	J	685	1000	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1664
Client: Weston Solutions, Inc.

Order ID: Q1664
Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1664-10	P001-BBDGA-002-01	Water	Sodium	24000		237	1000	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Vanadium	6.50	J	3.06	20.0	ug/L
Q1664-10	P001-BBDGA-002-01	Water	Zinc	36.9		1.75	20.0	ug/L
Client ID : P001-BBDGA-003-01								
Q1664-12	P001-BBDGA-003-01	Water	Barium	88.1		6.28	50.0	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Calcium	122000		33.0	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Magnesium	4530		39.4	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Manganese	798		1.46	10.0	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Potassium	727	J	685	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Sodium	22400		237	1000	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Vanadium	5.37	J	3.06	20.0	ug/L
Q1664-12	P001-BBDGA-003-01	Water	Zinc	56.8		1.75	20.0	ug/L
Client ID : P001-BBDGA-004-01								
Q1664-14	P001-BBDGA-004-01	Water	Aluminum	272		28.3	50.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Barium	109		6.28	50.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Cadmium	0.14	J	0.094	3.00	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Calcium	120000		33.0	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Cobalt	1.05	J	0.50	15.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Iron	346		18.5	50.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Magnesium	6500		39.4	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Manganese	1790		1.46	10.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Nickel	3.17	J	0.85	20.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Potassium	1020		685	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Sodium	12700		237	1000	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Vanadium	4.37	J	3.06	20.0	ug/L
Q1664-14	P001-BBDGA-004-01	Water	Zinc	70.8		1.75	20.0	ug/L
Client ID : P001-BBDGA-005-01								
Q1664-16	P001-BBDGA-005-01	Water	Barium	148		6.28	50.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Cadmium	0.16	J	0.094	3.00	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Calcium	122000		33.0	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Iron	19.2	J	18.5	50.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Magnesium	6470		39.4	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Manganese	1050		1.46	10.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Nickel	1.15	J	0.85	20.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Potassium	959	J	685	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Sodium	29100		237	1000	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Vanadium	7.04	J	3.06	20.0	ug/L
Q1664-16	P001-BBDGA-005-01	Water	Zinc	63.0		1.75	20.0	ug/L

A
B
C
D

Hit Summary Sheet
SW-846

SDG No.: Q1664
Client: Weston Solutions, Inc.

Order ID: Q1664
Project ID: RFP 905

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : P001-BBDGA-006-01								
Q1664-18	P001-BBDGA-006-01	Water	Barium	92.0		6.28	50.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Calcium	157000		33.0	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Cobalt	1.20	J	0.50	15.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Iron	78.8		18.5	50.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Magnesium	6150		39.4	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Manganese	1410		1.46	10.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Nickel	3.22	J	0.85	20.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Potassium	1220		685	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Sodium	29600		237	1000	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Vanadium	5.37	J	3.06	20.0	ug/L
Q1664-18	P001-BBDGA-006-01	Water	Zinc	71.0		1.75	20.0	ug/L
Client ID : P001-BBDGA-007-01								
Q1664-20	P001-BBDGA-007-01	Water	Barium	75.9		6.28	50.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Cadmium	0.19	J	0.094	3.00	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Calcium	104000		33.0	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Cobalt	1.29	J	0.50	15.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Iron	45.4	J	18.5	50.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Magnesium	8520		39.4	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Manganese	1070		1.46	10.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Nickel	3.67	J	0.85	20.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Potassium	1030		685	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Sodium	10500		237	1000	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Vanadium	6.43	J	3.06	20.0	ug/L
Q1664-20	P001-BBDGA-007-01	Water	Zinc	27.9		1.75	20.0	ug/L
Client ID : P001-BBDGA-008-01								
Q1664-22	P001-BBDGA-008-01	Water	Barium	53.4		6.28	50.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Calcium	111000		33.0	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Iron	39.6	J	18.5	50.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Magnesium	5550		39.4	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Manganese	388		1.46	10.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Potassium	915	J	685	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Sodium	27400		237	1000	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Vanadium	9.12	J	3.06	20.0	ug/L
Q1664-22	P001-BBDGA-008-01	Water	Zinc	16.3	J	1.75	20.0	ug/L

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	5040		1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-39-3	Barium	109		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-41-7	Beryllium	1.22	J	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-70-2	Calcium	463000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-47-3	Chromium	21.9		1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-48-4	Cobalt	54.4		1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-50-8	Copper	323	N	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-89-6	Iron	60100		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-92-1	Lead	4.13	J	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-95-4	Magnesium	51300		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-96-5	Manganese	6990		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 11:52	SW7470A	
7440-02-0	Nickel	63.4		1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-09-7	Potassium	1340		1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-23-5	Sodium	16600		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-62-2	Vanadium	73.0		1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010
7440-66-6	Zinc	474		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:01	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-02	SDG No.:	Q1664
Lab Sample ID:	Q1664-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	751		1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-39-3	Barium	136		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-70-2	Calcium	118000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-47-3	Chromium	1.47	J	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-48-4	Cobalt	1.13	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-89-6	Iron	1460		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-95-4	Magnesium	12300		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-96-5	Manganese	987		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:06	SW7470A	
7440-02-0	Nickel	2.74	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-09-7	Potassium	745	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-23-5	Sodium	11100		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-62-2	Vanadium	7.90	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010
7440-66-6	Zinc	42.6		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:39	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-002-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-39-3	Barium	134		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-70-2	Calcium	127000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-89-6	Iron	18.5	U	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-95-4	Magnesium	4920		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-96-5	Manganese	807		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:08	SW7470A	
7440-02-0	Nickel	0.85	U	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-09-7	Potassium	833	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-23-5	Sodium	24000		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-62-2	Vanadium	6.50	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010
7440-66-6	Zinc	36.9		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:43	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-003-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-39-3	Barium	88.1		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-70-2	Calcium	122000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-89-6	Iron	18.5	U	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-95-4	Magnesium	4530		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-96-5	Manganese	798		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:10	SW7470A	
7440-02-0	Nickel	0.85	U	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-09-7	Potassium	727	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-23-5	Sodium	22400		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-62-2	Vanadium	5.37	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010
7440-66-6	Zinc	56.8		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:47	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-004-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	272		1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-39-3	Barium	109		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-43-9	Cadmium	0.14	J	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-70-2	Calcium	120000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-48-4	Cobalt	1.05	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-89-6	Iron	346		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-95-4	Magnesium	6500		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-96-5	Manganese	1790		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:12	SW7470A	
7440-02-0	Nickel	3.17	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-09-7	Potassium	1020		1	685	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-23-5	Sodium	12700		1	237	1000	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-62-2	Vanadium	4.37	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010
7440-66-6	Zinc	70.8		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 16:52	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-005-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-39-3	Barium	148		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-43-9	Cadmium	0.16	J	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-70-2	Calcium	122000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-89-6	Iron	19.2	J	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-95-4	Magnesium	6470		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-96-5	Manganese	1050		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:15	SW7470A	
7440-02-0	Nickel	1.15	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-09-7	Potassium	959	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-23-5	Sodium	29100		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-62-2	Vanadium	7.04	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010
7440-66-6	Zinc	63.0		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:04	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-006-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-39-3	Barium	92.0		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-70-2	Calcium	157000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-48-4	Cobalt	1.20	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-89-6	Iron	78.8		1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-95-4	Magnesium	6150		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-96-5	Manganese	1410		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:17	SW7470A	
7440-02-0	Nickel	3.22	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-09-7	Potassium	1220		1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-23-5	Sodium	29600		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-62-2	Vanadium	5.37	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010
7440-66-6	Zinc	71.0		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:09	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-007-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-20	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-39-3	Barium	75.9		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-43-9	Cadmium	0.19	J	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-70-2	Calcium	104000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-48-4	Cobalt	1.29	J	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-89-6	Iron	45.4	J	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-95-4	Magnesium	8520		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-96-5	Manganese	1070		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:19	SW7470A	
7440-02-0	Nickel	3.67	J	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-09-7	Potassium	1030		1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-23-5	Sodium	10500		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-62-2	Vanadium	6.43	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010
7440-66-6	Zinc	27.9		1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:13	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-008-01	SDG No.:	Q1664
Lab Sample ID:	Q1664-22	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	28.3	U	1	28.3	50.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-36-0	Antimony	2.06	U	1	2.06	25.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-38-2	Arsenic	3.48	U	1	3.48	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-39-3	Barium	53.4		1	6.28	50.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-41-7	Beryllium	0.13	U	1	0.13	3.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-43-9	Cadmium	0.094	U	1	0.094	3.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-70-2	Calcium	111000		1	33.0	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-47-3	Chromium	0.66	U	1	0.66	5.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-48-4	Cobalt	0.50	U	1	0.50	15.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-50-8	Copper	7.07	UN	1	7.07	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-89-6	Iron	39.6	J	1	18.5	50.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-92-1	Lead	3.51	U	1	3.51	6.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-95-4	Magnesium	5550		1	39.4	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-96-5	Manganese	388		1	1.46	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7439-97-6	Mercury	0.076	U	1	0.076	0.20	ug/L	04/01/25 07:30	04/01/25 12:22	SW7470A	
7440-02-0	Nickel	0.85	U	1	0.85	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-09-7	Potassium	915	J	1	685	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7782-49-2	Selenium	5.88	U	1	5.88	10.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-22-4	Silver	0.58	U	1	0.58	5.00	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-23-5	Sodium	27400		1	237	1000	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-28-0	Thallium	2.32	U	1	2.32	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-62-2	Vanadium	9.12	J	1	3.06	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010
7440-66-6	Zinc	16.3	J	1	1.75	20.0	ug/L	03/31/25 12:30	04/01/25 17:17	SW6010	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP ICP Metals			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1664	OrderDate:	3/27/2025 10:47:00 AM
Client:	Weston Solutions, Inc.	Project:	RFP 905
Contact:	Smita Sumbaly	Location:	I31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1664-01	P001-BBDGA-001-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-04	P001-BBDGA-001-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-07	P001-BBDGA-001-02	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-08	P001-BBDGA-001-02	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-09	P001-BBDGA-002-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-10	P001-BBDGA-002-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-11	P001-BBDGA-003-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-12	P001-BBDGA-003-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-13	P001-BBDGA-004-01	SOIL			03/26/25			03/27/25

LAB CHRONICLE

			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-14	P001-BBDGA-004-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-15	P001-BBDGA-005-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-16	P001-BBDGA-005-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-17	P001-BBDGA-006-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-18	P001-BBDGA-006-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-19	P001-BBDGA-007-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-20	P001-BBDGA-007-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	
Q1664-21	P001-BBDGA-008-01	SOIL			03/26/25			03/27/25
			Mercury	7471B		03/31/25	03/31/25	
			Metals ICP-TAL	6010D		03/28/25	03/31/25	
Q1664-22	P001-BBDGA-008-01	Water			03/26/25			03/27/25
			SPLP ICP Metals	6010D		03/31/25	04/01/25	
			SPLP Mercury	7470A		04/01/25	04/01/25	