

## Report of Analysis

|                    |                        |                 |              |
|--------------------|------------------------|-----------------|--------------|
| Client:            | Weston Solutions, Inc. | Date Collected: | 03/26/25     |
| Project:           | RFP 905                | Date Received:  | 03/27/25     |
| Client Sample ID:  | P001-BBDGA-004-01      | SDG No.:        | Q1664        |
| Lab Sample ID:     | Q1664-14               | Matrix:         | Water        |
| Analytical Method: | NJEPH                  | % Solid:        | 0            |
| Sample Wt/Vol:     | 1000      Units:    mL | Final Vol:      | 2000      uL |
| Soil Aliquot Vol:  | uL                     | Test:           | EPH          |
| Prep Method :      | SW3510                 |                 |              |

|                |                 |               |
|----------------|-----------------|---------------|
| Prep Date :    | Date Analyzed : | Prep Batch ID |
| 04/01/25 08:13 | 04/01/25 21:42  | PB167402      |

Datafile

| CAS Number         | Parameter          | Conc. | Qualifier | Dilution | MDL  | LOQ / CRQL | Units |            |
|--------------------|--------------------|-------|-----------|----------|------|------------|-------|------------|
| <b>TARGETS</b>     |                    |       |           |          |      |            |       |            |
| Aliphatic C9-C12   | Aliphatic C9-C12   | 9.32  | J         | 1        | 8.28 | 30.0       | ug/l  | FC068478.D |
| Aliphatic C12-C16  | Aliphatic C12-C16  | 43.3  |           | 1        | 13.5 | 20.0       | ug/l  | FC068478.D |
| Aliphatic C16-C21  | Aliphatic C16-C21  | 15.6  | J         | 1        | 8.34 | 30.0       | ug/l  | FC068478.D |
| Aliphatic C21-C28  | Aliphatic C21-C28  | 12.5  | U         | 1        | 12.5 | 40.0       | ug/l  | FC068478.D |
| Aliphatic C28-C40  | Aliphatic C28-C40  | 23.8  | U         | 1        | 23.8 | 60.0       | ug/l  | FC068478.D |
| Aromatic C10-C12   | Aromatic C10-C12   | 21.4  |           | 1        | 2.07 | 20.0       | ug/l  | FG015604.D |
| Aromatic C12-C16   | Aromatic C12-C16   | 126   |           | 1        | 4.26 | 30.0       | ug/l  | FG015604.D |
| Aromatic C16-C21   | Aromatic C16-C21   | 94.7  |           | 1        | 8.27 | 50.0       | ug/l  | FG015604.D |
| Aromatic C21-C36   | Aromatic C21-C36   | 23.8  | U         | 1        | 23.8 | 80.0       | ug/l  | FG015604.D |
| Total AliphaticEPH | Total AliphaticEPH | 68.2  | J         |          | 66.4 | 180        | ug/l  |            |
| Total AromaticEPH  | Total AromaticEPH  | 242   |           |          | 38.4 | 180        | ug/l  |            |
| Total EPH          | Total EPH          | 310   | J         |          | 105  | 360        | ug/l  |            |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

## Report of Analysis

|                    |                        |                 |                      |
|--------------------|------------------------|-----------------|----------------------|
| Client:            | Weston Solutions, Inc. | Date Collected: | 03/26/25             |
| Project:           | RFP 905                | Date Received:  | 03/27/25             |
| Client Sample ID:  | P001-BBDGA-004-01      | SDG No.:        | Q1664                |
| Lab Sample ID:     | Q1664-14               | Matrix:         | Water                |
| Analytical Method: | NJEPH                  | % Solid:        | 0                    |
| Sample Wt/Vol:     | 1000      Units:    mL | Final Vol:      | 2000              uL |
| Soil Aliquot Vol:  | uL                     | Test:           | EPH                  |
| Prep Method :      | SW3510                 |                 |                      |

|            |           |             |                 |               |
|------------|-----------|-------------|-----------------|---------------|
| File ID :  | Dilution: | Prep Date : | Date Analyzed : | Prep Batch ID |
| FC068478.D | 1         | 04/01/25    | 04/01/25        | PB167402      |

| CAS Number        | Parameter                 | Conc. | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|---------------------------|-------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                           |       |           |          |            |         |
| Aliphatic C9-C12  | Aliphatic C9-C12          | 9.32  | J         | 8.28     | 30.0       | ug/l    |
| Aliphatic C12-C16 | Aliphatic C12-C16         | 43.3  |           | 13.5     | 20.0       | ug/l    |
| Aliphatic C16-C21 | Aliphatic C16-C21         | 15.6  | J         | 8.34     | 30.0       | ug/l    |
| Aliphatic C21-C28 | Aliphatic C21-C28         | 12.5  | U         | 12.5     | 40.0       | ug/l    |
| Aliphatic C28-C40 | Aliphatic C28-C40         | 23.8  | U         | 23.8     | 60.0       | ug/l    |
| <b>SURROGATES</b> |                           |       |           |          |            |         |
| 3383-33-2         | 1-chlorooctadecane (SURR) | 53.1  |           | 40 - 140 | 106%       | SPK: 50 |
| 84-15-1           | ortho-Terphenyl (SURR)    | 0.00  |           | 40 - 140 | 0%         | SPK: 50 |

## Quantitation Report For Aliphatic EPH Range.

|                   |                   |                    |                   |
|-------------------|-------------------|--------------------|-------------------|
| Lab Sample ID:    | Q1664-14          | Acq On:            | 01 Apr 2025 21:42 |
| Client Sample ID: | P001-BBDGA-004-01 | Operator:          | YP/AJ             |
| Data file:        | FC068478.D        | Misc:              |                   |
| Instrument:       | FID_C             | ALS Vial:          | 20                |
| Dilution Factor:  | 1                 | Sample Multiplier: | 1.00              |

| Compound                  | R.T.   |        | Response | Conc   | highest_standard | Units |
|---------------------------|--------|--------|----------|--------|------------------|-------|
| Aliphatic C9-C12          | 3.097  | 6.359  | 756480   | 4.66   | 300              | ug/ml |
| Aliphatic C12-C16         | 6.360  | 9.742  | 3643012  | 21.66  | 200              | ug/ml |
| Aliphatic C16-C21         | 9.743  | 13.096 | 1339663  | 7.811  | 300              | ug/ml |
| Aliphatic C21-C28         | 13.097 | 16.749 | 934721   | 5.535  | 400              | ug/ml |
| Aliphatic C28-C40         | 16.750 | 21.544 | 2375261  | 17.443 | 600              | ug/ml |
| Aliphatic EPH             | 3.097  | 21.544 | 9049137  | 57.109 |                  | ug/ml |
| ortho-Terphenyl (SURR)    | 0.000  | 0.000  | 0        | 0      |                  | ug/ml |
| 1-chlorooctadecane (SURR) | 12.827 | 12.827 | 7917913  | 53.11  |                  | ug/ml |
| Aliphatic C9-C28          | 3.097  | 16.749 | 6673876  | 39.666 | 1200             | ug/ml |