

Analytical Sequence

Client: Weston Solutions, Inc.

SDG No.: Q1664

Project: RFP 905

Instrument ID: ECD_L

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 03/11/2025 03/11/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	03/11/2025	09:55	PL094566.D	9.05	3.54
PEM	PEM	03/11/2025	10:08	PL094567.D	9.05	3.54
RESCHK	RESCHK	03/11/2025	10:22	PL094568.D	9.05	3.54
PSTDICCC100	PSTDICCC100	03/11/2025	10:35	PL094569.D	9.05	3.54
PSTDICCC075	PSTDICCC075	03/11/2025	10:49	PL094570.D	9.06	3.54
PSTDICCC050	PSTDICCC050	03/11/2025	11:02	PL094571.D	9.06	3.54
PSTDICCC025	PSTDICCC025	03/11/2025	11:16	PL094572.D	9.06	3.54
PSTDICCC005	PSTDICCC005	03/11/2025	11:29	PL094573.D	9.05	3.54
PCHLORICC500	PCHLORICC500	03/11/2025	12:10	PL094576.D	9.06	3.54
PTOXICC500	PTOXICC500	03/11/2025	13:18	PL094581.D	9.05	3.54
PEM	PEM	03/31/2025	09:43	PL094950.D	9.05	3.54
IBLK	IBLK	03/31/2025	14:30	PL094959.D	9.05	3.54
PSTDCCC050	PSTDCCC050	03/31/2025	14:44	PL094960.D	9.06	3.54
PB167395BL	PB167395BL	03/31/2025	17:57	PL094961.D	9.07	3.54
PB167395TB	PB167395TB	03/31/2025	18:24	PL094963.D	9.06	3.54
P001-BBDGA-001-01	Q1664-04	03/31/2025	18:37	PL094964.D	9.06	3.54
P001-BBDGA-001-01MS	Q1664-05MS	03/31/2025	18:51	PL094965.D	9.06	3.54
P001-BBDGA-001-01MSD	Q1664-06MSD	03/31/2025	19:05	PL094966.D	9.06	3.54
P001-BBDGA-001-02	Q1664-08	03/31/2025	19:18	PL094967.D	9.05	3.54
P001-BBDGA-002-01	Q1664-10	03/31/2025	19:32	PL094968.D	9.05	3.54
IBLK	IBLK	03/31/2025	19:45	PL094969.D	9.05	3.54
PEM	PEM	03/31/2025	19:59	PL094970.D	9.05	3.54
PSTDCCC050	PSTDCCC050	03/31/2025	20:13	PL094971.D	9.05	3.54
P001-BBDGA-003-01	Q1664-12	03/31/2025	20:40	PL094972.D	9.05	3.54
P001-BBDGA-004-01	Q1664-14	03/31/2025	20:54	PL094973.D	9.05	3.54
P001-BBDGA-005-01	Q1664-16	03/31/2025	21:07	PL094974.D	9.05	3.54
P001-BBDGA-006-01	Q1664-18	03/31/2025	21:21	PL094975.D	9.05	3.54
P001-BBDGA-007-01	Q1664-20	03/31/2025	21:35	PL094976.D	9.05	3.54
P001-BBDGA-008-01	Q1664-22	03/31/2025	21:48	PL094977.D	9.05	3.54
IBLK	IBLK	03/31/2025	22:02	PL094978.D	9.05	3.54
PSTDCCC050	PSTDCCC050	03/31/2025	22:16	PL094979.D	9.05	3.54
IBLK	IBLK	04/03/2025	10:31	PL095027.D	9.05	3.54
PEM	PEM	04/03/2025	10:44	PL095028.D	9.05	3.54
PSTDCCC050	PSTDCCC050	04/03/2025	10:58	PL095029.D	9.05	3.54
PB167395BS	PB167395BS	04/03/2025	11:56	PL095030.D	9.06	3.54
IBLK	IBLK	04/03/2025	14:57	PL095040.D	9.05	3.54
PSTDCCC050	PSTDCCC050	04/03/2025	18:28	PL095041.D	9.06	3.54

Analytical Sequence

Client: Weston Solutions, Inc.

SDG No.: Q1664

Project: RFP 905

Instrument ID: ECD_L

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 03/11/2025 03/11/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	03/11/2025	09:55	PL094566.D	7.91	2.77
PEM	PEM	03/11/2025	10:08	PL094567.D	7.91	2.77
RESCHK	RESCHK	03/11/2025	10:22	PL094568.D	7.91	2.77
PSTDICCC100	PSTDICCC100	03/11/2025	10:35	PL094569.D	7.91	2.77
PSTDICCC075	PSTDICCC075	03/11/2025	10:49	PL094570.D	7.91	2.77
PSTDICCC050	PSTDICCC050	03/11/2025	11:02	PL094571.D	7.91	2.77
PSTDICCC025	PSTDICCC025	03/11/2025	11:16	PL094572.D	7.91	2.77
PSTDICCC005	PSTDICCC005	03/11/2025	11:29	PL094573.D	7.91	2.77
PCHLORICC500	PCHLORICC500	03/11/2025	12:10	PL094576.D	7.91	2.77
PTOXICC500	PTOXICC500	03/11/2025	13:18	PL094581.D	7.91	2.77
PEM	PEM	03/31/2025	09:43	PL094950.D	7.90	2.77
IBLK	IBLK	03/31/2025	14:30	PL094959.D	7.90	2.77
PSTDCCC050	PSTDCCC050	03/31/2025	14:44	PL094960.D	7.90	2.77
PB167395BL	PB167395BL	03/31/2025	17:57	PL094961.D	7.91	2.77
PB167395TB	PB167395TB	03/31/2025	18:24	PL094963.D	7.90	2.77
P001-BBDGA-001-01	Q1664-04	03/31/2025	18:37	PL094964.D	7.90	2.77
P001-BBDGA-001-01MS	Q1664-05MS	03/31/2025	18:51	PL094965.D	7.90	2.77
P001-BBDGA-001-01MSD	Q1664-06MSD	03/31/2025	19:05	PL094966.D	7.92	2.79
P001-BBDGA-001-02	Q1664-08	03/31/2025	19:18	PL094967.D	7.90	2.77
P001-BBDGA-002-01	Q1664-10	03/31/2025	19:32	PL094968.D	7.90	2.77
IBLK	IBLK	03/31/2025	19:45	PL094969.D	7.90	2.77
PEM	PEM	03/31/2025	19:59	PL094970.D	7.90	2.77
PSTDCCC050	PSTDCCC050	03/31/2025	20:13	PL094971.D	7.90	2.77
P001-BBDGA-003-01	Q1664-12	03/31/2025	20:40	PL094972.D	7.90	2.77
P001-BBDGA-004-01	Q1664-14	03/31/2025	20:54	PL094973.D	7.90	2.77
P001-BBDGA-005-01	Q1664-16	03/31/2025	21:07	PL094974.D	7.90	2.77
P001-BBDGA-006-01	Q1664-18	03/31/2025	21:21	PL094975.D	7.90	2.77
P001-BBDGA-007-01	Q1664-20	03/31/2025	21:35	PL094976.D	7.90	2.77
P001-BBDGA-008-01	Q1664-22	03/31/2025	21:48	PL094977.D	7.90	2.77
IBLK	IBLK	03/31/2025	22:02	PL094978.D	7.90	2.77
PSTDCCC050	PSTDCCC050	03/31/2025	22:16	PL094979.D	7.90	2.77
IBLK	IBLK	04/03/2025	10:31	PL095027.D	7.90	2.77
PEM	PEM	04/03/2025	10:44	PL095028.D	7.90	2.77
PSTDCCC050	PSTDCCC050	04/03/2025	10:58	PL095029.D	7.90	2.77
PB167395BS	PB167395BS	04/03/2025	11:56	PL095030.D	7.90	2.77
IBLK	IBLK	04/03/2025	14:57	PL095040.D	7.90	2.77
PSTDCCC050	PSTDCCC050	04/03/2025	18:28	PL095041.D	7.90	2.77