

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF033125\
 Data File : BF142187.D
 Acq On : 31 Mar 2025 18:27
 Operator : RC/JU
 Sample : Q1664-21
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P001-BBDGA-008-01

Manual Integrations
 APPROVED

Reviewed By :Anahy Claudio 04/01/2025
 Supervised By :Jagrut Upadhyay 04/01/2025

Quant Time: Mar 31 19:32:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	108249	20.000	ng	-0.02
21) Naphthalene-d8	8.145	136	412298	20.000	ng	-0.02
39) Acenaphthene-d10	9.904	164	217215	20.000	ng	-0.01
64) Phenanthrene-d10	11.392	188	330228m	20.000	ng	-0.01
76) Chrysene-d12	14.033	240	261109	20.000	ng	0.00
86) Perylene-d12	15.510	264	317304	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	653727	100.790	ng	-0.01
7) Phenol-d6	6.487	99	818000	99.054	ng	-0.02
23) Nitrobenzene-d5	7.428	82	527331	71.977	ng	-0.02
42) 2,4,6-Tribromophenol	10.692	330	246176	89.335	ng	-0.01
45) 2-Fluorobiphenyl	9.222	172	1119022	78.347	ng	-0.02
79) Terphenyl-d14	12.974	244	1023385	57.946	ng	-0.01

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF033125\
Data File : BF142187.D
Acq On : 31 Mar 2025 18:27
Operator : RC/JU
Sample : Q1664-21
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
P001-BBDGA-008-01

Quant Time: Mar 31 19:32:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Anahy Claudio 04/01/2025
Supervised By :Jagrut Upadhyay 04/01/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 814
Delta R.T. -0.018 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27




Instrument :
BNA_F
ClientSampleId :
P001-BBDGA-008-01



Tgt Ion:152 Resp: 108249
Ion Ratio Lower Upper
152 100
150 158.5 127.4 191.2
115 65.3 51.9 77.9




Manual Integrations
APPROVED


Reviewed By :Anahy Claudio 04/01/2025
Supervised By :Jagrut Upadhyay 04/01/2025



#5
2-Fluorophenol
Concen: 100.790 ng
RT: 5.481 min Scan# 576
Delta R.T. -0.012 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27


Tgt Ion:112 Resp: 653727
Ion Ratio Lower Upper
112 100
64 54.8 46.5 69.7
63 30.0 25.4 38.2





#7
Phenol-d6
Concen: 99.054 ng
RT: 6.487 min Scan# 74
Delta R.T. -0.018 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27




Instrument :
BNA_F
ClientSampleId :
P001-BBDGA-008-01



Tgt Ion: 99 Resp: 818000
Ion Ratio Lower Upper
99 100
42 17.0 14.6 21.8
71 38.7 30.8 46.2




Manual Integrations
APPROVED


Reviewed By :Anahy Claudio 04/01/2025
Supervised By :Jagrut Upadhyay 04/01/2025



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.018 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27


Tgt Ion:136 Resp: 412298
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 6.5 5.8 8.8
68 4.5 4.1 6.1





#23
Nitrobenzene-d5
Concen: 71.977 ng
RT: 7.428 min Scan# 907
Delta R.T. -0.018 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27




Instrument :
BNA_F
ClientSampleId :
P001-BBDGA-008-01



Tgt Ion: 82 Resp: 52733
Ion Ratio Lower Upper
82 100
128 47.0 36.0 54.0
54 46.5 39.6 59.4




Manual Integrations
APPROVED


Reviewed By :Anahy Claudio 04/01/2025
Supervised By :Jagrut Upadhyay 04/01/2025



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.012 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27


Tgt Ion:164 Resp: 217215
Ion Ratio Lower Upper
164 100
162 102.5 81.8 122.6
160 45.9 36.7 55.1





#42
2,4,6-Tribromophenol
Concen: 89.335 ng
RT: 10.692 min Scan# 1462
Delta R.T. -0.012 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27




Instrument :
BNA_F
ClientSampleId :
P001-BBDGA-008-01




Tgt Ion:330 Resp: 246170
Ion Ratio Lower Upper
330 100
332 96.4 77.6 116.4
141 28.9 24.7 37.1

Manual Integrations
APPROVED



Reviewed By :Anahy Claudio 04/01/2025
Supervised By :Jagrut Upadhyay 04/01/2025




#45
2-Fluorobiphenyl
Concen: 78.347 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.018 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27




Tgt Ion:172 Resp: 1119022
Ion Ratio Lower Upper
172 100
171 35.3 29.3 43.9
170 23.2 19.4 29.0





#64
Phenanthrene-d10
Concen: 20.000 ng m
RT: 11.392 min Scan# 11392
Delta R.T. -0.012 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27




Instrument :
BNA_F
ClientSampleId :
P001-BBDGA-008-01



Tgt Ion:188 Resp: 330228
Ion Ratio Lower Upper
188 100
94 7.6 6.8 10.2
80 8.2 7.6 11.4




Manual Integrations
APPROVED


Reviewed By :Anahy Claudio 04/01/2025
Supervised By :Jagrut Upadhyay 04/01/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF142187.D
Acq: 31 Mar 2025 18:27


Tgt Ion:240 Resp: 261109
Ion Ratio Lower Upper
240 100
120 8.6 8.4 12.6
236 25.0 20.5 30.7





#79
 Terphenyl-d14
 Concen: 57.946 ng
 RT: 12.974 min Scan# 1850
 Delta R.T. -0.012 min
 Lab File: BF142187.D
 Acq: 31 Mar 2025 18:27




Instrument :
 BNA_F
 ClientSampleId :
 P001-BBDGA-008-01



Tgt Ion:244 Resp: 102338
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 9.0 7.7 11.5

Manual Integrations
 APPROVED

Reviewed By :Anahy Claudio 04/01/2025
 Supervised By :Jagrut Upadhyay 04/01/2025



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.510 min Scan# 2281
 Delta R.T. 0.000 min
 Lab File: BF142187.D
 Acq: 31 Mar 2025 18:27

Tgt Ion:264 Resp: 317304
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.1 28.7
 265 21.4 17.5 26.3

