

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	03/26/25
Project:	RFP 905	Date Received:	03/27/25
Client Sample ID:	P001-BBDGA-001-01MS	SDG No.:	Q1664
Lab Sample ID:	Q1664-05MS	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	SPLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086163.D	1		03/28/25 20:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	39.3		0.22	5.00	ug/L
74-87-3	Chloromethane	42.8		0.32	5.00	ug/L
75-01-4	Vinyl Chloride	41.2		0.26	5.00	ug/L
74-83-9	Bromomethane	31.9		1.40	5.00	ug/L
75-00-3	Chloroethane	34.8		0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	41.3		0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	45.3		0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	45.9		0.23	5.00	ug/L
67-64-1	Acetone	260		1.50	25.0	ug/L
75-15-0	Carbon Disulfide	38.7		0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	45.8		0.16	5.00	ug/L
79-20-9	Methyl Acetate	54.6		0.27	5.00	ug/L
75-09-2	Methylene Chloride	49.3		0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	46.2		0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	46.5		0.23	5.00	ug/L
110-82-7	Cyclohexane	46.5		1.50	5.00	ug/L
78-93-3	2-Butanone	240		0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	44.3		0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	47.5		0.19	5.00	ug/L
74-97-5	Bromochloromethane	51.5		0.22	5.00	ug/L
67-66-3	Chloroform	46.3		0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	44.0		0.20	5.00	ug/L
108-87-2	Methylcyclohexane	47.3		0.16	5.00	ug/L
71-43-2	Benzene	48.7		0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	44.1		0.22	5.00	ug/L
79-01-6	Trichloroethene	64.9		0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	51.6		0.20	5.00	ug/L
75-27-4	Bromodichloromethane	47.4		0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	250		0.68	25.0	ug/L
108-88-3	Toluene	50.5		0.14	5.00	ug/L

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	03/26/25	
Project:	RFP 905		Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01MS		SDG No.:	Q1664	
Lab Sample ID:	Q1664-05MS		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086163.D	1		03/28/25 20:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	45.7		0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	48.0		0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	50.7		0.21	5.00	ug/L
591-78-6	2-Hexanone	260		0.89	25.0	ug/L
124-48-1	Dibromochloromethane	47.9		0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	47.3		0.15	5.00	ug/L
127-18-4	Tetrachloroethene	73.3		0.23	5.00	ug/L
108-90-7	Chlorobenzene	46.7		0.12	5.00	ug/L
100-41-4	Ethyl Benzene	49.9		0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	100		0.24	10.0	ug/L
95-47-6	o-Xylene	52.8		0.12	5.00	ug/L
100-42-5	Styrene	53.2		0.15	5.00	ug/L
75-25-2	Bromoform	44.6		0.19	5.00	ug/L
98-82-8	Isopropylbenzene	47.5		0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	16.7		0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	46.5		0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	44.0		0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	45.4		0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	40.9		0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	42.3		0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	44.1		0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	43.8		74 - 125	88%	SPK: 50
1868-53-7	Dibromofluoromethane	39.0		75 - 124	78%	SPK: 50
2037-26-5	Toluene-d8	48.1		86 - 113	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.6		77 - 121	101%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	228000	8.224			
540-36-3	1,4-Difluorobenzene	361000	9.1			
3114-55-4	Chlorobenzene-d5	326000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	171000	13.788			

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	03/26/25	
Project:	RFP 905		Date Received:	03/27/25	
Client Sample ID:	P001-BBDGA-001-01MS		SDG No.:	Q1664	
Lab Sample ID:	Q1664-05MS		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	SPLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086163.D	1		03/28/25 20:18	VN032825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products