

ANALYTICAL RESULTS SUMMARY

VOLATILE ORGANICS

PROJECT NAME : US EPA RIVERSIDE INDUSTRIAL PARK SUPERFUND SITE

WOODARD & CURRAN

800 Westchester Avenue, Suite N507

Suite N507

Rye Brook, NY - 10573

Phone No: 800-807-4080

ORDER ID : Q1665

ATTENTION : Bryan Maurer



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	5
2.1) TO-15- Case Narrative	5
3) Qualifier Page	33
4) QA Checklist	34
5) TO-15 Data	35
6) Shipping Document	204
6.1) CHAIN OF CUSTODY	205
6.2) ROC	216
6.3) Lab Certificate	237
6.4) Internal COC	238
6.5) Air sample Pressure And Dilution Log Book	239
6.6.) Storage Location	241

1
2
3
4
5
6

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

Laboratory Name : Alliance Technical Group LLC Client : Woodard & Curran
 Project Location : _____ Project Number : _____
 Laboratory Sample ID(s) : Q1665 Sampling Date(s) : 3/24/2025,03/25/2025
 List DKQP Methods Used (e.g., 8260,8270, et Cetra) **SMO,SOP,TO-15**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	☒ Yes ☐ No
1A	Were the method specified handling, preservation, and holding time requirements met?	☒ Yes ☐ No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	☐ Yes ☐ No ☒ N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	☒ Yes ☐ No
3	Were samples received at an appropriate temperature (4±2° C)?	☐ Yes ☐ No ☒ N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	☐ Yes ☒ No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	☒ Yes ☐ No ☒ Yes ☐ No ☐ N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	☒ Yes ☐ No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	☒ Yes ☐ No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : Q1665

Project ID : US EPA Riverside Industrial Park Superfund Site

Client : Woodard & Curran

Lab Sample Number

Q1665-01
Q1665-03
Q1665-04
Q1665-06
Q1665-08
Q1665-09
Q1665-10
Q1665-11
Q1665-15
Q1665-18
Q1665-20

Client Sample Number

AA-DUP-1-3242025
IA-B10-2-3242025
AA-1-3242025
IA-B9-1-3242025
IA-DUP-2-3242025
IA-B9-2-3242025
IA-B10-4-3242025
IA-B10-1-3242025
IA-B14-1-3242025
IA-B10-3-3242025
IA-B9-3-3242025

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 04/21/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Woodard & Curran

Project Name: US EPA Riverside Industrial Park Superfund Site

Project # N/A

Chemtech Project # Q1665

Test Name: TO-15

A. Number of Samples and Date of Receipt:

11 Air samples were received on 03/26/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: TO-15. This data package contains results for TO-15.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of TO-15 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD for {Q1665-01DUP} with File ID: VL042291.D met criteria except for m/p-Xylene[200%], due to difference in results of original and DUP.

The RPD for {Q1665-03DUP} with File ID: VL042318.D met criteria except for m/p-Xylene[200%], due to difference in results of original and DUP.

The Blank Spike for {VL0411ABS01} with File ID: VL042314.D met requirements for all samples except for 1,1,2,2-Tetrachloroethane[132%], 1,2-Dichlorobenzene[132%], these compounds did not meet the NJDKQP criteria and the in-house criteria also it is failing high but no positive hit in associated samples therefore no corrective action taken.

The Blank Spike for {VL0415ABS01} with File ID: VL042328.D met requirements for all samples except for Methylene Chloride[67%], tert-Butyl Alcohol[68%], these compounds did not meet the NJDKQP criteria and the in-house criteria also it is failing low but only dilution samples analyzed under this Blank spike therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements .

The Continuous Calibration File ID VL042326.D met the requirements except for Methylene Chloride and tert-Butyl alcohol are failing low but only dilution samples analyzed under this Continuous Calibration therefore no corrective action taken.

The Tuning criteria met requirements.

Samples IA-B10-2-3242025, IA-B10-4-3242025, IA-B10-4-3242025DL, IA-B10-1-3242025, IA-B14-1-3242025 and IA-B10-3-3242025 were diluted due to high concentrations.

E. Additional Comments:

The not QT review data is reported in the Miscellaneous.

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The Sample #AA-DUP-1-3242025,IA-B10-2-3242025,AA-1-3242025, IA-B9-1-3242025, IA-DUP-2-3242025,IA-B9-2-3242025 ,IA-B10-4-3242025, IA-B10-1-3242025,IA-B14-1-3242025,IA-B14-1-3242025DL,IA-B10-3-3242025 have the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

The Manual Integrations are performed for the followings.

Manual Integration Report			
Sequence	VL032725	Instrument	MSVOA_I

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICCC010	VL042172.D	m/p-Xylene	SAM	3/31/2025 11:24:55 AM	MMDado da	4/3/2025 8:05:09 AM	Peak Integrated by Software incorrectly
VSTDICCC002	VL042173.D	1,4-Dioxane	SAM	3/31/2025 11:25:00 AM	MMDado da	4/3/2025 8:05:13 AM	Peak Integrated by Software incorrect

							ly
VSTDIC002	VL042173.D	Ethanol	SAM	3/31/2025 11:25:00 AM	MMDado da	4/3/2025 8:05:13 AM	Peak Integrated by Software incorrectly
VSTDIC002	VL042173.D	m/p-Xylene	SAM	3/31/2025 11:25:00 AM	MMDado da	4/3/2025 8:05:13 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	1,4-Dioxane	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	4-Methyl-2-Pentanone	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	Ethanol	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	m/p-Xylene	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	Methyl Methacrylate	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software

							incorrectly
VSTDIC001	VL042174.D	Propene	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	t-1,3-Dichloropropene	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	trans-1,2-Dichloroethene	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC001	VL042174.D	Vinyl Acetate	SAM	3/31/2025 11:26:28 AM	MMDado da	4/3/2025 8:05:22 AM	Peak Integrated by Software incorrectly
VSTDIC005	VL042175.D	1,1,2-Trichloroethane	SAM	3/31/2025 11:26:33 AM	MMDado da	4/3/2025 8:05:37 AM	Peak Integrated by Software incorrectly
VSTDIC005	VL042175.D	1,4-Dioxane	SAM	3/31/2025 11:26:33 AM	MMDado da	4/3/2025 8:05:37 AM	Peak Integrated by Software incorrectly
VSTDIC005	VL042175.D	cis-1,3-Dichloropropene	SAM	3/31/2025 11:26:33 AM	MMDado da	4/3/2025 8:05:37 AM	Peak Integrated by Software

							e incorrect ly
VSTDICC0. 5	VL042175 .D	Cyclohexane	SAM	3/31/20 25 11:26:3 3 AM	MMDado da	4/3/202 5 8:05:37 AM	Peak Integrat ed by Softwar e incorrect ly
VSTDICC0. 5	VL042175 .D	m/p-Xylene	SAM	3/31/20 25 11:26:3 3 AM	MMDado da	4/3/202 5 8:05:37 AM	Peak Integrat ed by Softwar e incorrect ly
VSTDICC0. 5	VL042175 .D	Methyl Methacrylate	SAM	3/31/20 25 11:26:3 3 AM	MMDado da	4/3/202 5 8:05:37 AM	Peak Integrat ed by Softwar e incorrect ly
VSTDICC0. 5	VL042175 .D	Propene	SAM	3/31/20 25 11:26:3 3 AM	MMDado da	4/3/202 5 8:05:37 AM	Peak Integrat ed by Softwar e incorrect ly
VSTDICC0. 5	VL042175 .D	Tetrahydrofura n	SAM	3/31/20 25 11:26:3 3 AM	MMDado da	4/3/202 5 8:05:37 AM	Peak Integrat ed by Softwar e incorrect ly
VSTDICC0. 5	VL042175 .D	Trichloroethen e	SAM	3/31/20 25 11:26:3 3 AM	MMDado da	4/3/202 5 8:05:37 AM	Peak Integrat ed by Softwar e incorrect ly
VSTDICC0. 1	VL042176 .D	1,1,1- Trichloroethan e	SAM	3/31/20 25 11:25:0	MMDado da	4/3/202 5 8:05:45	Peak Integrat ed by

				4 AM		AM	Softwar e incorrec tly
VSTDICCO. 1	VL042176 .D	1,1,2,2- Tetrachloroeth ane	SAM	3/31/20 25 11:25:0 4 AM	MMDado da	4/3/202 5 8:05:45 AM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO. 1	VL042176 .D	1,2- Dibromoethan e	SAM	3/31/20 25 11:25:0 4 AM	MMDado da	4/3/202 5 8:05:45 AM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO. 1	VL042176 .D	Carbon Tetrachloride	SAM	3/31/20 25 11:25:0 4 AM	MMDado da	4/3/202 5 8:05:45 AM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO. 1	VL042176 .D	Trichloroethen e	SAM	3/31/20 25 11:25:0 4 AM	MMDado da	4/3/202 5 8:05:45 AM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO. 03	VL042177 .D	1,1,1- Trichloroethan e	SAM	3/31/20 25 11:26:3 9 AM	MMDado da	4/3/202 5 8:05:59 AM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO. 03	VL042177 .D	1,1,2,2- Tetrachloroeth ane	SAM	3/31/20 25 11:26:3 9 AM	MMDado da	4/3/202 5 8:05:59 AM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO. 03	VL042177 .D	Carbon Tetrachloride	SAM	3/31/20 25	MMDado da	4/3/202 5	Peak Integrat

				11:26:39 AM		8:05:59 AM	ed by Software incorrectly
VSTDICC0.03	VL042177.D	Tetrachloroethene	SAM	3/31/2025 11:26:39 AM	MMDado da	4/3/2025 8:05:59 AM	Peak Integrated by Software incorrectly
VSTDICC0.03	VL042177.D	Trichloroethene	SAM	3/31/2025 11:26:39 AM	MMDado da	4/3/2025 8:05:59 AM	Peak Integrated by Software incorrectly
VSTDICC0.03	VL042177.D	Vinyl Chloride	SAM	3/31/2025 11:26:39 AM	MMDado da	4/3/2025 8:05:59 AM	Peak Integrated by Software incorrectly
VSTDICC015	VL042178.D	m/p-Xylene	SAM	3/31/2025 11:25:14 AM	MMDado da	4/3/2025 8:06:09 AM	Peak Integrated by Software incorrectly
VSTDICV010	VL042179.D	m/p-Xylene	SAM	3/31/2025 11:28:50 AM	MMDado da	4/3/2025 8:06:14 AM	Peak Integrated by Software incorrectly

Manual Integration Report			
Sequence	VL040925	Instrument	MSVOA_I

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
-----------	---------	-----------	-----------	-----------	---------------	---------------	--------

VSTDCCC010	VL042286.D	m/p-Xylene	SAM	4/10/2025 12:04:04 PM	MMDado da	4/10/2025 3:39:20 PM	Peak Integrated by Software incorrectly
VL0409AB S01	VL042288.D	m/p-Xylene	SAM	4/10/2025 12:04:11 PM	MMDado da	4/10/2025 7:20:44 PM	Peak Integrated by Software incorrectly
VL0409AB S02	VL042289.D	m/p-Xylene	SAM	4/10/2025 12:04:58 PM	MMDado da	4/10/2025 7:20:47 PM	Peak Integrated by Software incorrectly
Q1665-01	VL042290.D	Benzene	SAM	4/10/2025 12:05:04 PM	MMDado da	4/10/2025 7:20:50 PM	Peak Integrated by Software incorrectly
Q1665-01	VL042290.D	Carbon Tetrachloride	SAM	4/10/2025 12:05:04 PM	MMDado da	4/10/2025 7:20:50 PM	Peak Integrated by Software incorrectly
Q1665-01	VL042290.D	Chlorodifluoromethane	SAM	4/10/2025 12:05:04 PM	MMDado da	4/10/2025 7:20:50 PM	Peak Integrated by Software incorrectly
Q1665-01	VL042290.D	Heptane	SAM	4/10/2025 12:05:04 PM	MMDado da	4/10/2025 7:20:50 PM	Peak Integrated by Software incorrectly

Q1665-01	VL04229 0.D	m/p-Xylene	SAM	4/10/20 25 12:05:0 4 PM	MMDado da	4/10/20 25 7:20:50 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-01	VL04229 0.D	Toluene	SAM	4/10/20 25 12:05:0 4 PM	MMDado da	4/10/20 25 7:20:50 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-01DUP	VL04229 1.D	Carbon Tetrachloride	SAM	4/10/20 25 12:05:0 9 PM	MMDado da	4/10/20 25 7:20:53 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-01DUP	VL04229 1.D	Chlorodifluoromet hane	SAM	4/10/20 25 12:05:0 9 PM	MMDado da	4/10/20 25 7:20:53 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-01DUP	VL04229 1.D	Heptane	SAM	4/10/20 25 12:05:0 9 PM	MMDado da	4/10/20 25 7:20:53 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-01DUP	VL04229 1.D	m/p-Xylene	SAM	4/10/20 25 12:05:0 9 PM	MMDado da	4/10/20 25 7:20:53 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-01DUP	VL04229 1.D	Trichlorofluoromet hane	SAM	4/10/20 25 12:05:0 9 PM	MMDado da	4/10/20 25 7:20:53 PM	Peak Integrat ed by Softwar e incorrec tly

Q1665-04	VL04229 2.D	Chlorodifluoromet hane	SAM	4/10/20 25 12:05:1 4 PM	MMDado da	4/10/20 25 7:20:55 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-04	VL04229 2.D	m/p-Xylene	SAM	4/10/20 25 12:05:1 4 PM	MMDado da	4/10/20 25 7:20:55 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-04	VL04229 2.D	Toluene	SAM	4/10/20 25 12:05:1 4 PM	MMDado da	4/10/20 25 7:20:55 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-06	VL04229 3.D	Carbon Tetrachloride	SAM	4/10/20 25 12:04:3 0 PM	MMDado da	4/10/20 25 7:20:58 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-06	VL04229 3.D	Chlorodifluoromet hane	SAM	4/10/20 25 12:04:3 0 PM	MMDado da	4/10/20 25 7:20:58 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-06	VL04229 3.D	Heptane	SAM	4/10/20 25 12:04:3 0 PM	MMDado da	4/10/20 25 7:20:58 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-06	VL04229 3.D	Propene	SAM	4/10/20 25 12:04:3 0 PM	MMDado da	4/10/20 25 7:20:58 PM	Peak Integrat ed by Softwar e incorrec tly

Q1665-06	VL04229 3.D	Tetrahydrofuran	SAM	4/10/20 25 12:04:3 0 PM	MMDado da	4/10/20 25 7:20:58 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-08	VL04229 4.D	Benzene	SAM	4/10/20 25 12:04:4 3 PM	MMDado da	4/10/20 25 7:21:00 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-08	VL04229 4.D	Carbon Tetrachloride	SAM	4/10/20 25 12:04:4 3 PM	MMDado da	4/10/20 25 7:21:00 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-08	VL04229 4.D	Chlorodifluoromet hane	SAM	4/10/20 25 12:04:4 3 PM	MMDado da	4/10/20 25 7:21:00 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-08	VL04229 4.D	Propene	SAM	4/10/20 25 12:04:4 3 PM	MMDado da	4/10/20 25 7:21:00 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-08	VL04229 4.D	tert-Butyl alcohol	SAM	4/10/20 25 12:04:4 3 PM	MMDado da	4/10/20 25 7:21:00 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-09	VL04229 5.D	Carbon Tetrachloride	SAM	4/10/20 25 12:04:2 6 PM	MMDado da	4/10/20 25 7:21:01 PM	Peak Integrat ed by Softwar e incorrec tly

Q1665-09	VL04229 5.D	Chlorodifluoromet hane	SAM	4/10/20 25 12:04:2 6 PM	MMDado da	4/10/20 25 7:21:01 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-09	VL04229 5.D	Heptane	SAM	4/10/20 25 12:04:2 6 PM	MMDado da	4/10/20 25 7:21:01 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-09	VL04229 5.D	m/p-Xylene	SAM	4/10/20 25 12:04:2 6 PM	MMDado da	4/10/20 25 7:21:01 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-09	VL04229 5.D	Propene	SAM	4/10/20 25 12:04:2 6 PM	MMDado da	4/10/20 25 7:21:01 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-20	VL04229 6.D	Chlorobenzene	SAM	4/10/20 25 12:05:2 0 PM	MMDado da	4/10/20 25 7:21:06 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-20	VL04229 6.D	Chlorodifluoromet hane	SAM	4/10/20 25 12:05:2 0 PM	MMDado da	4/10/20 25 7:21:06 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-20	VL04229 6.D	Heptane	SAM	4/10/20 25 12:05:2 0 PM	MMDado da	4/10/20 25 7:21:06 PM	Peak Integrat ed by Softwar e incorrec tly

Q1665-20	VL042296.D	m/p-Xylene	SAM	4/10/2025 12:05:20 PM	MMDado da	4/10/2025 7:21:06 PM	Peak Integrated by Software incorrectly
Q1665-20	VL042296.D	Propene	SAM	4/10/2025 12:05:20 PM	MMDado da	4/10/2025 7:21:06 PM	Peak Integrated by Software incorrectly

Manual Integration Report			
Sequence	VL041125	Instrument	MSVOA_I

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC010	VL042312.D	m/p-Xylene	SAM	4/16/2025 9:17:16 PM	MMDado da	4/17/2025 1:40:05 PM	Peak Integrated by Software incorrectly
VL0411AB S01	VL042314.D	m/p-Xylene	SAM	4/16/2025 9:17:26 PM	MMDado da	4/17/2025 1:40:08 PM	Peak Integrated by Software incorrectly
Q1665-03	VL042317.D	Carbon Tetrachloride	SAM	4/16/2025 9:17:31 PM	MMDado da	4/17/2025 1:40:15 PM	Peak Integrated by Software incorrectly
Q1665-03	VL042317.D	Heptane	SAM	4/16/2025 9:17:31 PM	MMDado da	4/17/2025 1:40:15 PM	Peak Integrated by Software

							incorrectly
Q1665-03	VL042317.D	m/p-Xylene	SAM	4/16/2025 9:17:31 PM	MMDado da	4/17/2025 1:40:15 PM	Peak Integrated by Software incorrectly
Q1665-03	VL042317.D	Propene	SAM	4/16/2025 9:17:31 PM	MMDado da	4/17/2025 1:40:15 PM	Peak Integrated by Software incorrectly
Q1665-03	VL042317.D	Tetrachloroethene	SAM	4/16/2025 9:17:31 PM	MMDado da	4/17/2025 1:40:15 PM	Peak Integrated by Software incorrectly
Q1665-03DUP	VL042318.D	Carbon Tetrachloride	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrated by Software incorrectly
Q1665-03DUP	VL042318.D	Heptane	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrated by Software incorrectly
Q1665-03DUP	VL042318.D	m/p-Xylene	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrated by Software incorrectly
Q1665-03DUP	VL042318.D	o-Xylene	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrated by Software

							e in cor rec tly
Q1665-03DUP	VL042318.D	Propene	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrat ed by Softwar e in cor rec tly
Q1665-03DUP	VL042318.D	tert-Butyl alcohol	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrat ed by Softwar e in cor rec tly
Q1665-03DUP	VL042318.D	Tetrachloroethene	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrat ed by Softwar e in cor rec tly
Q1665-03DUP	VL042318.D	Toluene	SAM	4/16/2025 9:17:45 PM	MMDado da	4/17/2025 1:40:17 PM	Peak Integrat ed by Softwar e in cor rec tly
Q1665-10	VL042319.D	2,2,4-Trimethylpentane	SAM	4/16/2025 9:18:13 PM	MMDado da	4/17/2025 1:40:19 PM	Peak Integrat ed by Softwar e in cor rec tly
Q1665-10	VL042319.D	Carbon Tetrachloride	SAM	4/16/2025 9:18:13 PM	MMDado da	4/17/2025 1:40:19 PM	Peak Integrat ed by Softwar e in cor rec tly
Q1665-10	VL042319.D	Chlorodifluoromet hane	SAM	4/16/2025 9:18:13	MMDado da	4/17/2025 1:40:19	Peak Integrat ed by

				PM		PM	Software incorrectly
Q1665-10	VL042319.D	Heptane	SAM	4/16/2025 9:18:13 PM	MMDado da	4/17/2025 1:40:19 PM	Peak Integrated by Software incorrectly
Q1665-10	VL042319.D	m/p-Xylene	SAM	4/16/2025 9:18:13 PM	MMDado da	4/17/2025 1:40:19 PM	Peak Integrated by Software incorrectly
Q1665-10	VL042319.D	Propene	SAM	4/16/2025 9:18:13 PM	MMDado da	4/17/2025 1:40:19 PM	Peak Integrated by Software incorrectly
Q1665-10	VL042319.D	Toluene	SAM	4/16/2025 9:18:13 PM	MMDado da	4/17/2025 1:40:19 PM	Peak Integrated by Software incorrectly
Q1665-11	VL042320.D	4-Methyl-2-Pentanone	SAM	4/16/2025 9:18:07 PM	MMDado da	4/17/2025 1:40:21 PM	Peak Integrated by Software incorrectly
Q1665-11	VL042320.D	Carbon Tetrachloride	SAM	4/16/2025 9:18:07 PM	MMDado da	4/17/2025 1:40:21 PM	Peak Integrated by Software incorrectly
Q1665-11	VL042320.D	m/p-Xylene	SAM	4/16/2025	MMDado da	4/17/2025	Peak Integrated

				9:18:07 PM		1:40:21 PM	ed by Software incorrectly
Q1665-11	VL04232 0.D	Propene	SAM	4/16/2025 9:18:07 PM	MMDado da	4/17/2025 1:40:21 PM	Peak Integrated by Software incorrectly
Q1665-11	VL04232 0.D	tert-Butyl alcohol	SAM	4/16/2025 9:18:07 PM	MMDado da	4/17/2025 1:40:21 PM	Peak Integrated by Software incorrectly
Q1665-11	VL04232 0.D	Toluene	SAM	4/16/2025 9:18:07 PM	MMDado da	4/17/2025 1:40:21 PM	Peak Integrated by Software incorrectly
Q1665-18	VL04232 1.D	4-Methyl-2-Pentanone	SAM	4/16/2025 9:18:36 PM	MMDado da	4/17/2025 1:40:23 PM	Peak Integrated by Software incorrectly
Q1665-18	VL04232 1.D	Carbon Tetrachloride	SAM	4/16/2025 9:18:36 PM	MMDado da	4/17/2025 1:40:23 PM	Peak Integrated by Software incorrectly
Q1665-18	VL04232 1.D	Chlorodifluoromethane	SAM	4/16/2025 9:18:36 PM	MMDado da	4/17/2025 1:40:23 PM	Peak Integrated by Software incorrectly
Q1665-18	VL04232	Heptane	SAM	4/16/20	MMDado	4/17/20	Peak

	1.D			25 9:18:36 PM	da	25 1:40:23 PM	Integrat ed by Softwar e incorrec tly
Q1665-18	VL04232 1.D	m/p-Xylene	SAM	4/16/20 25 9:18:36 PM	MMDado da	4/17/20 25 1:40:23 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-18	VL04232 1.D	o-Xylene	SAM	4/16/20 25 9:18:36 PM	MMDado da	4/17/20 25 1:40:23 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-18	VL04232 1.D	Propene	SAM	4/16/20 25 9:18:36 PM	MMDado da	4/17/20 25 1:40:23 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-18	VL04232 1.D	tert-Butyl alcohol	SAM	4/16/20 25 9:18:36 PM	MMDado da	4/17/20 25 1:40:23 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665-18	VL04232 1.D	Tetrachloroethene	SAM	4/16/20 25 9:18:36 PM	MMDado da	4/17/20 25 1:40:23 PM	Peak Integrat ed by Softwar e incorrec tly
Q1665- 10DL	VL04232 3.D	Propene	SAM	4/16/20 25 9:18:02 PM	MMDado da	4/17/20 25 1:40:25 PM	Peak Integrat ed by Softwar e incorrec tly

Q1665-11DL	VL042324.D	Chloroform	SAM	4/16/2025 9:17:57 PM	MMDado da	4/17/2025 1:40:26 PM	Peak Integrated by Software incorrectly
------------	------------	------------	-----	----------------------	-----------	----------------------	---

Manual Integration Report			
Sequence	VL041525	Instrument	MSVOA_I

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC010	VL042326.D	m/p-Xylene	SAM	4/16/2025 2:13:04 PM	MMDadoda	4/16/2025 3:47:21 PM	Peak Integrated by Software incorrectly
VL0415ABS01	VL042328.D	m/p-Xylene	SAM	4/16/2025 2:13:09 PM	MMDadoda	4/16/2025 3:47:23 PM	Peak Integrated by Software incorrectly
Q1665-10DL2	VL042332.D	Propene	SAM	4/16/2025 2:13:14 PM	MMDadoda	4/16/2025 3:47:25 PM	Peak Integrated by Software incorrectly

Manual Integration Report			
Sequence	VL041725	Instrument	MSVOA_I

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICCC010	VL042349.D	m/p-Xylene	SAM	4/18/2025 4:19:07 PM	MMDado da	4/18/2025 10:45:20 PM	Peak Integrated by Software incorrectly

VSTDICCO 02	VL04235 0.D	1,4-Dioxane	SAM	4/18/20 25 4:19:12 PM	MMDado da	4/18/20 25 10:45:1 7 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 02	VL04235 0.D	cis-1,3- Dichloropropene	SAM	4/18/20 25 4:19:12 PM	MMDado da	4/18/20 25 10:45:1 7 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 02	VL04235 0.D	Ethanol	SAM	4/18/20 25 4:19:12 PM	MMDado da	4/18/20 25 10:45:1 7 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 02	VL04235 0.D	Heptane	SAM	4/18/20 25 4:19:12 PM	MMDado da	4/18/20 25 10:45:1 7 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 02	VL04235 0.D	m/p-Xylene	SAM	4/18/20 25 4:19:12 PM	MMDado da	4/18/20 25 10:45:1 7 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 02	VL04235 0.D	Trichloroethene	SAM	4/18/20 25 4:19:12 PM	MMDado da	4/18/20 25 10:45:1 7 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 01	VL04235 1.D	1,1,2- Trichloroethane	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly

VSTDICCO 01	VL04235 1.D	1,3-Butadiene	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 01	VL04235 1.D	1,4-Dioxane	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 01	VL04235 1.D	2,2,4- Trimethylpentane	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 01	VL04235 1.D	cis-1,3- Dichloropropene	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 01	VL04235 1.D	Cyclohexane	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 01	VL04235 1.D	Ethanol	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly
VSTDICCO 01	VL04235 1.D	Heptane	SAM	4/18/20 25 4:19:17 PM	MMDado da	4/18/20 25 10:45:1 5 PM	Peak Integrat ed by Softwar e incorrec tly

VSTDICCO01	VL042351.D	m/p-Xylene	SAM	4/18/2025 4:19:17 PM	MMDado da	4/18/2025 10:45:15 PM	Peak Integrated by Software incorrectly
VSTDICCO01	VL042351.D	Methyl Methacrylate	SAM	4/18/2025 4:19:17 PM	MMDado da	4/18/2025 10:45:15 PM	Peak Integrated by Software incorrectly
VSTDICCO01	VL042351.D	t-1,3-Dichloropropene	SAM	4/18/2025 4:19:17 PM	MMDado da	4/18/2025 10:45:15 PM	Peak Integrated by Software incorrectly
VSTDICCO.5	VL042352.D	1,1,2-Trichloroethane	SAM	4/18/2025 4:20:33 PM	MMDado da	4/18/2025 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDICCO.5	VL042352.D	1,2-Dichloropropane	SAM	4/18/2025 4:20:33 PM	MMDado da	4/18/2025 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDICCO.5	VL042352.D	1,4-Dioxane	SAM	4/18/2025 4:20:33 PM	MMDado da	4/18/2025 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDICCO.5	VL042352.D	4-Methyl-2-Pentanone	SAM	4/18/2025 4:20:33 PM	MMDado da	4/18/2025 10:45:07 PM	Peak Integrated by Software incorrectly

VSTDIC0.5	VL04235 2.D	Chlorobenzene	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDIC0.5	VL04235 2.D	cis-1,3-Dichloropropene	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDIC0.5	VL04235 2.D	Ethanol	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDIC0.5	VL04235 2.D	Heptane	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDIC0.5	VL04235 2.D	m/p-Xylene	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDIC0.5	VL04235 2.D	Methyl Methacrylate	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDIC0.5	VL04235 2.D	t-1,3-Dichloropropene	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly

VSTDICCO.5	VL04235 2.D	Tetrahydrofuran	SAM	4/18/20 25 4:20:33 PM	MMDado da	4/18/20 25 10:45:07 PM	Peak Integrated by Software incorrectly
VSTDICCO.1	VL04235 3.D	1,1,1-Trichloroethane	SAM	4/18/20 25 4:20:37 PM	MMDado da	4/18/20 25 10:45:04 PM	Peak Integrated by Software incorrectly
VSTDICCO.1	VL04235 3.D	1,1,2,2-Tetrachloroethane	SAM	4/18/20 25 4:20:37 PM	MMDado da	4/18/20 25 10:45:04 PM	Peak Integrated by Software incorrectly
VSTDICCO.1	VL04235 3.D	1,2-Dibromoethane	SAM	4/18/20 25 4:20:37 PM	MMDado da	4/18/20 25 10:45:04 PM	Peak Integrated by Software incorrectly
VSTDICCO.1	VL04235 3.D	Tetrachloroethene	SAM	4/18/20 25 4:20:37 PM	MMDado da	4/18/20 25 10:45:04 PM	Peak Integrated by Software incorrectly
VSTDICCO.1	VL04235 3.D	Trichloroethene	SAM	4/18/20 25 4:20:37 PM	MMDado da	4/18/20 25 10:45:04 PM	Peak Integrated by Software incorrectly
VSTDICCO.03	VL04235 4.D	1,1,1-Trichloroethane	SAM	4/18/20 25 4:19:24 PM	MMDado da	4/18/20 25 10:45:02 PM	Peak Integrated by Software incorrectly

VSTDICCO.03	VL04235 4.D	1,1,2,2-Tetrachloroethane	SAM	4/18/20 25 4:19:24 PM	MMDado da	4/18/20 25 10:45:02 PM	Peak Integrated by Software incorrectly
VSTDICCO.03	VL04235 4.D	Carbon Tetrachloride	SAM	4/18/20 25 4:19:24 PM	MMDado da	4/18/20 25 10:45:02 PM	Peak Integrated by Software incorrectly
VSTDICCO.03	VL04235 4.D	Tetrachloroethene	SAM	4/18/20 25 4:19:24 PM	MMDado da	4/18/20 25 10:45:02 PM	Peak Integrated by Software incorrectly
VSTDICCO.03	VL04235 4.D	Trichloroethene	SAM	4/18/20 25 4:19:24 PM	MMDado da	4/18/20 25 10:45:02 PM	Peak Integrated by Software incorrectly
VSTDICCO15	VL04235 5.D	m/p-Xylene	SAM	4/18/20 25 4:21:35 PM	MMDado da	4/18/20 25 10:44:59 PM	Peak Integrated by Software incorrectly
VSTDICV010	VL04235 6.D	m/p-Xylene	SAM	4/18/20 25 4:20:42 PM	MMDado da	4/18/20 25 10:44:57 PM	Peak Integrated by Software incorrectly
VL0417ABS01	VL04235 8.D	m/p-Xylene	SAM	4/18/20 25 4:21:39 PM	MMDado da	4/18/20 25 10:44:55 PM	Peak Integrated by Software incorrectly

Q1665-15	VL042359.D	1,1,1-Trichloroethane	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	1,4-Dioxane	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	2,2,4-Trimethylpentane	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	2-Hexanone	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	4-Methyl-2-Pentanone	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	Benzene	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	Carbon Tetrachloride	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly

Q1665-15	VL042359.D	Chlorodifluoromethane	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	Heptane	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15	VL042359.D	Naphthalene,2-methyl-	SAM	4/18/2025 4:22:27 PM	MMDado da	4/18/2025 10:44:53 PM	Peak Integrated by Software incorrectly
Q1665-15DL	VL042360.D	2-Butanone	SAM	4/18/2025 4:21:44 PM	MMDado da	4/18/2025 10:44:49 PM	Peak Integrated by Software incorrectly
Q1665-15DL	VL042360.D	Ethanol	SAM	4/18/2025 4:21:44 PM	MMDado da	4/18/2025 10:44:49 PM	Peak Integrated by Software incorrectly
Q1665-15DL	VL042360.D	m/p-Xylene	SAM	4/18/2025 4:21:44 PM	MMDado da	4/18/2025 10:44:49 PM	Peak Integrated by Software incorrectly
Q1665-15DL	VL042360.D	Toluene	SAM	4/18/2025 4:21:44 PM	MMDado da	4/18/2025 10:44:49 PM	Peak Integrated by Software incorrectly



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1665

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 04/21/2025

LAB CHRONICLE

OrderID:	Q1665	OrderDate:	3/27/2025 11:29:02 AM
Client:	Woodard & Curran	Project:	US EPA Riverside Industrial Park Superfund Site
Contact:	Bryan Maurer	Location:	Air Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1665-01	AA-DUP-1-3242025	Air			03/25/25			03/26/25
			TO-15	TO-15			04/09/25	
Q1665-03	IA-B10-2-3242025	Air			03/25/25			03/26/25
			TO-15	TO-15			04/11/25	
Q1665-03DL	IA-B10-2-3242025DL	Air			03/25/25			03/26/25
			TO-15	TO-15			04/11/25	
Q1665-04	AA-1-3242025	Air			03/25/25			03/26/25
			TO-15	TO-15			04/09/25	
Q1665-06	IA-B9-1-3242025	Air			03/25/25			03/26/25
			TO-15	TO-15			04/09/25	
Q1665-08	IA-DUP-2-3242025	Air			03/24/25			03/26/25
			TO-15	TO-15			04/09/25	
Q1665-09	IA-B9-2-3242025	Air			03/25/25			03/26/25
			TO-15	TO-15			04/09/25	
Q1665-10	IA-B10-4-3242025	Air			03/25/25			03/26/25
			TO-15	TO-15			04/11/25	
Q1665-10DL	IA-B10-4-3242025DL	Air			03/25/25			03/26/25
			TO-15	TO-15			04/11/25	
Q1665-10DL 2	IA-B10-4-3242025DL 2	Air			03/25/25			03/26/25
			TO-15	TO-15			04/15/25	
Q1665-11	IA-B10-1-3242025	Air			03/25/25			03/26/25
			TO-15	TO-15			04/11/25	

LAB CHRONICLE

Q1665-11DL	IA-B10-1-3242025DL	Air			03/25/25		03/26/25
			TO-15	TO-15		04/11/25	
Q1665-15	IA-B14-1-3242025	Air			03/25/25		03/26/25
			TO-15	TO-15		04/17/25	
Q1665-15DL	IA-B14-1-3242025DL	Air			03/25/25		03/26/25
			TO-15	TO-15		04/17/25	
Q1665-18	IA-B10-3-3242025	Air			03/25/25		03/26/25
			TO-15	TO-15		04/11/25	
Q1665-18DL	IA-B10-3-3242025DL	Air			03/25/25		03/26/25
			TO-15	TO-15		04/15/25	
Q1665-20	IA-B9-3-3242025	Air			03/25/25		03/26/25
			TO-15	TO-15		04/09/25	

Hit Summary Sheet SW-846

SDG No.: Q1665
Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: AA-DUP-1-3242025								
Q1665-01	AA-DUP-1-324202	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Chloromethane	1.16		0.21	1.03	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Heptane	0.45	J	0.45	2.05	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Acetone	8.55		0.57	1.19	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Methylene Chloride	3.30		0.66	1.74	ug/m3
Q1665-01	AA-DUP-1-324202	Air	2-Butanone	1.06	J	0.35	1.47	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Benzene	0.80	J	0.29	1.60	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Toluene	1.21	J	0.41	1.88	ug/m3
Q1665-01	AA-DUP-1-324202	Air	Hexane	5.64		0.39	1.76	ug/m3
Total Voc :				25.8				
Q1665-01	AA-DUP-1-324202	Air	Butane	* 1.10	J	0	0	ppbv
Q1665-01	AA-DUP-1-324202	Air	Chlorodifluoromethane	* 0.33	J	0.090	0.50	ppbv
Q1665-01	AA-DUP-1-324202	Air	Propene	* 0.85	J	0.15	0.50	ppbv
Total Tics :				2.28				
Total Concentration:				28.1				
Client ID: IA-B10-2-3242025								
Q1665-03	IA-B10-2-3242025	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Chloromethane	1.22		0.21	1.03	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-03	IA-B10-2-3242025	Air	tert-Butyl alcohol	1.42	J	0.58	1.52	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Heptane	0.70	J	0.45	2.05	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Acetone	196	E	0.57	1.19	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Methylene Chloride	5.56		0.66	1.74	ug/m3
Q1665-03	IA-B10-2-3242025	Air	2-Butanone	79.0	E	0.35	1.47	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Chloroform	6.84		0.39	2.44	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Benzene	1.92		0.29	1.60	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Toluene	1.85	J	0.41	1.88	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q1665-03	IA-B10-2-3242025	Air	o-Xylene	0.52	J	0.52	2.17	ug/m3
Q1665-03	IA-B10-2-3242025	Air	1,2,4-Trimethylbenzene	0.59	J	0.39	2.46	ug/m3
Q1665-03	IA-B10-2-3242025	Air	Hexane	8.81		0.39	1.76	ug/m3
Total Voc :				309				
Q1665-03	IA-B10-2-3242025	Air	Butane	* 1.30	J	0	0	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-03	IA-B10-2-3242025	Air	Plumbane, diethyldimethyl-	* 65.1	J	0	0	ppbv
Q1665-03	IA-B10-2-3242025	Air	D-Limonene	* 21.3	J	0	0	ppbv
Q1665-03	IA-B10-2-3242025	Air	Butanoic acid, 2-methyl-, ethyl	* 1.50	J	0	0	ppbv
Q1665-03	IA-B10-2-3242025	Air	Propene	* 4.30	J	0.15	0.50	ppbv
Total Tics :				93.5				
Total Concentration:				402				
Client ID:	IA-B10-2-3242025DL							
Q1665-03DL	IA-B10-2-3242025I	Air	Acetone	333	D	5.70	11.9	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	Methylene Chloride	11.5	JD	6.60	17.4	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	2-Butanone	63.4	D	3.54	14.8	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	Chloroform	6.84	JD	4.05	24.4	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	Hexane	6.70	JD	3.88	17.6	ug/m3
Total Voc :				421				
Total Concentration:				421				
Client ID:	AA-1-3242025							
Q1665-04	AA-1-3242025	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1665-04	AA-1-3242025	Air	Chloromethane	1.14		0.21	1.03	ug/m3
Q1665-04	AA-1-3242025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-04	AA-1-3242025	Air	Acetone	8.31		0.57	1.19	ug/m3
Q1665-04	AA-1-3242025	Air	Methylene Chloride	2.33		0.66	1.74	ug/m3
Q1665-04	AA-1-3242025	Air	2-Butanone	1.03	J	0.35	1.47	ug/m3
Q1665-04	AA-1-3242025	Air	Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1665-04	AA-1-3242025	Air	Benzene	0.80	J	0.29	1.60	ug/m3
Q1665-04	AA-1-3242025	Air	Toluene	1.06	J	0.41	1.88	ug/m3
Q1665-04	AA-1-3242025	Air	Hexane	3.88		0.39	1.76	ug/m3
Total Voc :				22.3				
Q1665-04	AA-1-3242025	Air	Butane	* 1.00	J	0	0	ppbv
Q1665-04	AA-1-3242025	Air	Chlorodifluoromethane	* 0.29	J	0.090	0.50	ppbv
Q1665-04	AA-1-3242025	Air	Propene	* 0.75	J	0.15	0.50	ppbv
Total Tics :				2.04				
Total Concentration:				24.3				
Client ID:	IA-B9-1-3242025							
Q1665-06	IA-B9-1-3242025	Air	Dichlorodifluoromethane	1.83	J	1.04	2.47	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Chloromethane	1.20		0.21	1.03	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Tetrahydrofuran	0.97	J	0.38	1.47	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Trichlorofluoromethane	1.24	J	0.90	2.81	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Heptane	0.49	J	0.45	2.05	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Acetone	20.2		0.57	1.19	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-06	IA-B9-1-3242025	Air	Methylene Chloride	3.82		0.66	1.74	ug/m3
Q1665-06	IA-B9-1-3242025	Air	2-Butanone	13.9		0.35	1.47	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Benzene	0.93	J	0.29	1.60	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Toluene	1.81	J	0.41	1.88	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Chlorobenzene	1.11	J	0.37	2.30	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Hexane	7.05		0.39	1.76	ug/m3
Total Voc :				55.0				
Q1665-06	IA-B9-1-3242025	Air	.alpha.-Pinene	* 1.70	J	0	0	ppbv
Q1665-06	IA-B9-1-3242025	Air	Benzaldehyde	* 6.60	J	0	0	ppbv
Q1665-06	IA-B9-1-3242025	Air	Butane	* 1.30	J	0	0	ppbv
Q1665-06	IA-B9-1-3242025	Air	Chlorodifluoromethane	* 0.90	J	0.090	0.50	ppbv
Q1665-06	IA-B9-1-3242025	Air	Propene	* 2.20	J	0.15	0.50	ppbv
Total Tics :				12.7				
Total Concentration:				67.7				
Client ID:	IA-DUP-2-3242025							
Q1665-08	IA-DUP-2-3242025	Air	Dichlorodifluoromethane	1.88	J	1.04	2.47	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Chloromethane	2.27		0.21	1.03	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Tetrahydrofuran	0.62	J	0.38	1.47	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Trichlorofluoromethane	1.40	J	0.90	2.81	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Acetone	27.6		0.57	1.19	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Methylene Chloride	3.47		0.66	1.74	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	2-Butanone	9.73		0.35	1.47	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Carbon Tetrachloride	0.82		0.060	0.19	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Chloroform	1.56	J	0.39	2.44	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Benzene	0.54	J	0.29	1.60	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Hexane	3.31		0.39	1.76	ug/m3
Total Voc :				53.2				
Q1665-08	IA-DUP-2-3242025	Air	Butane	* 1.30	J	0	0	ppbv
Q1665-08	IA-DUP-2-3242025	Air	Chlorodifluoromethane	* 0.96	J	0.090	0.50	ppbv
Q1665-08	IA-DUP-2-3242025	Air	Propene	* 2.40	J	0.15	0.50	ppbv
Total Tics :				4.66				
Total Concentration:				57.8				
Client ID:	IA-B9-2-3242025							
Q1665-09	IA-B9-2-3242025	Air	Dichlorodifluoromethane	2.08	J	1.04	2.47	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Chloromethane	1.20		0.21	1.03	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Trichlorofluoromethane	1.24	J	0.90	2.81	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-09	IA-B9-2-3242025	Air	Heptane	0.49	J	0.45	2.05	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Acetone	15.2		0.57	1.19	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Methylene Chloride	4.17		0.66	1.74	ug/m3
Q1665-09	IA-B9-2-3242025	Air	2-Butanone	9.44		0.35	1.47	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Benzene	0.96	J	0.29	1.60	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Toluene	1.47	J	0.41	1.88	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Chlorobenzene	0.92	J	0.37	2.30	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Hexane	6.70		0.39	1.76	ug/m3
Total Voc :				44.4				
Q1665-09	IA-B9-2-3242025	Air	.alpha.-Pinene	* 1.10	J	0	0	ppbv
Q1665-09	IA-B9-2-3242025	Air	Benzaldehyde	* 2.30	J	0	0	ppbv
Q1665-09	IA-B9-2-3242025	Air	Butane	* 2.10	J	0	0	ppbv
Q1665-09	IA-B9-2-3242025	Air	Chlorodifluoromethane	* 0.83	J	0.090	0.50	ppbv
Q1665-09	IA-B9-2-3242025	Air	Propene	* 4.50	J	0.15	0.50	ppbv
Total Tics :				10.8				
Total Concentration:				55.3				
Client ID:	IA-B10-4-3242025							
Q1665-10	IA-B10-4-3242025	Air	Dichlorodifluoromethane	1.93	J	1.04	2.47	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Chloromethane	1.26		0.21	1.03	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Trichlorofluoromethane	1.07	J	0.90	2.81	ug/m3
Q1665-10	IA-B10-4-3242025	Air	tert-Butyl alcohol	0.64	J	0.58	1.52	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Heptane	0.57	J	0.45	2.05	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Acetone	182	E	0.57	1.19	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Methylene Chloride	2.05		0.66	1.74	ug/m3
Q1665-10	IA-B10-4-3242025	Air	2-Butanone	472	E	0.35	1.47	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Chloroform	2.83		0.39	2.44	ug/m3
Q1665-10	IA-B10-4-3242025	Air	2,2,4-Trimethylpentane	0.47	J	0.47	2.34	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Benzene	1.50	J	0.29	1.60	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Toluene	1.58	J	0.41	1.88	ug/m3
Q1665-10	IA-B10-4-3242025	Air	1,2,4-Trimethylbenzene	0.54	J	0.39	2.46	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Hexane	7.75		0.39	1.76	ug/m3
Total Voc :				677				
Q1665-10	IA-B10-4-3242025	Air	Limonene	* 6.40	J	0	0	ppbv
Q1665-10	IA-B10-4-3242025	Air	Chlorodifluoromethane	* 0.31	J	0.090	0.50	ppbv
Q1665-10	IA-B10-4-3242025	Air	Propene	* 110	J	0.15	0.50	ppbv

Hit Summary Sheet

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Tics :				117				
Total Concentration:				793				
Client ID:	IA-B10-4-3242025DL							
Q1665-10DL	IA-B10-4-3242025I	Air	Acetone	333	D	22.8	47.5	ug/m3
Q1665-10DL	IA-B10-4-3242025I	Air	2-Butanone	2060	ED	14.2	59.0	ug/m3
Total Voc :				2400				
Total Concentration:				2400				
Client ID:	IA-B10-4-3242025DL2							
Q1665-10DL2	IA-B10-4-3242025I	Air	Acetone	285	D	57.0	119	ug/m3
Q1665-10DL2	IA-B10-4-3242025I	Air	2-Butanone	1420	D	35.4	147	ug/m3
Total Voc :				1700				
Total Concentration:				1700				
Client ID:	IA-B10-1-3242025							
Q1665-11	IA-B10-1-3242025	Air	Dichlorodifluoromethane	2.13	J	1.04	2.47	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Chloromethane	1.22		0.21	1.03	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Trichlorofluoromethane	1.24	J	0.90	2.81	ug/m3
Q1665-11	IA-B10-1-3242025	Air	tert-Butyl alcohol	1.27	J	0.58	1.52	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Acetone	186	E	0.57	1.19	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Methylene Chloride	51.4		0.66	1.74	ug/m3
Q1665-11	IA-B10-1-3242025	Air	2-Butanone	36.3		0.35	1.47	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Chloroform	5.37		0.39	2.44	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Benzene	1.47	J	0.29	1.60	ug/m3
Q1665-11	IA-B10-1-3242025	Air	4-Methyl-2-Pentanone	0.66	J	0.37	2.05	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Toluene	1.51	J	0.41	1.88	ug/m3
Q1665-11	IA-B10-1-3242025	Air	m/p-Xylene	0.96	J	0.91	4.34	ug/m3
Q1665-11	IA-B10-1-3242025	Air	o-Xylene	0.65	J	0.52	2.17	ug/m3
Q1665-11	IA-B10-1-3242025	Air	1,3,5-Trimethylbenzene	0.79	J	0.54	2.46	ug/m3
Q1665-11	IA-B10-1-3242025	Air	1,2,4-Trimethylbenzene	2.80		0.39	2.46	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Hexane	28.6		0.39	1.76	ug/m3
Total Voc :				323				
Q1665-11	IA-B10-1-3242025	Air	unknown3.230	* 1.30	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	Butane	* 2.20	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	Decane	* 1.80	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	1-Hexene, 4-methyl-	* 1.30	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	D-Limonene	* 8.40	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	Propene	* 3.80	J	0.15	0.50	ppbv
Q1665-11	IA-B10-1-3242025	Air	p-Isopropyltoluene	* 0.12	J	0.090	0.50	ppbv

Hit Summary Sheet

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Tics :				18.9				
Total Concentration:				342				
Client ID:	IA-B10-1-3242025DL							
Q1665-11DL	IA-B10-1-3242025I	Air	Acetone	309	D	5.70	11.9	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	Methylene Chloride	57.0	D	6.60	17.4	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	2-Butanone	29.5	D	3.54	14.8	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	Chloroform	4.88	JD	4.05	24.4	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	Hexane	15.5	JD	3.88	17.6	ug/m3
Total Voc :				416				
Total Concentration:				416				
Client ID:	IA-B14-1-3242025							
Q1665-15	IA-B14-1-3242025	Air	Dichlorodifluoromethane	2.13	J	1.04	2.47	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Chloromethane	1.36		0.21	1.03	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Heptane	0.61	J	0.45	2.05	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Acetone	91.2	E	0.57	1.19	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Methylene Chloride	4.17		0.66	1.74	ug/m3
Q1665-15	IA-B14-1-3242025	Air	2-Butanone	2.18		0.35	1.47	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Chloroform	1.03	J	0.39	2.44	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,1,1-Trichloroethane	0.22		0.050	0.16	ug/m3
Q1665-15	IA-B14-1-3242025	Air	2,2,4-Trimethylpentane	0.84	J	0.47	2.34	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Benzene	0.77	J	0.29	1.60	ug/m3
Q1665-15	IA-B14-1-3242025	Air	4-Methyl-2-Pentanone	0.57	J	0.37	2.05	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Toluene	3.32		0.41	1.88	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Ethyl Benzene	21.7		0.52	2.17	ug/m3
Q1665-15	IA-B14-1-3242025	Air	m/p-Xylene	92.5		0.91	4.34	ug/m3
Q1665-15	IA-B14-1-3242025	Air	o-Xylene	17.8		0.52	2.17	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,3,5-Trimethylbenzene	0.54	J	0.54	2.46	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,2,4-Trimethylbenzene	1.33	J	0.39	2.46	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Naphthalene	0.73		0.42	0.52	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Hexane	9.52		0.39	1.76	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,4-Dioxane	3.60		0.76	1.80	ug/m3
Total Voc :				258				
Q1665-15	IA-B14-1-3242025	Air	Hexanoic acid, methyl ester	* 4.30	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Heptanoic acid, methyl ester	* 10.6	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Butane	* 1.20	J	0	0	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-15	IA-B14-1-3242025	Air	1-Pentene, 2,4,4-trimethyl-	* 1.60	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Octanoic acid, methyl ester	* 6.40	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Chlorodifluoromethane	* 0.31	J	0.090	0.50	ppbv
Q1665-15	IA-B14-1-3242025	Air	Naphthalene,2-methyl-	* 0.15	J	0.15	0.50	ppbv
Q1665-15	IA-B14-1-3242025	Air	Propene	* 1.60	J	0.15	0.50	ppbv
Q1665-15	IA-B14-1-3242025	Air	2-Hexanone	* 1.50	J	0.080	0.50	ppbv
Total Tics :				27.7				
Total Concentration:				286				
Client ID:	IA-B14-1-3242025DL							
Q1665-15DL	IA-B14-1-3242025I	Air	Acetone	101	D	5.70	11.9	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	2-Butanone	3.83	JD	3.54	14.8	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	Ethyl Benzene	22.1	D	5.21	21.7	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	m/p-Xylene	96.9	D	9.12	43.4	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	o-Xylene	17.8	JD	5.21	21.7	ug/m3
Total Voc :				242				
Total Concentration:				242				
Client ID:	IA-B10-3-3242025							
Q1665-18	IA-B10-3-3242025	Air	Dichlorodifluoromethane	2.18	J	1.04	2.47	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Chloromethane	1.26		0.21	1.03	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Trichlorofluoromethane	1.07	J	0.90	2.81	ug/m3
Q1665-18	IA-B10-3-3242025	Air	tert-Butyl alcohol	1.36	J	0.58	1.52	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Heptane	0.78	J	0.45	2.05	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Acetone	215	E	0.57	1.19	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Methylene Chloride	3.13		0.66	1.74	ug/m3
Q1665-18	IA-B10-3-3242025	Air	2-Butanone	67.0	E	0.35	1.47	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Chloroform	7.33		0.39	2.44	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Benzene	2.17		0.29	1.60	ug/m3
Q1665-18	IA-B10-3-3242025	Air	4-Methyl-2-Pentanone	1.84	J	0.37	2.05	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Toluene	2.03		0.41	1.88	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q1665-18	IA-B10-3-3242025	Air	1,2,4-Trimethylbenzene	0.79	J	0.39	2.46	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Hexane	9.52		0.39	1.76	ug/m3
Total Voc :				316				
Q1665-18	IA-B10-3-3242025	Air	Butane	* 1.30	J	0	0	ppbv
Q1665-18	IA-B10-3-3242025	Air	D-Limonene	* 18.0	J	0	0	ppbv
Q1665-18	IA-B10-3-3242025	Air	Butanoic acid, 2-methyl-, ethyl	* 1.40	J	0	0	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-18	IA-B10-3-3242025	Air	Bicyclo[3.1.1]heptane, 6,6-dim	* 1.10	J	0	0	ppbv
Q1665-18	IA-B10-3-3242025	Air	Chlorodifluoromethane	* 0.18	J	0.090	0.50	ppbv
Q1665-18	IA-B10-3-3242025	Air	Propene	* 5.00	J	0.15	0.50	ppbv
Q1665-18	IA-B10-3-3242025	Air	p-Isopropyltoluene	* 0.11	J	0.090	0.50	ppbv
Total Tics :				27.1				
Total Concentration:				343				
Client ID:	IA-B10-3-3242025DL							
Q1665-18DL	IA-B10-3-3242025I	Air	Acetone	356	D	5.70	11.9	ug/m3
Q1665-18DL	IA-B10-3-3242025I	Air	2-Butanone	44.5	D	3.54	14.8	ug/m3
Q1665-18DL	IA-B10-3-3242025I	Air	Chloroform	6.35	JD	4.05	24.4	ug/m3
Q1665-18DL	IA-B10-3-3242025I	Air	Hexane	5.99	JD	3.88	17.6	ug/m3
Total Voc :				413				
Total Concentration:				413				
Client ID:	IA-B9-3-3242025							
Q1665-20	IA-B9-3-3242025	Air	Dichlorodifluoromethane	2.08	J	1.04	2.47	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Chloromethane	1.01	J	0.21	1.03	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Tetrahydrofuran	0.83	J	0.38	1.47	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Heptane	0.66	J	0.45	2.05	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Acetone	19.0		0.57	1.19	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Methylene Chloride	4.52		0.66	1.74	ug/m3
Q1665-20	IA-B9-3-3242025	Air	2-Butanone	7.37		0.35	1.47	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Benzene	0.89	J	0.29	1.60	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Toluene	2.00		0.41	1.88	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Chlorobenzene	0.60	J	0.37	2.30	ug/m3
Q1665-20	IA-B9-3-3242025	Air	m/p-Xylene	0.96	J	0.91	4.34	ug/m3
Q1665-20	IA-B9-3-3242025	Air	o-Xylene	0.56	J	0.52	2.17	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Hexane	5.29		0.39	1.76	ug/m3
Total Voc :				47.5				
Q1665-20	IA-B9-3-3242025	Air	Benzaldehyde	* 1.10	J	0	0	ppbv
Q1665-20	IA-B9-3-3242025	Air	Butane	* 1.30	J	0	0	ppbv
Q1665-20	IA-B9-3-3242025	Air	Chlorodifluoromethane	* 0.56	J	0.090	0.50	ppbv
Q1665-20	IA-B9-3-3242025	Air	Propene	* 3.10	J	0.15	0.50	ppbv
Total Tics :				6.06				
Total Concentration:				53.5				

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : AA-DUP-1-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-01

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.4	J	1.98		
Chloromethane	74-87-3	50.49	0.56		1.16		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.21	J	1.18		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.11	J	0.45		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	3.6		8.55		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	0.95		3.3		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	0.36	J	1.06		
Carbon Tetrachloride	56-23-5	153.8	0.07		0.44		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.08	U	0.39		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.25	J	0.8		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.32	J	1.21		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : AA-DUP-1-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-01

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	U	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.08	U	0.39		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	1.6		5.64		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-2-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-03

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.4	J	1.98		
Chloromethane	74-87-3	50.49	0.59		1.22		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.21	J	1.18		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.47	J	1.42		
Heptane	142-82-5	100.2	0.17	J	0.7		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	82.7	E	196		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	1.6		5.56		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	26.8	E	79.0		
Carbon Tetrachloride	56-23-5	153.8	0.09		0.57		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	1.4		6.84		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.6		1.92		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.49	J	1.85		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-2-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-03

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.04		0.27		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	J	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.12	J	0.59		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	2.5		8.81		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-2-3242025DL

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-03DL

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	2.1	UD	10.4		
Chloromethane	74-87-3	50.49	0.98	UD	2.02		
Vinyl Chloride	75-01-4	62.5	0.14	UD	0.36		
Bromomethane	74-83-9	94.94	1.4	UD	5.44		
Chloroethane	75-00-3	64.52	1.7	UD	4.49		
Tetrahydrofuran	109-99-9	72.11	1.3	UD	3.83		
Trichlorofluoromethane	75-69-4	137.4	1.6	UD	8.99		
Dichlorotetrafluoroethane	76-14-2	170.9	0.88	UD	6.15		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	1.6	UD	12.3		
tert-Butyl alcohol	75-65-0	74.12	1.9	UD	5.76		
Heptane	142-82-5	100.2	1.1	UD	4.51		
1,1-Dichloroethene	75-35-4	96.94	1.4	UD	5.55		
Acetone	67-64-1	58.08	140	D	332		
Carbon Disulfide	75-15-0	76.14	1.6	UD	4.98		
Methyl tert-Butyl Ether	1634-04-4	88.15	1.2	UD	4.33		
Methylene Chloride	75-09-2	84.94	3.3	JD	11.5		
trans-1,2-Dichloroethene	156-60-5	96.94	1.9	UD	7.53		
1,1-Dichloroethane	75-34-3	98.96	1.3	UD	5.26		
Cyclohexane	110-82-7	84.16	2.2	UD	7.57		
2-Butanone	78-93-3	72.11	21.5	D	63.4		
Carbon Tetrachloride	56-23-5	153.8	0.11	UD	0.69		
cis-1,2-Dichloroethene	156-59-2	96.94	0.89	UD	3.53		
Chloroform	67-66-3	119.4	1.4	JD	6.84		
1,1,1-Trichloroethane	71-55-6	133.4	0.1	UD	0.55		
2,2,4-Trimethylpentane	540-84-1	114.2	1	UD	4.67		
Benzene	71-43-2	78.11	0.87	UD	2.78		
1,2-Dichloroethane	107-06-2	98.96	0.91	UD	3.68		
Trichloroethene	79-01-6	131.4	0.17	UD	0.91		
1,2-Dichloropropane	78-87-5	113	1.1	UD	5.08		
Bromodichloromethane	75-27-4	163.8	0.77	UD	5.16		
4-Methyl-2-Pentanone	108-10-1	100.2	0.93	UD	3.81		
Toluene	108-88-3	92.14	1.1	UD	4.15		
t-1,3-Dichloropropene	10061-02-6	111	0.6	UD	2.72		
cis-1,3-Dichloropropene	10061-01-5	111	0.64	UD	2.91		
1,1,2-Trichloroethane	79-00-5	133.4	0.71	UD	3.87		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-2-3242025DL

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-03DL

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.66	UD	5.62		
1,2-Dibromoethane	106-93-4	187.9	0.72	UD	5.53		
Tetrachloroethene	127-18-4	165.8	0.15	UD	1.02		
Chlorobenzene	108-90-7	112.6	0.76	UD	3.5		
Ethyl Benzene	100-41-4	106.2	1.2	UD	5.21		
m/p-Xylene	179601-23-1	106.2	2.1	UD	9.12		
o-Xylene	95-47-6	106.2	1.2	UD	5.21		
Styrene	100-42-5	104.1	1.1	UD	4.68		
Bromoform	75-25-2	252.8	0.57	UD	5.89		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.11	UD	0.76		
2-Chlorotoluene	95-49-8	126.6	1.1	UD	5.7		
1,3,5-Trimethylbenzene	108-67-8	120.2	1.1	UD	5.41		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.78	UD	3.83		
1,3-Dichlorobenzene	541-73-1	147	0.8	UD	4.81		
1,4-Dichlorobenzene	106-46-7	147	0.53	UD	3.19		
1,2-Dichlorobenzene	95-50-1	147	0.75	UD	4.51		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.85	UD	6.31		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.85	UD	9.07		
Naphthalene	91-20-3	128.17	0.75	UD	3.93		
1,3-Butadiene	106-99-0	54.09	1.3	UD	2.88		
4-Ethyltoluene	622-96-8	120.2	1.2	UD	5.9		
Hexane	110-54-3	86.17	1.9	JD	6.7		
Allyl Chloride	107-05-1	76.53	1.5	UD	4.7		
1,4-Dioxane	123-91-1	88.12	2.1	UD	7.57		
Methyl Methacrylate	80-62-6	100.117	0.86	UD	3.52		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : AA-1-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-04

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.4	J	1.98		
Chloromethane	74-87-3	50.49	0.55		1.14		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.21	J	1.18		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.11	U	0.45		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	3.5		8.31		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	0.67		2.33		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	0.35	J	1.03		
Carbon Tetrachloride	56-23-5	153.8	0.09		0.57		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.08	U	0.39		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.25	J	0.8		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.28	J	1.06		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : AA-1-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-04

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	U	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.08	U	0.39		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	1.1		3.88		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B9-1-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-06

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.37	J	1.83		
Chloromethane	74-87-3	50.49	0.58		1.2		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.33	J	0.97		
Trichlorofluoromethane	75-69-4	137.4	0.22	J	1.24		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.12	J	0.49		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	8.5		20.2		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	1.1		3.82		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	4.7		13.9		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.08	U	0.39		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.29	J	0.93		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.48	J	1.81		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B9-1-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-06

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.24	J	1.11		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	U	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.08	U	0.39		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	2		7.05		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/24/25

Field Id Number : IA-DUP-2-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-08

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.38	J	1.88		
Chloromethane	74-87-3	50.49	1.1		2.27		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.21	J	0.62		
Trichlorofluoromethane	75-69-4	137.4	0.25	J	1.4		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.11	U	0.45		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	11.6		27.6		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	1		3.47		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	3.3		9.73		
Carbon Tetrachloride	56-23-5	153.8	0.13		0.82		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.32	J	1.56		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.17	J	0.54		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.11	U	0.41		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/24/25

Field Id Number : IA-DUP-2-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-08

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	U	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.08	U	0.39		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	0.94		3.31		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B9-2-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-09

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.42	J	2.08		
Chloromethane	74-87-3	50.49	0.58		1.2		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.22	J	1.24		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.12	J	0.49		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	6.4		15.2		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	1.2		4.17		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	3.2		9.44		
Carbon Tetrachloride	56-23-5	153.8	0.09		0.57		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.08	U	0.39		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.3	J	0.96		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.39	J	1.47		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B9-2-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-09

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.2	J	0.92		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	U	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.08	U	0.39		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	1.9		6.7		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-4-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-10

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.39	J	1.93		
Chloromethane	74-87-3	50.49	0.61		1.26		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.19	J	1.07		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.21	J	0.64		
Heptane	142-82-5	100.2	0.14	J	0.57		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	76.7	E	182		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	0.59		2.05		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	160	E	471		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.58		2.83		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	J	0.47		
Benzene	71-43-2	78.11	0.47	J	1.5		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.42	J	1.58		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-4-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-10

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	U	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.11	J	0.54		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	2.2		7.75		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-4-3242025DL

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-10DL

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	8.4	UD	41.5		
Chloromethane	74-87-3	50.49	3.9	UD	8.05		
Vinyl Chloride	75-01-4	62.5	0.56	UD	1.43		
Bromomethane	74-83-9	94.94	5.6	UD	21.7		
Chloroethane	75-00-3	64.52	6.8	UD	17.9		
Tetrahydrofuran	109-99-9	72.11	5.2	UD	15.3		
Trichlorofluoromethane	75-69-4	137.4	6.4	UD	36.0		
Dichlorotetrafluoroethane	76-14-2	170.9	3.5	UD	24.5		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	6.4	UD	49.0		
tert-Butyl alcohol	75-65-0	74.12	7.6	UD	23.0		
Heptane	142-82-5	100.2	4.4	UD	18.0		
1,1-Dichloroethene	75-35-4	96.94	5.6	UD	22.2		
Acetone	67-64-1	58.08	140	D	332		
Carbon Disulfide	75-15-0	76.14	6.4	UD	19.9		
Methyl tert-Butyl Ether	1634-04-4	88.15	4.8	UD	17.3		
Methylene Chloride	75-09-2	84.94	7.6	UD	26.4		
trans-1,2-Dichloroethene	156-60-5	96.94	7.6	UD	30.1		
1,1-Dichloroethane	75-34-3	98.96	5.2	UD	21.0		
Cyclohexane	110-82-7	84.16	8.8	UD	30.3		
2-Butanone	78-93-3	72.11	700	ED	2064		
Carbon Tetrachloride	56-23-5	153.8	0.44	UD	2.77		
cis-1,2-Dichloroethene	156-59-2	96.94	3.6	UD	14.3		
Chloroform	67-66-3	119.4	3.3	UD	16.1		
1,1,1-Trichloroethane	71-55-6	133.4	0.38	UD	2.07		
2,2,4-Trimethylpentane	540-84-1	114.2	4	UD	18.7		
Benzene	71-43-2	78.11	3.5	UD	11.2		
1,2-Dichloroethane	107-06-2	98.96	3.6	UD	14.6		
Trichloroethene	79-01-6	131.4	0.68	UD	3.65		
1,2-Dichloropropane	78-87-5	113	4.4	UD	20.3		
Bromodichloromethane	75-27-4	163.8	3.1	UD	20.8		
4-Methyl-2-Pentanone	108-10-1	100.2	3.7	UD	15.2		
Toluene	108-88-3	92.14	4.4	UD	16.6		
t-1,3-Dichloropropene	10061-02-6	111	2.4	UD	10.9		
cis-1,3-Dichloropropene	10061-01-5	111	2.6	UD	11.8		
1,1,2-Trichloroethane	79-00-5	133.4	2.8	UD	15.3		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-4-3242025DL

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-10DL

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	2.6	UD	22.2		
1,2-Dibromoethane	106-93-4	187.9	2.9	UD	22.3		
Tetrachloroethene	127-18-4	165.8	0.6	UD	4.07		
Chlorobenzene	108-90-7	112.6	3	UD	13.8		
Ethyl Benzene	100-41-4	106.2	4.8	UD	20.8		
m/p-Xylene	179601-23-1	106.2	8.4	UD	36.5		
o-Xylene	95-47-6	106.2	4.8	UD	20.8		
Styrene	100-42-5	104.1	4.4	UD	18.7		
Bromoform	75-25-2	252.8	2.3	UD	23.8		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.44	UD	3.02		
2-Chlorotoluene	95-49-8	126.6	4.4	UD	22.8		
1,3,5-Trimethylbenzene	108-67-8	120.2	4.4	UD	21.6		
1,2,4-Trimethylbenzene	95-63-6	120.2	3.1	UD	15.2		
1,3-Dichlorobenzene	541-73-1	147	3.2	UD	19.2		
1,4-Dichlorobenzene	106-46-7	147	2.1	UD	12.6		
1,2-Dichlorobenzene	95-50-1	147	3	UD	18.0		
1,2,4-Trichlorobenzene	120-82-1	181.5	3.4	UD	25.2		
Hexachloro-1,3-Butadiene	87-68-3	260.8	3.4	UD	36.3		
Naphthalene	91-20-3	128.17	3	UD	15.7		
1,3-Butadiene	106-99-0	54.09	5.2	UD	11.5		
4-Ethyltoluene	622-96-8	120.2	4.8	UD	23.6		
Hexane	110-54-3	86.17	4.4	UD	15.5		
Allyl Chloride	107-05-1	76.53	6	UD	18.8		
1,4-Dioxane	123-91-1	88.12	8.4	UD	30.3		
Methyl Methacrylate	80-62-6	100.117	3.4	UD	13.9		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-4-3242025DL2

Analysis Date : 04/15/25

Laboratory Id Number : Q1665-10DL2

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	21	UD	103		
Chloromethane	74-87-3	50.49	9.8	UD	20.2		
Vinyl Chloride	75-01-4	62.5	1.4	UD	3.58		
Bromomethane	74-83-9	94.94	14	UD	54.4		
Chloroethane	75-00-3	64.52	17	UD	44.9		
Tetrahydrofuran	109-99-9	72.11	13	UD	38.3		
Trichlorofluoromethane	75-69-4	137.4	16	UD	89.9		
Dichlorotetrafluoroethane	76-14-2	170.9	8.8	UD	61.5		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	16	UD	122		
tert-Butyl alcohol	75-65-0	74.12	19	UD	57.6		
Heptane	142-82-5	100.2	11	UD	45.1		
1,1-Dichloroethene	75-35-4	96.94	14	UD	55.5		
Acetone	67-64-1	58.08	120	D	285		
Carbon Disulfide	75-15-0	76.14	16	UD	49.8		
Methyl tert-Butyl Ether	1634-04-4	88.15	12	UD	43.3		
Methylene Chloride	75-09-2	84.94	19	UD	66.0		
trans-1,2-Dichloroethene	156-60-5	96.94	19	UD	75.3		
1,1-Dichloroethane	75-34-3	98.96	13	UD	52.6		
Cyclohexane	110-82-7	84.16	22	UD	75.7		
2-Butanone	78-93-3	72.11	480	D	1415		
Carbon Tetrachloride	56-23-5	153.8	1.1	UD	6.92		
cis-1,2-Dichloroethene	156-59-2	96.94	8.9	UD	35.3		
Chloroform	67-66-3	119.4	8.3	UD	40.5		
1,1,1-Trichloroethane	71-55-6	133.4	0.95	UD	5.18		
2,2,4-Trimethylpentane	540-84-1	114.2	10	UD	46.7		
Benzene	71-43-2	78.11	8.7	UD	27.8		
1,2-Dichloroethane	107-06-2	98.96	9.1	UD	36.8		
Trichloroethene	79-01-6	131.4	1.7	UD	9.14		
1,2-Dichloropropane	78-87-5	113	11	UD	50.8		
Bromodichloromethane	75-27-4	163.8	7.7	UD	51.6		
4-Methyl-2-Pentanone	108-10-1	100.2	9.3	UD	38.1		
Toluene	108-88-3	92.14	11	UD	41.4		
t-1,3-Dichloropropene	10061-02-6	111	6	UD	27.2		
cis-1,3-Dichloropropene	10061-01-5	111	6.4	UD	29.1		
1,1,2-Trichloroethane	79-00-5	133.4	7.1	UD	38.7		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-4-3242025DL2

Analysis Date : 04/15/25

Laboratory Id Number : Q1665-10DL2

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	6.6	UD	56.2		
1,2-Dibromoethane	106-93-4	187.9	7.2	UD	55.3		
Tetrachloroethene	127-18-4	165.8	1.5	UD	10.2		
Chlorobenzene	108-90-7	112.6	7.6	UD	35		
Ethyl Benzene	100-41-4	106.2	12	UD	52.1		
m/p-Xylene	179601-23-1	106.2	21	UD	91.2		
o-Xylene	95-47-6	106.2	12	UD	52.1		
Styrene	100-42-5	104.1	11	UD	46.8		
Bromoform	75-25-2	252.8	5.7	UD	58.9		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	1.1	UD	7.55		
2-Chlorotoluene	95-49-8	126.6	11	UD	57.0		
1,3,5-Trimethylbenzene	108-67-8	120.2	11	UD	54.1		
1,2,4-Trimethylbenzene	95-63-6	120.2	7.8	UD	38.4		
1,3-Dichlorobenzene	541-73-1	147	8	UD	48.1		
1,4-Dichlorobenzene	106-46-7	147	5.3	UD	31.9		
1,2-Dichlorobenzene	95-50-1	147	7.5	UD	45.1		
1,2,4-Trichlorobenzene	120-82-1	181.5	8.5	UD	63.1		
Hexachloro-1,3-Butadiene	87-68-3	260.8	8.5	UD	90.7		
Naphthalene	91-20-3	128.17	7.5	UD	39.3		
1,3-Butadiene	106-99-0	54.09	13	UD	28.8		
4-Ethyltoluene	622-96-8	120.2	12	UD	59.0		
Hexane	110-54-3	86.17	11	UD	38.8		
Allyl Chloride	107-05-1	76.53	15	UD	47.0		
1,4-Dioxane	123-91-1	88.12	21	UD	75.7		
Methyl Methacrylate	80-62-6	100.117	8.6	UD	35.2		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-1-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-11

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.43	J	2.13		
Chloromethane	74-87-3	50.49	0.59		1.22		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.22	J	1.24		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.42	J	1.27		
Heptane	142-82-5	100.2	0.11	U	0.45		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	78.5	E	186		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	14.8		51.4		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	12.3		36.3		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	1.1		5.37		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.46	J	1.47		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.16	J	0.66		
Toluene	108-88-3	92.14	0.4	J	1.51		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-1-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-11

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.22	J	0.96		
o-Xylene	95-47-6	106.2	0.15	J	0.65		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.16	J	0.79		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.57		2.8		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	8.1		28.6		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-1-3242025DL

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-11DL

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	2.1	UD	10.4		
Chloromethane	74-87-3	50.49	0.98	UD	2.02		
Vinyl Chloride	75-01-4	62.5	0.14	UD	0.36		
Bromomethane	74-83-9	94.94	1.4	UD	5.44		
Chloroethane	75-00-3	64.52	1.7	UD	4.49		
Tetrahydrofuran	109-99-9	72.11	1.3	UD	3.83		
Trichlorofluoromethane	75-69-4	137.4	1.6	UD	8.99		
Dichlorotetrafluoroethane	76-14-2	170.9	0.88	UD	6.15		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	1.6	UD	12.3		
tert-Butyl alcohol	75-65-0	74.12	1.9	UD	5.76		
Heptane	142-82-5	100.2	1.1	UD	4.51		
1,1-Dichloroethene	75-35-4	96.94	1.4	UD	5.55		
Acetone	67-64-1	58.08	130	D	308		
Carbon Disulfide	75-15-0	76.14	1.6	UD	4.98		
Methyl tert-Butyl Ether	1634-04-4	88.15	1.2	UD	4.33		
Methylene Chloride	75-09-2	84.94	16.4	D	57.0		
trans-1,2-Dichloroethene	156-60-5	96.94	1.9	UD	7.53		
1,1-Dichloroethane	75-34-3	98.96	1.3	UD	5.26		
Cyclohexane	110-82-7	84.16	2.2	UD	7.57		
2-Butanone	78-93-3	72.11	10	D	29.5		
Carbon Tetrachloride	56-23-5	153.8	0.11	UD	0.69		
cis-1,2-Dichloroethene	156-59-2	96.94	0.89	UD	3.53		
Chloroform	67-66-3	119.4	1	JD	4.88		
1,1,1-Trichloroethane	71-55-6	133.4	0.1	UD	0.55		
2,2,4-Trimethylpentane	540-84-1	114.2	1	UD	4.67		
Benzene	71-43-2	78.11	0.87	UD	2.78		
1,2-Dichloroethane	107-06-2	98.96	0.91	UD	3.68		
Trichloroethene	79-01-6	131.4	0.17	UD	0.91		
1,2-Dichloropropane	78-87-5	113	1.1	UD	5.08		
Bromodichloromethane	75-27-4	163.8	0.77	UD	5.16		
4-Methyl-2-Pentanone	108-10-1	100.2	0.93	UD	3.81		
Toluene	108-88-3	92.14	1.1	UD	4.15		
t-1,3-Dichloropropene	10061-02-6	111	0.6	UD	2.72		
cis-1,3-Dichloropropene	10061-01-5	111	0.64	UD	2.91		
1,1,2-Trichloroethane	79-00-5	133.4	0.71	UD	3.87		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-1-3242025DL

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-11DL

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.66	UD	5.62		
1,2-Dibromoethane	106-93-4	187.9	0.72	UD	5.53		
Tetrachloroethene	127-18-4	165.8	0.15	UD	1.02		
Chlorobenzene	108-90-7	112.6	0.76	UD	3.5		
Ethyl Benzene	100-41-4	106.2	1.2	UD	5.21		
m/p-Xylene	179601-23-1	106.2	2.1	UD	9.12		
o-Xylene	95-47-6	106.2	1.2	UD	5.21		
Styrene	100-42-5	104.1	1.1	UD	4.68		
Bromoform	75-25-2	252.8	0.57	UD	5.89		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.11	UD	0.76		
2-Chlorotoluene	95-49-8	126.6	1.1	UD	5.7		
1,3,5-Trimethylbenzene	108-67-8	120.2	1.1	UD	5.41		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.78	UD	3.83		
1,3-Dichlorobenzene	541-73-1	147	0.8	UD	4.81		
1,4-Dichlorobenzene	106-46-7	147	0.53	UD	3.19		
1,2-Dichlorobenzene	95-50-1	147	0.75	UD	4.51		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.85	UD	6.31		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.85	UD	9.07		
Naphthalene	91-20-3	128.17	0.75	UD	3.93		
1,3-Butadiene	106-99-0	54.09	1.3	UD	2.88		
4-Ethyltoluene	622-96-8	120.2	1.2	UD	5.9		
Hexane	110-54-3	86.17	4.4	JD	15.5		
Allyl Chloride	107-05-1	76.53	1.5	UD	4.7		
1,4-Dioxane	123-91-1	88.12	2.1	UD	7.57		
Methyl Methacrylate	80-62-6	100.117	0.86	UD	3.52		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B14-1-3242025

Analysis Date : 04/17/25

Laboratory Id Number : Q1665-15

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.43	J	2.13		
Chloromethane	74-87-3	50.49	0.66		1.36		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.21	J	1.18		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.15	J	0.61		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	38.4	E	91.2		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	1.2		4.17		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	0.74		2.18		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.21	J	1.03		
1,1,1-Trichloroethane	71-55-6	133.4	0.04		0.22		
2,2,4-Trimethylpentane	540-84-1	114.2	0.18	J	0.84		
Benzene	71-43-2	78.11	0.24	J	0.77		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.14	J	0.57		
Toluene	108-88-3	92.14	0.88		3.32		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B14-1-3242025

Analysis Date : 04/17/25

Laboratory Id Number : Q1665-15

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	5		21.7		
m/p-Xylene	179601-23-1	106.2	21.3		92.5		
o-Xylene	95-47-6	106.2	4.1		17.8		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	J	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.27	J	1.33		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.14		0.73		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	2.7		9.52		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	1		3.6		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B14-1-3242025DL

Analysis Date : 04/17/25

Laboratory Id Number : Q1665-15DL

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	2.1	UD	10.4		
Chloromethane	74-87-3	50.49	0.98	UD	2.02		
Vinyl Chloride	75-01-4	62.5	0.14	UD	0.36		
Bromomethane	74-83-9	94.94	1.4	UD	5.44		
Chloroethane	75-00-3	64.52	1.7	UD	4.49		
Tetrahydrofuran	109-99-9	72.11	1.3	UD	3.83		
Trichlorofluoromethane	75-69-4	137.4	1.6	UD	8.99		
Dichlorotetrafluoroethane	76-14-2	170.9	0.88	UD	6.15		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	1.6	UD	12.3		
tert-Butyl alcohol	75-65-0	74.12	1.9	UD	5.76		
Heptane	142-82-5	100.2	1.1	UD	4.51		
1,1-Dichloroethene	75-35-4	96.94	1.4	UD	5.55		
Acetone	67-64-1	58.08	42.5	D	100		
Carbon Disulfide	75-15-0	76.14	1.6	UD	4.98		
Methyl tert-Butyl Ether	1634-04-4	88.15	1.2	UD	4.33		
Methylene Chloride	75-09-2	84.94	1.9	UD	6.6		
trans-1,2-Dichloroethene	156-60-5	96.94	1.9	UD	7.53		
1,1-Dichloroethane	75-34-3	98.96	1.3	UD	5.26		
Cyclohexane	110-82-7	84.16	2.2	UD	7.57		
2-Butanone	78-93-3	72.11	1.3	JD	3.83		
Carbon Tetrachloride	56-23-5	153.8	0.11	UD	0.69		
cis-1,2-Dichloroethene	156-59-2	96.94	0.89	UD	3.53		
Chloroform	67-66-3	119.4	0.83	UD	4.05		
1,1,1-Trichloroethane	71-55-6	133.4	0.1	UD	0.55		
2,2,4-Trimethylpentane	540-84-1	114.2	1	UD	4.67		
Benzene	71-43-2	78.11	0.87	UD	2.78		
1,2-Dichloroethane	107-06-2	98.96	0.91	UD	3.68		
Trichloroethene	79-01-6	131.4	0.17	UD	0.91		
1,2-Dichloropropane	78-87-5	113	1.1	UD	5.08		
Bromodichloromethane	75-27-4	163.8	0.77	UD	5.16		
4-Methyl-2-Pentanone	108-10-1	100.2	0.93	UD	3.81		
Toluene	108-88-3	92.14	1.1	UD	4.15		
t-1,3-Dichloropropene	10061-02-6	111	0.6	UD	2.72		
cis-1,3-Dichloropropene	10061-01-5	111	0.64	UD	2.91		
1,1,2-Trichloroethane	79-00-5	133.4	0.71	UD	3.87		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B14-1-3242025DL

Analysis Date : 04/17/25

Laboratory Id Number : Q1665-15DL

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.66	UD	5.62		
1,2-Dibromoethane	106-93-4	187.9	0.72	UD	5.53		
Tetrachloroethene	127-18-4	165.8	0.15	UD	1.02		
Chlorobenzene	108-90-7	112.6	0.76	UD	3.5		
Ethyl Benzene	100-41-4	106.2	5.1	D	22.2		
m/p-Xylene	179601-23-1	106.2	22.3	D	96.9		
o-Xylene	95-47-6	106.2	4.1	JD	17.8		
Styrene	100-42-5	104.1	1.1	UD	4.68		
Bromoform	75-25-2	252.8	0.57	UD	5.89		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.11	UD	0.76		
2-Chlorotoluene	95-49-8	126.6	1.1	UD	5.7		
1,3,5-Trimethylbenzene	108-67-8	120.2	1.1	UD	5.41		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.78	UD	3.83		
1,3-Dichlorobenzene	541-73-1	147	0.8	UD	4.81		
1,4-Dichlorobenzene	106-46-7	147	0.53	UD	3.19		
1,2-Dichlorobenzene	95-50-1	147	0.75	UD	4.51		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.85	UD	6.31		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.85	UD	9.07		
Naphthalene	91-20-3	128.17	0.75	UD	3.93		
1,3-Butadiene	106-99-0	54.09	1.3	UD	2.88		
4-Ethyltoluene	622-96-8	120.2	1.2	UD	5.9		
Hexane	110-54-3	86.17	1.1	UD	3.88		
Allyl Chloride	107-05-1	76.53	1.5	UD	4.7		
1,4-Dioxane	123-91-1	88.12	2.1	UD	7.57		
Methyl Methacrylate	80-62-6	100.117	0.86	UD	3.52		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-3-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-18

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.44	J	2.18		
Chloromethane	74-87-3	50.49	0.61		1.26		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.19	J	1.07		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.45	J	1.36		
Heptane	142-82-5	100.2	0.19	J	0.78		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	90.6	E	215		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	0.9		3.13		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	22.7	E	67.0		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	1.5		7.33		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.68		2.17		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.45	J	1.84		
Toluene	108-88-3	92.14	0.54		2.03		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-3-3242025

Analysis Date : 04/11/25

Laboratory Id Number : Q1665-18

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.04		0.27		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.21	U	0.91		
o-Xylene	95-47-6	106.2	0.12	U	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.16	J	0.79		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	2.7		9.52		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-3-3242025DL

Analysis Date : 04/15/25

Laboratory Id Number : Q1665-18DL

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	2.1	UD	10.4		
Chloromethane	74-87-3	50.49	0.98	UD	2.02		
Vinyl Chloride	75-01-4	62.5	0.14	UD	0.36		
Bromomethane	74-83-9	94.94	1.4	UD	5.44		
Chloroethane	75-00-3	64.52	1.7	UD	4.49		
Tetrahydrofuran	109-99-9	72.11	1.3	UD	3.83		
Trichlorofluoromethane	75-69-4	137.4	1.6	UD	8.99		
Dichlorotetrafluoroethane	76-14-2	170.9	0.88	UD	6.15		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	1.6	UD	12.3		
tert-Butyl alcohol	75-65-0	74.12	1.9	UD	5.76		
Heptane	142-82-5	100.2	1.1	UD	4.51		
1,1-Dichloroethene	75-35-4	96.94	1.4	UD	5.55		
Acetone	67-64-1	58.08	150	D	356		
Carbon Disulfide	75-15-0	76.14	1.6	UD	4.98		
Methyl tert-Butyl Ether	1634-04-4	88.15	1.2	UD	4.33		
Methylene Chloride	75-09-2	84.94	1.9	UD	6.6		
trans-1,2-Dichloroethene	156-60-5	96.94	1.9	UD	7.53		
1,1-Dichloroethane	75-34-3	98.96	1.3	UD	5.26		
Cyclohexane	110-82-7	84.16	2.2	UD	7.57		
2-Butanone	78-93-3	72.11	15.1	D	44.5		
Carbon Tetrachloride	56-23-5	153.8	0.11	UD	0.69		
cis-1,2-Dichloroethene	156-59-2	96.94	0.89	UD	3.53		
Chloroform	67-66-3	119.4	1.3	JD	6.35		
1,1,1-Trichloroethane	71-55-6	133.4	0.1	UD	0.55		
2,2,4-Trimethylpentane	540-84-1	114.2	1	UD	4.67		
Benzene	71-43-2	78.11	0.87	UD	2.78		
1,2-Dichloroethane	107-06-2	98.96	0.91	UD	3.68		
Trichloroethene	79-01-6	131.4	0.17	UD	0.91		
1,2-Dichloropropane	78-87-5	113	1.1	UD	5.08		
Bromodichloromethane	75-27-4	163.8	0.77	UD	5.16		
4-Methyl-2-Pentanone	108-10-1	100.2	0.93	UD	3.81		
Toluene	108-88-3	92.14	1.1	UD	4.15		
t-1,3-Dichloropropene	10061-02-6	111	0.6	UD	2.72		
cis-1,3-Dichloropropene	10061-01-5	111	0.64	UD	2.91		
1,1,2-Trichloroethane	79-00-5	133.4	0.71	UD	3.87		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B10-3-3242025DL

Analysis Date : 04/15/25

Laboratory Id Number : Q1665-18DL

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.66	UD	5.62		
1,2-Dibromoethane	106-93-4	187.9	0.72	UD	5.53		
Tetrachloroethene	127-18-4	165.8	0.15	UD	1.02		
Chlorobenzene	108-90-7	112.6	0.76	UD	3.5		
Ethyl Benzene	100-41-4	106.2	1.2	UD	5.21		
m/p-Xylene	179601-23-1	106.2	2.1	UD	9.12		
o-Xylene	95-47-6	106.2	1.2	UD	5.21		
Styrene	100-42-5	104.1	1.1	UD	4.68		
Bromoform	75-25-2	252.8	0.57	UD	5.89		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.11	UD	0.76		
2-Chlorotoluene	95-49-8	126.6	1.1	UD	5.7		
1,3,5-Trimethylbenzene	108-67-8	120.2	1.1	UD	5.41		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.78	UD	3.83		
1,3-Dichlorobenzene	541-73-1	147	0.8	UD	4.81		
1,4-Dichlorobenzene	106-46-7	147	0.53	UD	3.19		
1,2-Dichlorobenzene	95-50-1	147	0.75	UD	4.51		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.85	UD	6.31		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.85	UD	9.07		
Naphthalene	91-20-3	128.17	0.75	UD	3.93		
1,3-Butadiene	106-99-0	54.09	1.3	UD	2.88		
4-Ethyltoluene	622-96-8	120.2	1.2	UD	5.9		
Hexane	110-54-3	86.17	1.7	JD	5.99		
Allyl Chloride	107-05-1	76.53	1.5	UD	4.7		
1,4-Dioxane	123-91-1	88.12	2.1	UD	7.57		
Methyl Methacrylate	80-62-6	100.117	0.86	UD	3.52		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B9-3-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-20

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.42	J	2.08		
Chloromethane	74-87-3	50.49	0.49	J	1.01		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.28	J	0.83		
Trichlorofluoromethane	75-69-4	137.4	0.21	J	1.18		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.16	J	0.66		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	8		19		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	1.3		4.52		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	2.5		7.37		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.08	U	0.39		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.1	U	0.47		
Benzene	71-43-2	78.11	0.28	J	0.89		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.53		2		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : US EPA Riverside Industrial Park Superfund Site

Sampling Date : 03/25/25

Field Id Number : IA-B9-3-3242025

Analysis Date : 04/09/25

Laboratory Id Number : Q1665-20

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.02	U	0.14		
Chlorobenzene	108-90-7	112.6	0.13	J	0.6		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.22	J	0.96		
o-Xylene	95-47-6	106.2	0.13	J	0.56		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.08	U	0.39		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	1.5		5.29		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Method	Matrix	Parameter	Spike_Amt_ Added	Calculated MDL	MB Data	MB Datafile	New MDL TO Be Used	MDL Unit
TO-15	Air	1,1,1,2-Tetrachloroethane	0.4	0.090683682	0		0.091	ppbv
TO-15	Air	1,1,1-Trichloroethane	0.03	0.00947589	0		0.0095	ppbv
TO-15	Air	1,1,2,2-Tetrachloroethane	0.03	0.010183321	0		0.011	ppbv
TO-15	Air	1,1,2-Trichloroethane	0.4	0.070112514	0		0.071	ppbv
TO-15	Air	1,1,2-Trichlorotrifluoroethane	0.4	0.155560652	0		0.16	ppbv
TO-15	Air	1,1-Dichloroethane	0.4	0.122378743	0		0.13	ppbv
TO-15	Air	1,1-Dichloroethene	0.4	0.139735617	0		0.14	ppbv
TO-15	Air	1,2,4-Trichlorobenzene	0.4	0.084677012	0		0.085	ppbv
TO-15	Air	1,2,4-Trimethylbenzene	0.4	0.077496367	0		0.078	ppbv
TO-15	Air	1,2-Dibromoethane	0.4	0.071318853	0		0.072	ppbv
TO-15	Air	1,2-Dichlorobenzene	0.4	0.074250332	0		0.075	ppbv
TO-15	Air	1,2-Dichloroethane	0.4	0.090890005	0		0.091	ppbv
TO-15	Air	1,2-Dichloropropane	0.4	0.073346868	0.109	VL038919.D	0.11	ppbv
TO-15	Air	1,3,5-Trimethylbenzene	0.4	0.101198372	0		0.11	ppbv
TO-15	Air	1,3-Butadiene	0.4	0.124009143	0		0.13	ppbv
TO-15	Air	1,3-Dichlorobenzene	0.4	0.079013305	0		0.08	ppbv
TO-15	Air	1,4-Dichlorobenzene	0.4	0.052746151	0		0.053	ppbv
TO-15	Air	1,4-Dioxane	0.4	0.202123585	0		0.21	ppbv
TO-15	Air	2,2,4-Trimethylpentane	0.4	0.09988427	0		0.10	ppbv
TO-15	Air	2-Butanone	0.4	0.118687999	0		0.12	ppbv
TO-15	Air	2-Chlorotoluene	0.4	0.104141644	0		0.11	ppbv
TO-15	Air	2-Hexanone	0.4	0.080656229	0		0.081	ppbv
TO-15	Air	4-Ethyltoluene	0.4	0.112037051	0		0.12	ppbv
TO-15	Air	4-Methyl-2-Pentanone	0.4	0.092836933	0		0.093	ppbv
TO-15	Air	Acetone	0.4	0.234416891	0		0.24	ppbv
TO-15	Air	Allyl Chloride	0.4	0.145618654	0		0.15	ppbv
TO-15	Air	Benzene	0.4	0.086407689	0		0.087	ppbv
TO-15	Air	Benzyl Chloride	0.4	0.173895169	0		0.18	ppbv
TO-15	Air	Bromodichloromethane	0.4	0.076780313	0		0.077	ppbv
TO-15	Air	Bromoethene	0.4	0.115560124	0		0.12	ppbv
TO-15	Air	Bromoform	0.4	0.056947551	0		0.057	ppbv
TO-15	Air	Bromomethane	0.4	0.137678239	0		0.14	ppbv
TO-15	Air	Carbon Disulfide	0.4	0.157343925	0		0.16	ppbv
TO-15	Air	Carbon Tetrachloride	0.03	0.010617308	0		0.011	ppbv
TO-15	Air	Chlorobenzene	0.4	0.075202602	0		0.076	ppbv
TO-15	Air	Chlorodifluoromethane	0.4	0.087466815	0		0.088	ppbv
TO-15	Air	Chloroethane	0.4	0.163530318	0		0.17	ppbv
TO-15	Air	Chloroform	0.4	0.082232394	0		0.083	ppbv
TO-15	Air	Chloromethane	0.4	0.097292998	0		0.098	ppbv
TO-15	Air	cis-1,2-Dichloroethene	0.4	0.088332535	0		0.089	ppbv
TO-15	Air	cis-1,3-Dichloropropene	0.4	0.063248763	0		0.064	ppbv
TO-15	Air	Cyclohexane	0.4	0.217999816	0		0.22	ppbv
TO-15	Air	Dibromochloromethane	0.4	0.065703935	0		0.066	ppbv
TO-15	Air	Dichlorodifluoromethane	0.4	0.20957733	0		0.21	ppbv
TO-15	Air	Dichlorotetrafluoroethane	0.4	0.087348046	0		0.088	ppbv
TO-15	Air	Ethyl Acetate	0.4	0.078161123	0		0.079	ppbv
TO-15	Air	Ethyl Benzene	0.4	0.115413562	0		0.12	ppbv
TO-15	Air	Heptane	0.4	0.100800637	0		0.11	ppbv
TO-15	Air	Hexachloro-1,3-Butadiene	0.4	0.084169773	0		0.085	ppbv
TO-15	Air	Hexane	0.4	0.106485082	0		0.11	ppbv
TO-15	Air	Isopropyl Alcohol	0.4	0.068329134	0		0.069	ppbv
TO-15	Air	Isopropylbenzene	0.4	0.086744608	0		0.087	ppbv
TO-15	Air	m/p-Xylene	0.4	0.205831125	0		0.21	ppbv
TO-15	Air	Methyl Methacrylate	0.4	0.085528753	0		0.086	ppbv
TO-15	Air	Methyl tert-Butyl Ether	0.4	0.119546728	0		0.12	ppbv
TO-15	Air	Methylene Chloride	0.4	0.18405265	0.11	VL039022.D	0.19	ppbv
TO-15	Air	Naphthalene	0.4	0.074961199	0		0.075	ppbv
TO-15	Air	Naphthalene,2-methyl-	0.4	0.148496389	0		0.15	ppbv
TO-15	Air	n-Butylbenzene	0.4	0.08201719	0		0.083	ppbv
TO-15	Air	n-propylbenzene	0.4	0.0778963	0		0.078	ppbv
TO-15	Air	o-Xylene	0.4	0.117630235	0		0.12	ppbv
TO-15	Air	p-Isopropyltoluene	0.4	0.085704866	0		0.086	ppbv
TO-15	Air	Propene	0.4	0.143790814	0.14	VL039337.D	0.15	ppbv
TO-15	Air	sec-Butylbenzene	0.4	0.093164076	0		0.094	ppbv
TO-15	Air	Styrene	0.4	0.109444442	0		0.11	ppbv
TO-15	Air	t-1,3-Dichloropropene	0.4	0.059734415	0		0.06	ppbv
TO-15	Air	tert-Butyl alcohol	0.4	0.187711954	0		0.19	ppbv
TO-15	Air	tert-Butylbenzene	0.4	0.092760327	0		0.093	ppbv
TO-15	Air	Tetrachloroethene	0.03	0.014462962	0		0.015	ppbv
TO-15	Air	Tetrahydrofuran	0.4	0.122655048	0		0.13	ppbv
TO-15	Air	Toluene	0.4	0.109284	0		0.11	ppbv
TO-15	Air	trans-1,2-Dichloroethene	0.4	0.185264638	0		0.19	ppbv
TO-15	Air	Trichloroethene	0.03	0.016558175	0		0.017	ppbv
TO-15	Air	Trichlorofluoromethane	0.4	0.157465794	0		0.16	ppbv
TO-15	Air	Vinyl Acetate	0.4	0.152371485	0		0.16	ppbv
TO-15	Air	Vinyl Chloride	0.03	0.013585954	0		0.014	ppbv
TO-15	Air	Ethanol	0.4	0.217031286	0		0.32	ug/L

StddevVal	StudentsT Value	Instrument ID	Datafile1	Concentration1	Adate1	Datafile2	Concentration2
0.03485153	2.602	MSVOA_L	VL038602.D	0.51	03142022T18:52:00	VL038645.D	0.494
0.003641772	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.029
0.003913651	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.035
0.026945624	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.439
0.059785032	2.602	MSVOA_L	VL038602.D	0.47	03142022T18:52:00	VL038645.D	0.466
0.047032569	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.456
0.053703158	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.411
0.032543048	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.336
0.029783385	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.396
0.027409244	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.352
0.028535869	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.407
0.034930824	2.602	MSVOA_L	VL038602.D	0.41	03142022T18:52:00	VL038645.D	0.445
0.02818865	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.406
0.038892534	2.602	MSVOA_L	VL038602.D	0.33	03142022T18:52:00	VL038645.D	0.374
0.047659163	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.419
0.030366374	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.428
0.020271388	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.418
0.077680086	2.602	MSVOA_L	VL038602.D	0.46	03142022T18:52:00	VL038645.D	0.285
0.038387498	2.602	MSVOA_L	VL038602.D	0.39	03142022T18:52:00	VL038645.D	0.383
0.045614143	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.406
0.040023691	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.375
0.030997782	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.283
0.043058052	2.602	MSVOA_L	VL038602.D	0.34	03142022T18:52:00	VL038645.D	0.356
0.035679067	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.282
0.090091042	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.468
0.055964125	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.392
0.033208182	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.407
0.066831349	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.454
0.029508191	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.408
0.044412039	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.433
0.021886069	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.31
0.052912467	2.602	MSVOA_L	VL038602.D	0.43	03142022T18:52:00	VL038645.D	0.404
0.060470378	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.357
0.004080441	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.026
0.028901845	2.602	MSVOA_L	VL038602.D	0.48	03142022T18:52:00	VL038645.D	0.467
0.033615225	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.468
0.062847932	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.453
0.031603534	2.602	MSVOA_L	VL038602.D	0.45	03142022T18:52:00	VL038645.D	0.464
0.037391621	2.602	MSVOA_L	VL038602.D	0.47	03142022T18:52:00	VL038645.D	0.439
0.033947938	2.602	MSVOA_L	VL038602.D	0.36	03142022T18:52:00	VL038645.D	0.391
0.024307749	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.317
0.083781636	2.602	MSVOA_L	VL038602.D	0.42	03142022T18:52:00	VL038645.D	0.414
0.02525132	2.602	MSVOA_L	VL038602.D	0.39	03142022T18:52:00	VL038645.D	0.359
0.080544708	2.602	MSVOA_L	VL038602.D	0.49	03142022T18:52:00	VL038645.D	0.43
0.033569579	2.602	MSVOA_L	VL038602.D	0.5	03142022T18:52:00	VL038645.D	0.472
0.030038864	2.602	MSVOA_L	VL038602.D	0.39	03142022T18:52:00	VL038645.D	0.412
0.044355712	2.602	MSVOA_L	VL038602.D	0.33	03142022T18:52:00	VL038645.D	0.357
0.038739676	2.602	MSVOA_L	VL038602.D	0.35	03142022T18:52:00	VL038645.D	0.349
0.032348107	2.602	MSVOA_L	VL038602.D	0.48	03142022T18:52:00	VL038645.D	0.5
0.04092432	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.411
0.026260236	2.602	MSVOA_L	VL038602.D	0.47	03142022T18:52:00	VL038645.D	0.44
0.033337666	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.387
0.079104967	2.602	MSVOA_L	VL038602.D	0.76	03142022T18:52:00	VL038645.D	0.762
0.032870389	2.602	MSVOA_L	VL038602.D	0.31	03142022T18:52:00	VL038645.D	0.334
0.045944169	2.602	MSVOA_L	VL038602.D	0.41	03142022T18:52:00	VL038645.D	0.418
0.070735069	2.602	MSVOA_L	VL038602.D	0.49	03142022T18:52:00	VL038645.D	0.479
0.02880907	2.602	MSVOA_L	VL038602.D	0.25	03142022T18:52:00	VL038645.D	0.289
0.057070096	2.602	MSVOA_L	VL038602.D	0.14	03142022T18:52:00	VL038645.D	0.074
0.031520826	2.602	MSVOA_L	VL038602.D	0.35	03142022T18:52:00	VL038645.D	0.366
0.029937087	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.365
0.045207623	2.602	MSVOA_L	VL038602.D	0.36	03142022T18:52:00	VL038645.D	0.368
0.032938073	2.602	MSVOA_L	VL038602.D	0.35	03142022T18:52:00	VL038645.D	0.366
0.05526165	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.443
0.035804795	2.602	MSVOA_L	VL038602.D	0.38	03142022T18:52:00	VL038645.D	0.392
0.042061661	2.602	MSVOA_L	VL038602.D	0.26	03142022T18:52:00	VL038645.D	0.275
0.022957116	2.602	MSVOA_L	VL038602.D	0.27	03142022T18:52:00	VL038645.D	0.29
0.072141412	2.602	MSVOA_L	VL038602.D	0.44	03142022T18:52:00	VL038645.D	0.459
0.035649626	2.602	MSVOA_L	VL038602.D	0.37	03142022T18:52:00	VL038645.D	0.405
0.005558402	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.031
0.047138758	2.602	MSVOA_L	VL038602.D	0.3	03142022T18:52:00	VL038645.D	0.324
0.042	2.602	MSVOA_L	VL038602.D	0.31	03142022T18:52:00	VL038645.D	0.332
0.07120086	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.396
0.006363634	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.035
0.060517215	2.602	MSVOA_L	VL038602.D	0.46	03142022T18:52:00	VL038645.D	0.472
0.058559372	2.602	MSVOA_L	VL038602.D	0.4	03142022T18:52:00	VL038645.D	0.389
0.00522135	2.602	MSVOA_L	VL038599.D	0.03	03142022T17:01:00	VL038658.D	0.031
0.105747594	2.998	MSVOA_L	VL040210.D	0.438	02222023T00:52:00	VL040220.D	0.43

Adate2	Datafile3	Concentration3	Adate3	Datafile4	Concentration4	Adate4	Datafile5
03182022T03:39:00	VL039242.D	0.45	06082022T19:44:00	VL039436.D	0.45	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.036	06222022T20:53:00	VL039439.D	0.033	07062022T09:13:00	VL039570.D
03212022T20:11:00	VL039329.D	0.029	06222022T20:53:00	VL039439.D	0.035	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.417	06082022T19:44:00	VL039436.D	0.445	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.615	06082022T19:44:00	VL039436.D	0.498	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.493	06082022T19:44:00	VL039436.D	0.545	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.594	06082022T19:44:00	VL039436.D	0.485	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.318	06082022T19:44:00	VL039436.D	0.328	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.389	06082022T19:44:00	VL039436.D	0.387	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.392	06082022T19:44:00	VL039436.D	0.391	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.409	06082022T19:44:00	VL039436.D	0.393	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.494	06082022T19:44:00	VL039436.D	0.435	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.404	06082022T19:44:00	VL039436.D	0.451	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.421	06082022T19:44:00	VL039436.D	0.397	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.583	06082022T19:44:00	VL039436.D	0.486	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.409	06082022T19:44:00	VL039436.D	0.465	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.392	06082022T19:44:00	VL039436.D	0.41	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.454	06082022T19:44:00	VL039436.D	0.535	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.37	06082022T19:44:00	VL039436.D	0.425	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.438	06082022T19:44:00	VL039436.D	0.482	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.415	06082022T19:44:00	VL039436.D	0.401	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.309	06082022T19:44:00	VL039436.D	0.31	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.391	06082022T19:44:00	VL039436.D	0.393	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.371	06082022T19:44:00	VL039436.D	0.372	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.649	06082022T19:44:00	VL039436.D	0.621	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.58	06082022T19:44:00	VL039436.D	0.45	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.391	06082022T19:44:00	VL039436.D	0.429	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.328	06082022T19:44:00	VL039436.D	0.438	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.398	06082022T19:44:00	VL039436.D	0.395	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.526	06082022T19:44:00	VL039436.D	0.475	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.335	06082022T19:44:00	VL039436.D	0.322	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.535	06082022T19:44:00	VL039436.D	0.503	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.494	06082022T19:44:00	VL039436.D	0.389	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.028	06222022T20:53:00	VL039439.D	0.03	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.418	06082022T19:44:00	VL039436.D	0.473	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.489	06082022T19:44:00	VL039436.D	0.483	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.595	06082022T19:44:00	VL039436.D	0.52	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.453	06082022T19:44:00	VL039436.D	0.469	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.5	06082022T19:44:00	VL039436.D	0.482	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.403	06082022T19:44:00	VL039436.D	0.434	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.315	06082022T19:44:00	VL039436.D	0.327	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.428	06082022T19:44:00	VL039436.D	0.512	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.359	06082022T19:44:00	VL039436.D	0.37	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.618	06082022T19:44:00	VL039436.D	0.675	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.551	06082022T19:44:00	VL039436.D	0.51	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.376	06082022T19:44:00	VL039436.D	0.441	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.374	06082022T19:44:00	VL039436.D	0.381	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.33	06082022T19:44:00	VL039436.D	0.41	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.444	06082022T19:44:00	VL039436.D	0.472	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.394	06082022T19:44:00	VL039436.D	0.47	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.504	06082022T19:44:00	VL039436.D	0.465	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.425	06082022T19:44:00	VL039436.D	0.416	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.815	06082022T19:44:00	VL039436.D	0.805	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.347	06082022T19:44:00	VL039436.D	0.361	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.492	06082022T19:44:00	VL039436.D	0.452	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.684	06082022T19:44:00	VL039436.D	0.578	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.282	06082022T19:44:00	VL039436.D	0.302	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.155	06082022T19:44:00	VL039436.D	0.143	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.39	06082022T19:44:00	VL039436.D	0.374	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.394	06082022T19:44:00	VL039436.D	0.397	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.421	06082022T19:44:00	VL039436.D	0.403	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.378	06082022T19:44:00	VL039436.D	0.388	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.435	06082022T19:44:00	VL039436.D	0.521	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.411	06082022T19:44:00	VL039436.D	0.406	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.345	06082022T19:44:00	VL039436.D	0.302	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.309	06082022T19:44:00	VL039436.D	0.279	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.655	06082022T19:44:00	VL039436.D	0.505	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.403	06082022T19:44:00	VL039436.D	0.388	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.036	06222022T20:53:00	VL039439.D	0.034	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.346	06082022T19:44:00	VL039436.D	0.38	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.341	06082022T19:44:00	VL039436.D	0.37	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.64	06082022T19:44:00	VL039436.D	0.494	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.038	06222022T20:53:00	VL039439.D	0.034	07062022T09:13:00	VL039570.D
03182022T03:39:00	VL039242.D	0.596	06082022T19:44:00	VL039436.D	0.492	07062022T02:26:00	VL039568.D
03182022T03:39:00	VL039242.D	0.418	06082022T19:44:00	VL039436.D	0.437	07062022T02:26:00	VL039568.D
03212022T20:11:00	VL039329.D	0.043	06222022T20:53:00	VL039439.D	0.036	07062022T09:13:00	VL039570.D
02232023T13:12:00	VL040329.D	0.51	041202023T17:39:00	VL040349.D	0.633	04122023T23:23:00	VL040559.D

Concentration5	Adate5	Datafile6	Concentration6	Adate6	Datafile7	Concentration7	Adate7
0.433	08182022T21:04:00	VL039600.D	0.463	08262022T12:33:00	VL039709.D	0.402	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.031	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.03	08182022T22:24:00	VL039586.D	0.029	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.404	08182022T21:04:00	VL039600.D	0.424	08262022T12:33:00	VL039709.D	0.412	10102022T23:30:00
0.448	08182022T21:04:00	VL039600.D	0.454	08262022T12:33:00	VL039709.D	0.438	10102022T23:30:00
0.426	08182022T21:04:00	VL039600.D	0.451	08262022T12:33:00	VL039709.D	0.445	10102022T23:30:00
0.394	08182022T21:04:00	VL039600.D	0.387	08262022T12:33:00	VL039709.D	0.427	10102022T23:30:00
0.314	08182022T21:04:00	VL039600.D	0.367	08262022T12:33:00	VL039709.D	0.373	10102022T23:30:00
0.342	08182022T21:04:00	VL039600.D	0.389	08262022T12:33:00	VL039709.D	0.389	10102022T23:30:00
0.361	08182022T21:04:00	VL039600.D	0.402	08262022T12:33:00	VL039709.D	0.375	10102022T23:30:00
0.408	08182022T21:04:00	VL039600.D	0.431	08262022T12:33:00	VL039709.D	0.448	10102022T23:30:00
0.411	08182022T21:04:00	VL039600.D	0.455	08262022T12:33:00	VL039709.D	0.418	10102022T23:30:00
0.444	08182022T21:04:00	VL039600.D	0.429	08262022T12:33:00	VL039709.D	0.373	10102022T23:30:00
0.331	08182022T21:04:00	VL039600.D	0.357	08262022T12:33:00	VL039709.D	0.342	10102022T23:30:00
0.405	08182022T21:04:00	VL039600.D	0.449	08262022T12:33:00	VL039709.D	0.422	10102022T23:30:00
0.368	08182022T21:04:00	VL039600.D	0.414	08262022T12:33:00	VL039709.D	0.399	10102022T23:30:00
0.404	08182022T21:04:00	VL039600.D	0.384	08262022T12:33:00	VL039709.D	0.439	10102022T23:30:00
0.373	08182022T21:04:00	VL039600.D	0.341	08262022T12:33:00	VL039709.D	0.418	10102022T23:30:00
0.348	08182022T21:04:00	VL039600.D	0.379	08262022T12:33:00	VL039709.D	0.392	10102022T23:30:00
0.314	08182022T21:04:00	VL039600.D	0.451	08262022T12:33:00	VL039709.D	0.354	10102022T23:30:00
0.312	08182022T21:04:00	VL039600.D	0.359	08262022T12:33:00	VL039709.D	0.348	10102022T23:30:00
0.27	08182022T21:04:00	VL039600.D	0.294	08262022T12:33:00	VL039709.D	0.326	10102022T23:30:00
0.284	08182022T21:04:00	VL039600.D	0.348	08262022T12:33:00	VL039709.D	0.355	10102022T23:30:00
0.322	08182022T21:04:00	VL039600.D	0.335	08262022T12:33:00	VL039709.D	0.32	10102022T23:30:00
0.363	08182022T21:04:00	VL039600.D	0.484	08262022T12:33:00	VL039709.D	0.5	10102022T23:30:00
0.418	08182022T21:04:00	VL039600.D	0.459	08262022T12:33:00	VL039709.D	0.379	10102022T23:30:00
0.345	08182022T21:04:00	VL039600.D	0.376	08262022T12:33:00	VL039709.D	0.398	10102022T23:30:00
0.394	08182022T21:04:00	VL039600.D	0.336	08262022T12:33:00	VL039709.D	0.356	10102022T23:30:00
0.382	08182022T21:04:00	VL039600.D	0.367	08262022T12:33:00	VL039709.D	0.377	10102022T23:30:00
0.408	08182022T21:04:00	VL039600.D	0.441	08262022T12:33:00	VL039709.D	0.388	10102022T23:30:00
0.305	08182022T21:04:00	VL039600.D	0.303	08262022T12:33:00	VL039709.D	0.293	10102022T23:30:00
0.364	08182022T21:04:00	VL039600.D	0.494	08262022T12:33:00	VL039709.D	0.464	10102022T23:30:00
0.399	08182022T21:04:00	VL039600.D	0.268	08262022T12:33:00	VL039709.D	0.332	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.027	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.431	08182022T21:04:00	VL039600.D	0.466	08262022T12:33:00	VL039709.D	0.46	10102022T23:30:00
0.456	08182022T21:04:00	VL039600.D	0.504	08262022T12:33:00	VL039709.D	0.446	10102022T23:30:00
0.462	08182022T21:04:00	VL039600.D	0.504	08262022T12:33:00	VL039709.D	0.531	10102022T23:30:00
0.423	08182022T21:04:00	VL039600.D	0.46	08262022T12:33:00	VL039709.D	0.411	10102022T23:30:00
0.392	08182022T21:04:00	VL039600.D	0.472	08262022T12:33:00	VL039709.D	0.485	10102022T23:30:00
0.36	08182022T21:04:00	VL039600.D	0.407	08262022T12:33:00	VL039709.D	0.438	10102022T23:30:00
0.277	08182022T21:04:00	VL039600.D	0.291	08262022T12:33:00	VL039709.D	0.284	10102022T23:30:00
0.376	08182022T21:04:00	VL039600.D	0.395	08262022T12:33:00	VL039709.D	0.383	10102022T23:30:00
0.339	08182022T21:04:00	VL039600.D	0.335	08262022T12:33:00	VL039709.D	0.301	10102022T23:30:00
0.62	08182022T21:04:00	VL039600.D	0.643	08262022T12:33:00	VL039709.D	0.694	10102022T23:30:00
0.454	08182022T21:04:00	VL039600.D	0.508	08262022T12:33:00	VL039709.D	0.473	10102022T23:30:00
0.341	08182022T21:04:00	VL039600.D	0.432	08262022T12:33:00	VL039709.D	0.395	10102022T23:30:00
0.297	08182022T21:04:00	VL039600.D	0.338	08262022T12:33:00	VL039709.D	0.334	10102022T23:30:00
0.347	08182022T21:04:00	VL039600.D	0.382	08262022T12:33:00	VL039709.D	0.407	10102022T23:30:00
0.447	08182022T21:04:00	VL039600.D	0.502	08262022T12:33:00	VL039709.D	0.468	10102022T23:30:00
0.385	08182022T21:04:00	VL039600.D	0.405	08262022T12:33:00	VL039709.D	0.435	10102022T23:30:00
0.458	08182022T21:04:00	VL039600.D	0.434	08262022T12:33:00	VL039709.D	0.481	10102022T23:30:00
0.361	08182022T21:04:00	VL039600.D	0.388	08262022T12:33:00	VL039709.D	0.405	10102022T23:30:00
0.673	08182022T21:04:00	VL039600.D	0.719	08262022T12:33:00	VL039709.D	0.688	10102022T23:30:00
0.3	08182022T21:04:00	VL039600.D	0.323	08262022T12:33:00	VL039709.D	0.346	10102022T23:30:00
0.337	08182022T21:04:00	VL039600.D	0.355	08262022T12:33:00	VL039709.D	0.396	10102022T23:30:00
0.536	08182022T21:04:00	VL039600.D	0.634	08262022T12:33:00	VL039709.D	0.499	10102022T23:30:00
0.28	08182022T21:04:00	VL039600.D	0.302	08262022T12:33:00	VL039709.D	0.291	10102022T23:30:00
0.158	08182022T21:04:00	VL039600.D	0.094	08262022T12:33:00	VL039709.D	0.149	10102022T23:30:00
0.321	08182022T21:04:00	VL039600.D	0.354	08262022T12:33:00	VL039709.D	0.358	10102022T23:30:00
0.332	08182022T21:04:00	VL039600.D	0.338	08262022T12:33:00	VL039709.D	0.347	10102022T23:30:00
0.315	08182022T21:04:00	VL039600.D	0.347	08262022T12:33:00	VL039709.D	0.354	10102022T23:30:00
0.316	08182022T21:04:00	VL039600.D	0.362	08262022T12:33:00	VL039709.D	0.358	10102022T23:30:00
0.499	08182022T21:04:00	VL039600.D	0.578	08262022T12:33:00	VL039709.D	0.533	10102022T23:30:00
0.359	08182022T21:04:00	VL039600.D	0.382	08262022T12:33:00	VL039709.D	0.371	10102022T23:30:00
0.23	08182022T21:04:00	VL039600.D	0.257	08262022T12:33:00	VL039709.D	0.278	10102022T23:30:00
0.252	08182022T21:04:00	VL039600.D	0.252	08262022T12:33:00	VL039709.D	0.273	10102022T23:30:00
0.384	08182022T21:04:00	VL039600.D	0.382	08262022T12:33:00	VL039709.D	0.454	10102022T23:30:00
0.345	08182022T21:04:00	VL039600.D	0.399	08262022T12:33:00	VL039709.D	0.371	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.038	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.299	08182022T21:04:00	VL039600.D	0.344	08262022T12:33:00	VL039709.D	0.389	10102022T23:30:00
0.288	08182022T21:04:00	VL039600.D	0.296	08262022T12:33:00	VL039709.D	0.33	10102022T23:30:00
0.375	08182022T21:04:00	VL039600.D	0.466	08262022T12:33:00	VL039709.D	0.437	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.031	08252022T20:23:00	VL039711.D	0.04	10112022T00:45:00
0.436	08182022T21:04:00	VL039600.D	0.47	08262022T12:33:00	VL039709.D	0.385	10102022T23:30:00
0.42	08182022T21:04:00	VL039600.D	0.483	08262022T12:33:00	VL039709.D	0.363	10102022T23:30:00
0.03	08182022T22:24:00	VL039586.D	0.029	08252022T20:23:00	VL039711.D	0.03	10112022T00:45:00
0.636	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.607	10042023T19:33:00

Datafile8	Concentration8	Adate8	Datafile9	Concentration9	Adate9	Datafile10	Concentration10
VL040134.D	0.42	01302023T15:54:00	VL040210.D	0.383	02222023T00:52:00	VL040220.D	0.42
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.038	02232023T14:26:00	VL040223.D	0.033
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.032	02232023T14:26:00	VL040223.D	0.027
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.395	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.476	02222023T00:52:00	VL040220.D	0.47
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.436	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.452	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.32	01302023T15:54:00	VL040210.D	0.299	02222023T00:52:00	VL040220.D	0.32
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.375	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.38	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.378	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.434	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.432	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.344	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.396	02222023T00:52:00	VL040220.D	0.41
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.395	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.402	02222023T00:52:00	VL040220.D	0.4
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.387	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.352	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.416	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.34	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.32	01302023T15:54:00	VL040210.D	0.318	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.321	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.337	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.45	01302023T15:54:00	VL040210.D	0.482	02222023T00:52:00	VL040220.D	0.5
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.411	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.359	02222023T00:52:00	VL040220.D	0.39
VL040134.D	0.29	01302023T15:54:00	VL040210.D	0.311	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.378	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.413	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.32	01302023T15:54:00	VL040210.D	0.32	02222023T00:52:00	VL040220.D	0.33
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.408	02222023T00:52:00	VL040220.D	0.49
VL040134.D	0.31	01302023T15:54:00	VL040210.D	0.391	02222023T00:52:00	VL040220.D	0.37
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.033	02232023T14:26:00	VL040223.D	0.037
VL040134.D	0.44	01302023T15:54:00	VL040210.D	0.414	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.474	02222023T00:52:00	VL040220.D	0.46
VL040134.D	0.37	01302023T15:54:00	VL040210.D	0.416	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.47	01302023T15:54:00	VL040210.D	0.445	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.46	01302023T15:54:00	VL040210.D	0.443	02222023T00:52:00	VL040220.D	0.47
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.435	02222023T00:52:00	VL040220.D	0.38
VL040134.D	0.33	01302023T15:54:00	VL040210.D	0.284	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.49	01302023T15:54:00	VL040210.D	0.521	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.343	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.48	01302023T15:54:00	VL040210.D	0.497	02222023T00:52:00	VL040220.D	0.49
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.431	02222023T00:52:00	VL040220.D	0.46
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.398	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.309	02222023T00:52:00	VL040220.D	0.33
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.336	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.43	01302023T15:54:00	VL040210.D	0.421	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.41	01302023T15:54:00	VL040210.D	0.4	02222023T00:52:00	VL040220.D	0.41
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.479	02222023T00:52:00	VL040220.D	0.48
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.361	02222023T00:52:00	VL040220.D	0.4
VL040134.D	0.71	01302023T15:54:00	VL040210.D	0.699	02222023T00:52:00	VL040220.D	0.75
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.314	02222023T00:52:00	VL040220.D	0.35
VL040134.D	0.38	01302023T15:54:00	VL040210.D	0.421	02222023T00:52:00	VL040220.D	0.41
VL040134.D	0.44	01302023T15:54:00	VL040210.D	0.558	02222023T00:52:00	VL040220.D	0.57
VL040134.D	0.27	01302023T15:54:00	VL040210.D	0.246	02222023T00:52:00	VL040220.D	0.27
VL040134.D	0.19	01302023T15:54:00	VL040210.D	0.116	02222023T00:52:00	VL040220.D	0.21
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.349	02222023T00:52:00	VL040220.D	0.35
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.354	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.331	02222023T00:52:00	VL040220.D	0.36
VL040134.D	0.33	01302023T15:54:00	VL040210.D	0.329	02222023T00:52:00	VL040220.D	0.34
VL040134.D	0.42	01302023T15:54:00	VL040210.D	0.432	02222023T00:52:00	VL040220.D	0.43
VL040134.D	0.36	01302023T15:54:00	VL040210.D	0.352	02222023T00:52:00	VL040220.D	0.37
VL040134.D	0.29	01302023T15:54:00	VL040210.D	0.262	02222023T00:52:00	VL040220.D	0.27
VL040134.D	0.3	01302023T15:54:00	VL040210.D	0.292	02222023T00:52:00	VL040220.D	0.3
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.395	02222023T00:52:00	VL040220.D	0.44
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.349	02222023T00:52:00	VL040220.D	0.36
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.029	02232023T14:26:00	VL040223.D	0.031
VL040134.D	0.42	01302023T15:54:00	VL040210.D	0.368	02222023T00:52:00	VL040220.D	0.42
VL040134.D	0.34	01302023T15:54:00	VL040210.D	0.297	02222023T00:52:00	VL040220.D	0.33
VL040134.D	0.35	01302023T15:54:00	VL040210.D	0.397	02222023T00:52:00	VL040220.D	0.42
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.027	02232023T14:26:00	VL040223.D	0.028
VL040134.D	0.4	01302023T15:54:00	VL040210.D	0.451	02222023T00:52:00	VL040220.D	0.45
VL040134.D	0.39	01302023T15:54:00	VL040210.D	0.438	02222023T00:52:00	VL040220.D	0.4
VL040136.D	0.03	01302023T17:08:00	VL040222.D	0.033	02232023T14:26:00	VL040223.D	0.038
VL040805.D	0.675	10252023T18:12:00					

A
B
C
D
E
F
G
H

Concentration13	Adate13	Datafile14	Concentration14	Adate14	Datafile15	Concentration15	Adate15
0.48	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.488	10042023T19:33:00
0.03	07312023T17:18:00	VL040581.D	0.031	07312023T20:41:00	VL040772.D	0.035	10122023T01:48:00
0.031	07312023T17:18:00	VL040581.D	0.026	07312023T20:41:00	VL040772.D	0.029	10122023T01:48:00
0.459	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.405	10042023T19:33:00
0.573	07272023T03:27:00	VL040579.D	0.5	07312023T19:20:00	VL040747.D	0.557	10042023T19:33:00
0.535	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.527	10042023T19:33:00
0.527	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.481	10042023T19:33:00
0.33	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.305	10042023T19:33:00
0.389	07272023T03:27:00	VL040579.D	0.3	07312023T19:20:00	VL040747.D	0.361	10042023T19:33:00
0.425	07272023T03:27:00	VL040579.D	0.32	07312023T19:20:00	VL040747.D	0.359	10042023T19:33:00
0.442	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.45	10042023T19:33:00
0.519	07272023T03:27:00	VL040579.D	0.41	07312023T19:20:00	VL040747.D	0.426	10042023T19:33:00
0.452	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.42	10042023T19:33:00
0.33	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.321	10042023T19:33:00
0.412	07272023T03:27:00	VL040579.D	0.41	07312023T19:20:00	VL040747.D	0.466	10042023T19:33:00
0.388	07272023T03:27:00	VL040579.D	0.33	07312023T19:20:00	VL040747.D	0.412	10042023T19:33:00
0.438	07272023T03:27:00	VL040579.D	0.36	07312023T19:20:00	VL040747.D	0.382	10042023T19:33:00
0.373	07272023T03:27:00	VL040579.D	0.29	07312023T19:20:00	VL040747.D	0.257	10042023T19:33:00
0.398	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.335	10042023T19:33:00
0.448	07272023T03:27:00	VL040579.D	0.37	07312023T19:20:00	VL040747.D	0.443	10042023T19:33:00
0.35	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.325	10042023T19:33:00
0.303	07272023T03:27:00	VL040579.D	0.22	07312023T19:20:00	VL040747.D	0.283	10042023T19:33:00
0.32	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.317	10042023T19:33:00
0.348	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.302	10042023T19:33:00
0.674	07272023T03:27:00	VL040579.D	0.48	07312023T19:20:00	VL040747.D	0.65	10042023T19:33:00
0.436	07272023T03:27:00	VL040579.D	0.37	07312023T19:20:00	VL040747.D	0.511	10042023T19:33:00
0.397	07272023T03:27:00	VL040579.D	0.3	07312023T19:20:00	VL040747.D	0.386	10042023T19:33:00
0.425	07272023T03:27:00	VL040579.D	0.34	07312023T19:20:00	VL040747.D	0.307	10042023T19:33:00
0.467	07272023T03:27:00	VL040579.D	0.4	07312023T19:20:00	VL040747.D	0.409	10042023T19:33:00
0.508	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.506	10042023T19:33:00
0.352	07272023T03:27:00	VL040579.D	0.33	07312023T19:20:00	VL040747.D	0.349	10042023T19:33:00
0.543	07272023T03:27:00	VL040579.D	0.46	07312023T19:20:00	VL040747.D	0.496	10042023T19:33:00
0.46	07272023T03:27:00	VL040579.D	0.42	07312023T19:20:00	VL040747.D	0.477	10042023T19:33:00
0.036	07312023T17:18:00	VL040581.D	0.033	07312023T20:41:00	VL040772.D	0.031	10122023T01:48:00
0.481	07272023T03:27:00	VL040579.D	0.38	07312023T19:20:00	VL040747.D	0.489	10042023T19:33:00
0.526	07272023T03:27:00	VL040579.D	0.45	07312023T19:20:00	VL040747.D	0.55	10042023T19:33:00
0.516	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.576	10042023T19:33:00
0.521	07272023T03:27:00	VL040579.D	0.41	07312023T19:20:00	VL040747.D	0.501	10042023T19:33:00
0.486	07272023T03:27:00	VL040579.D	0.39	07312023T19:20:00	VL040747.D	0.544	10042023T19:33:00
0.405	07272023T03:27:00	VL040579.D	0.32	07312023T19:20:00	VL040747.D	0.431	10042023T19:33:00
0.295	07272023T03:27:00	VL040579.D	0.25	07312023T19:20:00	VL040747.D	0.298	10042023T19:33:00
0.301	07272023T03:27:00	VL040579.D	0.21	07312023T19:20:00	VL040747.D	0.317	10042023T19:33:00
0.403	07272023T03:27:00	VL040579.D	0.35	07312023T19:20:00	VL040747.D	0.381	10042023T19:33:00
0.54	07272023T03:27:00	VL040579.D	0.47	07312023T19:20:00	VL040747.D	0.562	10042023T19:33:00
0.516	07272023T03:27:00	VL040579.D	0.46	07312023T19:20:00	VL040747.D	0.509	10042023T19:33:00
0.424	07272023T03:27:00	VL040579.D	0.34	07312023T19:20:00	VL040747.D	0.441	10042023T19:33:00
0.32	07272023T03:27:00	VL040579.D	0.21	07312023T19:20:00	VL040747.D	0.299	10042023T19:33:00
0.341	07272023T03:27:00	VL040579.D	0.25	07312023T19:20:00	VL040747.D	0.355	10042023T19:33:00
0.466	07272023T03:27:00	VL040579.D	0.37	07312023T19:20:00	VL040747.D	0.479	10042023T19:33:00
0.38	07272023T03:27:00	VL040579.D	0.31	07312023T19:20:00	VL040747.D	0.465	10042023T19:33:00
0.451	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.426	10042023T19:33:00
0.379	07272023T03:27:00	VL040579.D	0.29	07312023T19:20:00	VL040747.D	0.386	10042023T19:33:00
0.735	07272023T03:27:00	VL040579.D	0.54	07312023T19:20:00	VL040747.D	0.682	10042023T19:33:00
0.283	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.324	10042023T19:33:00
0.468	07272023T03:27:00	VL040579.D	0.38	07312023T19:20:00	VL040747.D	0.472	10042023T19:33:00
0.619	07272023T03:27:00	VL040579.D	0.62	07312023T19:20:00	VL040747.D	0.625	10042023T19:33:00
0.274	07272023T03:27:00	VL040579.D	0.19	07312023T19:20:00	VL040747.D	0.258	10042023T19:33:00
0.107	07272023T03:27:00	VL040579.D	0.06	07312023T19:20:00	VL040747.D	0.133	10042023T19:33:00
0.361	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.343	10042023T19:33:00
0.355	07272023T03:27:00	VL040579.D	0.27	07312023T19:20:00	VL040747.D	0.369	10042023T19:33:00
0.355	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.301	10042023T19:33:00
0.357	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.313	10042023T19:33:00
0.436	07272023T03:27:00	VL040579.D	0.34	07312023T19:20:00	VL040747.D	0.471	10042023T19:33:00
0.393	07272023T03:27:00	VL040579.D	0.29	07312023T19:20:00	VL040747.D	0.354	10042023T19:33:00
0.242	07272023T03:27:00	VL040579.D	0.17	07312023T19:20:00	VL040747.D	0.266	10042023T19:33:00
0.283	07272023T03:27:00	VL040579.D	0.23	07312023T19:20:00	VL040747.D	0.312	10042023T19:33:00
0.539	07272023T03:27:00	VL040579.D	0.43	07312023T19:20:00	VL040747.D	0.394	10042023T19:33:00
0.366	07272023T03:27:00	VL040579.D	0.28	07312023T19:20:00	VL040747.D	0.381	10042023T19:33:00
0.025	07312023T17:18:00	VL040581.D	0.028	07312023T20:41:00	VL040772.D	0.044	10122023T01:48:00
0.353	07272023T03:27:00	VL040579.D	0.26	07312023T19:20:00	VL040747.D	0.351	10042023T19:33:00
0.285	07272023T03:27:00	VL040579.D	0.2	07312023T19:20:00	VL040747.D	0.288	10042023T19:33:00
0.477	07272023T03:27:00	VL040579.D	0.4	07312023T19:20:00	VL040747.D	0.507	10042023T19:33:00
0.027	07312023T17:18:00	VL040581.D	0.027	07312023T20:41:00	VL040772.D	0.039	10122023T01:48:00
0.589	07272023T03:27:00	VL040579.D	0.52	07312023T19:20:00	VL040747.D	0.561	10042023T19:33:00
0.487	07272023T03:27:00	VL040579.D	0.46	07312023T19:20:00	VL040747.D	0.456	10042023T19:33:00
0.03	07312023T17:18:00	VL040581.D	0.033	07312023T20:41:00	VL040772.D	0.041	10122023T01:48:00

Datafile16	Concentration16	Adate16	Department	AVG Concentration	Recovery
VL040805.D	0.428	10252023T18:12:00	VOC	0.45	110
VL040787.D	0.04	10232023T20:32:00	VOC	0.032	110
VL040787.D	0.04	10232023T20:32:00	VOC	0.03	100
VL040805.D	0.471	10252023T18:12:00	VOC	0.42	110
VL040805.D	0.476	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.427	10252023T18:12:00	VOC	0.46	110
VL040805.D	0.47	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.288	10252023T18:12:00	VOC	0.31	79
VL040805.D	0.435	10252023T18:12:00	VOC	0.37	93
VL040805.D	0.433	10252023T18:12:00	VOC	0.38	95
VL040805.D	0.405	10252023T18:12:00	VOC	0.41	100
VL040805.D	0.501	10252023T18:12:00	VOC	0.44	110
VL040805.D	0.456	10252023T18:12:00	VOC	0.42	100
VL040805.D	0.403	10252023T18:12:00	VOC	0.35	87
VL040805.D	0.455	10252023T18:12:00	VOC	0.44	110
VL040805.D	0.412	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.414	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.486	10252023T18:12:00	VOC	0.38	96
VL040805.D	0.434	10252023T18:12:00	VOC	0.37	93
VL040805.D	0.467	10252023T18:12:00	VOC	0.42	100
VL040805.D	0.42	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.353	10252023T18:12:00	VOC	0.3	75
VL040805.D	0.397	10252023T18:12:00	VOC	0.34	84
VL040805.D	0.403	10252023T18:12:00	VOC	0.34	84
VL040805.D	0.576	10252023T18:12:00	VOC	0.53	130
VL040805.D	0.422	10252023T18:12:00	VOC	0.43	110
VL040805.D	0.445	10252023T18:12:00	VOC	0.38	96
VL040805.D	0.205	10252023T18:12:00	VOC	0.36	91
VL040805.D	0.458	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.436	10252023T18:12:00	VOC	0.44	110
VL040805.D	0.34	10252023T18:12:00	VOC	0.33	82
VL040805.D	0.508	10252023T18:12:00	VOC	0.47	120
VL040805.D	0.361	10252023T18:12:00	VOC	0.38	95
VL040787.D	0.04	10232023T20:32:00	VOC	0.031	100
VL040805.D	0.454	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.517	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.435	10252023T18:12:00	VOC	0.47	120
VL040805.D	0.487	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.458	10252023T18:12:00	VOC	0.46	120
VL040805.D	0.435	10252023T18:12:00	VOC	0.4	99
VL040805.D	0.335	10252023T18:12:00	VOC	0.3	75
VL040805.D	0.416	10252023T18:12:00	VOC	0.39	96
VL040805.D	0.384	10252023T18:12:00	VOC	0.36	89
VL040805.D	0.516	10252023T18:12:00	VOC	0.54	140
VL040805.D	0.505	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.404	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.406	10252023T18:12:00	VOC	0.33	82
VL040805.D	0.404	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.446	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.452	10252023T18:12:00	VOC	0.4	100
VL040805.D	0.442	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.435	10252023T18:12:00	VOC	0.38	96
VL040805.D	0.888	10252023T18:12:00	VOC	0.72	180
VL040805.D	0.348	10252023T18:12:00	VOC	0.32	80
VL040805.D	0.353	10252023T18:12:00	VOC	0.41	100
VL040805.D	0.619	10252023T18:12:00	VOC	0.56	140
VL040805.D	0.226	10252023T18:12:00	VOC	0.27	66
VL040805.D	0	10252023T18:12:00	VOC	0.14	35
VL040805.D	0.415	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.389	10252023T18:12:00	VOC	0.35	89
VL040805.D	0.439	10252023T18:12:00	VOC	0.35	87
VL040805.D	0.381	10252023T18:12:00	VOC	0.34	85
VL040805.D	0.467	10252023T18:12:00	VOC	0.46	110
VL040805.D	0.449	10252023T18:12:00	VOC	0.37	93
VL040805.D	0.35	10252023T18:12:00	VOC	0.27	67
VL040805.D	0.291	10252023T18:12:00	VOC	0.28	70
VL040805.D	0.37	10252023T18:12:00	VOC	0.45	110
VL040805.D	0.427	10252023T18:12:00	VOC	0.37	92
VL040787.D	0.04	10232023T20:32:00	VOC	0.032	110
VL040805.D	0.416	10252023T18:12:00	VOC	0.35	88
VL040805.D	0.38	10252023T18:12:00	VOC	0.31	78
VL040805.D	0.435	10252023T18:12:00	VOC	0.43	110
VL040787.D	0.05	10232023T20:32:00	VOC	0.033	110
VL040805.D	0.506	10252023T18:12:00	VOC	0.48	120
VL040805.D	0.341	10252023T18:12:00	VOC	0.43	110
VL040787.D	0.04	10232023T20:32:00	VOC	0.033	110
			VOC	0.544	136



SAMPLE DATA

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	AA-DUP-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042290.D	1		04/09/25 13:25	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.40	1.98	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.56	1.16		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.21	1.18	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	3.60	8.55		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.95	3.30		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.36	1.06	J	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.070	0.44		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.25	0.80	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.32	1.21	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	AA-DUP-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042290.D	1		04/09/25 13:25	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	1.60	5.64		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.10			70 (65) - 130 (135)	91%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	159000		2.784			
540-36-3	1,4-Difluorobenzene	408000		3.952			
3114-55-4	Chlorobenzene-d5	346000		8.875			
TENTITIVE IDENTIFIED COMPOUNDS							
75-45-6	Chlorodifluoromethane	0.33		J		1.47	ppbv
115-07-1	Propene	0.85		J		1.49	ppbv
000106-97-8	Butane	1.10		J		1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	AA-DUP-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042290.D	1		04/09/25 13:25	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	13.4		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	1.80		J		1.88	ppbv

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042317.D	1		04/11/25 13:15	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.40	1.98	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.59	1.22		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.21	1.18	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.47	1.42	J	0.58	1.52	ug/m3
142-82-5	Heptane	0.17	0.70	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	82.7	196	E	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.60	5.56		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	26.8	79.0	E	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.090	0.57		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	1.40	6.84		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.60	1.92		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.49	1.85	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042317.D	1		04/11/25 13:15	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.040	0.27		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	J	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	UQ	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.12	0.59	J	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	UQ	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	2.50	8.81		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.80			70 (65) - 130 (135)	98%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	179000		2.79			
540-36-3	1,4-Difluorobenzene	423000		3.965			
3114-55-4	Chlorobenzene-d5	361000		8.888			
TENTITIVE IDENTIFIED COMPOUNDS							
115-07-1	Propene	4.30		J		1.49	ppbv
000106-97-8	Butane	1.30		J		1.62	ppbv
64-17-5	Ethanol	1300		J		1.73	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042317.D	1		04/11/25 13:15	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
67-63-0	Isopropyl Alcohol	81.1		J		1.89	ppbv
007452-79-1	Butanoic acid, 2-methyl-, ethyl es	1.50		J		9.16	ppbv
005989-27-5	D-Limonene	21.3		J		12.0	ppbv
001762-27-2	Plumbane, diethyldimethyl-	65.1		J		13.4	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-2-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-03DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042322.D	10		04/11/25 16:08	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	2.10	10.4	UD	10.4	24.7	ug/m3
74-87-3	Chloromethane	0.98	2.02	UD	2.02	10.3	ug/m3
75-01-4	Vinyl Chloride	0.14	0.36	UD	0.36	0.77	ug/m3
74-83-9	Bromomethane	1.40	5.44	UD	5.44	19.4	ug/m3
75-00-3	Chloroethane	1.70	4.49	UD	4.49	13.2	ug/m3
109-99-9	Tetrahydrofuran	1.30	3.83	UD	3.83	14.8	ug/m3
75-69-4	Trichlorofluoromethane	1.60	8.99	UD	8.99	28.1	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	1.60	12.3	UD	12.3	38.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.88	6.15	UD	6.15	35.0	ug/m3
75-65-0	tert-Butyl alcohol	1.90	5.76	UD	5.76	15.2	ug/m3
142-82-5	Heptane	1.10	4.51	UD	4.51	20.5	ug/m3
75-35-4	1,1-Dichloroethene	1.40	5.55	UD	5.55	19.8	ug/m3
67-64-1	Acetone	140	333	D	5.70	11.9	ug/m3
75-15-0	Carbon Disulfide	1.60	4.98	UD	4.98	15.6	ug/m3
1634-04-4	Methyl tert-Butyl Ether	1.20	4.33	UD	4.33	18.0	ug/m3
75-09-2	Methylene Chloride	3.30	11.5	JD	6.60	17.4	ug/m3
156-60-5	trans-1,2-Dichloroethene	1.90	7.53	UD	7.53	19.8	ug/m3
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	5.26	20.2	ug/m3
110-82-7	Cyclohexane	2.20	7.57	UD	7.57	17.2	ug/m3
78-93-3	2-Butanone	21.5	63.4	D	3.54	14.8	ug/m3
56-23-5	Carbon Tetrachloride	0.11	0.69	UD	0.69	1.89	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.89	3.53	UD	3.53	19.8	ug/m3
67-66-3	Chloroform	1.40	6.84	JD	4.05	24.4	ug/m3
71-55-6	1,1,1-Trichloroethane	0.10	0.55	UD	0.55	1.64	ug/m3
540-84-1	2,2,4-Trimethylpentane	1.00	4.67	UD	4.67	23.4	ug/m3
71-43-2	Benzene	0.87	2.78	UD	2.78	16.0	ug/m3
107-06-2	1,2-Dichloroethane	0.91	3.68	UD	3.68	20.2	ug/m3
79-01-6	Trichloroethene	0.17	0.91	UD	0.91	1.61	ug/m3
78-87-5	1,2-Dichloropropane	1.10	5.08	UD	5.08	23.1	ug/m3
75-27-4	Bromodichloromethane	0.77	5.16	UD	5.16	33.5	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.93	3.81	UD	3.81	20.5	ug/m3
108-88-3	Toluene	1.10	4.15	UD	4.15	18.8	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.60	2.72	UD	2.72	22.7	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.64	2.91	UD	2.91	22.7	ug/m3
79-00-5	1,1,2-Trichloroethane	0.71	3.87	UD	3.87	27.3	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-2-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-03DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042322.D	10		04/11/25 16:08	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.66	5.62	UD	5.62	42.6	ug/m3
106-93-4	1,2-Dibromoethane	0.72	5.53	UD	5.53	7.69	ug/m3
127-18-4	Tetrachloroethene	0.15	1.02	UD	1.02	2.03	ug/m3
108-90-7	Chlorobenzene	0.76	3.50	UD	3.50	23.0	ug/m3
100-41-4	Ethyl Benzene	1.20	5.21	UD	5.21	21.7	ug/m3
179601-23-1	m/p-Xylene	2.10	9.12	UD	9.12	43.4	ug/m3
95-47-6	o-Xylene	1.20	5.21	UD	5.21	21.7	ug/m3
100-42-5	Styrene	1.10	4.68	UD	4.68	21.3	ug/m3
75-25-2	Bromoform	0.57	5.89	UD	5.89	51.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.11	0.76	UDQ	0.76	2.06	ug/m3
95-49-8	2-Chlorotoluene	1.10	5.70	UD	5.70	25.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	1.10	5.41	UD	5.41	24.6	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.78	3.83	UD	3.83	24.6	ug/m3
541-73-1	1,3-Dichlorobenzene	0.80	4.81	UD	4.81	30.1	ug/m3
106-46-7	1,4-Dichlorobenzene	0.53	3.19	UD	3.19	30.1	ug/m3
95-50-1	1,2-Dichlorobenzene	0.75	4.51	UDQ	4.51	30.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.85	6.31	UD	6.31	37.1	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.85	9.07	UD	9.07	53.3	ug/m3
106-99-0	1,3-Butadiene	1.30	2.88	UD	2.88	11.1	ug/m3
91-20-3	Naphthalene	0.75	3.93	UD	3.93	5.24	ug/m3
622-96-8	4-Ethyltoluene	1.20	5.90	UD	5.90	24.6	ug/m3
110-54-3	Hexane	1.90	6.70	JD	3.88	17.6	ug/m3
107-05-1	Allyl Chloride	1.50	4.70	UD	4.70	15.7	ug/m3
123-91-1	1,4-Dioxane	2.10	7.57	UD	7.57	18.0	ug/m3
80-62-6	Methyl Methacrylate	0.86	3.52	UD	3.52	20.5	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.10			70 (65) - 130 (135)	91%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	183000		2.791			
540-36-3	1,4-Difluorobenzene	438000		3.965			
3114-55-4	Chlorobenzene-d5	361000		8.885			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-2-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-03DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042322.D	10		04/11/25 16:08	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	AA-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042292.D	1		04/09/25 14:36	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.40	1.98	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.55	1.14		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.21	1.18	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	3.50	8.31		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.67	2.33		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.35	1.03	J	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.090	0.57		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.25	0.80	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.28	1.06	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	AA-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042292.D	1		04/09/25 14:36	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	1.10	3.88		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	9.20		70 (65) - 130 (135)	92%	SPK: 10
----------	-------------------------	------	--	---------------------	-----	---------

INTERNAL STANDARDS

74-97-5	Bromochloromethane	158000	2.784
540-36-3	1,4-Difluorobenzene	383000	3.956
3114-55-4	Chlorobenzene-d5	331000	8.879

TENTATIVE IDENTIFIED COMPOUNDS

75-45-6	Chlorodifluoromethane	0.29	J	1.47	ppbv
115-07-1	Propene	0.75	J	1.49	ppbv
000106-97-8	Butane	1.00	J	1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	AA-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042292.D	1		04/09/25 14:36	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	12.8		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	1.20		J		1.88	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042293.D	1		04/09/25 15:15	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.37	1.83	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.58	1.20		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.33	0.97	J	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.22	1.24	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.12	0.49	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	8.50	20.2		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.10	3.82		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	4.70	13.9		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.29	0.93	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.48	1.81	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042293.D	1		04/09/25 15:15	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.24	1.11	J	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	2.00	7.05		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.40			70 (65) - 130 (135)	94%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	162000		2.784			
540-36-3	1,4-Difluorobenzene	395000		3.952			
3114-55-4	Chlorobenzene-d5	339000		8.875			
TENTITIVE IDENTIFIED COMPOUNDS							
75-45-6	Chlorodifluoromethane	0.90		J		1.47	ppbv
115-07-1	Propene	2.20		J		1.49	ppbv
000106-97-8	Butane	1.30		J		1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042293.D	1		04/09/25 15:15	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	37.8		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	23.4		J		1.88	ppbv
000100-52-7	Benzaldehyde	6.60		J		10.8	ppbv
000080-56-8	.alpha.-Pinene	1.70		J		10.9	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/24/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-DUP-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-08	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042294.D	1		04/09/25 15:50	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.38	1.88	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	1.10	2.27		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.21	0.62	J	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.25	1.40	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	11.6	27.6		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.00	3.47		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	3.30	9.73		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.13	0.82		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.32	1.56	J	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.17	0.54	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/24/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-DUP-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-08	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042294.D	1		04/09/25 15:50	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.94	3.31		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.10			70 (65) - 130 (135)	91%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	159000		2.787			
540-36-3	1,4-Difluorobenzene	385000		3.959			
3114-55-4	Chlorobenzene-d5	315000		8.882			
TENTITIVE IDENTIFIED COMPOUNDS							
75-45-6	Chlorodifluoromethane	0.96		J		1.48	ppbv
115-07-1	Propene	2.40		J		1.49	ppbv
000106-97-8	Butane	1.30		J		1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/24/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-DUP-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-08	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042294.D	1		04/09/25 15:50	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	34.2		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	17.9		J		1.89	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-09	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042295.D	1		04/09/25 16:23	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.42	2.08	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.58	1.20		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.22	1.24	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.12	0.49	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	6.40	15.2		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.20	4.17		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	3.20	9.44		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.090	0.57		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.30	0.96	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.39	1.47	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-09	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042295.D	1		04/09/25 16:23	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.20	0.92	J	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	1.90	6.70		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.70			70 (65) - 130 (135)	97%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	157000		2.787			
540-36-3	1,4-Difluorobenzene	386000		3.959			
3114-55-4	Chlorobenzene-d5	327000		8.882			
TENTITIVE IDENTIFIED COMPOUNDS							
75-45-6	Chlorodifluoromethane	0.83		J		1.48	ppbv
115-07-1	Propene	4.50		J		1.49	ppbv
000106-97-8	Butane	2.10		J		1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-2-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-09	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042295.D	1		04/09/25 16:23	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	25.6		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	21.2		J		1.89	ppbv
000100-52-7	Benzaldehyde	2.30		J		10.8	ppbv
000080-56-8	.alpha.-Pinene	1.10		J		10.9	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-10	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042319.D	1		04/11/25 14:27	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.39	1.93	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.61	1.26		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.19	1.07	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.21	0.64	J	0.58	1.52	ug/m3
142-82-5	Heptane	0.14	0.57	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	76.7	182	E	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.59	2.05		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	160	472	E	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.58	2.83		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.47	1.50	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.42	1.58	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-10	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042319.D	1		04/11/25 14:27	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	UQ	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.11	0.54	J	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	UQ	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	2.20	7.75		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.60			70 (65) - 130 (135)	96%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	191000		2.787			
540-36-3	1,4-Difluorobenzene	461000		3.962			
3114-55-4	Chlorobenzene-d5	384000		8.885			
TENTITIVE IDENTIFIED COMPOUNDS							
75-45-6	Chlorodifluoromethane	0.31		J		1.48	ppbv
115-07-1	Propene	110		J		1.49	ppbv
64-17-5	Ethanol	870		J		1.72	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-10	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042319.D	1		04/11/25 14:27	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
67-63-0	Isopropyl Alcohol	210		J		1.89	ppbv
000138-86-3	Limonene	6.40		J		12.0	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-10DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042323.D	40		04/11/25 16:39	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	8.40	41.5	UD	41.5	98.9	ug/m3
74-87-3	Chloromethane	3.90	8.05	UD	8.05	41.3	ug/m3
75-01-4	Vinyl Chloride	0.56	1.43	UD	1.43	3.07	ug/m3
74-83-9	Bromomethane	5.60	21.7	UD	21.7	77.7	ug/m3
75-00-3	Chloroethane	6.80	17.9	UD	17.9	52.8	ug/m3
109-99-9	Tetrahydrofuran	5.20	15.3	UD	15.3	59.0	ug/m3
75-69-4	Trichlorofluoromethane	6.40	36.0	UD	36.0	112	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	6.40	49.0	UD	49.0	153	ug/m3
76-14-2	Dichlorotetrafluoroethane	3.50	24.5	UD	24.5	140	ug/m3
75-65-0	tert-Butyl alcohol	7.60	23.0	UD	23.0	60.6	ug/m3
142-82-5	Heptane	4.40	18.0	UD	18.0	82.0	ug/m3
75-35-4	1,1-Dichloroethene	5.60	22.2	UD	22.2	79.3	ug/m3
67-64-1	Acetone	140	333	D	22.8	47.5	ug/m3
75-15-0	Carbon Disulfide	6.40	19.9	UD	19.9	62.3	ug/m3
1634-04-4	Methyl tert-Butyl Ether	4.80	17.3	UD	17.3	72.1	ug/m3
75-09-2	Methylene Chloride	7.60	26.4	UD	26.4	69.5	ug/m3
156-60-5	trans-1,2-Dichloroethene	7.60	30.1	UD	30.1	79.3	ug/m3
75-34-3	1,1-Dichloroethane	5.20	21.1	UD	21.1	81.0	ug/m3
110-82-7	Cyclohexane	8.80	30.3	UD	30.3	68.8	ug/m3
78-93-3	2-Butanone	700	2060	ED	14.2	59.0	ug/m3
56-23-5	Carbon Tetrachloride	0.44	2.77	UD	2.77	7.55	ug/m3
156-59-2	cis-1,2-Dichloroethene	3.60	14.3	UD	14.3	79.3	ug/m3
67-66-3	Chloroform	3.30	16.1	UD	16.1	97.7	ug/m3
71-55-6	1,1,1-Trichloroethane	0.38	2.07	UD	2.07	6.55	ug/m3
540-84-1	2,2,4-Trimethylpentane	4.00	18.7	UD	18.7	93.4	ug/m3
71-43-2	Benzene	3.50	11.2	UD	11.2	63.9	ug/m3
107-06-2	1,2-Dichloroethane	3.60	14.6	UD	14.6	81.0	ug/m3
79-01-6	Trichloroethene	0.68	3.65	UD	3.65	6.45	ug/m3
78-87-5	1,2-Dichloropropane	4.40	20.3	UD	20.3	92.4	ug/m3
75-27-4	Bromodichloromethane	3.10	20.8	UD	20.8	134	ug/m3
108-10-1	4-Methyl-2-Pentanone	3.70	15.2	UD	15.2	82.0	ug/m3
108-88-3	Toluene	4.40	16.6	UD	16.6	75.4	ug/m3
10061-02-6	t-1,3-Dichloropropene	2.40	10.9	UD	10.9	90.8	ug/m3
10061-01-5	cis-1,3-Dichloropropene	2.60	11.8	UD	11.8	90.8	ug/m3
79-00-5	1,1,2-Trichloroethane	2.80	15.3	UD	15.3	109	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-10DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042323.D	40		04/11/25 16:39	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	2.60	22.1	UD	22.1	170	ug/m3
106-93-4	1,2-Dibromoethane	2.90	22.3	UD	22.3	30.7	ug/m3
127-18-4	Tetrachloroethene	0.60	4.07	UD	4.07	8.14	ug/m3
108-90-7	Chlorobenzene	3.00	13.8	UD	13.8	92.1	ug/m3
100-41-4	Ethyl Benzene	4.80	20.9	UD	20.9	86.9	ug/m3
179601-23-1	m/p-Xylene	8.40	36.5	UD	36.5	174	ug/m3
95-47-6	o-Xylene	4.80	20.9	UD	20.9	86.9	ug/m3
100-42-5	Styrene	4.40	18.7	UD	18.7	85.2	ug/m3
75-25-2	Bromoform	2.30	23.8	UD	23.8	207	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.44	3.02	UDQ	3.02	8.24	ug/m3
95-49-8	2-Chlorotoluene	4.40	22.8	UD	22.8	104	ug/m3
108-67-8	1,3,5-Trimethylbenzene	4.40	21.6	UD	21.6	98.3	ug/m3
95-63-6	1,2,4-Trimethylbenzene	3.10	15.2	UD	15.2	98.3	ug/m3
541-73-1	1,3-Dichlorobenzene	3.20	19.2	UD	19.2	120	ug/m3
106-46-7	1,4-Dichlorobenzene	2.10	12.6	UD	12.6	120	ug/m3
95-50-1	1,2-Dichlorobenzene	3.00	18.0	UDQ	18.0	120	ug/m3
120-82-1	1,2,4-Trichlorobenzene	3.40	25.2	UD	25.2	148	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	3.40	36.3	UD	36.3	213	ug/m3
106-99-0	1,3-Butadiene	5.20	11.5	UD	11.5	44.3	ug/m3
91-20-3	Naphthalene	3.00	15.7	UD	15.7	21.0	ug/m3
622-96-8	4-Ethyltoluene	4.80	23.6	UD	23.6	98.3	ug/m3
110-54-3	Hexane	4.40	15.5	UD	15.5	70.5	ug/m3
107-05-1	Allyl Chloride	6.00	18.8	UD	18.8	62.6	ug/m3
123-91-1	1,4-Dioxane	8.40	30.3	UD	30.3	72.1	ug/m3
80-62-6	Methyl Methacrylate	3.40	13.9	UD	13.9	81.9	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.10			70 (65) - 130 (135)	91%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	173000		2.787			
540-36-3	1,4-Difluorobenzene	401000		3.962			
3114-55-4	Chlorobenzene-d5	338000		8.885			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-10DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042323.D	40		04/11/25 16:39	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025DL2	SDG No.:	Q1665
Lab Sample ID:	Q1665-10DL2	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042332.D	100		04/15/25 15:01	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	21.0	104	UD	104	247	ug/m3
74-87-3	Chloromethane	9.80	20.2	UD	20.2	103	ug/m3
75-01-4	Vinyl Chloride	1.40	3.58	UD	3.58	7.67	ug/m3
74-83-9	Bromomethane	14.0	54.4	UD	54.4	194	ug/m3
75-00-3	Chloroethane	17.0	44.9	UD	44.9	132	ug/m3
109-99-9	Tetrahydrofuran	13.0	38.3	UD	38.3	147	ug/m3
75-69-4	Trichlorofluoromethane	16.0	89.9	UD	89.9	281	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	16.0	123	UD	123	383	ug/m3
76-14-2	Dichlorotetrafluoroethane	8.80	61.5	UD	61.5	349	ug/m3
75-65-0	tert-Butyl alcohol	19.0	57.6	UDQ	57.6	152	ug/m3
142-82-5	Heptane	11.0	45.1	UD	45.1	205	ug/m3
75-35-4	1,1-Dichloroethene	14.0	55.5	UD	55.5	198	ug/m3
67-64-1	Acetone	120	285	D	57.0	119	ug/m3
75-15-0	Carbon Disulfide	16.0	49.8	UD	49.8	156	ug/m3
1634-04-4	Methyl tert-Butyl Ether	12.0	43.3	UD	43.3	180	ug/m3
75-09-2	Methylene Chloride	19.0	66.0	UDQ	66.0	174	ug/m3
156-60-5	trans-1,2-Dichloroethene	19.0	75.3	UD	75.3	198	ug/m3
75-34-3	1,1-Dichloroethane	13.0	52.6	UD	52.6	202	ug/m3
110-82-7	Cyclohexane	22.0	75.7	UD	75.7	172	ug/m3
78-93-3	2-Butanone	480	1420	D	35.4	147	ug/m3
56-23-5	Carbon Tetrachloride	1.10	6.92	UD	6.92	18.9	ug/m3
156-59-2	cis-1,2-Dichloroethene	8.90	35.3	UD	35.3	198	ug/m3
67-66-3	Chloroform	8.30	40.5	UD	40.5	244	ug/m3
71-55-6	1,1,1-Trichloroethane	0.95	5.18	UD	5.18	16.4	ug/m3
540-84-1	2,2,4-Trimethylpentane	10.0	46.7	UD	46.7	234	ug/m3
71-43-2	Benzene	8.70	27.8	UD	27.8	160	ug/m3
107-06-2	1,2-Dichloroethane	9.10	36.8	UD	36.8	202	ug/m3
79-01-6	Trichloroethene	1.70	9.14	UD	9.14	16.1	ug/m3
78-87-5	1,2-Dichloropropane	11.0	50.8	UD	50.8	231	ug/m3
75-27-4	Bromodichloromethane	7.70	51.6	UD	51.6	335	ug/m3
108-10-1	4-Methyl-2-Pentanone	9.30	38.1	UD	38.1	205	ug/m3
108-88-3	Toluene	11.0	41.5	UD	41.5	188	ug/m3
10061-02-6	t-1,3-Dichloropropene	6.00	27.2	UD	27.2	227	ug/m3
10061-01-5	cis-1,3-Dichloropropene	6.40	29.1	UD	29.1	227	ug/m3
79-00-5	1,1,2-Trichloroethane	7.10	38.7	UD	38.7	273	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025DL2	SDG No.:	Q1665
Lab Sample ID:	Q1665-10DL2	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042332.D	100		04/15/25 15:01	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	6.60	56.2	UD	56.2	426	ug/m3
106-93-4	1,2-Dibromoethane	7.20	55.3	UD	55.3	76.8	ug/m3
127-18-4	Tetrachloroethene	1.50	10.2	UD	10.2	20.3	ug/m3
108-90-7	Chlorobenzene	7.60	35.0	UD	35.0	230	ug/m3
100-41-4	Ethyl Benzene	12.0	52.1	UD	52.1	217	ug/m3
179601-23-1	m/p-Xylene	21.0	91.2	UD	91.2	434	ug/m3
95-47-6	o-Xylene	12.0	52.1	UD	52.1	217	ug/m3
100-42-5	Styrene	11.0	46.8	UD	46.8	213	ug/m3
75-25-2	Bromoform	5.70	58.9	UD	58.9	517	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	1.10	7.55	UD	7.55	20.6	ug/m3
95-49-8	2-Chlorotoluene	11.0	57.0	UD	57.0	259	ug/m3
108-67-8	1,3,5-Trimethylbenzene	11.0	54.1	UD	54.1	246	ug/m3
95-63-6	1,2,4-Trimethylbenzene	7.80	38.4	UD	38.4	246	ug/m3
541-73-1	1,3-Dichlorobenzene	8.00	48.1	UD	48.1	301	ug/m3
106-46-7	1,4-Dichlorobenzene	5.30	31.9	UD	31.9	301	ug/m3
95-50-1	1,2-Dichlorobenzene	7.50	45.1	UD	45.1	301	ug/m3
120-82-1	1,2,4-Trichlorobenzene	8.50	63.1	UD	63.1	371	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	8.50	90.7	UD	90.7	533	ug/m3
106-99-0	1,3-Butadiene	13.0	28.8	UD	28.8	111	ug/m3
91-20-3	Naphthalene	7.50	39.3	UD	39.3	52.4	ug/m3
622-96-8	4-Ethyltoluene	12.0	59.0	UD	59.0	246	ug/m3
110-54-3	Hexane	11.0	38.8	UD	38.8	176	ug/m3
107-05-1	Allyl Chloride	15.0	47.0	UD	47.0	157	ug/m3
123-91-1	1,4-Dioxane	21.0	75.7	UD	75.7	180	ug/m3
80-62-6	Methyl Methacrylate	8.60	35.2	UD	35.2	205	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.30			70 (65) - 130 (135)	93%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	164000		2.81			
540-36-3	1,4-Difluorobenzene	385000		3.998			
3114-55-4	Chlorobenzene-d5	328000		8.917			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-4-3242025DL2	SDG No.:	Q1665
Lab Sample ID:	Q1665-10DL2	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042332.D	100		04/15/25 15:01	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-11	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042320.D	1		04/11/25 15:01	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.43	2.13	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.59	1.22		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.22	1.24	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.42	1.27	J	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	78.5	186	E	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	14.8	51.4		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	12.3	36.3		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	1.10	5.37		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.46	1.47	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.16	0.66	J	0.37	2.05	ug/m3
108-88-3	Toluene	0.40	1.51	J	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-11	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042320.D	1		04/11/25 15:01	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.22	0.96	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.15	0.65	J	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	UQ	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.16	0.79	J	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.57	2.80		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	UQ	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	8.10	28.6		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	10.0			70 (65) - 130 (135)	100%	SPK: 10
----------	-------------------------	------	--	--	---------------------	------	---------

INTERNAL STANDARDS

74-97-5	Bromochloromethane	184000		2.787			
540-36-3	1,4-Difluorobenzene	461000		3.955			
3114-55-4	Chlorobenzene-d5	381000		8.882			

TENTATIVE IDENTIFIED COMPOUNDS

115-07-1	Propene	3.80		J		1.49	ppbv
000106-97-8	Butane	2.20		J		1.62	ppbv
64-17-5	Ethanol	1100		J		1.72	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-11	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042320.D	1		04/11/25 15:01	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
67-63-0	Isopropyl Alcohol	51.2		J		1.88	ppbv
003769-23-1	1-Hexene, 4-methyl- unknown3.230	1.30		J		2.63	ppbv
		1.30		J		3.23	ppbv
000124-18-5	Decane	1.80		J		11.8	ppbv
99-87-6	p-Isopropyltoluene	0.12		J		11.9	ppbv
005989-27-5	D-Limonene	8.40		J		12.0	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-1-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-11DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042324.D	10		04/11/25 17:10	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	2.10	10.4	UD	10.4	24.7	ug/m3
74-87-3	Chloromethane	0.98	2.02	UD	2.02	10.3	ug/m3
75-01-4	Vinyl Chloride	0.14	0.36	UD	0.36	0.77	ug/m3
74-83-9	Bromomethane	1.40	5.44	UD	5.44	19.4	ug/m3
75-00-3	Chloroethane	1.70	4.49	UD	4.49	13.2	ug/m3
109-99-9	Tetrahydrofuran	1.30	3.83	UD	3.83	14.8	ug/m3
75-69-4	Trichlorofluoromethane	1.60	8.99	UD	8.99	28.1	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	1.60	12.3	UD	12.3	38.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.88	6.15	UD	6.15	35.0	ug/m3
75-65-0	tert-Butyl alcohol	1.90	5.76	UD	5.76	15.2	ug/m3
142-82-5	Heptane	1.10	4.51	UD	4.51	20.5	ug/m3
75-35-4	1,1-Dichloroethene	1.40	5.55	UD	5.55	19.8	ug/m3
67-64-1	Acetone	130	309	D	5.70	11.9	ug/m3
75-15-0	Carbon Disulfide	1.60	4.98	UD	4.98	15.6	ug/m3
1634-04-4	Methyl tert-Butyl Ether	1.20	4.33	UD	4.33	18.0	ug/m3
75-09-2	Methylene Chloride	16.4	57.0	D	6.60	17.4	ug/m3
156-60-5	trans-1,2-Dichloroethene	1.90	7.53	UD	7.53	19.8	ug/m3
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	5.26	20.2	ug/m3
110-82-7	Cyclohexane	2.20	7.57	UD	7.57	17.2	ug/m3
78-93-3	2-Butanone	10.0	29.5	D	3.54	14.8	ug/m3
56-23-5	Carbon Tetrachloride	0.11	0.69	UD	0.69	1.89	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.89	3.53	UD	3.53	19.8	ug/m3
67-66-3	Chloroform	1.00	4.88	JD	4.05	24.4	ug/m3
71-55-6	1,1,1-Trichloroethane	0.10	0.55	UD	0.55	1.64	ug/m3
540-84-1	2,2,4-Trimethylpentane	1.00	4.67	UD	4.67	23.4	ug/m3
71-43-2	Benzene	0.87	2.78	UD	2.78	16.0	ug/m3
107-06-2	1,2-Dichloroethane	0.91	3.68	UD	3.68	20.2	ug/m3
79-01-6	Trichloroethene	0.17	0.91	UD	0.91	1.61	ug/m3
78-87-5	1,2-Dichloropropane	1.10	5.08	UD	5.08	23.1	ug/m3
75-27-4	Bromodichloromethane	0.77	5.16	UD	5.16	33.5	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.93	3.81	UD	3.81	20.5	ug/m3
108-88-3	Toluene	1.10	4.15	UD	4.15	18.8	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.60	2.72	UD	2.72	22.7	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.64	2.91	UD	2.91	22.7	ug/m3
79-00-5	1,1,2-Trichloroethane	0.71	3.87	UD	3.87	27.3	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-1-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-11DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042324.D	10		04/11/25 17:10	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.66	5.62	UD	5.62	42.6	ug/m3
106-93-4	1,2-Dibromoethane	0.72	5.53	UD	5.53	7.69	ug/m3
127-18-4	Tetrachloroethene	0.15	1.02	UD	1.02	2.03	ug/m3
108-90-7	Chlorobenzene	0.76	3.50	UD	3.50	23.0	ug/m3
100-41-4	Ethyl Benzene	1.20	5.21	UD	5.21	21.7	ug/m3
179601-23-1	m/p-Xylene	2.10	9.12	UD	9.12	43.4	ug/m3
95-47-6	o-Xylene	1.20	5.21	UD	5.21	21.7	ug/m3
100-42-5	Styrene	1.10	4.68	UD	4.68	21.3	ug/m3
75-25-2	Bromoform	0.57	5.89	UD	5.89	51.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.11	0.76	UDQ	0.76	2.06	ug/m3
95-49-8	2-Chlorotoluene	1.10	5.70	UD	5.70	25.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	1.10	5.41	UD	5.41	24.6	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.78	3.83	UD	3.83	24.6	ug/m3
541-73-1	1,3-Dichlorobenzene	0.80	4.81	UD	4.81	30.1	ug/m3
106-46-7	1,4-Dichlorobenzene	0.53	3.19	UD	3.19	30.1	ug/m3
95-50-1	1,2-Dichlorobenzene	0.75	4.51	UDQ	4.51	30.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.85	6.31	UD	6.31	37.1	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.85	9.07	UD	9.07	53.3	ug/m3
106-99-0	1,3-Butadiene	1.30	2.88	UD	2.88	11.1	ug/m3
91-20-3	Naphthalene	0.75	3.93	UD	3.93	5.24	ug/m3
622-96-8	4-Ethyltoluene	1.20	5.90	UD	5.90	24.6	ug/m3
110-54-3	Hexane	4.40	15.5	JD	3.88	17.6	ug/m3
107-05-1	Allyl Chloride	1.50	4.70	UD	4.70	15.7	ug/m3
123-91-1	1,4-Dioxane	2.10	7.57	UD	7.57	18.0	ug/m3
80-62-6	Methyl Methacrylate	0.86	3.52	UD	3.52	20.5	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.20			70 (65) - 130 (135)	92%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	177000		2.793			
540-36-3	1,4-Difluorobenzene	398000		3.968			
3114-55-4	Chlorobenzene-d5	326000		8.888			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-1-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-11DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042324.D	10		04/11/25 17:10	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B14-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-15	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042359.D	1		04/17/25 16:12	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.43	2.13	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.66	1.36		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.21	1.18	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.15	0.61	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	38.4	91.2	E	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.20	4.17		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.74	2.18		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.21	1.03	J	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22		0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.18	0.84	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.24	0.77	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.14	0.57	J	0.37	2.05	ug/m3
108-88-3	Toluene	0.88	3.32		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B14-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-15	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042359.D	1		04/17/25 16:12	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	5.00	21.7		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	21.3	92.5		0.91	4.34	ug/m3
95-47-6	o-Xylene	4.10	17.8		0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	J	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.27	1.33	J	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.14	0.73		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	2.70	9.52		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	1.00	3.60		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			70 (65) - 130 (135)	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	123000		2.787			
540-36-3	1,4-Difluorobenzene	354000		3.962			
3114-55-4	Chlorobenzene-d5	318000		8.882			
TENTITIVE IDENTIFIED COMPOUNDS							
75-45-6	Chlorodifluoromethane	0.31		J		1.48	ppbv
115-07-1	Propene	1.60		J		1.49	ppbv
000106-97-8	Butane	1.20		J		1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B14-1-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-15	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042359.D	1		04/17/25 16:12	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	17.3		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	130		J		1.89	ppbv
000107-39-1	1-Pentene, 2,4,4-trimethyl-	1.60		J		5.32	ppbv
591-78-6	2-Hexanone	1.50		J		7.44	ppbv
000106-70-7	Hexanoic acid, methyl ester	4.30		J		10.5	ppbv
000106-73-0	Heptanoic acid, methyl ester	10.6		J		11.8	ppbv
000111-11-5	Octanoic acid, methyl ester	6.40		J		12.9	ppbv
91-57-6	Naphthalene,2-methyl-	0.15		J		14.5	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B14-1-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-15DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042360.D	10		04/17/25 16:44	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	2.10	10.4	UD	10.4	24.7	ug/m3
74-87-3	Chloromethane	0.98	2.02	UD	2.02	10.3	ug/m3
75-01-4	Vinyl Chloride	0.14	0.36	UD	0.36	0.77	ug/m3
74-83-9	Bromomethane	1.40	5.44	UD	5.44	19.4	ug/m3
75-00-3	Chloroethane	1.70	4.49	UD	4.49	13.2	ug/m3
109-99-9	Tetrahydrofuran	1.30	3.83	UD	3.83	14.8	ug/m3
75-69-4	Trichlorofluoromethane	1.60	8.99	UD	8.99	28.1	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	1.60	12.3	UD	12.3	38.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.88	6.15	UD	6.15	35.0	ug/m3
75-65-0	tert-Butyl alcohol	1.90	5.76	UD	5.76	15.2	ug/m3
142-82-5	Heptane	1.10	4.51	UD	4.51	20.5	ug/m3
75-35-4	1,1-Dichloroethene	1.40	5.55	UD	5.55	19.8	ug/m3
67-64-1	Acetone	42.5	101	D	5.70	11.9	ug/m3
75-15-0	Carbon Disulfide	1.60	4.98	UD	4.98	15.6	ug/m3
1634-04-4	Methyl tert-Butyl Ether	1.20	4.33	UD	4.33	18.0	ug/m3
75-09-2	Methylene Chloride	1.90	6.60	UD	6.60	17.4	ug/m3
156-60-5	trans-1,2-Dichloroethene	1.90	7.53	UD	7.53	19.8	ug/m3
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	5.26	20.2	ug/m3
110-82-7	Cyclohexane	2.20	7.57	UD	7.57	17.2	ug/m3
78-93-3	2-Butanone	1.30	3.83	JD	3.54	14.8	ug/m3
56-23-5	Carbon Tetrachloride	0.11	0.69	UD	0.69	1.89	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.89	3.53	UD	3.53	19.8	ug/m3
67-66-3	Chloroform	0.83	4.05	UD	4.05	24.4	ug/m3
71-55-6	1,1,1-Trichloroethane	0.10	0.55	UD	0.55	1.64	ug/m3
540-84-1	2,2,4-Trimethylpentane	1.00	4.67	UD	4.67	23.4	ug/m3
71-43-2	Benzene	0.87	2.78	UD	2.78	16.0	ug/m3
107-06-2	1,2-Dichloroethane	0.91	3.68	UD	3.68	20.2	ug/m3
79-01-6	Trichloroethene	0.17	0.91	UD	0.91	1.61	ug/m3
78-87-5	1,2-Dichloropropane	1.10	5.08	UD	5.08	23.1	ug/m3
75-27-4	Bromodichloromethane	0.77	5.16	UD	5.16	33.5	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.93	3.81	UD	3.81	20.5	ug/m3
108-88-3	Toluene	1.10	4.15	UD	4.15	18.8	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.60	2.72	UD	2.72	22.7	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.64	2.91	UD	2.91	22.7	ug/m3
79-00-5	1,1,2-Trichloroethane	0.71	3.87	UD	3.87	27.3	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B14-1-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-15DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042360.D	10		04/17/25 16:44	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.66	5.62	UD	5.62	42.6	ug/m3
106-93-4	1,2-Dibromoethane	0.72	5.53	UD	5.53	7.69	ug/m3
127-18-4	Tetrachloroethene	0.15	1.02	UD	1.02	2.03	ug/m3
108-90-7	Chlorobenzene	0.76	3.50	UD	3.50	23.0	ug/m3
100-41-4	Ethyl Benzene	5.10	22.1	D	5.21	21.7	ug/m3
179601-23-1	m/p-Xylene	22.3	96.9	D	9.12	43.4	ug/m3
95-47-6	o-Xylene	4.10	17.8	JD	5.21	21.7	ug/m3
100-42-5	Styrene	1.10	4.68	UD	4.68	21.3	ug/m3
75-25-2	Bromoform	0.57	5.89	UD	5.89	51.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.11	0.76	UD	0.76	2.06	ug/m3
95-49-8	2-Chlorotoluene	1.10	5.70	UD	5.70	25.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	1.10	5.41	UD	5.41	24.6	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.78	3.83	UD	3.83	24.6	ug/m3
541-73-1	1,3-Dichlorobenzene	0.80	4.81	UD	4.81	30.1	ug/m3
106-46-7	1,4-Dichlorobenzene	0.53	3.19	UD	3.19	30.1	ug/m3
95-50-1	1,2-Dichlorobenzene	0.75	4.51	UD	4.51	30.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.85	6.31	UD	6.31	37.1	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.85	9.07	UD	9.07	53.3	ug/m3
106-99-0	1,3-Butadiene	1.30	2.88	UD	2.88	11.1	ug/m3
91-20-3	Naphthalene	0.75	3.93	UD	3.93	5.24	ug/m3
622-96-8	4-Ethyltoluene	1.20	5.90	UD	5.90	24.6	ug/m3
110-54-3	Hexane	1.10	3.88	UD	3.88	17.6	ug/m3
107-05-1	Allyl Chloride	1.50	4.70	UD	4.70	15.7	ug/m3
123-91-1	1,4-Dioxane	2.10	7.57	UD	7.57	18.0	ug/m3
80-62-6	Methyl Methacrylate	0.86	3.52	UD	3.52	20.5	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.2			70 (65) - 130 (135)	102%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	122000		2.787			
540-36-3	1,4-Difluorobenzene	347000		3.962			
3114-55-4	Chlorobenzene-d5	308000		8.882			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B14-1-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-15DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042360.D	10		04/17/25 16:44	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-3-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-18	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042321.D	1		04/11/25 15:36	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.44	2.18	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.61	1.26		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.19	1.07	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.45	1.36	J	0.58	1.52	ug/m3
142-82-5	Heptane	0.19	0.78	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	90.6	215	E	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.90	3.13		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	22.7	67.0	E	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	1.50	7.33		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.68	2.17		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.45	1.84	J	0.37	2.05	ug/m3
108-88-3	Toluene	0.54	2.03		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-3-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-18	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042321.D	1		04/11/25 15:36	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.040	0.27		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	UQ	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.16	0.79	J	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	UQ	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	2.70	9.52		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.40			70 (65) - 130 (135)	94%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	184000		2.787			
540-36-3	1,4-Difluorobenzene	454000		3.959			
3114-55-4	Chlorobenzene-d5	391000		8.882			
TENTITIVE IDENTIFIED COMPOUNDS							
75-45-6	Chlorodifluoromethane	0.18		J		1.47	ppbv
115-07-1	Propene	5.00		J		1.49	ppbv
000106-97-8	Butane	1.30		J		1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-3-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-18	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042321.D	1		04/11/25 15:36	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	1400		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	86.2		J		1.89	ppbv
007452-79-1	Butanoic acid, 2-methyl-, ethyl es	1.40		J		9.15	ppbv
018172-67-3	Bicyclo[3.1.1]heptane, 6,6-dimethy	1.10		J		11.4	ppbv
99-87-6	p-Isopropyltoluene	0.11		J		11.9	ppbv
005989-27-5	D-Limonene	18.0		J		12.0	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-3-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-18DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042331.D	10		04/15/25 14:29	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	2.10	10.4	UD	10.4	24.7	ug/m3
74-87-3	Chloromethane	0.98	2.02	UD	2.02	10.3	ug/m3
75-01-4	Vinyl Chloride	0.14	0.36	UD	0.36	0.77	ug/m3
74-83-9	Bromomethane	1.40	5.44	UD	5.44	19.4	ug/m3
75-00-3	Chloroethane	1.70	4.49	UD	4.49	13.2	ug/m3
109-99-9	Tetrahydrofuran	1.30	3.83	UD	3.83	14.8	ug/m3
75-69-4	Trichlorofluoromethane	1.60	8.99	UD	8.99	28.1	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	1.60	12.3	UD	12.3	38.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.88	6.15	UD	6.15	35.0	ug/m3
75-65-0	tert-Butyl alcohol	1.90	5.76	UDQ	5.76	15.2	ug/m3
142-82-5	Heptane	1.10	4.51	UD	4.51	20.5	ug/m3
75-35-4	1,1-Dichloroethene	1.40	5.55	UD	5.55	19.8	ug/m3
67-64-1	Acetone	150	356	D	5.70	11.9	ug/m3
75-15-0	Carbon Disulfide	1.60	4.98	UD	4.98	15.6	ug/m3
1634-04-4	Methyl tert-Butyl Ether	1.20	4.33	UD	4.33	18.0	ug/m3
75-09-2	Methylene Chloride	1.90	6.60	UDQ	6.60	17.4	ug/m3
156-60-5	trans-1,2-Dichloroethene	1.90	7.53	UD	7.53	19.8	ug/m3
75-34-3	1,1-Dichloroethane	1.30	5.26	UD	5.26	20.2	ug/m3
110-82-7	Cyclohexane	2.20	7.57	UD	7.57	17.2	ug/m3
78-93-3	2-Butanone	15.1	44.5	D	3.54	14.8	ug/m3
56-23-5	Carbon Tetrachloride	0.11	0.69	UD	0.69	1.89	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.89	3.53	UD	3.53	19.8	ug/m3
67-66-3	Chloroform	1.30	6.35	JD	4.05	24.4	ug/m3
71-55-6	1,1,1-Trichloroethane	0.10	0.55	UD	0.55	1.64	ug/m3
540-84-1	2,2,4-Trimethylpentane	1.00	4.67	UD	4.67	23.4	ug/m3
71-43-2	Benzene	0.87	2.78	UD	2.78	16.0	ug/m3
107-06-2	1,2-Dichloroethane	0.91	3.68	UD	3.68	20.2	ug/m3
79-01-6	Trichloroethene	0.17	0.91	UD	0.91	1.61	ug/m3
78-87-5	1,2-Dichloropropane	1.10	5.08	UD	5.08	23.1	ug/m3
75-27-4	Bromodichloromethane	0.77	5.16	UD	5.16	33.5	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.93	3.81	UD	3.81	20.5	ug/m3
108-88-3	Toluene	1.10	4.15	UD	4.15	18.8	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.60	2.72	UD	2.72	22.7	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.64	2.91	UD	2.91	22.7	ug/m3
79-00-5	1,1,2-Trichloroethane	0.71	3.87	UD	3.87	27.3	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-3-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-18DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042331.D	10		04/15/25 14:29	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.66	5.62	UD	5.62	42.6	ug/m3
106-93-4	1,2-Dibromoethane	0.72	5.53	UD	5.53	7.69	ug/m3
127-18-4	Tetrachloroethene	0.15	1.02	UD	1.02	2.03	ug/m3
108-90-7	Chlorobenzene	0.76	3.50	UD	3.50	23.0	ug/m3
100-41-4	Ethyl Benzene	1.20	5.21	UD	5.21	21.7	ug/m3
179601-23-1	m/p-Xylene	2.10	9.12	UD	9.12	43.4	ug/m3
95-47-6	o-Xylene	1.20	5.21	UD	5.21	21.7	ug/m3
100-42-5	Styrene	1.10	4.68	UD	4.68	21.3	ug/m3
75-25-2	Bromoform	0.57	5.89	UD	5.89	51.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.11	0.76	UD	0.76	2.06	ug/m3
95-49-8	2-Chlorotoluene	1.10	5.70	UD	5.70	25.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	1.10	5.41	UD	5.41	24.6	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.78	3.83	UD	3.83	24.6	ug/m3
541-73-1	1,3-Dichlorobenzene	0.80	4.81	UD	4.81	30.1	ug/m3
106-46-7	1,4-Dichlorobenzene	0.53	3.19	UD	3.19	30.1	ug/m3
95-50-1	1,2-Dichlorobenzene	0.75	4.51	UD	4.51	30.1	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.85	6.31	UD	6.31	37.1	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.85	9.07	UD	9.07	53.3	ug/m3
106-99-0	1,3-Butadiene	1.30	2.88	UD	2.88	11.1	ug/m3
91-20-3	Naphthalene	0.75	3.93	UD	3.93	5.24	ug/m3
622-96-8	4-Ethyltoluene	1.20	5.90	UD	5.90	24.6	ug/m3
110-54-3	Hexane	1.70	5.99	JD	3.88	17.6	ug/m3
107-05-1	Allyl Chloride	1.50	4.70	UD	4.70	15.7	ug/m3
123-91-1	1,4-Dioxane	2.10	7.57	UD	7.57	18.0	ug/m3
80-62-6	Methyl Methacrylate	0.86	3.52	UD	3.52	20.5	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.50			70 (65) - 130 (135)	95%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	169000		2.81			
540-36-3	1,4-Difluorobenzene	401000		3.994			
3114-55-4	Chlorobenzene-d5	340000		8.914			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B10-3-3242025DL	SDG No.:	Q1665
Lab Sample ID:	Q1665-18DL	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042331.D	10		04/15/25 14:29	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-3-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-20	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042296.D	1		04/09/25 16:57	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.42	2.08	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.49	1.01	J	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.28	0.83	J	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.21	1.18	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.16	0.66	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	8.00	19.0		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.30	4.52		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	2.50	7.37		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.28	0.89	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.53	2.00		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-3-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-20	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042296.D	1		04/09/25 16:57	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.13	0.60	J	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.22	0.96	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.13	0.56	J	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	1.50	5.29		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3

SURROGATES

460-00-4	1-Bromo-4-Fluorobenzene	9.40		70 (65) - 130 (135)	94%	SPK: 10
----------	-------------------------	------	--	---------------------	-----	---------

INTERNAL STANDARDS

74-97-5	Bromochloromethane	162000	2.787
540-36-3	1,4-Difluorobenzene	385000	3.959
3114-55-4	Chlorobenzene-d5	329000	8.878

TENTATIVE IDENTIFIED COMPOUNDS

75-45-6	Chlorodifluoromethane	0.56	J	1.48	ppbv
115-07-1	Propene	3.10	J	1.49	ppbv
000106-97-8	Butane	1.30	J	1.62	ppbv

Report of Analysis

Client:	Woodard & Curran	Date Collected:	03/25/25
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	03/26/25
Client Sample ID:	IA-B9-3-3242025	SDG No.:	Q1665
Lab Sample ID:	Q1665-20	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042296.D	1		04/09/25 16:57	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
64-17-5	Ethanol	31.7		J		1.72	ppbv
67-63-0	Isopropyl Alcohol	39.0		J		1.88	ppbv
000100-52-7	Benzaldehyde	1.10		J		10.8	ppbv

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements



QC SUMMARY

A

B

C

D

E

F

G

H

Surrogate Summary

SDG No.: **Q1665**

Client: **Woodard & Curran**

Analytical Method: **SWTO-15**

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
Q1665-01	AA-DUP-1-3242025	1-Bromo-4-Fluorobenzene	10	9.12	91	70 (65)	130 (135)
Q1665-01DUP	AA-DUP-1-3242025DUP	1-Bromo-4-Fluorobenzene	10	9.35	93	70 (65)	130 (135)
Q1665-03	IA-B10-2-3242025	1-Bromo-4-Fluorobenzene	10	9.83	98	70 (65)	130 (135)
Q1665-03DL	IA-B10-2-3242025DL	1-Bromo-4-Fluorobenzene	10	9.07	91	70 (65)	130 (135)
Q1665-03DUP	IA-B10-2-3242025DUP	1-Bromo-4-Fluorobenzene	10	9.74	97	70 (65)	130 (135)
Q1665-04	AA-1-3242025	1-Bromo-4-Fluorobenzene	10	9.22	92	70 (65)	130 (135)
Q1665-06	IA-B9-1-3242025	1-Bromo-4-Fluorobenzene	10	9.36	94	70 (65)	130 (135)
Q1665-08	IA-DUP-2-3242025	1-Bromo-4-Fluorobenzene	10	9.13	91	70 (65)	130 (135)
Q1665-09	IA-B9-2-3242025	1-Bromo-4-Fluorobenzene	10	9.71	97	70 (65)	130 (135)
Q1665-10	IA-B10-4-3242025	1-Bromo-4-Fluorobenzene	10	9.57	96	70 (65)	130 (135)
Q1665-10DL	IA-B10-4-3242025DL	1-Bromo-4-Fluorobenzene	10	9.14	91	70 (65)	130 (135)
Q1665-10DL2	IA-B10-4-3242025DL2	1-Bromo-4-Fluorobenzene	10	9.33	93	70 (65)	130 (135)
Q1665-11	IA-B10-1-3242025	1-Bromo-4-Fluorobenzene	10	10.0	100	70 (65)	130 (135)
Q1665-11DL	IA-B10-1-3242025DL	1-Bromo-4-Fluorobenzene	10	9.22	92	70 (65)	130 (135)
Q1665-15	IA-B14-1-3242025	1-Bromo-4-Fluorobenzene	10	10.1	101	70 (65)	130 (135)
Q1665-15DL	IA-B14-1-3242025DL	1-Bromo-4-Fluorobenzene	10	10.2	102	70 (65)	130 (135)
Q1665-18	IA-B10-3-3242025	1-Bromo-4-Fluorobenzene	10	9.39	94	70 (65)	130 (135)
Q1665-18DL	IA-B10-3-3242025DL	1-Bromo-4-Fluorobenzene	10	9.51	95	70 (65)	130 (135)
Q1665-20	IA-B9-3-3242025	1-Bromo-4-Fluorobenzene	10	9.39	94	70 (65)	130 (135)
VL0409ABL01	VL0409ABL01	1-Bromo-4-Fluorobenzene	10	9.13	91	70 (65)	130 (135)
VL0409ABS02	VL0409ABS02	1-Bromo-4-Fluorobenzene	10	9.52	95	70 (65)	130 (135)
VL0411ABL01	VL0411ABL01	1-Bromo-4-Fluorobenzene	10	9.05	91	70 (65)	130 (135)
VL0411ABS01	VL0411ABS01	1-Bromo-4-Fluorobenzene	10	9.91	99	70 (65)	130 (135)
VL0415ABL01	VL0415ABL01	1-Bromo-4-Fluorobenzene	10	9.25	93	70 (65)	130 (135)
VL0415ABS01	VL0415ABS01	1-Bromo-4-Fluorobenzene	10	9.72	97	70 (65)	130 (135)
VL0417ABL01	VL0417ABL01	1-Bromo-4-Fluorobenzene	10	10.1	101	70 (65)	130 (135)
VL0417ABS01	VL0417ABS01	1-Bromo-4-Fluorobenzene	10	10.1	101	70 (65)	130 (135)

() = LABORATORY INHOUSE LIMIT

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Analytical Method: SWTO-15

Datafile : VL042289.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0409ABS02	Dichlorodifluoromethane	10	9.60	ppbv	96			40 (70)	160 (130)	
	Chloromethane	10	9.80	ppbv	98			40 (70)	160 (130)	
	Vinyl Chloride	10	8.70	ppbv	87			70 (70)	130 (130)	
	Bromomethane	10	9.00	ppbv	90			40 (70)	160 (130)	
	Chloroethane	10	9.20	ppbv	92			40 (70)	160 (130)	
	Tetrahydrofuran	10	10.7	ppbv	107			70 (70)	130 (130)	
	Trichlorofluoromethane	10	9.50	ppbv	95			40 (70)	160 (130)	
	1,1,2-Trichlorotrifluoroethane	10	9.50	ppbv	95			70 (70)	130 (130)	
	Dichlorotetrafluoroethane	10	9.70	ppbv	97			70 (70)	130 (130)	
	tert-Butyl Alcohol	10	8.30	ppbv	83			70 (70)	130 (130)	
	Heptane	10	9.70	ppbv	97			70 (70)	130 (130)	
	1,1-Dichloroethene	10	8.90	ppbv	89			70 (70)	130 (130)	
	Acetone	10	8.90	ppbv	89			40 (70)	160 (130)	
	Carbon disulfide	10	9.30	ppbv	93			40 (70)	160 (130)	
	Methyl tert-butyl Ether	10	8.50	ppbv	85			70 (70)	130 (130)	
	Methylene Chloride	10	8.40	ppbv	84			70 (70)	130 (130)	
	trans-1,2-Dichloroethene	10	8.80	ppbv	88			70 (70)	130 (130)	
	1,1-Dichloroethane	10	9.70	ppbv	97			70 (70)	130 (130)	
	Cyclohexane	10	9.40	ppbv	94			70 (70)	130 (130)	
	2-Butanone	10	10.9	ppbv	109			40 (70)	160 (130)	
	Carbon Tetrachloride	10	10.4	ppbv	104			70 (70)	130 (130)	
	cis-1,2-Dichloroethene	10	9.70	ppbv	97			70 (70)	130 (130)	
	Chloroform	10	10.4	ppbv	104			70 (70)	130 (130)	
	1,1,1-Trichloroethane	10	8.90	ppbv	89			70 (70)	130 (130)	
	2,2,4-Trimethylpentane	10	10.7	ppbv	107			70 (70)	130 (130)	
	Benzene	10	10.6	ppbv	106			70 (70)	130 (130)	
	1,2-Dichloroethane	10	11.0	ppbv	110			70 (70)	130 (130)	
	Trichloroethene	10	10.1	ppbv	101			70 (70)	130 (130)	
	1,2-Dichloropropane	10	10.6	ppbv	106			70 (70)	130 (130)	
	Bromodichloromethane	10	10.9	ppbv	109			70 (70)	130 (130)	
	4-Methyl-2-Pentanone	10	9.60	ppbv	96			40 (70)	160 (130)	
	Toluene	10	9.90	ppbv	99			70 (70)	130 (130)	
	t-1,3-Dichloropropene	10	8.50	ppbv	85			70 (70)	130 (130)	
	cis-1,3-Dichloropropene	10	9.20	ppbv	92			70 (70)	130 (130)	
	1,1,2-Trichloroethane	10	10.8	ppbv	108			70 (70)	130 (130)	
	Dibromochloromethane	10	10.5	ppbv	105			70 (70)	130 (130)	
	1,2-Dibromoethane	10	10.6	ppbv	106			70 (70)	130 (130)	
	Tetrachloroethene	10	8.90	ppbv	89			70 (70)	130 (130)	
	Chlorobenzene	10	11.4	ppbv	114			70 (70)	130 (130)	
	Ethyl Benzene	10	10.6	ppbv	106			70 (70)	130 (130)	
	m/p-Xylene	20	22.2	ppbv	111			70 (70)	130 (130)	
	o-Xylene	10	11.0	ppbv	110			70 (70)	130 (130)	
	Styrene	10	10.0	ppbv	100			70 (70)	130 (130)	
	Bromoform	10	10.4	ppbv	104			70 (70)	130 (130)	
	1,1,2,2-Tetrachloroethane	10	11.8	ppbv	118			70 (70)	130 (130)	
	2-Chlorotoluene	10	10.9	ppbv	109			70 (70)	130 (130)	
	1,3,5-Trimethylbenzene	10	10.9	ppbv	109			70 (70)	130 (130)	
	1,2,4-Trimethylbenzene	10	10.7	ppbv	107			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Analytical Method: SWTO-15 **Datafile :** VL042289.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0409ABS02	1,3-Dichlorobenzene	10	11.6	ppbv	116			70 (70)	130 (130)	
	1,4-Dichlorobenzene	10	11.7	ppbv	117			70 (70)	130 (130)	
	1,2-Dichlorobenzene	10	11.9	ppbv	119			70 (70)	130 (130)	
	1,2,4-Trichlorobenzene	10	10.8	ppbv	108			70 (70)	130 (130)	
	Hexachloro-1,3-butadiene	10	9.30	ppbv	93			70 (70)	130 (130)	
	Naphthalene	10	11.3	ppbv	113			40 (70)	160 (130)	
	1,3-Butadiene	10	8.60	ppbv	86			70 (70)	130 (130)	
	4-Ethyltoluene	10	11.1	ppbv	111			70 (70)	130 (130)	
	Hexane	10	9.90	ppbv	99			70 (70)	130 (130)	
	Allyl Chloride	10	9.30	ppbv	93			70 (70)	130 (130)	
	1,4-Dioxane	10	9.40	ppbv	94			40 (70)	160 (130)	
	Methyl methacrylate	10	9.40	ppbv	94			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Analytical Method: SWTO-15

Datafile : VL042314.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0411ABS01	Dichlorodifluoromethane	10	9.90	ppbv	99			40 (70)	160 (130)	
	Chloromethane	10	10.2	ppbv	102			40 (70)	160 (130)	
	Vinyl Chloride	10	8.70	ppbv	87			70 (70)	130 (130)	
	Bromomethane	10	8.90	ppbv	89			40 (70)	160 (130)	
	Chloroethane	10	9.30	ppbv	93			40 (70)	160 (130)	
	Tetrahydrofuran	10	10.9	ppbv	109			70 (70)	130 (130)	
	Trichlorofluoromethane	10	9.60	ppbv	96			40 (70)	160 (130)	
	1,1,2-Trichlorotrifluoroethane	10	9.10	ppbv	91			70 (70)	130 (130)	
	Dichlorotetrafluoroethane	10	9.80	ppbv	98			70 (70)	130 (130)	
	tert-Butyl Alcohol	10	7.80	ppbv	78			70 (70)	130 (130)	
	Heptane	10	9.90	ppbv	99			70 (70)	130 (130)	
	1,1-Dichloroethene	10	8.40	ppbv	84			70 (70)	130 (130)	
	Acetone	10	9.20	ppbv	92			40 (70)	160 (130)	
	Carbon disulfide	10	8.80	ppbv	88			40 (70)	160 (130)	
	Methyl tert-butyl Ether	10	7.90	ppbv	79			70 (70)	130 (130)	
	Methylene Chloride	10	8.10	ppbv	81			70 (70)	130 (130)	
	trans-1,2-Dichloroethene	10	8.70	ppbv	87			70 (70)	130 (130)	
	1,1-Dichloroethane	10	9.80	ppbv	98			70 (70)	130 (130)	
	Cyclohexane	10	9.00	ppbv	90			70 (70)	130 (130)	
	2-Butanone	10	11.3	ppbv	113			40 (70)	160 (130)	
	Carbon Tetrachloride	10	11.2	ppbv	112			70 (70)	130 (130)	
	cis-1,2-Dichloroethene	10	9.20	ppbv	92			70 (70)	130 (130)	
	Chloroform	10	10.5	ppbv	105			70 (70)	130 (130)	
	1,1,1-Trichloroethane	10	8.80	ppbv	88			70 (70)	130 (130)	
	2,2,4-Trimethylpentane	10	11.4	ppbv	114			70 (70)	130 (130)	
	Benzene	10	11.1	ppbv	111			70 (70)	130 (130)	
	1,2-Dichloroethane	10	11.5	ppbv	115			70 (70)	130 (130)	
	Trichloroethene	10	10.6	ppbv	106			70 (70)	130 (130)	
	1,2-Dichloropropane	10	11.2	ppbv	112			70 (70)	130 (130)	
	Bromodichloromethane	10	11.7	ppbv	117			70 (70)	130 (130)	
	4-Methyl-2-Pentanone	10	10.1	ppbv	101			40 (70)	160 (130)	
	Toluene	10	10.1	ppbv	101			70 (70)	130 (130)	
	t-1,3-Dichloropropene	10	8.30	ppbv	83			70 (70)	130 (130)	
	cis-1,3-Dichloropropene	10	9.20	ppbv	92			70 (70)	130 (130)	
	1,1,2-Trichloroethane	10	11.7	ppbv	117			70 (70)	130 (130)	
	Dibromochloromethane	10	11.2	ppbv	112			70 (70)	130 (130)	
	1,2-Dibromoethane	10	11.2	ppbv	112			70 (70)	130 (130)	
	Tetrachloroethene	10	9.50	ppbv	95			70 (70)	130 (130)	
	Chlorobenzene	10	12.5	ppbv	125			70 (70)	130 (130)	
	Ethyl Benzene	10	11.1	ppbv	111			70 (70)	130 (130)	
	m/p-Xylene	20	24.2	ppbv	121			70 (70)	130 (130)	
	o-Xylene	10	11.9	ppbv	119			70 (70)	130 (130)	
	Styrene	10	10.5	ppbv	105			70 (70)	130 (130)	
	Bromoform	10	11.3	ppbv	113			70 (70)	130 (130)	
	1,1,2,2-Tetrachloroethane	10	13.2	ppbv	132		*	70 (70)	130 (130)	
	2-Chlorotoluene	10	11.8	ppbv	118			70 (70)	130 (130)	
	1,3,5-Trimethylbenzene	10	11.9	ppbv	119			70 (70)	130 (130)	
	1,2,4-Trimethylbenzene	10	11.9	ppbv	119			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Analytical Method: SWTO-15

Datafile : VL042314.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0411ABS01	1,3-Dichlorobenzene	10	12.8	ppbv	128			70 (70)	130 (130)	
	1,4-Dichlorobenzene	10	12.9	ppbv	129			70 (70)	130 (130)	
	1,2-Dichlorobenzene	10	13.2	ppbv	132		*	70 (70)	130 (130)	
	1,2,4-Trichlorobenzene	10	10.8	ppbv	108			70 (70)	130 (130)	
	Hexachloro-1,3-butadiene	10	9.80	ppbv	98			70 (70)	130 (130)	
	Naphthalene	10	10.9	ppbv	109			40 (70)	160 (130)	
	1,3-Butadiene	10	9.10	ppbv	91			70 (70)	130 (130)	
	4-Ethyltoluene	10	12.1	ppbv	121			70 (70)	130 (130)	
	Hexane	10	10.0	ppbv	100			70 (70)	130 (130)	
	Allyl Chloride	10	8.90	ppbv	89			70 (70)	130 (130)	
	1,4-Dioxane	10	9.40	ppbv	94			40 (70)	160 (130)	
	Methyl methacrylate	10	9.50	ppbv	95			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Analytical Method: SWTO-15

Datafile : VL042328.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0415ABS01	Dichlorodifluoromethane	10	8.40	ppbv	84			40 (70)	160 (130)	
	Chloromethane	10	8.50	ppbv	85			40 (70)	160 (130)	
	Vinyl Chloride	10	7.50	ppbv	75			70 (70)	130 (130)	
	Bromomethane	10	7.70	ppbv	77			40 (70)	160 (130)	
	Chloroethane	10	7.90	ppbv	79			40 (70)	160 (130)	
	Tetrahydrofuran	10	9.40	ppbv	94			70 (70)	130 (130)	
	Trichlorofluoromethane	10	8.20	ppbv	82			40 (70)	160 (130)	
	1,1,2-Trichlorotrifluoroethane	10	7.60	ppbv	76			70 (70)	130 (130)	
	Dichlorotetrafluoroethane	10	8.20	ppbv	82			70 (70)	130 (130)	
	tert-Butyl Alcohol	10	6.80	ppbv	68		*	70 (70)	130 (130)	
	Heptane	10	8.50	ppbv	85			70 (70)	130 (130)	
	1,1-Dichloroethene	10	7.30	ppbv	73			70 (70)	130 (130)	
	Acetone	10	7.40	ppbv	74			40 (70)	160 (130)	
	Carbon disulfide	10	7.40	ppbv	74			40 (70)	160 (130)	
	Methyl tert-butyl Ether	10	7.20	ppbv	72			70 (70)	130 (130)	
	Methylene Chloride	10	6.70	ppbv	67		*	70 (70)	130 (130)	
	trans-1,2-Dichloroethene	10	7.20	ppbv	72			70 (70)	130 (130)	
	1,1-Dichloroethane	10	8.30	ppbv	83			70 (70)	130 (130)	
	Cyclohexane	10	7.90	ppbv	79			70 (70)	130 (130)	
	2-Butanone	10	9.30	ppbv	93			40 (70)	160 (130)	
	Carbon Tetrachloride	10	9.10	ppbv	91			70 (70)	130 (130)	
	cis-1,2-Dichloroethene	10	8.10	ppbv	81			70 (70)	130 (130)	
	Chloroform	10	8.80	ppbv	88			70 (70)	130 (130)	
	1,1,1-Trichloroethane	10	7.50	ppbv	75			70 (70)	130 (130)	
	2,2,4-Trimethylpentane	10	9.50	ppbv	95			70 (70)	130 (130)	
	Benzene	10	9.30	ppbv	93			70 (70)	130 (130)	
	1,2-Dichloroethane	10	9.30	ppbv	93			70 (70)	130 (130)	
	Trichloroethene	10	9.00	ppbv	90			70 (70)	130 (130)	
	1,2-Dichloropropane	10	9.30	ppbv	93			70 (70)	130 (130)	
	Bromodichloromethane	10	9.40	ppbv	94			70 (70)	130 (130)	
	4-Methyl-2-Pentanone	10	8.40	ppbv	84			40 (70)	160 (130)	
	Toluene	10	8.60	ppbv	86			70 (70)	130 (130)	
	t-1,3-Dichloropropene	10	7.20	ppbv	72			70 (70)	130 (130)	
	cis-1,3-Dichloropropene	10	7.80	ppbv	78			70 (70)	130 (130)	
	1,1,2-Trichloroethane	10	9.60	ppbv	96			70 (70)	130 (130)	
	Dibromochloromethane	10	9.30	ppbv	93			70 (70)	130 (130)	
	1,2-Dibromoethane	10	9.10	ppbv	91			70 (70)	130 (130)	
	Tetrachloroethene	10	8.00	ppbv	80			70 (70)	130 (130)	
	Chlorobenzene	10	9.70	ppbv	97			70 (70)	130 (130)	
	Ethyl Benzene	10	8.70	ppbv	87			70 (70)	130 (130)	
	m/p-Xylene	20	18.5	ppbv	93			70 (70)	130 (130)	
	o-Xylene	10	9.10	ppbv	91			70 (70)	130 (130)	
	Styrene	10	8.20	ppbv	82			70 (70)	130 (130)	
	Bromoform	10	9.20	ppbv	92			70 (70)	130 (130)	
	1,1,2,2-Tetrachloroethane	10	10.2	ppbv	102			70 (70)	130 (130)	
	2-Chlorotoluene	10	9.00	ppbv	90			70 (70)	130 (130)	
	1,3,5-Trimethylbenzene	10	9.10	ppbv	91			70 (70)	130 (130)	
	1,2,4-Trimethylbenzene	10	8.90	ppbv	89			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665
Client: Woodard & Curran
Analytical Method: SWTO-15 Datafile : VL042328.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0415ABS01	1,3-Dichlorobenzene	10	9.80	ppbv	98			70 (70)	130 (130)	
	1,4-Dichlorobenzene	10	9.90	ppbv	99			70 (70)	130 (130)	
	1,2-Dichlorobenzene	10	10.2	ppbv	102			70 (70)	130 (130)	
	1,2,4-Trichlorobenzene	10	9.60	ppbv	96			70 (70)	130 (130)	
	Hexachloro-1,3-butadiene	10	8.10	ppbv	81			70 (70)	130 (130)	
	Naphthalene	10	10.0	ppbv	100			40 (70)	160 (130)	
	1,3-Butadiene	10	7.60	ppbv	76			70 (70)	130 (130)	
	4-Ethyltoluene	10	9.20	ppbv	92			70 (70)	130 (130)	
	Hexane	10	8.50	ppbv	85			70 (70)	130 (130)	
	Allyl Chloride	10	7.50	ppbv	75			70 (70)	130 (130)	
	1,4-Dioxane	10	8.10	ppbv	81			40 (70)	160 (130)	
	Methyl methacrylate	10	8.10	ppbv	81			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665

Client: Woodard & Curran

Analytical Method: SWTO-15

Datafile : VL042358.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0417ABS01	Dichlorodifluoromethane	10	10.3	ppbv	103			40 (70)	160 (130)	
	Chloromethane	10	10.1	ppbv	101			40 (70)	160 (130)	
	Vinyl Chloride	10	9.00	ppbv	90			70 (70)	130 (130)	
	Bromomethane	10	9.20	ppbv	92			40 (70)	160 (130)	
	Chloroethane	10	10.1	ppbv	101			40 (70)	160 (130)	
	Tetrahydrofuran	10	9.70	ppbv	97			70 (70)	130 (130)	
	Trichlorofluoromethane	10	10.1	ppbv	101			40 (70)	160 (130)	
	1,1,2-Trichlorotrifluoroethane	10	10.1	ppbv	101			70 (70)	130 (130)	
	Dichlorotetrafluoroethane	10	10.2	ppbv	102			70 (70)	130 (130)	
	tert-Butyl Alcohol	10	9.80	ppbv	98			70 (70)	130 (130)	
	Heptane	10	9.20	ppbv	92			70 (70)	130 (130)	
	1,1-Dichloroethene	10	9.80	ppbv	98			70 (70)	130 (130)	
	Acetone	10	8.70	ppbv	87			40 (70)	160 (130)	
	Carbon disulfide	10	10.2	ppbv	102			40 (70)	160 (130)	
	Methyl tert-butyl Ether	10	9.50	ppbv	95			70 (70)	130 (130)	
	Methylene Chloride	10	8.90	ppbv	89			70 (70)	130 (130)	
	trans-1,2-Dichloroethene	10	9.70	ppbv	97			70 (70)	130 (130)	
	1,1-Dichloroethane	10	10.2	ppbv	102			70 (70)	130 (130)	
	Cyclohexane	10	10.1	ppbv	101			70 (70)	130 (130)	
	2-Butanone	10	9.80	ppbv	98			40 (70)	160 (130)	
	Carbon Tetrachloride	10	9.60	ppbv	96			70 (70)	130 (130)	
	cis-1,2-Dichloroethene	10	10.4	ppbv	104			70 (70)	130 (130)	
	Chloroform	10	10.2	ppbv	102			70 (70)	130 (130)	
	1,1,1-Trichloroethane	10	9.70	ppbv	97			70 (70)	130 (130)	
	2,2,4-Trimethylpentane	10	10.0	ppbv	100			70 (70)	130 (130)	
	Benzene	10	10.1	ppbv	101			70 (70)	130 (130)	
	1,2-Dichloroethane	10	10.4	ppbv	104			70 (70)	130 (130)	
	Trichloroethene	10	9.30	ppbv	93			70 (70)	130 (130)	
	1,2-Dichloropropane	10	9.90	ppbv	99			70 (70)	130 (130)	
	Bromodichloromethane	10	10.3	ppbv	103			70 (70)	130 (130)	
	4-Methyl-2-Pentanone	10	8.80	ppbv	88			40 (70)	160 (130)	
	Toluene	10	9.80	ppbv	98			70 (70)	130 (130)	
	t-1,3-Dichloropropene	10	9.90	ppbv	99			70 (70)	130 (130)	
	cis-1,3-Dichloropropene	10	10.1	ppbv	101			70 (70)	130 (130)	
	1,1,2-Trichloroethane	10	10.2	ppbv	102			70 (70)	130 (130)	
	Dibromochloromethane	10	10.3	ppbv	103			70 (70)	130 (130)	
	1,2-Dibromoethane	10	9.90	ppbv	99			70 (70)	130 (130)	
	Tetrachloroethene	10	8.80	ppbv	88			70 (70)	130 (130)	
	Chlorobenzene	10	10.0	ppbv	100			70 (70)	130 (130)	
	Ethyl Benzene	10	10.0	ppbv	100			70 (70)	130 (130)	
	m/p-Xylene	20	19.8	ppbv	99			70 (70)	130 (130)	
	o-Xylene	10	9.80	ppbv	98			70 (70)	130 (130)	
	Styrene	10	10.1	ppbv	101			70 (70)	130 (130)	
	Bromoform	10	9.90	ppbv	99			70 (70)	130 (130)	
	1,1,2,2-Tetrachloroethane	10	8.90	ppbv	89			70 (70)	130 (130)	
	2-Chlorotoluene	10	9.90	ppbv	99			70 (70)	130 (130)	
	1,3,5-Trimethylbenzene	10	9.60	ppbv	96			70 (70)	130 (130)	
	1,2,4-Trimethylbenzene	10	9.00	ppbv	90			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1665
Client: Woodard & Curran
Analytical Method: SWTO-15 Datafile : VL042358.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0417ABS01	1,3-Dichlorobenzene	10	9.50	ppbv	95			70 (70)	130 (130)	
	1,4-Dichlorobenzene	10	9.40	ppbv	94			70 (70)	130 (130)	
	1,2-Dichlorobenzene	10	9.50	ppbv	95			70 (70)	130 (130)	
	1,2,4-Trichlorobenzene	10	9.40	ppbv	94			70 (70)	130 (130)	
	Hexachloro-1,3-butadiene	10	9.10	ppbv	91			70 (70)	130 (130)	
	Naphthalene	10	9.00	ppbv	90			40 (70)	160 (130)	
	1,3-Butadiene	10	9.10	ppbv	91			70 (70)	130 (130)	
	4-Ethyltoluene	10	9.60	ppbv	96			70 (70)	130 (130)	
	Hexane	10	9.80	ppbv	98			70 (70)	130 (130)	
	Allyl Chloride	10	9.70	ppbv	97			70 (70)	130 (130)	
	1,4-Dioxane	10	8.70	ppbv	87			40 (70)	160 (130)	
	Methyl methacrylate	10	9.30	ppbv	93			70 (70)	130 (130)	

() = LABORATORY INHOUSE LIMIT

Duplicate Sample Summary

Lab Sample Id :	Q1665-01DUP	Q1665-01
Client Id :	AA-DUP-1-3242025DUP	AA-DUP-1-3242025
DF :	1	1
Datafile :	VL042291.D	VL042290.D
Anal Date & Time :	04/09/2025 14:02	04/09/2025 13:25

Parameter	Result	Result	RPD
1,1,1-Trichloroethane	0	0	0
1,1,2,2-Tetrachloroethane	0	0	0
1,1,2-Trichloroethane	0	0	0
1,1,2-Trichlorotrifluoroethane	0	0	0
1,1-Dichloroethane	0	0	0
1,1-Dichloroethene	0	0	0
1,2,4-Trichlorobenzene	0	0	0
1,2,4-Trimethylbenzene	0	0	0
1,2-Dibromoethane	0	0	0
1,2-Dichlorobenzene	0	0	0
1,2-Dichloroethane	0	0	0
1,2-Dichloropropane	0	0	0
1,3,5-Trimethylbenzene	0	0	0
1,3-Butadiene	0	0	0
1,3-Dichlorobenzene	0	0	0
1,4-Dichlorobenzene	0	0	0
1,4-Dioxane	0	0	0
2,2,4-Trimethylpentane	0	0	0
2-Butanone	0.33	0.36	8.7
2-Chlorotoluene	0	0	0
4-Ethyltoluene	0	0	0
4-Methyl-2-Pentanone	0	0	0
Acetone	3.6	3.6	0
Allyl Chloride	0	0	0
Benzene	0.24	0.25	4.1
Bromodichloromethane	0	0	0
Bromoform	0	0	0
Bromomethane	0	0	0
Carbon Disulfide	0	0	0
Carbon Tetrachloride	0.08	0.07	13.3

Duplicate Sample Summary

Lab Sample Id :	Q1665-01DUP	Q1665-01
Client Id :	AA-DUP-1-3242025DUP	AA-DUP-1-3242025
DF :	1	1
Datafile :	VL042291.D	VL042290.D
Anal Date & Time :	04/09/2025 14:02	04/09/2025 13:25

Parameter	Result	Result	RPD
Chlorobenzene	0	0	0
Chloroethane	0	0	0
Chloroform	0	0	0
Chloromethane	0.55	0.56	1.8
cis-1,2-Dichloroethene	0	0	0
cis-1,3-Dichloropropene	0	0	0
Cyclohexane	0	0	0
Dibromochloromethane	0	0	0
Dichlorodifluoromethane	0.38	0.4	5.1
Dichlorotetrafluoroethane	0	0	0
Ethyl Benzene	0	0	0
Heptane	0.1	0.11	9.5
Hexachloro-1,3-Butadiene	0	0	0
Hexane	1.4	1.6	13.3
m/p-Xylene	0.12	0	200 *
Methyl Methacrylate	0	0	0
Methyl tert-Butyl Ether	0	0	0
Methylene Chloride	0.95	0.95	0
Naphthalene	0	0	0
o-Xylene	0	0	0
Styrene	0	0	0
t-1,3-Dichloropropene	0	0	0
tert-Butyl alcohol	0	0	0
Tetrachloroethene	0	0	0
Tetrahydrofuran	0	0	0
Toluene	0.28	0.32	13.3
trans-1,2-Dichloroethene	0	0	0
Trichloroethene	0	0	0
Trichlorofluoromethane	0.22	0.21	4.7
Vinyl Chloride	0	0	0
1,1,1-Trichloroethane	0	0	0

Duplicate Sample Summary

Lab Sample Id :	Q1665-03DUP	Q1665-03
Client Id :	IA-B10-2-3242025DUP	IA-B10-2-3242025
DF :	1	1
Datafile :	VL042318.D	VL042317.D
Anal Date & Time :	04/11/2025 13:52	04/11/2025 13:15

Parameter	Result	Result	RPD
1,1,2,2-Tetrachloroethane	0	0	0
1,1,2-Trichloroethane	0	0	0
1,1,2-Trichlorotrifluoroethane	0	0	0
1,1-Dichloroethane	0	0	0
1,1-Dichloroethene	0	0	0
1,2,4-Trichlorobenzene	0	0	0
1,2,4-Trimethylbenzene	0.13	0.12	8
1,2-Dibromoethane	0	0	0
1,2-Dichlorobenzene	0	0	0
1,2-Dichloroethane	0	0	0
1,2-Dichloropropane	0	0	0
1,3,5-Trimethylbenzene	0	0	0
1,3-Butadiene	0	0	0
1,3-Dichlorobenzene	0	0	0
1,4-Dichlorobenzene	0	0	0
1,4-Dioxane	0	0	0
2,2,4-Trimethylpentane	0	0	0
2-Butanone	26.6	26.8	0.75
2-Chlorotoluene	0	0	0
4-Ethyltoluene	0	0	0
4-Methyl-2-Pentanone	0	0	0
Acetone	82.1	82.7	0.73
Allyl Chloride	0	0	0
Benzene	0.6	0.6	0
Bromodichloromethane	0	0	0
Bromoform	0	0	0
Bromomethane	0	0	0
Carbon Disulfide	0	0	0
Carbon Tetrachloride	0.09	0.09	0
Chlorobenzene	0	0	0
Chloroethane	0	0	0

Duplicate Sample Summary

Lab Sample Id :	Q1665-03DUP	Q1665-03
Client Id :	IA-B10-2-3242025DUP	IA-B10-2-3242025
DF :	1	1
Datafile :	VL042318.D	VL042317.D
Anal Date & Time :	04/11/2025 13:52	04/11/2025 13:15

Parameter	Result	Result	RPD
Chloroform	1.4	1.4	0
Chloromethane	0.59	0.59	0
cis-1,2-Dichloroethene	0	0	0
cis-1,3-Dichloropropene	0	0	0
Cyclohexane	0	0	0
Dibromochloromethane	0	0	0
Dichlorodifluoromethane	0.42	0.4	4.9
Dichlorotetrafluoroethane	0	0	0
Ethyl Benzene	0	0	0
Heptane	0.19	0.17	11.1
Hexachloro-1,3-Butadiene	0	0	0
Hexane	2.7	2.5	7.7
m/p-Xylene	0.2	0	200 *
Methyl Methacrylate	0	0	0
Methyl tert-Butyl Ether	0	0	0
Methylene Chloride	1.6	1.6	0
Naphthalene	0	0	0
o-Xylene	0.12	0.12	0
Styrene	0	0	0
t-1,3-Dichloropropene	0	0	0
tert-Butyl alcohol	0.46	0.47	2.2
Tetrachloroethene	0.04	0.04	0
Tetrahydrofuran	0	0	0
Toluene	0.51	0.49	4
trans-1,2-Dichloroethene	0	0	0
Trichloroethene	0	0	0
Trichlorofluoromethane	0.22	0.21	4.7
Vinyl Chloride	0	0	0

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0409ABL01

Lab Name: CHEMTECH

Contract: WOOD06

Lab Code: CHEM Case No.: Q1665

SAS No.: Q1665 SDG NO.: Q1665

Lab File ID: VL042287.D

Lab Sample ID: VL0409ABL01

Date Analyzed: 04/09/2025

Time Analyzed: 11:03

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0409ABS02	VL0409ABS02	VL042289.D	04/09/2025
AA-DUP-1-3242025	Q1665-01	VL042290.D	04/09/2025
AA-DUP-1-3242025DUP	Q1665-01DUP	VL042291.D	04/09/2025
AA-1-3242025	Q1665-04	VL042292.D	04/09/2025
IA-B9-1-3242025	Q1665-06	VL042293.D	04/09/2025
IA-DUP-2-3242025	Q1665-08	VL042294.D	04/09/2025
IA-B9-2-3242025	Q1665-09	VL042295.D	04/09/2025
IA-B9-3-3242025	Q1665-20	VL042296.D	04/09/2025

COMMENTS: _____

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0411ABL01

Lab Name: CHEMTECH

Contract: WOOD06

Lab Code: CHEM Case No.: Q1665

SAS No.: Q1665 SDG NO.: Q1665

Lab File ID: VL042313.D

Lab Sample ID: VL0411ABL01

Date Analyzed: 04/11/2025

Time Analyzed: 10:36

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0411ABS01	VL0411ABS01	VL042314.D	04/11/2025
IA-B10-2-3242025	Q1665-03	VL042317.D	04/11/2025
IA-B10-2-3242025DUP	Q1665-03DUP	VL042318.D	04/11/2025
IA-B10-4-3242025	Q1665-10	VL042319.D	04/11/2025
IA-B10-1-3242025	Q1665-11	VL042320.D	04/11/2025
IA-B10-3-3242025	Q1665-18	VL042321.D	04/11/2025
IA-B10-2-3242025DL	Q1665-03DL	VL042322.D	04/11/2025
IA-B10-4-3242025DL	Q1665-10DL	VL042323.D	04/11/2025
IA-B10-1-3242025DL	Q1665-11DL	VL042324.D	04/11/2025

COMMENTS: _____

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0415ABL01

Lab Name: CHEMTECH

Contract: WOOD06

Lab Code: CHEM Case No.: Q1665

SAS No.: Q1665 SDG NO.: Q1665

Lab File ID: VL042327.D

Lab Sample ID: VL0415ABL01

Date Analyzed: 04/15/2025

Time Analyzed: 12:12

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0415ABS01	VL0415ABS01	VL042328.D	04/15/2025
IA-B10-3-3242025DL	Q1665-18DL	VL042331.D	04/15/2025
IA-B10-4-3242025DL2	Q1665-10DL2	VL042332.D	04/15/2025

COMMENTS: _____

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0417ABL01

Lab Name: CHEMTECH

Contract: WOOD06

Lab Code: CHEM Case No.: Q1665

SAS No.: Q1665 SDG NO.: Q1665

Lab File ID: VL042357.D

Lab Sample ID: VL0417ABL01

Date Analyzed: 04/17/2025

Time Analyzed: 14:23

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0417ABS01	VL0417ABS01	VL042358.D	04/17/2025
IA-B14-1-3242025	Q1665-15	VL042359.D	04/17/2025
IA-B14-1-3242025DL	Q1665-15DL	VL042360.D	04/17/2025

COMMENTS: _____

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042171.D BFB Injection Date: 03/27/2025
Instrument ID: MSVOA_L BFB Injection Time: 07:44
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	23
75	30.0 - 66.0% of mass 95	56.3
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.0 (0.0) 1
174	50.0 - 120.0% of mass 95	63.8
175	4.0 - 9.0% of mass 174	5.1 (8) 1
176	93.0 - 101.0% of mass 174	61.1 (95.7) 1
177	5.0 - 9.0% of mass 176	4.2 (6.8) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDICCC010	VSTDICCC010	VL042172.D	03/27/2025	08:26
VSTDICCC002	VSTDICCC002	VL042173.D	03/27/2025	08:59
VSTDICCC001	VSTDICCC001	VL042174.D	03/27/2025	09:30
VSTDICCC0.5	VSTDICCC0.5	VL042175.D	03/27/2025	10:01
VSTDICCC0.1	VSTDICCC0.1	VL042176.D	03/27/2025	10:32
VSTDICCC0.03	VSTDICCC0.03	VL042177.D	03/27/2025	11:03
VSTDICCC015	VSTDICCC015	VL042178.D	03/27/2025	11:36

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042285.D BFB Injection Date: 04/09/2025
Instrument ID: MSVOA_L BFB Injection Time: 09:38
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	23.2
75	30.0 - 66.0% of mass 95	57.1
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.5 (0.8) 1
174	50.0 - 120.0% of mass 95	61.3
175	4.0 - 9.0% of mass 174	4.2 (6.9) 1
176	93.0 - 101.0% of mass 174	57.5 (93.9) 1
177	5.0 - 9.0% of mass 176	3.7 (6.4) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC010	VSTDCCC010	VL042286.D	04/09/2025	10:20
VL0409ABL01	VL0409ABL01	VL042287.D	04/09/2025	11:03
VL0409ABS02	VL0409ABS02	VL042289.D	04/09/2025	12:31
AA-DUP-1-3242025	Q1665-01	VL042290.D	04/09/2025	13:25
AA-DUP-1-3242025DUP	Q1665-01DUP	VL042291.D	04/09/2025	14:02
AA-1-3242025	Q1665-04	VL042292.D	04/09/2025	14:36
IA-B9-1-3242025	Q1665-06	VL042293.D	04/09/2025	15:15
IA-DUP-2-3242025	Q1665-08	VL042294.D	04/09/2025	15:50
IA-B9-2-3242025	Q1665-09	VL042295.D	04/09/2025	16:23
IA-B9-3-3242025	Q1665-20	VL042296.D	04/09/2025	16:57

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042311.D BFB Injection Date: 04/11/2025
Instrument ID: MSVOA_L BFB Injection Time: 08:18
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	24.4
75	30.0 - 66.0% of mass 95	57.3
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.3 (0.5) 1
174	50.0 - 120.0% of mass 95	61.1
175	4.0 - 9.0% of mass 174	4.6 (7.5) 1
176	93.0 - 101.0% of mass 174	57.9 (94.7) 1
177	5.0 - 9.0% of mass 176	3.8 (6.6) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC010	VSTDCCC010	VL042312.D	04/11/2025	09:50
VL0411ABL01	VL0411ABL01	VL042313.D	04/11/2025	10:36
VL0411ABS01	VL0411ABS01	VL042314.D	04/11/2025	11:23
IA-B10-2-3242025	Q1665-03	VL042317.D	04/11/2025	13:15
IA-B10-2-3242025DUP	Q1665-03DUP	VL042318.D	04/11/2025	13:52
IA-B10-4-3242025	Q1665-10	VL042319.D	04/11/2025	14:27
IA-B10-1-3242025	Q1665-11	VL042320.D	04/11/2025	15:01
IA-B10-3-3242025	Q1665-18	VL042321.D	04/11/2025	15:36
IA-B10-2-3242025DL	Q1665-03DL	VL042322.D	04/11/2025	16:08
IA-B10-4-3242025DL	Q1665-10DL	VL042323.D	04/11/2025	16:39
IA-B10-1-3242025DL	Q1665-11DL	VL042324.D	04/11/2025	17:10

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042325.D BFB Injection Date: 04/15/2025
Instrument ID: MSVOA_L BFB Injection Time: 07:45
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	24
75	30.0 - 66.0% of mass 95	55.5
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.7
173	Less than 2.0% of mass 174	0.8 (1.3) 1
174	50.0 - 120.0% of mass 95	62.4
175	4.0 - 9.0% of mass 174	4.3 (6.8) 1
176	93.0 - 101.0% of mass 174	59.1 (94.8) 1
177	5.0 - 9.0% of mass 176	3.7 (6.2) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC010	VSTDCCC010	VL042326.D	04/15/2025	11:30
VL0415ABL01	VL0415ABL01	VL042327.D	04/15/2025	12:12
VL0415ABS01	VL0415ABS01	VL042328.D	04/15/2025	12:54
IA-B10-3-3242025DL	Q1665-18DL	VL042331.D	04/15/2025	14:29
IA-B10-4-3242025DL2	Q1665-10DL2	VL042332.D	04/15/2025	15:01

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042348.D BFB Injection Date: 04/17/2025
Instrument ID: MSVOA_L BFB Injection Time: 07:50
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	23.1
75	30.0 - 66.0% of mass 95	57
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.0 (0.0) 1
174	50.0 - 120.0% of mass 95	59.5
175	4.0 - 9.0% of mass 174	4.5 (7.6) 1
176	93.0 - 101.0% of mass 174	57.6 (96.9) 1
177	5.0 - 9.0% of mass 176	3.6 (6.3) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDICCC010	VSTDICCC010	VL042349.D	04/17/2025	09:44
VSTDICCC002	VSTDICCC002	VL042350.D	04/17/2025	10:17
VSTDICCC001	VSTDICCC001	VL042351.D	04/17/2025	10:48
VSTDICCC0.5	VSTDICCC0.5	VL042352.D	04/17/2025	11:19
VSTDICCC0.1	VSTDICCC0.1	VL042353.D	04/17/2025	11:50
VSTDICCC0.03	VSTDICCC0.03	VL042354.D	04/17/2025	12:22
VSTDICCC015	VSTDICCC015	VL042355.D	04/17/2025	12:54
VL0417ABL01	VL0417ABL01	VL042357.D	04/17/2025	14:23
VL0417ABS01	VL0417ABS01	VL042358.D	04/17/2025	15:39
IA-B14-1-3242025	Q1665-15	VL042359.D	04/17/2025	16:12
IA-B14-1-3242025DL	Q1665-15DL	VL042360.D	04/17/2025	16:44

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042286.D Date Analyzed: 04/09/2025
Instrument ID: MSVOA_L Time Analyzed: 10:20
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	155631	2.78	397176	3.96	350140	8.88
UPPER LIMIT	217883	3.11	556046	4.29	490196	9.21
LOWER LIMIT	93378.6	2.45	238306	3.63	210084	8.55
EPA SAMPLE NO.						
AA-DUP-1-3242025	159221	2.78	408039	3.95	345931	8.88
AA-DUP-1-3242025DUP	156655	2.78	397453	3.95	332015	8.88
AA-1-3242025	157856	2.78	383411	3.96	331322	8.88
IA-B9-1-3242025	162172	2.78	394727	3.95	338809	8.88
IA-DUP-2-3242025	159184	2.79	384747	3.96	314874	8.88
IA-B9-2-3242025	157163	2.79	385586	3.96	326865	8.88
IA-B9-3-3242025	161865	2.79	384782	3.96	329132	8.88
VL0409ABL01	156784	2.78	391570	3.96	334054	8.88
VL0409ABS02	160536	2.78	421845	3.95	368487	8.88

IS1 = Bromochloromethane
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042286.D Date Analyzed: 04/09/2025
Instrument ID: MSVOA_L Time Analyzed: 10:20
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS4 AREA #	RT #				
12 HOUR STD	0	0				
UPPER LIMIT	0					
LOWER LIMIT	0					
EPA SAMPLE NO.						
AA-DUP-1-3242025	0	0.00				
AA-DUP-1-3242025DUP	0	0.00				
AA-1-3242025	0	0.00				
IA-B9-1-3242025	0	0.00				
IA-DUP-2-3242025	0	0.00				
IA-B9-2-3242025	0	0.00				
IA-B9-3-3242025	0	0.00				
VL0409ABL01	0	0.00				
VL0409ABS02	0	0.00				

IS4 =

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042312.D Date Analyzed: 04/11/2025
Instrument ID: MSVOA_L Time Analyzed: 09:50
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	183700	2.79	463746	3.96	401340	8.89
UPPER LIMIT	257180	3.12	649244	4.29	561876	9.22
LOWER LIMIT	110220	2.46	278248	3.63	240804	8.56
EPA SAMPLE NO.						
IA-B10-2-3242025	179309	2.79	422807	3.97	360993	8.89
IA-B10-2-3242025DL	183437	2.79	437835	3.97	360512	8.89
IA-B10-2-3242025DUP	183054	2.79	442590	3.96	380933	8.88
IA-B10-4-3242025	190778	2.79	461210	3.96	383940	8.89
IA-B10-4-3242025DL	173105	2.79	400666	3.96	338211	8.89
IA-B10-1-3242025	183875	2.79	460651	3.96	381290	8.88
IA-B10-1-3242025DL	176603	2.79	398133	3.97	325777	8.89
IA-B10-3-3242025	184452	2.79	454008	3.96	391031	8.88
VL0411ABL01	180225	2.79	445487	3.96	373548	8.89
VL0411ABS01	178456	2.78	444353	3.96	386060	8.88

IS1 = Bromochloromethane
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042326.D Date Analyzed: 04/15/2025
Instrument ID: MSVOA_L Time Analyzed: 11:30
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	172263	2.81	457227	3.99	411493	8.91
UPPER LIMIT	241168	3.14	640118	4.32	576090	9.24
LOWER LIMIT	103358	2.48	274336	3.66	246896	8.58
EPA SAMPLE NO.						
IA-B10-4-3242025DL2	164444	2.81	385228	4.00	327587	8.92
IA-B10-3-3242025DL	168977	2.81	401158	3.99	339800	8.91
VL0415ABL01	173729	2.81	447320	3.99	385318	8.92
VL0415ABS01	171986	2.81	444595	3.99	399604	8.92

IS1 = Bromochloromethane
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: WOOD06
Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG NO.: Q1665
Lab File ID: VL042349.D Date Analyzed: 04/17/2025
Instrument ID: MSVOA_L Time Analyzed: 09:44
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	125455	2.79	366544	3.96	338126	8.88
UPPER LIMIT	175637	3.12	513162	4.29	473376	9.21
LOWER LIMIT	75273	2.46	219926	3.63	202876	8.55
EPA SAMPLE NO.						
IA-B14-1-3242025	123457	2.79	354157	3.96	318284	8.88
IA-B14-1-3242025DL	121918	2.79	347081	3.96	308280	8.88
VL0417ABL01	113566	2.79	328716	3.97	297633	8.89
VL0417ABS01	122375	2.79	352201	3.97	321521	8.89

IS1 = Bromochloromethane
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.



QC SAMPLE DATA

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0409ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0409ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042287.D	1		04/09/25 11:03	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.21	1.04	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.10	0.21	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.16	0.90	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.24	0.57	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.19	0.66	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.12	0.35	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.010	0.060	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.090	0.29	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0409ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0409ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042287.D	1		04/09/25 11:03	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.10			70 (65) - 130 (135)	91%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	157000		2.784			
540-36-3	1,4-Difluorobenzene	392000		3.955			
3114-55-4	Chlorobenzene-d5	334000		8.878			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0409ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0409ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042287.D	1		04/09/25 11:03	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0411ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0411ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042313.D	1		04/11/25 10:36	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.21	1.04	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.10	0.21	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.16	0.90	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.24	0.57	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.19	0.66	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.12	0.35	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.010	0.060	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.090	0.29	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0411ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0411ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042313.D	1		04/11/25 10:36	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.10			70 (65) - 130 (135)	91%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	180000		2.79			
540-36-3	1,4-Difluorobenzene	445000		3.962			
3114-55-4	Chlorobenzene-d5	374000		8.885			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0411ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0411ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042313.D	1		04/11/25 10:36	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0415ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0415ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042327.D	1		04/15/25 12:12	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.21	1.04	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.10	0.21	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.16	0.90	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.24	0.57	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.19	0.66	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.12	0.35	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.010	0.060	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.090	0.29	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0415ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0415ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042327.D	1		04/15/25 12:12	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.30			70 (65) - 130 (135)	93%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	174000		2.813			
540-36-3	1,4-Difluorobenzene	447000		3.994			
3114-55-4	Chlorobenzene-d5	385000		8.917			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0415ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0415ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042327.D	1		04/15/25 12:12	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0417ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0417ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042357.D	1		04/17/25 14:23	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.21	1.04	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.10	0.21	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.16	0.90	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.24	0.57	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.19	0.66	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.12	0.35	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.010	0.060	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.090	0.29	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0417ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0417ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042357.D	1		04/17/25 14:23	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			70 (65) - 130 (135)	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	114000		2.79			
540-36-3	1,4-Difluorobenzene	329000		3.965			
3114-55-4	Chlorobenzene-d5	298000		8.885			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0417ABL01	SDG No.:	Q1665
Lab Sample ID:	VL0417ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042357.D	1		04/17/25 14:23	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0409ABS02	SDG No.:	Q1665
Lab Sample ID:	VL0409ABS02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042289.D	1		04/09/25 12:31	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	9.60	47.5		1.04	2.47	ug/m3
74-87-3	Chloromethane	9.80	20.2		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	8.70	22.2		0.030	0.080	ug/m3
74-83-9	Bromomethane	9.00	35.0		0.54	1.94	ug/m3
75-00-3	Chloroethane	9.20	24.3		0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	10.7	31.6		0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	9.50	53.4		0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	9.50	72.8		1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	9.70	67.8		0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	8.30	25.2		0.58	1.52	ug/m3
142-82-5	Heptane	9.70	39.8		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	8.90	35.3		0.56	1.98	ug/m3
67-64-1	Acetone	8.90	21.1		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	9.30	29.0		0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	8.50	30.6		0.43	1.80	ug/m3
75-09-2	Methylene Chloride	8.40	29.2		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	8.80	34.9		0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	9.70	39.3		0.53	2.02	ug/m3
110-82-7	Cyclohexane	9.40	32.4		0.76	1.72	ug/m3
78-93-3	2-Butanone	10.9	32.1		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	10.4	65.4		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	9.70	38.5		0.36	1.98	ug/m3
67-66-3	Chloroform	10.4	50.8		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	8.90	48.6		0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	10.7	50.0		0.47	2.34	ug/m3
71-43-2	Benzene	10.6	33.9		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	11.0	44.5		0.36	2.02	ug/m3
79-01-6	Trichloroethene	10.1	54.3		0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	10.6	49.0		0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	10.9	73.0		0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	9.60	39.3		0.37	2.05	ug/m3
108-88-3	Toluene	9.90	37.3		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	8.50	38.6		0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	9.20	41.8		0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	10.8	58.9		0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0409ABS02	SDG No.:	Q1665
Lab Sample ID:	VL0409ABS02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042289.D	1		04/09/25 12:31	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	10.5	89.5		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	10.6	81.5		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	8.90	60.4		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	11.4	52.5		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	10.6	46.0		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	22.2	96.4		0.91	4.34	ug/m3
95-47-6	o-Xylene	11.0	47.8		0.52	2.17	ug/m3
100-42-5	Styrene	10.0	42.6		0.47	2.13	ug/m3
75-25-2	Bromoform	10.4	108		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	11.8	81.0		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	10.9	56.4		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	10.9	53.6		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	10.7	52.6		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	11.6	69.7		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	11.7	70.3		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	11.9	71.5		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	10.8	80.2		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	9.30	99.2		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	8.60	19.0		0.29	1.11	ug/m3
91-20-3	Naphthalene	11.3	59.2		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	11.1	54.6		0.59	2.46	ug/m3
110-54-3	Hexane	9.90	34.9		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	9.30	29.1		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	9.40	33.9		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	9.40	38.5		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.50			70 (65) - 130 (135)	95%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	161000		2.784			
540-36-3	1,4-Difluorobenzene	422000		3.952			
3114-55-4	Chlorobenzene-d5	368000		8.875			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0409ABS02	SDG No.:	Q1665
Lab Sample ID:	VL0409ABS02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042289.D	1		04/09/25 12:31	VL040925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0411ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0411ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042314.D	1		04/11/25 11:23	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	9.90	49.0		1.04	2.47	ug/m3
74-87-3	Chloromethane	10.2	21.1		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	8.70	22.2		0.030	0.080	ug/m3
74-83-9	Bromomethane	8.90	34.6		0.54	1.94	ug/m3
75-00-3	Chloroethane	9.30	24.5		0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	10.9	32.1		0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	9.60	54.0		0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	9.10	69.8		1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	9.80	68.5		0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	7.80	23.6		0.58	1.52	ug/m3
142-82-5	Heptane	9.90	40.6		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	8.40	33.3		0.56	1.98	ug/m3
67-64-1	Acetone	9.20	21.9		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	8.80	27.4		0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	7.90	28.5		0.43	1.80	ug/m3
75-09-2	Methylene Chloride	8.10	28.1		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	8.70	34.5		0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	9.80	39.7		0.53	2.02	ug/m3
110-82-7	Cyclohexane	9.00	31.0		0.76	1.72	ug/m3
78-93-3	2-Butanone	11.3	33.3		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	11.2	70.5		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	9.20	36.5		0.36	1.98	ug/m3
67-66-3	Chloroform	10.5	51.3		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	8.80	48.0		0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	11.4	53.3		0.47	2.34	ug/m3
71-43-2	Benzene	11.1	35.5		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	11.5	46.5		0.36	2.02	ug/m3
79-01-6	Trichloroethene	10.6	57.0		0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	11.2	51.8		0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	11.7	78.4		0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	10.1	41.4		0.37	2.05	ug/m3
108-88-3	Toluene	10.1	38.1		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	8.30	37.7		0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	9.20	41.8		0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	11.7	63.8		0.38	2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0411ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0411ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042314.D	1		04/11/25 11:23	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	11.2	95.4		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	11.2	86.1		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	9.50	64.4		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	12.5	57.6		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	11.1	48.2		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	24.2	105		0.91	4.34	ug/m3
95-47-6	o-Xylene	11.9	51.7		0.52	2.17	ug/m3
100-42-5	Styrene	10.5	44.7		0.47	2.13	ug/m3
75-25-2	Bromoform	11.3	117		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	13.2	90.7		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	11.8	61.1		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	11.9	58.5		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	11.9	58.5		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	12.8	77.0		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	12.9	77.6		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	13.2	79.4		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	10.8	80.2		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	9.80	105		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	9.10	20.1		0.29	1.11	ug/m3
91-20-3	Naphthalene	10.9	57.1		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	12.1	59.5		0.59	2.46	ug/m3
110-54-3	Hexane	10.0	35.2		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	8.90	27.9		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	9.40	33.9		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	9.50	38.9		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.90			70 (65) - 130 (135)	99%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	178000		2.784			
540-36-3	1,4-Difluorobenzene	444000		3.955			
3114-55-4	Chlorobenzene-d5	386000		8.878			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0411ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0411ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042314.D	1		04/11/25 11:23	VL041125

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0415ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0415ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042328.D	1		04/15/25 12:54	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	8.40	41.5	1.04		2.47	ug/m3
74-87-3	Chloromethane	8.50	17.6	0.21		1.03	ug/m3
75-01-4	Vinyl Chloride	7.50	19.2	0.030		0.080	ug/m3
74-83-9	Bromomethane	7.70	29.9	0.54		1.94	ug/m3
75-00-3	Chloroethane	7.90	20.9	0.45		1.32	ug/m3
109-99-9	Tetrahydrofuran	9.40	27.7	0.38		1.47	ug/m3
75-69-4	Trichlorofluoromethane	8.20	46.1	0.90		2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	7.60	58.3	1.23		3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	8.20	57.3	0.63		3.49	ug/m3
75-65-0	tert-Butyl alcohol	6.80	20.6	0.58		1.52	ug/m3
142-82-5	Heptane	8.50	34.8	0.45		2.05	ug/m3
75-35-4	1,1-Dichloroethene	7.30	28.9	0.56		1.98	ug/m3
67-64-1	Acetone	7.40	17.6	0.57		1.19	ug/m3
75-15-0	Carbon Disulfide	7.40	23.0	0.50		1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	7.20	26.0	0.43		1.80	ug/m3
75-09-2	Methylene Chloride	6.70	23.3	0.66		1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	7.20	28.6	0.75		1.98	ug/m3
75-34-3	1,1-Dichloroethane	8.30	33.6	0.53		2.02	ug/m3
110-82-7	Cyclohexane	7.90	27.2	0.76		1.72	ug/m3
78-93-3	2-Butanone	9.30	27.4	0.35		1.47	ug/m3
56-23-5	Carbon Tetrachloride	9.10	57.2	0.060		0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	8.10	32.1	0.36		1.98	ug/m3
67-66-3	Chloroform	8.80	43.0	0.39		2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	7.50	40.9	0.050		0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	9.50	44.4	0.47		2.34	ug/m3
71-43-2	Benzene	9.30	29.7	0.29		1.60	ug/m3
107-06-2	1,2-Dichloroethane	9.30	37.6	0.36		2.02	ug/m3
79-01-6	Trichloroethene	9.00	48.4	0.11		0.16	ug/m3
78-87-5	1,2-Dichloropropane	9.30	43.0	0.51		2.31	ug/m3
75-27-4	Bromodichloromethane	9.40	63.0	0.54		3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	8.40	34.4	0.37		2.05	ug/m3
108-88-3	Toluene	8.60	32.4	0.41		1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	7.20	32.7	0.27		2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	7.80	35.4	0.27		2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	9.60	52.4	0.38		2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0415ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0415ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042328.D	1		04/15/25 12:54	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	9.30	79.2		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	9.10	69.9		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	8.00	54.3		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	9.70	44.7		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	8.70	37.8		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	18.5	80.4		0.91	4.34	ug/m3
95-47-6	o-Xylene	9.10	39.5		0.52	2.17	ug/m3
100-42-5	Styrene	8.20	34.9		0.47	2.13	ug/m3
75-25-2	Bromoform	9.20	95.1		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	10.2	70.0		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	9.00	46.6		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	9.10	44.7		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	8.90	43.8		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	9.80	58.9		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	9.90	59.5		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	10.2	61.3		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	9.60	71.3		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	8.10	86.4		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	7.60	16.8		0.29	1.11	ug/m3
91-20-3	Naphthalene	10.0	52.4		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	9.20	45.2		0.59	2.46	ug/m3
110-54-3	Hexane	8.50	30.0		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	7.50	23.5		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	8.10	29.2		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	8.10	33.2		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.70			70 (65) - 130 (135)	97%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	172000		2.81			
540-36-3	1,4-Difluorobenzene	445000		3.994			
3114-55-4	Chlorobenzene-d5	400000		8.917			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0415ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0415ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042328.D	1		04/15/25 12:54	VL041525

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0417ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0417ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042358.D	1		04/17/25 15:39	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	10.3	50.9	1.04		2.47	ug/m3
74-87-3	Chloromethane	10.1	20.9	0.21		1.03	ug/m3
75-01-4	Vinyl Chloride	9.00	23.0	0.030		0.080	ug/m3
74-83-9	Bromomethane	9.20	35.7	0.54		1.94	ug/m3
75-00-3	Chloroethane	10.1	26.6	0.45		1.32	ug/m3
109-99-9	Tetrahydrofuran	9.70	28.6	0.38		1.47	ug/m3
75-69-4	Trichlorofluoromethane	10.1	56.8	0.90		2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	10.1	77.4	1.23		3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	10.2	71.3	0.63		3.49	ug/m3
75-65-0	tert-Butyl alcohol	9.80	29.7	0.58		1.52	ug/m3
142-82-5	Heptane	9.20	37.7	0.45		2.05	ug/m3
75-35-4	1,1-Dichloroethene	9.80	38.9	0.56		1.98	ug/m3
67-64-1	Acetone	8.70	20.7	0.57		1.19	ug/m3
75-15-0	Carbon Disulfide	10.2	31.8	0.50		1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	9.50	34.3	0.43		1.80	ug/m3
75-09-2	Methylene Chloride	8.90	30.9	0.66		1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	9.70	38.5	0.75		1.98	ug/m3
75-34-3	1,1-Dichloroethane	10.2	41.3	0.53		2.02	ug/m3
110-82-7	Cyclohexane	10.1	34.8	0.76		1.72	ug/m3
78-93-3	2-Butanone	9.80	28.9	0.35		1.47	ug/m3
56-23-5	Carbon Tetrachloride	9.60	60.4	0.060		0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	10.4	41.2	0.36		1.98	ug/m3
67-66-3	Chloroform	10.2	49.8	0.39		2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	9.70	52.9	0.050		0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	10.0	46.7	0.47		2.34	ug/m3
71-43-2	Benzene	10.1	32.3	0.29		1.60	ug/m3
107-06-2	1,2-Dichloroethane	10.4	42.1	0.36		2.02	ug/m3
79-01-6	Trichloroethene	9.30	50.0	0.11		0.16	ug/m3
78-87-5	1,2-Dichloropropane	9.90	45.8	0.51		2.31	ug/m3
75-27-4	Bromodichloromethane	10.3	69.0	0.54		3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	8.80	36.1	0.37		2.05	ug/m3
108-88-3	Toluene	9.80	36.9	0.41		1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	9.90	44.9	0.27		2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	10.1	45.9	0.27		2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	10.2	55.6	0.38		2.73	ug/m3

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0417ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0417ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042358.D	1		04/17/25 15:39	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	10.3	87.8		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	9.90	76.1		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	8.80	59.7		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	10.0	46.0		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	10.0	43.4		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	19.8	86.0		0.91	4.34	ug/m3
95-47-6	o-Xylene	9.80	42.6		0.52	2.17	ug/m3
100-42-5	Styrene	10.1	43.0		0.47	2.13	ug/m3
75-25-2	Bromoform	9.90	102		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	8.90	61.1		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	9.90	51.3		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	9.60	47.2		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	9.00	44.3		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	9.50	57.1		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	9.40	56.5		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	9.50	57.1		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	9.40	69.8		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	9.10	97.1		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	9.10	20.1		0.29	1.11	ug/m3
91-20-3	Naphthalene	9.00	47.2		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	9.60	47.2		0.59	2.46	ug/m3
110-54-3	Hexane	9.80	34.5		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	9.70	30.4		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	8.70	31.4		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	9.30	38.1		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			70 (65) - 130 (135)	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	122000		2.79			
540-36-3	1,4-Difluorobenzene	352000		3.965			
3114-55-4	Chlorobenzene-d5	322000		8.888			

Report of Analysis

Client:	Woodard & Curran	Date Collected:	
Project:	US EPA Riverside Industrial Park Superfund Site	Date Received:	
Client Sample ID:	VL0417ABS01	SDG No.:	Q1665
Lab Sample ID:	VL0417ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042358.D	1		04/17/25 15:39	VL041725

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements



CALIBRATION SUMMARY

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\

Method File : VL032725AIR.M

Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022

Last Update : Fri Mar 28 02:00:52 2025

Response Via : Initial Calibration

Calibration Files

0.03=VL042177.D 0.1 =VL042176.D 0.5 =VL042175.D 1 =VL042174.D 2 =VL042173.D 10 =VL042172.D 15 =VL042178.D

Compound	0.03	0.1	0.5	1	2	10	15	Avg	%RSD

1) I Bromochloromethane	-----ISTD-----								
2) T Dichlorodifluo...			1.602	1.514	1.482	1.404	1.380	1.476	6.03
3) Chlorodifluoro...			1.622	1.541	1.514	1.457	1.408	1.508	5.41
4) Chloromethane			0.660	0.597	0.618	0.573	0.570	0.603	6.17
5) T Vinyl Chloride	0.882	0.705	0.635	0.576	0.584	0.549	0.546	0.639	18.84
6) T Bromomethane			0.327	0.268	0.266	0.256	0.250	0.273	11.20
7) Chloroethane			0.286	0.248	0.223	0.227	0.226	0.242	10.92
8) T Dichlorotetra...			1.306	1.283	1.274	1.214	1.211	1.257	3.40
9) T Propene			0.734	0.736	0.698	0.660	0.630	0.691	6.69
10) T Heptane			1.847	1.940	1.897	1.792	1.719	1.839	4.73
11) T Trichlorofluor...			1.562	1.457	1.480	1.339	1.346	1.437	6.59
12) T 1,1,2-Trichlor...			1.247	1.215	1.188	1.120	1.135	1.181	4.52
13) Ethanol			0.110	0.086	0.073	0.029	0.028	0.065	55.48
14) T Bromoethene			0.529	0.447	0.460	0.417	0.409	0.452	10.47
15) T Acetone			1.699	1.573	1.469	1.113	1.139	1.399	18.73
16) T 1,3-Butadiene			0.952	0.705	0.608	0.573	0.577	0.683	23.38
17) tert-Butyl alc...			1.935	1.799	1.756	1.618	1.601	1.742	7.91
18) T 1,1-Dichloroet...			0.624	0.565	0.560	0.504	0.507	0.552	8.99
19) T Isopropyl Alcohol			1.016	0.800	0.738	0.702	0.689	0.789	16.99
20) T Methylene Chlo...			0.624	0.563	0.545	0.438	0.435	0.521	15.85
21) T Allyl Chloride			1.067	1.022	1.020	0.902	0.921	0.986	7.25
22) T trans-1,2-Dich...			0.704	0.701	0.621	0.590	0.575	0.638	9.56
23) T Vinyl Acetate			0.754	0.692	0.550	0.498	0.532	0.605	18.40
24) T 1,1-Dichloroet...			1.247	1.208	1.187	1.122	1.149	1.183	4.17
25) T Ethyl Acetate			4.017	3.619	3.703	3.457	3.353	3.630	7.06
26) T Hexane			1.507	1.462	1.383	1.333	1.325	1.402	5.71
27) T Carbon Disulfide			1.608	1.512	1.538	1.436	1.423	1.503	5.07
28) T Methyl tert-Bu...			0.921	0.886	0.894	0.831	0.832	0.873	4.56
29) T Chloroform			2.233	2.068	2.071	1.932	1.956	2.052	5.81
30) T Cyclohexane			1.337	1.238	1.211	1.162	1.140	1.217	6.33
31) T cis-1,2-Dichlo...			1.507	1.460	1.426	1.371	1.353	1.423	4.44
32) T 1,1,1-Trichlor...	3.151	2.495	2.279	2.201	2.152	2.062	2.105	2.349	16.23

33) I 1,4-Difluorobenzene	-----ISTD-----								
34) T 2-Butanone			0.754	0.771	0.770	0.667	0.664	0.725	7.58
35) T Carbon Tetrach...	1.069	0.782	0.709	0.732	0.748	0.703	0.725	0.781	16.60
36) T Benzene			1.049	1.027	1.013	0.934	0.934	0.991	5.47
37) T 1,2-Dichloroet...			0.613	0.569	0.563	0.537	0.556	0.568	4.95
38) T Trichloroethene	0.463	0.437	0.438	0.408	0.398	0.374	0.378	0.414	8.00
39) T 1,2-Dichloropr...			0.386	0.373	0.365	0.337	0.344	0.361	5.68

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\											
Method File : VL032725AIR.M											
40)	T	1,4-Dioxane			0.234	0.197	0.191	0.169	0.167	0.192	14.08
41)	T	Tetrahydrofuran			0.439	0.425	0.432	0.398	0.393	0.418	4.98
42)	T	Bromodichlorom...			0.778	0.779	0.802	0.769	0.785	0.782	1.58
43)		Methyl Methacr...			0.442	0.451	0.408	0.403	0.394	0.420	6.03
44)	T	2,2,4-Trimethy...			1.781	1.689	1.723	1.608	1.576	1.675	5.00
45)	T	t-1,3-Dichloro...			0.474	0.447	0.453	0.439	0.440	0.450	3.15
46)	T	cis-1,3-Dichlo...			0.549	0.560	0.566	0.550	0.535	0.552	2.12
47)	T	1,1,2-Trichlor...			0.419	0.382	0.379	0.364	0.365	0.382	5.88
48)	T	Dibromochlorom...			0.651	0.641	0.663	0.636	0.644	0.647	1.62
49)	T	Bromoform			0.566	0.588	0.597	0.582	0.570	0.581	2.18
50)	T	4-Methyl-2-Pen...			1.286	1.214	1.211	1.027	1.008	1.149	10.79
51)	T	2-Hexanone			0.999	1.018	1.031	0.844	0.827	0.944	10.56
52)	T	Tetrachloroethene	0.572	0.359	0.401	0.361	0.371	0.343	0.345	0.393	20.64
53)	T	Toluene			1.239	1.203	1.202	1.125	1.108	1.175	4.76
54)	T	1,2-Dibromoethane	0.574		0.543	0.538	0.520	0.508	0.510	0.532	4.74
-----ISTD-----											
55)	I	Chlorobenzene-d5									
56)		1,1,1,2-Tetrac...			0.576	0.575	0.576	0.510	0.515	0.550	6.30
57)	T	Chlorobenzene			1.024	0.979	0.994	0.875	0.871	0.949	7.46
58)	T	Ethyl Benzene			1.850	1.822	1.894	1.671	1.645	1.776	6.28
59)	T	m/p-Xylene			1.505	1.472	1.484	1.321	1.309	1.418	6.71
60)	T	o-Xylene			1.521	1.475	1.499	1.328	1.287	1.422	7.50
61)	T	Styrene			0.709	0.722	0.735	0.683	0.668	0.703	3.92
62)		Isopropylbenzene			2.290	2.199	2.261	1.962	1.920	2.126	8.14
63)	T	1,1,2,2-Tetrac...	0.986	0.800	0.907	0.889	0.893	0.796	0.777	0.864	8.78
64)		n-propylbenzene			0.578	0.581	0.576	0.499	0.502	0.547	7.81
65)		tert-Butylbenzene			2.190	2.071	2.144	1.736	1.691	1.966	11.96
66)	T	Benzyl Chloride			0.217	0.213	0.221	0.203	0.189	0.209	6.06
67)		sec-Butylbenzene			3.005	2.994	2.947	2.404	2.316	2.733	12.54
68)	S	1-Bromo-4-Fluo...	0.820	0.827	0.832	0.810	0.828	0.813	0.820	0.821	0.98
69)		p-Isopropyltol...			2.554	2.551	2.560	2.078	2.025	2.354	11.74
70)		n-Butylbenzene			2.536	2.598	2.682	2.137	2.082	2.407	11.51
71)		2-Chlorotoluene			1.717	1.728	1.759	1.538	1.510	1.650	7.07
72)	T	4-Ethyltoluene			1.834	1.859	1.929	1.629	1.601	1.770	8.26
73)	T	1,3,5-Trimethy...			1.616	1.671	1.677	1.387	1.381	1.546	9.71
74)	T	1,2,4-Trimethy...			1.994	1.958	1.966	1.510	1.478	1.781	14.74
75)	T	1,3-Dichlorobe...			1.036	1.022	1.063	0.882	0.882	0.977	8.99
76)	T	1,4-Dichlorobe...			1.030	1.017	1.040	0.888	0.886	0.972	8.05
77)	T	1,2-Dichlorobe...			1.012	1.031	1.014	0.850	0.850	0.951	9.78
78)	T	Hexachloro-1,3...			1.057	1.113	1.086	0.802	0.784	0.968	16.65
79)	T	Naphthalene	1.637		1.979	2.181	2.314	1.806	1.773	1.948	13.31
80)	T	Naphthalene,2-...			0.721	0.891	1.163	0.990	1.013	0.955	17.09
81)	T	1,2,4-Trichlor...			0.821	0.941	1.028	0.859	0.843	0.899	9.51

(#) = Out of Range

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\

Method File : VL041725AIR.M

Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022

Last Update : Fri Apr 18 02:14:00 2025

Response Via : Initial Calibration

Calibration Files

0.03=VL042354.D 0.1 =VL042353.D 0.5 =VL042352.D 1 =VL042351.D 2 =VL042350.D 10 =VL042349.D 15 =VL042355.D

Compound	0.03	0.1	0.5	1	2	10	15	Avg	%RSD

1) I Bromochloromethane	-----ISTD-----								
2) T Dichlorodifluo...			1.831	1.837	1.827	1.658	1.682	1.767	5.05
3) Chlorodifluoro...			1.876	1.657	1.698	1.573	1.608	1.682	7.01
4) Chloromethane			0.752	0.725	0.701	0.652	0.665	0.699	5.93
5) T Vinyl Chloride	1.002	0.911	0.731	0.709	0.689	0.638	0.647	0.761	18.39
6) T Bromomethane			0.397	0.330	0.300	0.304	0.303	0.327	12.56
7) Chloroethane			0.303	0.287	0.280	0.253	0.255	0.275	7.76
8) T Dichlorotetra...			1.556	1.550	1.581	1.432	1.465	1.517	4.25
9) T Propene			0.880	0.797	0.758	0.690	0.707	0.766	9.95
10) T Heptane			2.444	2.296	2.209	1.884	1.931	2.153	11.14
11) T Trichlorofluor...			1.684	1.806	1.746	1.567	1.597	1.680	5.95
12) T 1,1,2-Trichlor...			1.389	1.439	1.437	1.281	1.323	1.374	5.11
13) Ethanol			0.275	0.139	0.123	0.035	0.036	0.122	80.54
14) T Bromoethene			0.537	0.545	0.530	0.490	0.487	0.518	5.24
15) T Acetone			1.968	1.895	1.743	1.263	1.316	1.637	20.03
16) T 1,3-Butadiene			1.015	0.836	0.735	0.651	0.678	0.783	18.90
17) tert-Butyl alc...			2.263	2.132	2.103	1.804	1.841	2.029	9.76
18) T 1,1-Dichloroet...			0.735	0.635	0.637	0.583	0.618	0.642	8.79
19) T Isopropyl Alcohol			1.050	0.980	0.897	0.821	0.798	0.909	11.66
20) T Methylene Chlo...			0.875	0.728	0.582	0.498	0.523	0.641	24.71
21) T Allyl Chloride			1.276	1.213	1.110	0.973	1.080	1.130	10.44
22) T trans-1,2-Dich...			0.814	0.759	0.736	0.664	0.681	0.731	8.32
23) T Vinyl Acetate			0.656	0.744	0.749	0.555	0.610	0.663	12.72
24) T 1,1-Dichloroet...			1.452	1.469	1.383	1.284	1.352	1.388	5.43
25) T Ethyl Acetate			4.428	4.147	4.118	3.677	3.812	4.036	7.34
26) T Hexane			1.899	1.719	1.625	1.424	1.499	1.633	11.45
27) T Carbon Disulfide			1.903	1.670	1.785	1.668	1.718	1.749	5.63
28) T Methyl tert-Bu...			1.134	1.141	1.132	0.940	1.004	1.070	8.64
29) T Chloroform			2.458	2.333	2.392	2.145	2.215	2.309	5.54
30) T Cyclohexane			1.422	1.333	1.347	1.252	1.249	1.320	5.50
31) T cis-1,2-Dichlo...			1.588	1.603	1.593	1.459	1.522	1.553	3.95
32) T 1,1,1-Trichlor...	3.110	2.840	2.557	2.549	2.493	2.274	2.369	2.599	11.03

33) I 1,4-Difluorobenzene	-----ISTD-----								
34) T 2-Butanone			0.886	0.826	0.818	0.687	0.737	0.791	9.94
35) T Carbon Tetrach...	1.319	0.914	0.832	0.830	0.847	0.770	0.823	0.905	20.70
36) T Benzene			1.146	1.075	1.121	1.002	1.048	1.079	5.31
37) T 1,2-Dichloroet...			0.691	0.647	0.666	0.592	0.641	0.647	5.63
38) T Trichloroethene	0.643	0.505	0.443	0.448	0.447	0.395	0.419	0.471	17.59
39) T 1,2-Dichloropr...			0.441	0.413	0.405	0.370	0.381	0.402	6.97

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\										
Method File : VL041725AIR.M										
40) T	1,4-Dioxane			0.263	0.243	0.232	0.182	0.185	0.221	16.27
41) T	Tetrahydrofuran			0.518	0.480	0.468	0.409	0.432	0.461	9.20
42) T	Bromodichlorom...			0.943	0.909	0.912	0.852	0.889	0.901	3.71
43) T	Methyl Methacr...			0.545	0.520	0.495	0.430	0.441	0.486	10.21
44) T	2,2,4-Trimethy...			1.935	1.916	1.962	1.708	1.794	1.863	5.79
45) T	t-1,3-Dichloro...			0.514	0.510	0.509	0.459	0.491	0.497	4.60
46) T	cis-1,3-Dichlo...			0.613	0.617	0.637	0.570	0.603	0.608	4.05
47) T	1,1,2-Trichlor...			0.423	0.429	0.420	0.376	0.399	0.410	5.32
48) T	Dibromochlorom...			0.743	0.721	0.746	0.679	0.729	0.723	3.70
49) T	Bromoform			0.622	0.623	0.675	0.616	0.627	0.633	3.82
50) T	4-Methyl-2-Pen...			1.541	1.382	1.435	1.082	1.132	1.314	15.12
51) T	2-Hexanone			1.341	1.311	1.411	0.893	0.938	1.179	20.69
52) T	Tetrachloroethene	0.543	0.452	0.420	0.393	0.391	0.357	0.363	0.417	15.46
53) T	Toluene			1.371	1.295	1.370	1.193	1.244	1.294	6.03
54) T	1,2-Dibromoethane		0.621	0.582	0.605	0.606	0.539	0.562	0.586	5.27
-----ISTD-----										
55) I	Chlorobenzene-d5									
56) T	1,1,1,2-Tetrac...			0.621	0.640	0.635	0.550	0.581	0.605	6.37
57) T	Chlorobenzene			1.129	1.067	1.068	0.956	0.981	1.040	6.79
58) T	Ethyl Benzene			2.029	2.088	2.068	1.832	1.890	1.981	5.73
59) T	m/p-Xylene			1.685	1.682	1.658	1.456	1.500	1.596	6.86
60) T	o-Xylene			1.740	1.697	1.668	1.442	1.490	1.607	8.25
61) T	Styrene			0.792	0.776	0.808	0.726	0.734	0.767	4.68
62) T	Isopropylbenzene			2.517	2.470	2.439	2.170	2.202	2.360	6.83
63) T	1,1,2,2-Tetrac...	1.407	1.176	0.990	0.985	0.968	0.873	0.892	1.042	18.12
64) T	n-propylbenzene			0.645	0.605	0.610	0.542	0.564	0.593	6.81
65) T	tert-Butylbenzene			2.319	2.358	2.315	1.907	1.945	2.169	10.27
66) T	Benzyl Chloride			0.241	0.239	0.258	0.246	0.208	0.238	7.84
67) T	sec-Butylbenzene			3.242	3.219	3.253	2.662	2.709	3.017	10.05
68) S	1-Bromo-4-Fluo...	0.819	0.814	0.824	0.818	0.822	0.831	0.825	0.822	0.69
69) T	p-Isopropyltol...			2.834	2.818	2.811	2.304	2.338	2.621	10.46
70) T	n-Butylbenzene			2.985	2.926	2.953	2.370	2.414	2.730	11.33
71) T	2-Chlorotoluene			1.972	1.924	1.920	1.695	1.744	1.851	6.65
72) T	4-Ethyltoluene			2.055	2.118	2.054	1.765	1.833	1.965	7.92
73) T	1,3,5-Trimethy...			1.894	1.851	1.841	1.517	1.570	1.735	10.19
74) T	1,2,4-Trimethy...			2.348	2.245	2.168	1.671	1.698	2.026	15.71
75) T	1,3-Dichlorobe...			1.119	1.121	1.119	0.948	0.960	1.053	8.64
76) T	1,4-Dichlorobe...			1.138	1.115	1.122	0.944	0.974	1.059	8.69
77) T	1,2-Dichlorobe...			1.085	1.093	1.114	0.904	0.924	1.024	9.88
78) T	Hexachloro-1,3...			1.163	1.136	1.135	0.863	0.874	1.034	14.66
79) T	Naphthalene	2.433		2.395	2.756	2.909	2.004	2.040	2.423	15.11
80) T	Naphthalene,2-...			1.311	1.534	1.777	1.115	1.168	1.381	19.88
81) T	1,2,4-Trichlor...			1.026	1.117	1.224	0.905	0.929	1.040	12.75

(#) = Out of Range

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: WOOD06

Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG No.: Q1665

Instrument ID: MSVOA_L Calibration Date/Time: 04/09/2025 10:20

Lab File ID: VL042286.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	1.476	1.444		-2.17	30
Chloromethane	0.603	0.607		0.66	30
Vinyl Chloride	0.639	0.560		-12.36	30
Bromomethane	0.273	0.250		-8.43	30
Chloroethane	0.242	0.225		-7.03	30
Tetrahydrofuran	0.418	0.441		5.5	30
Trichlorofluoromethane	1.437	1.405		-2.23	30
1,1,2-Trichlorotrifluoroethane	1.181	1.149		-2.71	30
Dichlorotetrafluoroethane	1.257	1.243		-1.11	30
tert-Butyl alcohol	1.742	1.415		-18.77	30
Heptane	1.839	1.800		-2.12	30
1,1-Dichloroethene	0.552	0.499		-9.6	30
Acetone	1.399	1.260		-9.94	30
Carbon Disulfide	1.503	1.391		-7.45	30
Methyl tert-Butyl Ether	0.873	0.705		-19.24	30
Methylene Chloride	0.521	0.441		-15.35	30
trans-1,2-Dichloroethene	0.638	0.568		-10.97	30
1,1-Dichloroethane	1.183	1.159		-2.03	30
Cyclohexane	1.217	1.095		-10.02	30
2-Butanone	0.725	0.789		8.83	30
Carbon Tetrachloride	0.781	0.879		12.55	30
cis-1,2-Dichloroethene	1.423	1.297		-8.85	30
Chloroform	2.052	2.190		6.72	30
1,1,1-Trichloroethane	2.349	2.135		-9.11	30
2,2,4-Trimethylpentane	1.675	1.869		11.58	30
Benzene	0.991	1.071		8.07	30
1,2-Dichloroethane	0.568	0.647		13.91	30
Trichloroethene	0.414	0.429		3.62	30
1,2-Dichloropropane	0.361	0.387		7.2	30
Bromodichloromethane	0.782	0.904		15.6	30
4-Methyl-2-Pentanone	1.149	1.122		-2.35	30
Toluene	1.175	1.171		-0.34	30
t-1,3-Dichloropropene	0.450	0.371		-17.56	30
cis-1,3-Dichloropropene	0.552	0.493		-10.69	30
1,1,2-Trichloroethane	0.382	0.434		13.61	30
Dibromochloromethane	0.647	0.705		8.96	30
1,2-Dibromoethane	0.532	0.578		8.65	30
Tetrachloroethene	0.393	0.357		-9.16	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: WOOD06

Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG No.: Q1665

Instrument ID: MSVOA_L Calibration Date/Time: 04/09/2025 10:20

Lab File ID: VL042286.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Chlorobenzene	0.949	1.140		20.13	30
Ethyl Benzene	1.776	1.924		8.33	30
m/p-Xylene	1.418	1.658		16.92	30
o-Xylene	1.422	1.659		16.67	30
Styrene	0.703	0.718		2.13	30
Bromoform	0.581	0.630		8.43	30
1,1,2,2-Tetrachloroethane	0.864	1.091		26.27	30
2-Chlorotoluene	1.650	1.869		13.27	30
1,3,5-Trimethylbenzene	1.546	1.772		14.62	30
1,2,4-Trimethylbenzene	1.781	2.025		13.7	30
1,3-Dichlorobenzene	0.977	1.218		24.67	30
1,4-Dichlorobenzene	0.972	1.210		24.49	30
1,2-Dichlorobenzene	0.951	1.197		25.87	30
1,2,4-Trichlorobenzene	0.899	1.016		13.01	30
Hexachloro-1,3-Butadiene	0.968	0.955		-1.34	30
1,3-Butadiene	0.683	0.610		-10.69	30
Naphthalene	1.948	2.309		18.53	30
4-Ethyltoluene	1.770	2.081		17.57	30
1-Bromo-4-Fluorobenzene	0.821	0.815		-0.73	30
Hexane	1.402	1.381		-1.5	30
Allyl Chloride	0.986	0.899		-8.82	30
1,4-Dioxane	191.626	182.801		-4.61	30
Methyl Methacrylate	0.420	0.390		-7.14	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: WOOD06

Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG No.: Q1665

Instrument ID: MSVOA_L Calibration Date/Time: 04/11/2025 09:50

Lab File ID: VL042312.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	1.476	1.441		-2.37	30
Chloromethane	0.603	0.609		1	30
Vinyl Chloride	0.639	0.557		-12.83	30
Bromomethane	0.273	0.234		-14.29	30
Chloroethane	0.242	0.228		-5.78	30
Tetrahydrofuran	0.418	0.467		11.72	30
Trichlorofluoromethane	1.437	1.362		-5.22	30
1,1,2-Trichlorotrifluoroethane	1.181	1.053		-10.84	30
Dichlorotetrafluoroethane	1.257	1.222		-2.78	30
tert-Butyl alcohol	1.742	1.391		-20.15	30
Heptane	1.839	1.822		-0.92	30
1,1-Dichloroethene	0.552	0.487		-11.77	30
Acetone	1.399	1.261		-9.86	30
Carbon Disulfide	1.503	1.325		-11.84	30
Methyl tert-Butyl Ether	0.873	0.703		-19.47	30
Methylene Chloride	0.521	0.419		-19.58	30
trans-1,2-Dichloroethene	0.638	0.555		-13.01	30
1,1-Dichloroethane	1.183	1.132		-4.31	30
Cyclohexane	1.217	1.108		-8.96	30
2-Butanone	0.725	0.821		13.24	30
Carbon Tetrachloride	0.781	0.841		7.68	30
cis-1,2-Dichloroethene	1.423	1.346		-5.41	30
Chloroform	2.052	2.143		4.43	30
1,1,1-Trichloroethane	2.349	2.070		-11.88	30
2,2,4-Trimethylpentane	1.675	1.882		12.36	30
Benzene	0.991	1.092		10.19	30
1,2-Dichloroethane	0.568	0.630		10.91	30
Trichloroethene	0.414	0.438		5.8	30
1,2-Dichloropropane	0.361	0.400		10.8	30
Bromodichloromethane	0.782	0.891		13.94	30
4-Methyl-2-Pentanone	1.149	1.147		-0.17	30
Toluene	1.175	1.181		0.51	30
t-1,3-Dichloropropene	0.450	0.381		-15.33	30
cis-1,3-Dichloropropene	0.552	0.509		-7.79	30
1,1,2-Trichloroethane	0.382	0.438		14.66	30
Dibromochloromethane	0.647	0.718		10.97	30
1,2-Dibromoethane	0.532	0.576		8.27	30
Tetrachloroethene	0.393	0.369		-6.11	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: WOOD06

Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG No.: Q1665

Instrument ID: MSVOA_L Calibration Date/Time: 04/11/2025 09:50

Lab File ID: VL042312.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Chlorobenzene	0.949	1.148		20.97	30
Ethyl Benzene	1.776	1.942		9.35	30
m/p-Xylene	1.418	1.649		16.29	30
o-Xylene	1.422	1.645		15.68	30
Styrene	0.703	0.726		3.27	30
Bromoform	0.581	0.635		9.29	30
1,1,2,2-Tetrachloroethane	0.864	1.112		28.7	30
2-Chlorotoluene	1.650	1.885		14.24	30
1,3,5-Trimethylbenzene	1.546	1.819		17.66	30
1,2,4-Trimethylbenzene	1.781	2.042		14.65	30
1,3-Dichlorobenzene	0.977	1.227		25.59	30
1,4-Dichlorobenzene	0.972	1.218		25.31	30
1,2-Dichlorobenzene	0.951	1.233		29.65	30
1,2,4-Trichlorobenzene	0.899	0.934		3.89	30
Hexachloro-1,3-Butadiene	0.968	0.929		-4.03	30
1,3-Butadiene	0.683	0.611		-10.54	30
Naphthalene	1.948	2.055		5.49	30
4-Ethyltoluene	1.770	2.112		19.32	30
1-Bromo-4-Fluorobenzene	0.821	0.793		-3.41	30
Hexane	1.402	1.398		-0.28	30
Allyl Chloride	0.986	0.887		-10.04	30
1,4-Dioxane	191.626	177.632		-7.3	30
Methyl Methacrylate	0.420	0.398		-5.24	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: WOOD06

Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG No.: Q1665

Instrument ID: MSVOA_L Calibration Date/Time: 04/15/2025 11:30

Lab File ID: VL042326.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	1.476	1.245		-15.65	30
Chloromethane	0.603	0.520		-13.77	30
Vinyl Chloride	0.639	0.483		-24.41	30
Bromomethane	0.273	0.211		-22.71	30
Chloroethane	0.242	0.187		-22.73	30
Tetrahydrofuran	0.418	0.397		-5.02	30
Trichlorofluoromethane	1.437	1.175		-18.23	30
1,1,2-Trichlorotrifluoroethane	1.181	0.912		-22.78	30
Dichlorotetrafluoroethane	1.257	1.062		-15.51	30
tert-Butyl alcohol	1.742	1.218		-30.08	30
Heptane	1.839	1.607		-12.62	30
1,1-Dichloroethene	0.552	0.420		-23.91	30
Acetone	1.399	1.065		-23.87	30
Carbon Disulfide	1.503	1.135		-24.48	30
Methyl tert-Butyl Ether	0.873	0.675		-22.68	30
Methylene Chloride	0.521	0.350		-32.82	30
trans-1,2-Dichloroethene	0.638	0.474		-25.7	30
1,1-Dichloroethane	1.183	0.983		-16.91	30
Cyclohexane	1.217	1.006		-17.34	30
2-Butanone	0.725	0.694		-4.28	30
Carbon Tetrachloride	0.781	0.695		-11.01	30
cis-1,2-Dichloroethene	1.423	1.208		-15.11	30
Chloroform	2.052	1.824		-11.11	30
1,1,1-Trichloroethane	2.349	1.810		-22.95	30
2,2,4-Trimethylpentane	1.675	1.593		-4.9	30
Benzene	0.991	0.928		-6.36	30
1,2-Dichloroethane	0.568	0.524		-7.75	30
Trichloroethene	0.414	0.377		-8.94	30
1,2-Dichloropropane	0.361	0.332		-8.03	30
Bromodichloromethane	0.782	0.729		-6.78	30
4-Methyl-2-Pentanone	1.149	0.969		-15.67	30
Toluene	1.175	1.010		-14.04	30
t-1,3-Dichloropropene	0.450	0.330		-26.67	30
cis-1,3-Dichloropropene	0.552	0.447		-19.02	30
1,1,2-Trichloroethane	0.382	0.357		-6.55	30
Dibromochloromethane	0.647	0.596		-7.88	30
1,2-Dibromoethane	0.532	0.481		-9.59	30
Tetrachloroethene	0.393	0.316		-19.59	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: WOOD06

Lab Code: CHEM Case No.: Q1665 SAS No.: Q1665 SDG No.: Q1665

Instrument ID: MSVOA_L Calibration Date/Time: 04/15/2025 11:30

Lab File ID: VL042326.D Init. Calib. Date(s): 03/27/2025 03/27/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:26 11:36

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Chlorobenzene	0.949	0.912		-3.9	30
Ethyl Benzene	1.776	1.555		-12.44	30
m/p-Xylene	1.418	1.292		-8.89	30
o-Xylene	1.422	1.285		-9.63	30
Styrene	0.703	0.596		-15.22	30
Bromoform	0.581	0.522		-10.15	30
1,1,2,2-Tetrachloroethane	0.864	0.835		-3.36	30
2-Chlorotoluene	1.650	1.457		-11.7	30
1,3,5-Trimethylbenzene	1.546	1.355		-12.35	30
1,2,4-Trimethylbenzene	1.781	1.515		-14.94	30
1,3-Dichlorobenzene	0.977	0.927		-5.12	30
1,4-Dichlorobenzene	0.972	0.924		-4.94	30
1,2-Dichlorobenzene	0.951	0.923		-2.94	30
1,2,4-Trichlorobenzene	0.899	0.819		-8.9	30
Hexachloro-1,3-Butadiene	0.968	0.758		-21.69	30
1,3-Butadiene	0.683	0.528		-22.69	30
Naphthalene	1.948	1.849		-5.08	30
4-Ethyltoluene	1.770	1.598		-9.72	30
1-Bromo-4-Fluorobenzene	0.821	0.792		-3.53	30
Hexane	1.402	1.241		-11.48	30
Allyl Chloride	0.986	0.772		-21.7	30
1,4-Dioxane	191.626	157.635		-17.74	30
Methyl Methacrylate	0.420	0.340		-19.05	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Hefner</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
Analysis Turnaround Time				Data Package Type :												
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
AA-DUP-1-3/24/25	3/24/25	1445	1105	-30	-10	-	-	-30	-8.8	10470 10515	8032 10598	6 L	4.16	VL041974.D	X	
Temperature (Fahrenheit)										16323 GC/MS Analyst Signature (TO-15) <i>Sub</i>						
	Ambient	Maximum	Minimum													
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>A Hold Pending SSSG</i> Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum													
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i> Sampling site (State): <i>New Jersey</i>																
Quick Connector required : <i>NO</i>																
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____				
Samples Relinquished by: <i>Sam</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>				
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1205</i>				Received by: <i>[Signature]</i>				Date/Time: _____				

B2502051 - 35

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hafner</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
				Analysis Turnaround Time												
				Standard : 10 business days OR				Data Package Type :								
				Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>1A-B10-2</i> <i>3/24/25</i>	<i>3/24/25</i> <i>3/25/25</i>	<i>1253</i>	<i>1219</i>	<i>29</i>	<i>-7</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-8.4</i>	<i>10815</i> 40207	<i>2981</i> 10599	<i>6 L</i>	<i>4.16</i>	<i>VL041974.D</i>	☒	☒
Temperature (Fahrenheit)										10154 GC/MS Analyst Signature (TO-15) <i>Sust</i>						
	Ambient	Maximum	Minimum													
Start	<i>48°F</i>	<i>60°F</i>														
Stop	<i>42°F</i>	<i>42°F</i>														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>• Hold Pending SSSG</i> Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum													
Start	<i>29.75</i>															
Stop	<i>29.93</i>															
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>New Jersey</i>																
Quick Connector required : <i>NO</i>																
Canisters Shipped by: <i>Sally</i>				Date/Time: <i>03/24/25</i>				Canisters Received by:				Date/Time:				
Samples Relinquished by: <i>Clayton</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-20-25 0910</i>				
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time:				

B2502051 - 36

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs					
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Kefauver</i>				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time													
				Standard : 10 business days OR				Data Package Type :									
				Rush (Specify): Days				EDD Type :									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
AA-1- 3/24/25	3/24/25 3/25/25	1445	1105	-29	-5	—	—	-30	-7.1	10101 10482	3362 10275	6 L	4.16	VL042078.D	X		
Temperature (Fahrenheit)										102.68							
		Ambient	Maximum	Minimum													
Start		51°	60°	48°													
Stop		54°															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending Analysis</i> Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		29.73															
Stop		29.93															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>Sum</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____					
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/24/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>					
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1245</i>				Received by: <i>[Signature]</i>				Date/Time: _____					

B2502051 - 11

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Cheryl Hahn</i>				Analysis				Matrix																			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 800-807-4080																											
				Fax Number : 914-448-0147																											
				Site Details:																											
				Analysis Turnaround Time																											
				Standard : 10 business days OR				Data Package Type :																							
				Rush (Specify): _____ Days				EDD Type :																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas											
1A-B9-1-3/24/25	3/24/25	1715	1618	-30	-10	64	65	-30	-120	10204-10558	2926-10592		6 L	4.16	VL042052-D	X			X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>55</td> <td>60</td> <td>48</td> </tr> <tr> <td>Stop</td> <td>60</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	55	60	48	Stop	60			GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
	Ambient	Maximum	Minimum																												
Start	55	60	48																												
Stop	60																														
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.73</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.73			Stop	29.93			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start	29.73																														
Stop	29.93																														
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: <i>0.03 ppr</i> Sampling site (State): <i>New Jersey</i>																															
Quick Connector required : <i>No</i>																															
Canisters Shipped by: <i>SEM</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____																			
Samples Relinquished by: <i>SEM</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>				B2502051 - 31															
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1219</i>				Received by: <i>[Signature]</i>				Date/Time: _____																			

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Parker</i>				Analysis		Matrix	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
				Analysis Turnaround Time				Data Package Type :							
				Standard : 10 business days OR				EDD Type :							
Country :				Rush (Specify): Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
1A-DUP-2-3/24/25	3/24/25	1715	1618	-30	-7	64	65	-30	-7.5	10207 10206	10053 10331	6 L	4.16	VL042078.D	X		X	

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15) <i>[Signature]</i>				
	Ambient	Maximum	Minimum						
Start	55	60	48						
Stop	60								

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SOG</i> Please follow the instructions on the back of this COC.				
	Ambient	Maximum	Minimum						
Start	29.73								
Stop	29.93								

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.03 ppm*

Sampling site (State): *New Jersey*

Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>3/24/25</i>	Canisters Received by:	Date/Time:
Samples Relinquished by: <i>CMH</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time:

B2502051 - 24

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																		
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Steiner</i>				Analysis		Matrix																
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																						
				Phone Number : 800-807-4080																										
				Fax Number : 914-448-0147																										
				Site Details:																										
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																						
Rush (Specify): _____ Days				EDD Type :																										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas												
1A-B9-2-3/24/25	3/24/25	1720	1624	-29	-4	64	65	-30	-5.5	10168 10552	10599 10281	6 L	4.16	VL042052.D	X		X													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>55</td> <td>60</td> <td>48</td> </tr> <tr> <td>Stop</td> <td>60</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	55	60	48	Stop	60			GC/MS Analyst Signature (TO-15) <i>[Signature]</i>								
	Ambient	Maximum	Minimum																											
Start	55	60	48																											
Stop	60																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.73</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.73			Stop	29.93			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Hold Pending Analysis</i> Please follow the instructions on the back of this COC.								
	Ambient	Maximum	Minimum																											
Start	29.73																													
Stop	29.93																													
Special Instructions/QC Requirements & Comments :																														
Suspected Contamination: High Medium Low PID Readings:																														
Sampling site (State): <i>New Jersey</i>																														
Quick Connector required : <i>NO</i>																														
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>				B2502051 - 13														
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>																		
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>																		

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs															
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Hultine</i>				Analysis				Matrix															
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																			
						Phone Number : 800-807-4080																							
						Fax Number : 914-448-0147																							
						Site Details:																							
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :																			
Rush (Specify): _____ Days						EDD Type :																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
<i>1A-10-4-3/24/25</i>	<i>3/24/25</i>	<i>1308</i>	<i>1229</i>	<i>-29</i>	<i>-5</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-7.1</i>	<i>10172</i> <i>10168</i>	<i>10492</i> <i>10053</i>		<i>6 L</i>	<i>4.16</i>	<i>VL041974-D</i>	<i>X</i>	<i>X</i>												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>48°F</i></td> <td><i>60°F</i></td> <td></td> </tr> <tr> <td>Stop</td> <td><i>42°F</i></td> <td><i>42°F</i></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>48°F</i>	<i>60°F</i>		Stop	<i>42°F</i>	<i>42°F</i>		GC/MS Analyst Signature (TO-15) <i>Sut</i>							
	Ambient	Maximum	Minimum																										
Start	<i>48°F</i>	<i>60°F</i>																											
Stop	<i>42°F</i>	<i>42°F</i>																											
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>29.75</i></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td><i>29.93</i></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>29.75</i>			Stop	<i>29.93</i>			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Hold Reading 555G</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start	<i>29.75</i>																												
Stop	<i>29.93</i>																												
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i>																													
Sampling site (State): <i>New Jersey</i>																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____																	
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>																	
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time: _____																	

B2502051 - 1

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																	
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix																	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas																	
				Phone Number : 800-807-4080																									
				Fax Number : 914-448-0147																									
				Site Details:																									
Analysis Turnaround Time				Data Package Type :																									
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID																
1A-B10 - 1-2/24/25	3/24/25	1248	1212	-23	-5	70	71	-30	-5.3	10190	10598	6 L	4.16	VL042052-D	X		X												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>48°F</td> <td>60°F</td> <td></td> </tr> <tr> <td>Stop</td> <td>42°F</td> <td>42°F</td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	48°F	60°F		Stop	42°F	42°F		GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum																										
Start	48°F	60°F																											
Stop	42°F	42°F																											
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.75</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.75			Stop	29.93			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start	29.75																												
Stop	29.93																												
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i>																													
Sampling site (State): <i>New Jersey</i>																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>																	
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>																	
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>																	

B2502051 - 10

Client Contact Information				Bottle Order ID : B2502051				Courier : _____ of _____ COCs										
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Helmer</i>				Analysis Matrix										
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified										
				Phone Number : 800-807-4080														
				Fax Number : 914-448-0147														
				Site Details:														
Analysis Turnaround Time				Data Package Type :				TO-15 Indoor/Ambient Air Soil Gas										
Standard : 10 business days OR				EDD Type :														
Rush (Specify): _____ Days																		
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID					
<i>1A-614-1-3/24/25</i>	<i>3/24/25</i>	<i>1357</i>	<i>1245</i>	<i>-30</i>	<i>-5</i>	<i>72</i>	<i>69</i>	<i>-30</i>	<i>-6.3</i>	<i>10805</i> 10505	<i>10266</i> 10294	<i>6 L</i>	<i>4.16</i>	<i>VL042078.D</i>				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Scott</i>								
		Ambient	Maximum	Minimum														
Start		<i>51</i>	<i>60°F</i>	<i>48°F</i>														
Stop		<i>54</i>																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending 5556</i> Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start		<i>29.74</i>																
Stop		<i>29.93</i>																
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i>																		
Sampling site (State):																		
Quick Connector required : <i>No</i>																		
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____						
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>						
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time: _____						
B2502051 - 17																		

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chytra Hofner</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor/Ambient Air Soil Gas							
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
Analysis Turnaround Time				Data Package Type :															
Standard : 10 business days OR				Rush (Specify): _____ Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15					
1A-B10-7-3/24/25	3/24/25	1302	1222	-29	-7.5	70	70	-30	-8.0	10476 10204	10297 10198	6 L	4.16	VL042052-D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sub</i>									
		Ambient	Maximum	Minimum															
Start		48°F	60°F																
Stop		42°F	42°F																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. • Hold Pending SSSG									
		Ambient	Maximum	Minimum						Please follow the instructions on the back of this COC.									
Start		29.75																	
Stop		29.93																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: 0.3 ppm																			
Sampling site (State): New Jersey																			
Quick Connector required : No																			
Canisters Shipped by: Sam				Date/Time: 03/24/25				Canisters Received by:				Date/Time:				B2502051 - 5			
Samples Relinquished by: Chytra				Date/Time: 3/26/25 0910				Received by:				Date/Time: 3-26-25 0818							
Relinquished by:				Date/Time: 3-26-25 1215				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Hefner</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
Analysis Turnaround Time				Data Package Type :												
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B4-3-3/24/15	3/24/15	1722	1627	-29	-4.5	64	65	-30	-5.5	10232 10713	10595 10306	6 L	4.16	VL042052.D	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>						
		Ambient	Maximum	Minimum												
Start		55	60	48												
Stop		60														
Pressure (Inches of Hg)										** Submittal of this COC Indicates approval of the analysis based on existing conditions. <i>* Hold Reading 5556</i> Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start		29.73														
Stop		29.93														
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i> Sampling site (State): <i>New Jersey</i>																
Quick Connector required : <i>NO</i>																
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>3/24/15</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____				
Samples Relinquished by: <i>COH</i>				Date/Time: <i>3/26/15 6:40</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 09:15</i>				
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 12:15</i>				Received by: <i>[Signature]</i>				Date/Time: _____				

B2502051 - 19

From: Bryan Maurer <bmaurer@woodardcurran.com>
Sent: Monday, April 14, 2025 10:36 AM
To: Jill Tribley; Yazmeen Gomez; Stephanie Rogacki; Kiran Saleem
Cc: Clayton Hefner
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Yazmeen, please keep the -14 and -17 samples on hold...do not discard at this time.
 Bryan

Bryan Maurer
 Woodard & Curran
 770-679-2043 (direct)
 412-600-2561 (cell)

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Monday, April 14, 2025 10:28 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

The following HOLD sample can be analyzed:
 Q1665-15, IA-B14-1-32425

The following two HOLD samples can be discarded:
 Q1665-14, IA-B14-2-32425
 Q1665-17, IA-B14-3-32425

Jill D. Tribley, P.G.
 412-535-0833



From: Jill Tribley
Sent: Friday, April 11, 2025 11:10 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

Yes! They can be cleaned out, we won't need those.

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Friday, April 11, 2025 11:08 AM
To: Jill Tribley <jtribley@woodardcurran.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

To clarify, did you want us to run those two samples, or they are OK to be cleaned out?

As for everything else, sounds good!

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com    

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Friday, April 11, 2025 11:05 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen, the following two summa cans can be removed from hold:

Q1665-02 (Sample ID IA-B16-1-32425)
 Q1665-13 (Sample ID IA-B16-2-32425)

I am still awaiting instruction on B-14 samples (Q1665-14, -15, and -17) but will have an answer on that on Monday morning.

We are still in discussion on the B2 samples (Q1665-05, -12, -16, -20, -21, and -22). Hold time would be up on those 4/23/25, based on the sample date of 3/24/25, correct?

I believe this covers the remaining HOLD cans, but please correct me if I'm missing any.

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Friday, April 11, 2025 10:03 AM
To: Jill Tribley <jtribley@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

Good morning Jill,

Can we clean out the rest of the Summa Cans that aren't going to be activated? Or do you still need those on hold?

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Thursday, April 10, 2025 4:48 PM
To: Kiran Saleem <Kiran.Saleem@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hello Kiran, please analyze the samples from the attached SDGs:

Q1726 – all (Building 2 IA samples)

Q1668 – all (Building 1 IA samples)

Q1665 – Samples -03, -10, -11, and -18 (Building 10 samples) These are highlighted on the attached login summary; I sent previous instruction on this SDG earlier this week. These samples are in addition to the analysis we requested on 4/8.

Please reach out if you have any questions!

Jill D. Tribley, P.G.

412-535-0833



From: Kiran Saleem <Kiran.Saleem@alliancetg.com>

Sent: Thursday, April 10, 2025 2:06 PM

To: CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Cc: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>

Subject: Re: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

Good Afternoon Bryan,

Please review the results and let us know which samples you would want to activate from which are on hold.

Thank you!

NOTE: Chemtech is now an Alliance Technical Group company. Please add AllianceTG.com to your safe senders list to ensure receipt of important emails.

Regards,



Kiran Saleem

Project Manager

Alliance Technical Group

Main: 908-789-8900

Direct: 908-728-3148

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com

From: CHEMTECH-Data@chemtech.net <CHEMTECH-Data@chemtech.net>


Sent: Thursday, April 10, 2025 1:26 PM

To: bmaurer@woodardcurran.com <bmaurer@woodardcurran.com>; jtribley@woodardcurran.com <jtribley@woodardcurran.com>; srogacki@woodardcurran.com <srogacki@woodardcurran.com>

Subject: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point



To Bryan Maurer;

Please see the attached Summary Report for the following project, or download the file using your login credentials from the link below.

Order ID : Q1725
Project ID : US EPA Riverside Industrial Park Superfund Site
Download File : <https://chemtech.net/secureLogin.aspx>
Order Date : 4/3/2025 1:48:00 PM

CHEMTECH's Project Manager : YAZMEEN GOMEZ , YAZMEEN@CHEMTECH.NET , 908-357-0579 Ext :3149
CHEMTECH's Sales Executive : Jordan Hedvat , jordan@chemtech.net , 908-728-3144 Ext :

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey chemtech.net/ClientSurvey.aspx.

Thank you,

Alliance Technical Group LLC.

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

From: Yazmeen Gomez
Sent: Tuesday, April 08, 2025 1:33 PM
To: Jill Tribley; Bryan Maurer; Stephanie Rogacki
Cc: Clayton Hefner
Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Hi Jill,

No problem, Q1665 Samples - 01, 04, 06, 08, 09, and 20. Will be activated.

May I ask when you will know if you will need to run the remaining samples or not? Just so I can let the Air Lab know an estimate on how long these samples will be held.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Tuesday, April 8, 2025 1:27 PM
To: Bryan Maurer <bmaurer@woodardcurran.com>; Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen, see attached marked up sample login for instructions, as well as below:
Please analyze the following samples from the Q1665 batch: -01, -04, -06, -08, -09, and -20.
I'm sorry we missed it before, but can you change the ID on sample -20 to: "IA-B9-3-32435"? (Not B4).
Thank you!
-Jill

Jill D. Tribley, P.G.
412-535-0833

From: Bryan Maurer <bmaurer@woodardcurran.com>

Sent: Tuesday, April 8, 2025 1:05 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Sorry Yazmeen, I meant to sent this to Jill, not you.

Jill, please see below and let Yazmeen know what we want to run.

Bryan

Bryan Maurer

Woodard & Curran

770-679-2043 (direct)

412-600-2561 (cell)

From: Bryan Maurer

Sent: Tuesday, April 8, 2025 1:04 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Jill,

Let's go ahead and run the next set of Bldg 9 samples. Keep the Bldg 16 samples on hold for now.

Bryan

Bryan Maurer

Woodard & Curran

770-679-2043 (direct)

412-600-2561 (cell)

From: Jill Tribley <jtribley@woodardcurran.com>

Sent: Tuesday, April 8, 2025 12:26 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

We are awaiting client buy-in to our recommendations. As soon as we hear back, we will let you know.

Jill D. Tribley, P.G.

412-535-0833

From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>

Sent: Tuesday, April 8, 2025 11:55 AM

To: Bryan Maurer <bmaurer@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Please let me know if you will need to activate or disregard samples based off results.


Thank you!

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com    

From: CHEMTECH-Data@chemtech.net <CHEMTECH-Data@chemtech.net>
Sent: Tuesday, April 8, 2025 11:39 AM
To: bmaurer@woodardcurran.com; jtribley@woodardcurran.com; srogacki@woodardcurran.com
Subject: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.



To Bryan Maurer;

Please see the attached EDD for the following project, or download the file using your login credentials from the link below.

Order ID : Q1669
Project ID : US EPA Riverside Industrial Park Superfund Site
Download File : <https://chemtech.net/secureLogin.aspx>
Order Date : 3/27/2025 2:02:00 PM

CHEMTECH's Project Manager : YAZMEEN GOMEZ , YAZMEEN@CHEMTECH.NET , 908-357-0579 Ext :3149
CHEMTECH's Sales Executive : Jordan Hedvat , jordan@chemtech.net , 908-728-3144 Ext :

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey chemtech.net/ClientSurvey.aspx.

Thank you,

Alliance Technical Group LLC.

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or

taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

From: Stephanie Rogacki <SRogacki@woodardcurran.com>
Sent: Thursday, March 27, 2025 5:08 PM
To: Yazmeen Gomez; Jill Tribley; Jordan Hedvat
Cc: Bryan Maurer; Kiran Saleem
Subject: Re: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Very understandable, let's avoid the system crashes and report as is. Thank you!

Best regards,
 Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



📞 914.460.5641 📠 201.774.0238 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 800 Westchester Avenue, Suite N507, Rye Brook, NY 10573



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Thursday, March 27, 2025 5:02 PM
To: Stephanie Rogacki <SRogacki@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>

Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>

Subject: RE: Sample Updates Request

We try to avoid certain characters in project names and sample IDs because it causes the system to crash or cause errors sometimes.

I can use “-“ but “/” will likely cause an issue once QA/QC try’s to upload the data.

Best Regards,



Yazmeen Gomez

Sr. Project Manager

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3147

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com     

From: Stephanie Rogacki <SRogacki@woodardcurran.com>

Sent: Thursday, March 27, 2025 5:00 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jill Tribley <jtribley@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>

Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>

Subject: Re: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Confirmed.

And does the system not allow for the format with the following: IA-B9-3-3/24/2025 with the slashes or can the report/EDD still detail the sample IDs like this?

Best regards,
Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



srogacki@woodardcurran.com

800 Westchester Avenue, Suite N507, Rye Brook, NY
10573



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Yazmeen Gomez
Sent: Thursday, March 27, 2025 4:57 PM
To: Jill Tribley; Stephanie Rogacki; Jordan Hedvat
Cc: Bryan Maurer
Subject: RE: Sample Updates Request

Its B-9 in our system – for some reason its not changing on the login summary. Please see attached.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com   

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Thursday, March 27, 2025 4:52 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>
Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Thank you! I still see Q1665-20 listed with B4, full corrected sample ID should be IA-B9-3-3242025

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Thursday, March 27, 2025 4:49 PM
To: Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: RE: Sample Updates Request

Stephanie,

Just resent all of the updated login summaries.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com   

From: Stephanie Rogacki <SRogacki@woodardcurran.com>
Sent: Thursday, March 27, 2025 4:34 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jordan Hedvat <Jordan.Hedvat@alliancetg.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: Fw: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Correction below in red (should have been Q1669 not Q1665) and also:
Please correct B4 to B9 in Q1665-20 from group Q1665.

Best regards,

Steph

**Stephanie Rogacki, MS,
CSM**

Environmental Scientist 3| she/her



📞 914.460.5641 📠 201.774.0238 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 [800 Westchester Avenue, Suite N507, Rye Brook, NY
10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Stephanie Rogacki
Sent: Thursday, March 27, 2025 4:27 PM
To: Yazmeen Gomez; Jill Tribley; Jordan Hedvat
Cc: Bryan Maurer; Clayton Hefner; Kiran Saleem
Subject: Re: Sample Updates Request

Hi Yazmeen,

A couple more things:

- Please use the "mm/dd/yyyy" format for all sample IDs.
- Please change the 2 digit year to the 4 digit year. For instance, where it was documented on the COC, as "3/25/25" please change these to "3/25/2025"

Q1669:

- AA-1-3/25/25 should be AA-2-3/25/2025
- AA-1-3/26/25 should be AA-3-3/25/2025

Could you confirm the reporting compound list is the same as the list attached for LLTO-15?

Also could you make sure to include me on distributions from this email: Data-EWR@alliancetg.com

Thank you!

Best regards,
Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



📞 914.460.5641 📠 201.774.0238 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 800 Westchester Avenue, Suite N507, Rye Brook, NY
10573



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Stephanie Rogacki

Sent: Thursday, March 27, 2025 3:10 PM

To: Yazmeen Gomez; Jill Tribley; Jordan Hedvat

Cc: Bryan Maurer; Clayton Hefner; Kiran Saleem

Subject: Re: Sample Updates Request

Hi Yazmeen,

I am answering on Jill's behalf. Thank you for checking with us.

Please analyze all samples listed in Q1669.

Additionally, please change AA-1-3/26/25 ID to AA-2-3/26/25; please also analyze this.

Best regards,

Steph

6

6.2

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



📞 914.460.5641 📠 201.774.0238 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 [800 Westchester Avenue, Suite N507, Rye Brook, NY 10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Yazmeen Gomez

Sent: Thursday, March 27, 2025 2:29 PM

To: Jill Tribley; Stephanie Rogacki; Jordan Hedvat

Cc: Bryan Maurer; Clayton Hefner; Kiran Saleem

Subject: RE: Sample Updates Request

Jill,

Please see attached – just confirming Q1668 are all on hold per COC and Q1669 are OK to analyze (no mention of hold on COC).

There is a few of Indoor and two Ambient air samples that don't mention a hold that I've logged into Q1669. Let me know if any of those need to be on hold.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Thursday, March 27, 2025 1:28 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>
Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

[Secured by Check Point](#)

Hi Yazmeen, this will be standard TAT.

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Thursday, March 27, 2025 1:14 PM
To: Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>
Subject: RE: Sample Updates Request

Jill,

Can you confirm the TAT? The lab wants to know if you need anything expediated for Tuesday or Wednesday results?

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Thursday, March 27, 2025 12:15 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>
Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

[Secured by Check Point](#)

Hello Yazmeen and Kiran,
 I have the info for the (14) 6L Summas we need on Monday:

- (5) 6L Summa canisters with regulators for a 24-hour sampling period
- (4) 6L Summa canisters with 100 ml/min regulators
- (3) 6L Summa canisters with 200 ml/min regulators
- (2) 6L Summa canisters with 70 ml/min regulators

One of our folks can pick these up at 11 am at the lab.
 We will be submitting these samples mid-next week.
 A batch of samples and the unused 1.4 L canisters will be dropped off at the lab this afternoon.
 Please confirm you can still accommodate this.
 Thank you!
 -Jill

Jill D. Tribley, P.G.
 412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Wednesday, March 26, 2025 1:21 PM
To: Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem

<Kiran.Saleem@alliancetg.com>

Subject: RE: Sample Updates Request

Jill,

I spoke with Mohammad he mentioned we can provide 14 Cans on Friday – if you wanted them all to be 200ml/min or to switch them up?

Also, for the sampling team – each Summa Can belongs to a specific Chain of Custody. Looks like the sampler was just crossing out things on our COC instead of keeping the coordinated Chain and Summa Can together which causes confusion in the lab. If you can just have the samplers keep the Chain and related Summa Can together, the same way they are packages when delivered.

Best Regards,

Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     



From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Wednesday, March 26, 2025 12:49 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen,

Can we get another pickup mid day tomorrow? Would you be able to bring the 24 hour IA and AA canisters at that time?

The canisters and associated regulators are for 1.4 liter canisters. We requested and require 6 liter canisters for this project. When can you get the correct canisters and regulators on site?

Jill D. Tribley, P.G.

412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Wednesday, March 26, 2025 12:01 PM
To: Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: RE: Sample Updates Request

Hi Stephanie,

Please see below responses in RED.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com   

From: Stephanie Rogacki <SRogacki@woodardcurran.com>
Sent: Wednesday, March 26, 2025 11:54 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jordan Hedvat <Jordan.Hedvat@alliancetg.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen/Jordan,

1. When is the next pickup / drop off scheduled for? **We currently do not have another pick up / drop off scheduled after today. Last we spoke you mentioned you weren't sure if you'd need additional cans. And you'd reach out once you've coordinated with the field teams to schedule the pickups.**
2. We will need 7 more 24 hour samples - 6 IA and 1 AA **When do you need these by?**
3. The name of this project is Riverside Superfund Site not "NYCHHC Environmental Services" **Noted**
4. The PM for this project is Bryan Maurer not me. He is copied here. Please update him for project notes. **Noted**
5. Please copy both Bryan and Jill (copied) on results and acknowledgments, and all other correspondence regarding this project. **Noted**

Best regards,
 Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3| she/her



 [914.460.5641](tel:914.460.5641)  [201.774.0238](tel:201.774.0238)  woodardcurran.com

 srogacki@woodardcurran.com

 [800 Westchester Avenue, Suite N507, Rye Brook, NY
10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.


Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot**Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample**Laboratory: ChemtechLocation: 284 Sheffield Street, Mountainside, NJ 7092~~QA66:~~Title: Sample CustodianField Sample Seal No.: Q1665Date Broken: 3/26/2025Military Time Seal Broken: 09:10:00Case No.: US EPA Riverside IndustriaAnalytical Parameter/Fraction: TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1665-01	AA-DUP-1-32425	Q1665-11	IA-B10-1-32425
Q1665-02	IA-B10-1-32425	Q1665-12	IA-B2-0-32425
Q1665-03	IA-B10-2-32425	Q1665-13	IA-B10-2-32425
Q1665-04	AA-1-32425	Q1665-14	IA-B14-2-32425
Q1665-05	IA-B2-0-32425	Q1665-15	IA-B14-1-32425
Q1665-06	IA-B9-1-32425	Q1665-16	IA-B2-5-32425
Q1665-07	IA-DUP-1-32425	Q1665-17	IA-B14-3-32425
Q1665-08	IA-DUP-2-32425	Q1665-18	IA-B10-3-32425
Q1665-09	IA-B9-2-32425	Q1665-19	IA-B2-2-32425
Q1665-10	IA-B10-4-32425	Q1665-20	IA-B9-3-32425

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
3-27-25	12:40	Signature 	Signature 	
		Printed Name <u>Cassandra Penco</u>	Printed Name <u>Cassandra Penco</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A 255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/26/25	Q1665-01	10323	10.4	-8.8				sy
	Q1665-02	10443	13.0	-3.5				
	Q1665-03	10154	10.6	-8.4				
	Q1665-04	10268	11.2	-7.1				
	Q1665-05	10281	10.8	-8.0				
	Q1665-06	10198	8.8	-12.0				
	Q1665-07	10592	11.4	-6.7				
	Q1665-08	10053	11.0	-7.5				
	Q1665-09	10599	12.0	-5.5				
	Q1665-10	10492	11.2	-7.1				
	Q1665-11	10598	11.6	-6.3				
	Q1665-12	10271	8.0	-13.7				
	Q1665-13	10315	13.8	-1.8				
	Q1665-14	10275	11.2	-7.1				
	Q1665-15	10266	11.6	-6.3				
	Q1665-16	10608	10.8	-8.0				
	Q1665-17	10294	11.4	-6.7				
	Q1665-18	10297	10.4	-8.0				
	Q1665-19	10331	10.8	-8.0				
	Q1665-20	10595	12.0	-5.5				
	Q1665-21	10332	11.0	-7.5				

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: *John Noel*Supervisor Signature: *Sut*

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/25/25	Q1665-22	10306	11.2	-7.1				sy
03/27/25	Q1668-01	10588	11.8	-5.9				
03/27/25	Q1668-02	10269	12.0	-5.5				
1	Q1668-03	10060	12.0	-5.5				
1	Q1668-04	10601	12.4	-4.7				
03/27/25	Q1669-01	10311	11.0	-7.5				
	Q1669-02	10283	11.8	-5.9				
	Q1669-03	10320	11.6	-6.3				
	Q1669-04	10267	12.4	-4.7				
	Q1669-05	10607	13.0	-3.5				
	Q1669-06	10606	13.8	-1.8				
	Q1669-07	10445	10.8	-8.0				
	Q1669-08	10282	11.2	-7.1				
1	Q1669-09	10285	11.6	-6.3				

1023
-8.8

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: AA-DUP-3/24/25
Client Name: Woodford & Curran
Project Name: PP6 Riverside
Date: 3/24/25 - 3/25/25 Time: sketch at 11:05 on 3/25/25
Analysis: _____
Comments: _____
Date Received: _____

CHEMTECH'S SAMPLING

Storage Location: Air Lab
Sample: Q1665-01
Cust #: AA-DUP-1-32425

B250205-1

1068
-12.0

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B9-1-3/24/25
Client Name: Woodford & Curran
Project Name: PP6 R. West
Date: 3/24/25 - 3/25/25 Time: 1618
Analysis: _____
Comments: _____
Date Received: _____

CHEMTECH'S SAMPLING

Storage Location: Air Lab
Sample: Q1665-06
Cust #: IA-B9-1-32425

B250205-1

17
89201

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: AA-1-3/24/25
Client Name: Woodford & Curran
Project Name: PP6 Riverside
Date: 3/24/25 - 3/25/25 Time: 11:05 on 3/25/25
Analysis: To +15'
Comments: _____
Date Received: _____

CHEMTECH'S SAMPLING

Storage Location: Air Lab
Sample: Q1665-04
Cust #: AA-1-32425

B250205-1

1053
7.5

Client Sample ID #: IA-B4-2-3/24/25
Client Name: Woodstock A Curran
Project Name: PPG R&M Side
Date: 3/25/25
Analysis: TD-15
Comments: _____
CHEMTECH'S
Date Received: _____
Storage Location: Air Lab
Sample: Q1665-08
Cust #: IA-DUP-2-32425

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

132502051

6650
15.5

Client Sample ID #: IA-B9-2-3/24/25
Client Name: Woodstock A Curran
Project Name: PPG
Date: 3/24/25
Analysis: TD-15
Comments: _____
CHEMTECH'S
Date Received: _____
Storage Location: Air Lab
Sample: Q1665-09
Cust #: IA-B9-2-32425

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

132502051

1551
5501

Client Sample ID #: IA-B4-2-3/24/25
Client Name: Woodstock A Curran
Project Name: PPG R&M Side
Date: 3/24/25
Analysis: TD-15
Comments: _____
CHEMTECH'S
Date Received: _____
Storage Location: Air Lab
Sample: Q1665-20
Cust #: IA-B4-3-32425

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

132502051

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B10-4-3/24/25
 Client Name: W&C
 Project Name: PPG Armville
 Date: 3/25/2025
 Analysis: TO-15
 Comments: _____
 CHEMTECH'S SAM: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1665-10
 Cust #: IA-B10-4-32425

24502051

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B10-2-3/24/25
 Client Name: W&C
 Project Name: PPG R. Armville
 Date: 3/25/25
 Analysis: TO-15
 Comments: _____
 CHEMTECH'S SA: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1665-03
 Cust #: IA-B10-2-32425

24502051

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B10-1-3/24/25
 Client Name: W&C
 Project Name: Riverd
 Date: 3/25/25
 Analysis: TO-15
 Comments: _____
 CHEMTECH'S SA: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1665-11
 Cust #: IA-B10-1-32425

24502051

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B10-3-3/24/25
Client Name: W8C
Project Name: PPG Riverside
Date: 3/25/2025 Time: 12:22
Analysis: T-15
Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1665-18
Cust #: IA-B10-3-32425

Disposal: _____

Handwritten: B250205

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: IA-B14-1-3/26/25

Client Name: WRL

Project Name: PPG River Ice

Date: 3/25/2025 Time: 12:40

Analysis: TO-15

Comments: _____

CHEMTECH'S SA _____

Date Received: _____

Storage Location: Air Lab

Sample: Q1665-15

Cust #: IA-B14-1-32425

al: _____

99701

15020525