

Hit Summary Sheet
SW-846

SDG No.: Q1665
Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: AA-DUP-1-3242025								
Q1665-01	AA-DUP-1-324202: Air		Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Chloromethane	1.16		0.21	1.03	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Heptane	0.45	J	0.45	2.05	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Acetone	8.55		0.57	1.19	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Methylene Chloride	3.30		0.66	1.74	ug/m3
Q1665-01	AA-DUP-1-324202: Air		2-Butanone	1.06	J	0.35	1.47	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Benzene	0.80	J	0.29	1.60	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Toluene	1.21	J	0.41	1.88	ug/m3
Q1665-01	AA-DUP-1-324202: Air		Hexane	5.64		0.39	1.76	ug/m3
			Total Voc :			25.8		
Q1665-01	AA-DUP-1-324202: Air		Butane	* 1.10	J	0	0	ppbv
Q1665-01	AA-DUP-1-324202: Air		Chlorodifluoromethane	* 0.33	J	0.090	0.50	ppbv
Q1665-01	AA-DUP-1-324202: Air		Propene	* 0.85	J	0.15	0.50	ppbv
			Total Tics :			2.28		
			Total Concentration:			28.1		
Client ID: IA-B10-2-3242025								
Q1665-03	IA-B10-2-3242025 Air		Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Chloromethane	1.22		0.21	1.03	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-03	IA-B10-2-3242025 Air		tert-Butyl alcohol	1.42	J	0.58	1.52	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Heptane	0.70	J	0.45	2.05	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Acetone	196	E	0.57	1.19	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Methylene Chloride	5.56		0.66	1.74	ug/m3
Q1665-03	IA-B10-2-3242025 Air		2-Butanone	79.0	E	0.35	1.47	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Chloroform	6.84		0.39	2.44	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Benzene	1.92		0.29	1.60	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Toluene	1.85	J	0.41	1.88	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q1665-03	IA-B10-2-3242025 Air		o-Xylene	0.52	J	0.52	2.17	ug/m3
Q1665-03	IA-B10-2-3242025 Air		1,2,4-Trimethylbenzene	0.59	J	0.39	2.46	ug/m3
Q1665-03	IA-B10-2-3242025 Air		Hexane	8.81		0.39	1.76	ug/m3
			Total Voc :			309		
Q1665-03	IA-B10-2-3242025 Air		Butane	* 1.30	J	0	0	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1665
Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-03	IA-B10-2-3242025	Air	Plumbane, diethyldimethyl-	* 65.1	J	0	0	ppbv
Q1665-03	IA-B10-2-3242025	Air	D-Limonene	* 21.3	J	0	0	ppbv
Q1665-03	IA-B10-2-3242025	Air	Butanoic acid, 2-methyl-, ethyl	* 1.50	J	0	0	ppbv
Q1665-03	IA-B10-2-3242025	Air	Propene	* 4.30	J	0.15	0.50	ppbv
Total Tics :				93.5				
Total Concentration:				402				
Client ID:	IA-B10-2-3242025DL							
Q1665-03DL	IA-B10-2-3242025I	Air	Acetone	333	D	5.70	11.9	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	Methylene Chloride	11.5	JD	6.60	17.4	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	2-Butanone	63.4	D	3.54	14.8	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	Chloroform	6.84	JD	4.05	24.4	ug/m3
Q1665-03DL	IA-B10-2-3242025I	Air	Hexane	6.70	JD	3.88	17.6	ug/m3
Total Voc :				421				
Total Concentration:				421				
Client ID:	AA-1-3242025							
Q1665-04	AA-1-3242025	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1665-04	AA-1-3242025	Air	Chloromethane	1.14		0.21	1.03	ug/m3
Q1665-04	AA-1-3242025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-04	AA-1-3242025	Air	Acetone	8.31		0.57	1.19	ug/m3
Q1665-04	AA-1-3242025	Air	Methylene Chloride	2.33		0.66	1.74	ug/m3
Q1665-04	AA-1-3242025	Air	2-Butanone	1.03	J	0.35	1.47	ug/m3
Q1665-04	AA-1-3242025	Air	Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1665-04	AA-1-3242025	Air	Benzene	0.80	J	0.29	1.60	ug/m3
Q1665-04	AA-1-3242025	Air	Toluene	1.06	J	0.41	1.88	ug/m3
Q1665-04	AA-1-3242025	Air	Hexane	3.88		0.39	1.76	ug/m3
Total Voc :				22.3				
Q1665-04	AA-1-3242025	Air	Butane	* 1.00	J	0	0	ppbv
Q1665-04	AA-1-3242025	Air	Chlorodifluoromethane	* 0.29	J	0.090	0.50	ppbv
Q1665-04	AA-1-3242025	Air	Propene	* 0.75	J	0.15	0.50	ppbv
Total Tics :				2.04				
Total Concentration:				24.3				
Client ID:	IA-B9-1-3242025							
Q1665-06	IA-B9-1-3242025	Air	Dichlorodifluoromethane	1.83	J	1.04	2.47	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Chloromethane	1.20		0.21	1.03	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Tetrahydrofuran	0.97	J	0.38	1.47	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Trichlorofluoromethane	1.24	J	0.90	2.81	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Heptane	0.49	J	0.45	2.05	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Acetone	20.2		0.57	1.19	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration		C	MDL	RDL	Units
Q1665-06	IA-B9-1-3242025	Air	Methylene Chloride	3.82			0.66	1.74	ug/m3
Q1665-06	IA-B9-1-3242025	Air	2-Butanone	13.9			0.35	1.47	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Carbon Tetrachloride	0.50			0.060	0.19	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Benzene	0.93		J	0.29	1.60	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Toluene	1.81		J	0.41	1.88	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Chlorobenzene	1.11		J	0.37	2.30	ug/m3
Q1665-06	IA-B9-1-3242025	Air	Hexane	7.05			0.39	1.76	ug/m3
Total Voc :				55.0					
Q1665-06	IA-B9-1-3242025	Air	.alpha.-Pinene	*	1.70	J	0	0	ppbv
Q1665-06	IA-B9-1-3242025	Air	Benzaldehyde	*	6.60	J	0	0	ppbv
Q1665-06	IA-B9-1-3242025	Air	Butane	*	1.30	J	0	0	ppbv
Q1665-06	IA-B9-1-3242025	Air	Chlorodifluoromethane	*	0.90	J	0.090	0.50	ppbv
Q1665-06	IA-B9-1-3242025	Air	Propene	*	2.20	J	0.15	0.50	ppbv
Total Tics :				12.7					
Total Concentration:				67.7					
Client ID:	IA-DUP-2-3242025								
Q1665-08	IA-DUP-2-3242025	Air	Dichlorodifluoromethane	1.88		J	1.04	2.47	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Chloromethane	2.27			0.21	1.03	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Tetrahydrofuran	0.62		J	0.38	1.47	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Trichlorofluoromethane	1.40		J	0.90	2.81	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Acetone	27.6			0.57	1.19	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Methylene Chloride	3.47			0.66	1.74	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	2-Butanone	9.73			0.35	1.47	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Carbon Tetrachloride	0.82			0.060	0.19	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Chloroform	1.56		J	0.39	2.44	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Benzene	0.54		J	0.29	1.60	ug/m3
Q1665-08	IA-DUP-2-3242025	Air	Hexane	3.31			0.39	1.76	ug/m3
Total Voc :				53.2					
Q1665-08	IA-DUP-2-3242025	Air	Butane	*	1.30	J	0	0	ppbv
Q1665-08	IA-DUP-2-3242025	Air	Chlorodifluoromethane	*	0.96	J	0.090	0.50	ppbv
Q1665-08	IA-DUP-2-3242025	Air	Propene	*	2.40	J	0.15	0.50	ppbv
Total Tics :				4.66					
Total Concentration:				57.8					
Client ID:	IA-B9-2-3242025								
Q1665-09	IA-B9-2-3242025	Air	Dichlorodifluoromethane	2.08		J	1.04	2.47	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Chloromethane	1.20			0.21	1.03	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Trichlorofluoromethane	1.24		J	0.90	2.81	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-09	IA-B9-2-3242025	Air	Heptane	0.49	J	0.45	2.05	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Acetone	15.2		0.57	1.19	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Methylene Chloride	4.17		0.66	1.74	ug/m3
Q1665-09	IA-B9-2-3242025	Air	2-Butanone	9.44		0.35	1.47	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Benzene	0.96	J	0.29	1.60	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Toluene	1.47	J	0.41	1.88	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Chlorobenzene	0.92	J	0.37	2.30	ug/m3
Q1665-09	IA-B9-2-3242025	Air	Hexane	6.70		0.39	1.76	ug/m3
Total Voc :				44.4				
Q1665-09	IA-B9-2-3242025	Air	.alpha.-Pinene	* 1.10	J	0	0	ppbv
Q1665-09	IA-B9-2-3242025	Air	Benzaldehyde	* 2.30	J	0	0	ppbv
Q1665-09	IA-B9-2-3242025	Air	Butane	* 2.10	J	0	0	ppbv
Q1665-09	IA-B9-2-3242025	Air	Chlorodifluoromethane	* 0.83	J	0.090	0.50	ppbv
Q1665-09	IA-B9-2-3242025	Air	Propene	* 4.50	J	0.15	0.50	ppbv
Total Tics :				10.8				
Total Concentration:				55.3				
Client ID:	IA-B10-4-3242025							
Q1665-10	IA-B10-4-3242025	Air	Dichlorodifluoromethane	1.93	J	1.04	2.47	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Chloromethane	1.26		0.21	1.03	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Trichlorofluoromethane	1.07	J	0.90	2.81	ug/m3
Q1665-10	IA-B10-4-3242025	Air	tert-Butyl alcohol	0.64	J	0.58	1.52	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Heptane	0.57	J	0.45	2.05	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Acetone	182	E	0.57	1.19	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Methylene Chloride	2.05		0.66	1.74	ug/m3
Q1665-10	IA-B10-4-3242025	Air	2-Butanone	472	E	0.35	1.47	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Chloroform	2.83		0.39	2.44	ug/m3
Q1665-10	IA-B10-4-3242025	Air	2,2,4-Trimethylpentane	0.47	J	0.47	2.34	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Benzene	1.50	J	0.29	1.60	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Toluene	1.58	J	0.41	1.88	ug/m3
Q1665-10	IA-B10-4-3242025	Air	1,2,4-Trimethylbenzene	0.54	J	0.39	2.46	ug/m3
Q1665-10	IA-B10-4-3242025	Air	Hexane	7.75		0.39	1.76	ug/m3
Total Voc :				677				
Q1665-10	IA-B10-4-3242025	Air	Limonene	* 6.40	J	0	0	ppbv
Q1665-10	IA-B10-4-3242025	Air	Chlorodifluoromethane	* 0.31	J	0.090	0.50	ppbv
Q1665-10	IA-B10-4-3242025	Air	Propene	* 110	J	0.15	0.50	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Tics :				117				
Total Concentration:				793				
Client ID:	IA-B10-4-3242025DL							
Q1665-10DL	IA-B10-4-3242025I	Air	Acetone	333	D	22.8	47.5	ug/m3
Q1665-10DL	IA-B10-4-3242025I	Air	2-Butanone	2060	ED	14.2	59.0	ug/m3
Total Voc :				2400				
Total Concentration:				2400				
Client ID:	IA-B10-4-3242025DL2							
Q1665-10DL2	IA-B10-4-3242025I	Air	Acetone	285	D	57.0	119	ug/m3
Q1665-10DL2	IA-B10-4-3242025I	Air	2-Butanone	1420	D	35.4	147	ug/m3
Total Voc :				1700				
Total Concentration:				1700				
Client ID:	IA-B10-1-3242025							
Q1665-11	IA-B10-1-3242025	Air	Dichlorodifluoromethane	2.13	J	1.04	2.47	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Chloromethane	1.22		0.21	1.03	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Trichlorofluoromethane	1.24	J	0.90	2.81	ug/m3
Q1665-11	IA-B10-1-3242025	Air	tert-Butyl alcohol	1.27	J	0.58	1.52	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Acetone	186	E	0.57	1.19	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Methylene Chloride	51.4		0.66	1.74	ug/m3
Q1665-11	IA-B10-1-3242025	Air	2-Butanone	36.3		0.35	1.47	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Chloroform	5.37		0.39	2.44	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Benzene	1.47	J	0.29	1.60	ug/m3
Q1665-11	IA-B10-1-3242025	Air	4-Methyl-2-Pentanone	0.66	J	0.37	2.05	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Toluene	1.51	J	0.41	1.88	ug/m3
Q1665-11	IA-B10-1-3242025	Air	m/p-Xylene	0.96	J	0.91	4.34	ug/m3
Q1665-11	IA-B10-1-3242025	Air	o-Xylene	0.65	J	0.52	2.17	ug/m3
Q1665-11	IA-B10-1-3242025	Air	1,3,5-Trimethylbenzene	0.79	J	0.54	2.46	ug/m3
Q1665-11	IA-B10-1-3242025	Air	1,2,4-Trimethylbenzene	2.80		0.39	2.46	ug/m3
Q1665-11	IA-B10-1-3242025	Air	Hexane	28.6		0.39	1.76	ug/m3
Total Voc :				323				
Q1665-11	IA-B10-1-3242025	Air	unknown3.230	* 1.30	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	Butane	* 2.20	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	Decane	* 1.80	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	1-Hexene, 4-methyl-	* 1.30	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	D-Limonene	* 8.40	J	0	0	ppbv
Q1665-11	IA-B10-1-3242025	Air	Propene	* 3.80	J	0.15	0.50	ppbv
Q1665-11	IA-B10-1-3242025	Air	p-Isopropyltoluene	* 0.12	J	0.090	0.50	ppbv

Hit Summary Sheet
SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Tics :				18.9				
Total Concentration:				342				
Client ID:	IA-B10-1-3242025DL							
Q1665-11DL	IA-B10-1-3242025I	Air	Acetone	309	D	5.70	11.9	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	Methylene Chloride	57.0	D	6.60	17.4	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	2-Butanone	29.5	D	3.54	14.8	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	Chloroform	4.88	JD	4.05	24.4	ug/m3
Q1665-11DL	IA-B10-1-3242025I	Air	Hexane	15.5	JD	3.88	17.6	ug/m3
Total Voc :				416				
Total Concentration:				416				
Client ID:	IA-B14-1-3242025							
Q1665-15	IA-B14-1-3242025	Air	Dichlorodifluoromethane	2.13	J	1.04	2.47	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Chloromethane	1.36		0.21	1.03	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Heptane	0.61	J	0.45	2.05	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Acetone	91.2	E	0.57	1.19	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Methylene Chloride	4.17		0.66	1.74	ug/m3
Q1665-15	IA-B14-1-3242025	Air	2-Butanone	2.18		0.35	1.47	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Chloroform	1.03	J	0.39	2.44	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,1,1-Trichloroethane	0.22		0.050	0.16	ug/m3
Q1665-15	IA-B14-1-3242025	Air	2,2,4-Trimethylpentane	0.84	J	0.47	2.34	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Benzene	0.77	J	0.29	1.60	ug/m3
Q1665-15	IA-B14-1-3242025	Air	4-Methyl-2-Pentanone	0.57	J	0.37	2.05	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Toluene	3.32		0.41	1.88	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Ethyl Benzene	21.7		0.52	2.17	ug/m3
Q1665-15	IA-B14-1-3242025	Air	m/p-Xylene	92.5		0.91	4.34	ug/m3
Q1665-15	IA-B14-1-3242025	Air	o-Xylene	17.8		0.52	2.17	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,3,5-Trimethylbenzene	0.54	J	0.54	2.46	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,2,4-Trimethylbenzene	1.33	J	0.39	2.46	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Naphthalene	0.73		0.42	0.52	ug/m3
Q1665-15	IA-B14-1-3242025	Air	Hexane	9.52		0.39	1.76	ug/m3
Q1665-15	IA-B14-1-3242025	Air	1,4-Dioxane	3.60		0.76	1.80	ug/m3
Total Voc :				258				
Q1665-15	IA-B14-1-3242025	Air	Hexanoic acid, methyl ester	* 4.30	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Heptanoic acid, methyl ester	* 10.6	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Butane	* 1.20	J	0	0	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-15	IA-B14-1-3242025	Air	1-Pentene, 2,4,4-trimethyl-	* 1.60	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Octanoic acid, methyl ester	* 6.40	J	0	0	ppbv
Q1665-15	IA-B14-1-3242025	Air	Chlorodifluoromethane	* 0.31	J	0.090	0.50	ppbv
Q1665-15	IA-B14-1-3242025	Air	Naphthalene,2-methyl-	* 0.15	J	0.15	0.50	ppbv
Q1665-15	IA-B14-1-3242025	Air	Propene	* 1.60	J	0.15	0.50	ppbv
Q1665-15	IA-B14-1-3242025	Air	2-Hexanone	* 1.50	J	0.080	0.50	ppbv
Total Tics :				27.7				
Total Concentration:				286				
Client ID:	IA-B14-1-3242025DL							
Q1665-15DL	IA-B14-1-3242025I	Air	Acetone	101	D	5.70	11.9	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	2-Butanone	3.83	JD	3.54	14.8	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	Ethyl Benzene	22.1	D	5.21	21.7	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	m/p-Xylene	96.9	D	9.12	43.4	ug/m3
Q1665-15DL	IA-B14-1-3242025I	Air	o-Xylene	17.8	JD	5.21	21.7	ug/m3
Total Voc :				242				
Total Concentration:				242				
Client ID:	IA-B10-3-3242025							
Q1665-18	IA-B10-3-3242025	Air	Dichlorodifluoromethane	2.18	J	1.04	2.47	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Chloromethane	1.26		0.21	1.03	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Trichlorofluoromethane	1.07	J	0.90	2.81	ug/m3
Q1665-18	IA-B10-3-3242025	Air	tert-Butyl alcohol	1.36	J	0.58	1.52	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Heptane	0.78	J	0.45	2.05	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Acetone	215	E	0.57	1.19	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Methylene Chloride	3.13		0.66	1.74	ug/m3
Q1665-18	IA-B10-3-3242025	Air	2-Butanone	67.0	E	0.35	1.47	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Chloroform	7.33		0.39	2.44	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Benzene	2.17		0.29	1.60	ug/m3
Q1665-18	IA-B10-3-3242025	Air	4-Methyl-2-Pentanone	1.84	J	0.37	2.05	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Toluene	2.03		0.41	1.88	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q1665-18	IA-B10-3-3242025	Air	1,2,4-Trimethylbenzene	0.79	J	0.39	2.46	ug/m3
Q1665-18	IA-B10-3-3242025	Air	Hexane	9.52		0.39	1.76	ug/m3
Total Voc :				316				
Q1665-18	IA-B10-3-3242025	Air	Butane	* 1.30	J	0	0	ppbv
Q1665-18	IA-B10-3-3242025	Air	D-Limonene	* 18.0	J	0	0	ppbv
Q1665-18	IA-B10-3-3242025	Air	Butanoic acid, 2-methyl-, ethyl	* 1.40	J	0	0	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1665

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1665-18	IA-B10-3-3242025	Air	Bicyclo[3.1.1]heptane, 6,6-dim	* 1.10	J	0	0	ppbv
Q1665-18	IA-B10-3-3242025	Air	Chlorodifluoromethane	* 0.18	J	0.090	0.50	ppbv
Q1665-18	IA-B10-3-3242025	Air	Propene	* 5.00	J	0.15	0.50	ppbv
Q1665-18	IA-B10-3-3242025	Air	p-Isopropyltoluene	* 0.11	J	0.090	0.50	ppbv
Total Tics :				27.1				
Total Concentration:				343				
Client ID:	IA-B10-3-3242025DL							
Q1665-18DL	IA-B10-3-3242025I	Air	Acetone	356	D	5.70	11.9	ug/m3
Q1665-18DL	IA-B10-3-3242025I	Air	2-Butanone	44.5	D	3.54	14.8	ug/m3
Q1665-18DL	IA-B10-3-3242025I	Air	Chloroform	6.35	JD	4.05	24.4	ug/m3
Q1665-18DL	IA-B10-3-3242025I	Air	Hexane	5.99	JD	3.88	17.6	ug/m3
Total Voc :				413				
Total Concentration:				413				
Client ID:	IA-B9-3-3242025							
Q1665-20	IA-B9-3-3242025	Air	Dichlorodifluoromethane	2.08	J	1.04	2.47	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Chloromethane	1.01	J	0.21	1.03	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Tetrahydrofuran	0.83	J	0.38	1.47	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Heptane	0.66	J	0.45	2.05	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Acetone	19.0		0.57	1.19	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Methylene Chloride	4.52		0.66	1.74	ug/m3
Q1665-20	IA-B9-3-3242025	Air	2-Butanone	7.37		0.35	1.47	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Benzene	0.89	J	0.29	1.60	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Toluene	2.00		0.41	1.88	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Chlorobenzene	0.60	J	0.37	2.30	ug/m3
Q1665-20	IA-B9-3-3242025	Air	m/p-Xylene	0.96	J	0.91	4.34	ug/m3
Q1665-20	IA-B9-3-3242025	Air	o-Xylene	0.56	J	0.52	2.17	ug/m3
Q1665-20	IA-B9-3-3242025	Air	Hexane	5.29		0.39	1.76	ug/m3
Total Voc :				47.5				
Q1665-20	IA-B9-3-3242025	Air	Benzaldehyde	* 1.10	J	0	0	ppbv
Q1665-20	IA-B9-3-3242025	Air	Butane	* 1.30	J	0	0	ppbv
Q1665-20	IA-B9-3-3242025	Air	Chlorodifluoromethane	* 0.56	J	0.090	0.50	ppbv
Q1665-20	IA-B9-3-3242025	Air	Propene	* 3.10	J	0.15	0.50	ppbv
Total Tics :				6.06				
Total Concentration:				53.5				