

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clyde Hefner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
AA-DUP-1-3/24/25	3/24/25	1445	1105	-30	-10	-	-	-30	-8.8	10470 10515	8032 10598	6 L	4.16	VL041974.D	X		
Temperature (Fahrenheit)										16323 GC/MS Analyst Signature (TO-15) <i>Sub</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>A Hold Pending SSSG</i> Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i> Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>NO</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____					
Samples Relinquished by: <i>Sam</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>					
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1205</i>				Received by: <i>[Signature]</i>				Date/Time: _____					
B2502051 - 35																	

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hafner</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambinet Air	Soil Gas
<i>1A-B10-2</i> <i>3/24/25</i>	<i>3/24/25</i> <i>3/25/25</i>	<i>1253</i>	<i>1219</i>	<i>29</i>	<i>-7</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-8.4</i>	<i>10815</i> <i>40207</i>	<i>2981</i> <i>10599</i>	<i>6 L</i>	<i>4.16</i>	<i>VL041974.D</i>	☒			☒	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sust</i>									
	Ambient	Maximum	Minimum																
Start	<i>48°F</i>	<i>60°F</i>																	
Stop	<i>42°F</i>	<i>42°F</i>																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>• Hold Pending SSSG</i> Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start	<i>29.75</i>																		
Stop	<i>29.93</i>																		
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>New Jersey</i>																			
Quick Connector required : <i>NO</i>																			
Canisters Shipped by: <i>Sally</i>				Date/Time: <i>03/24/25</i>				Canisters Received by:				Date/Time:							
Samples Relinquished by: <i>Clayton</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-20-25 0910</i>							
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time:							

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Kufner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
AA-1- 3/24/25	3/24/25 3/25/25	1445	1105	-29	-5	—	—	-30	-7.1	10101 10482	3362 10275	6 L	4.16	VL042078.D	X	X	
Temperature (Fahrenheit)										102.68 GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum														
Start	51°	60°	48°														
Stop	54°																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending Analysis</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum														
Start	29.73																
Stop	29.93																
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____					
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/24/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>					
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1245</i>				Received by: <i>[Signature]</i>				Date/Time: _____					

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hahn</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
1A-B9-1-3/24/25	3/24/25	1715	1618	-30	-10	64	65	-30	-120	10204-10558	2926-10592		6 L	4.16	VL042052-D	X		X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	55	60	48	
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			
Stop	29.93			

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.
** Hold Pending SSSG*

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.03 ppr*

Sampling site (State): *New Jersey*

Quick Connector required : *No*

Canisters Shipped by: <i>SEM</i>	Date/Time: <i>3/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>SEM</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1219</i>	Received by: <i>[Signature]</i>	Date/Time: _____

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06						Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Parker</i>				Analysis		Matrix	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
						Analysis Turnaround Time				Data Package Type :							
						Standard : 10 business days OR				EDD Type :							
Rush (Specify): _____ Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
1A-DUP-2-3/24/25	3/24/25	1715	1618	-30	-7	64	65	-30	-7.5	10207	10053		6 L	4.16	VL042078.D	X		X

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	55	60	48	
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			
Stop	29.93			

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

** Hold Pending SOG*

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.03 ppm*

Sampling site (State): *New Jersey*

Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>3/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>CMH</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: _____

B2502051 - 24

Client Contact Information				Bottle Order ID : B2502051				Courier : _____				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Steiner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
1A-B9-2-3/24/25	3/24/25	1720	1624	-29	-4	64	65	-30	-5.5	10168 10552	10599 10281	6 L	4.16	VL042052.D	X		X

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	55	60	48	GC/MS Analyst Signature (TO-15) <i>[Signature]</i>
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			*** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Hold Pending Analysis</i> Please follow the instructions on the back of this COC.
Stop	29.93			

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State): *New Jersey*

Quick Connector required : *NO*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: _____

Client Contact Information				Bottle Order ID : B2502051				Courier : _____				_____ of _____ COCs								
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hultine</i>				Analysis				Matrix								
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 800-807-4080																
				Fax Number : 914-448-0147																
				Site Details:																
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :												
Rush (Specify): _____ Days				EDD Type :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas	
1A-10-4 3/24/25	3/24/25 3/25/25	1308	1229	-29	-5	70	70	-30	-7.1	10172 10168	10492 10053		6 L	4.16	VL041974-D	X		X		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sut</i>										
	Ambient	Maximum	Minimum																	
Start	48°F	60°F																		
Stop	42°F	42°F																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Hold Reading 555G</i> Please follow the instructions on the back of this COC.										
	Ambient	Maximum	Minimum																	
Start	29.75																			
Stop	29.93																			
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>New Jersey</i>																				
Quick Connector required : <i>NO</i>																				
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____								
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>				B2502051 - 1				
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time: _____								

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified				TO-15 Indoor/Ambient Air Soil Gas							
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
Analysis Turnaround Time				Data Package Type :															
Standard : 10 business days OR				Rush (Specify): _____ Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID					
1A-B10 - 1-2/24/25	3/24/25 3/25/25	1248	1212	-23	-5	70	71	-30	-5.5 -6.3	10190 10222	10598 10271		6 L	4.16	VL042052-D	X		X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
		Ambient	Maximum	Minimum															
Start		48°F	60°F																
Stop		42°F	42°F																
Pressure (Inches of Hg)										*** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i>									
		Ambient	Maximum	Minimum						Please follow the instructions on the back of this COC.									
Start		29.75																	
Stop		29.93																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i>																			
Sampling site (State): <i>New Jersey</i>																			
Quick Connector required : <i>NO</i>																			
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____							
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>							
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>				Received by: <i>[Signature]</i>				Date/Time: _____							

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Helmer</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas			
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID						
1A-B14-1-3/24/25	3/24/25	1357	1245	-30	-5	72	69	-30	-6.3	10505	10266	6 L	4.16	VL042078-D	X				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Scott</i>									
	Ambient	Maximum	Minimum																
Start	51	60°F	48°F																
Stop	54																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending 5556</i> Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start	29.74																		
Stop	29.93																		

Special Instructions/QC Requirements & Comments :
 Suspected Contamination: High Medium Low PID Readings: *0.3 ppm*
 Sampling site (State): _____
 Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>APR</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: _____

B2502051 - 17

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chyten Hofner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B10-7-3/24/25	3/24/25	1302	1222	-29	-7.5	70	70	-30	-8.0	10476 10204	10297 10198	6 L	4.16	VL042052-D	X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	48°F	60°F		
Stop	42°F	42°F		

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.75			
Stop	29.93			

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.
• Hold Pending SSSG

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **0.3 ppm**

Sampling site (State): **New Jersey**

Quick Connector required : **No**

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0818</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: _____

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clyde Hefner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
1A-B4-3-3/24/15	3/24/15	1722	1627	-29	-4.5	64	65	-30	-5.5	10232 10713	10595 10306	6 L	4.16	VL042052.D	X		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start		55	60	48													
Stop		60															
Pressure (Inches of Hg)										** Submittal of this COC Indicates approval of the analysis based on existing conditions. <i>* Hold Reading 5556</i> Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		29.73															
Stop		29.93															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i> Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>3/24/15</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____					
Samples Relinquished by: <i>COH</i>				Date/Time: <i>3/26/15 6:40</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 09:15</i>					
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 12:15</i>				Received by: <i>[Signature]</i>				Date/Time: _____					

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/26/25	Q1665-01	10323	10.4	-8.8				sy
	Q1665-02	10443	13.0	-3.5				
	Q1665-03	10154	10.6	-8.4				
	Q1665-04	10268	11.2	-7.1				
	Q1665-05	10281	10.8	-8.0				
	Q1665-06	10198	8.8	-12.0				
	Q1665-07	10592	11.4	-6.7				
	Q1665-08	10053	11.0	-7.5				
	Q1665-09	10599	12.0	-5.5				
	Q1665-10	10492	11.2	-7.1				
	Q1665-11	10598	11.6	-6.3				
	Q1665-12	10271	8.0	-13.7				
	Q1665-13	10315	13.8	-1.8				
	Q1665-14	10275	11.2	-7.1				
	Q1665-15	10266	11.6	-6.3				
	Q1665-16	10608	10.8	-8.0				
	Q1665-17	10294	11.4	-6.7				
	Q1665-18	10297	10.4	-8.0				
	Q1665-19	10331	10.8	-8.0				
	Q1665-20	10595	12.0	-5.5				
	Q1665-21	10332	11.0	-7.5				

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: *John Noel*Supervisor Signature: *Sut*

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/25/25	Q1665-22	10306	11.2	-7.1				sy
03/27/25	Q1668-01	10588	11.8	-5.9				
03/27/25	Q1668-02	10269	12.0	-5.5				
1	Q1668-03	10060	12.0	-5.5				
1	Q1668-04	10601	12.4	-4.7				
03/27/25	Q1669-01	10311	11.0	-7.5				
	Q1669-02	10283	11.8	-5.9				
	Q1669-03	10320	11.6	-6.3				
	Q1669-04	10267	12.4	-4.7				
	Q1669-05	10607	13.0	-3.5				
	Q1669-06	10606	13.8	-1.8				
	Q1669-07	10445	10.8	-8.0				
	Q1669-08	10282	11.2	-7.1				
1	Q1669-09	10285	11.6	-6.3				

1068-12.0

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B9-1-3/24/25
 Client Name: Wood & Curry
 Project Name: PPG R. Wash
 Date: 3/24/25 Time: 1618
 Analysis: TO-15
 Comments: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1665-06
 Cust #: IA-B9-1-32425

182502051

1023-8.8

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: AA-DUP-3/24/25
 Client Name: Wood & Curry
 Project Name: PPG Riverside
 Date: 3/24/25 Time: sketch 11:05 on 3/25/25
 Analysis: _____
 Comments: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1665-01
 Cust #: AA-DUP-1-32425

182502051

17

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: AA-1-3/24/25
 Client Name: Wood & Curry
 Project Name: PPG Riverside
 Date: 3/24/25 Time: 11:05 on 3/25/25
 Analysis: TO-15
 Comments: _____

Storage Location: Air Lab
 Sample: Q1665-04
 Cust #: AA-1-32425

182502051

155
6650

Client Sample ID #: IA-B9-2-3/24/25
Client Name: Wagon & Curry
Project Name: PPG
Date: 3/24/25
Analysis: 10-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1665-09
Cust #: IA-B9-2-32425

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

132502051

1053
775

Client Sample ID #: IA-B4-2-3/24/25
Client Name: Wagon & Curry
Project Name: PPG RWSide
Date: 3/25/25
Analysis: 10-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1665-08
Cust #: IA-DUP-2-32425

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

132502051

155
550

Client Sample ID #: IA-B4-3-3/24/25
Client Name: Wagon & Curry
Project Name: PPG RWSide
Date: 3/24/25
Analysis: 10-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1665-20
Cust #: IA-B4-3-32425

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

132502051

26401

171

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B10-4-3/24/25

Client Name: W&C

Project Name: PPG Armada

Date: 3/25/2025

Analysis: 70-15

Comments: _____

CHEMTECH'S SAM: _____

Date Received: _____

Storage Location: Air Lab

Sample: Q1665-10

Cust #: IA-B10-4-32425

2502051

10154

-84

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B10-2-3/24/25

Client Name: W&C

Project Name: PPG Armada

Date: 3/25/25

Analysis: 70-15

Comments: _____

CHEMTECH'S SAM: _____

Date Received: _____

Storage Location: Air Lab

Sample: Q1665-03

Cust #: IA-B10-2-32425

2502051

86501

39

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: IA-B10-1-3/24/25

Client Name: W&C

Project Name: Riveria

Date: 3/25/25

Analysis: 70-15

Comments: _____

CHEMTECH'S SAM: _____

Date Received: _____

Storage Location: Air Lab

Sample: Q1665-11

Cust #: IA-B10-1-32425

15020528

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B10-3-3/24/25
Client Name: W8C
Project Name: PPG Riverside
Date: 3/25/2025 Time: 12:22
Analysis: T-15
Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: Air Lab

Sample: Q1665-18

Cust #: IA-B10-3-32425

Disposal: _____

88



750205

750205

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B14-1-32425

Client Name: WRL

Project Name: PPG River Ice

Date: 3/23/2025 Time: 12:40

Analysis: TO-15

Comments: _____

CHEMTECH'S SA

Date Received: _____

Storage Location: Air Lab

Sample: Q1665-15

Cust #: IA-B14-1-32425

al: _____

15020585

5.9

99701