



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Hefner</i>				Analysis				Matrix																			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas																			
				Phone Number : 800-807-4080																											
				Fax Number : 914-448-0147																											
				Site Details:																											
Analysis Turnaround Time				Data Package Type :																											
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID																		
AA-DUP-1-3/24/25	3/24/25	1445	1105	-30	-10	-	-	-30	-8.8	10470 10515	8032 10598	6 L	4.16	VL041974.D	X			X													
Temperature (Fahrenheit) <table border="1" style="width: 100%;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				16323 GC/MS Analyst Signature (TO-15)									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width: 100%;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>A Hold Pending SSSG</i> Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i>																															
Sampling site (State): <i>New Jersey</i>																															
Quick Connector required : <i>NO</i>																															
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>03/24/25</i>					Canisters Received by: <i>[Signature]</i>					Date/Time: _____																
Samples Relinquished by: <i>[Signature]</i>					Date/Time: <i>3/26/25 0910</i>					Received by: <i>[Signature]</i>					Date/Time: <i>3-26-25 0910</i>																
Relinquished by: <i>[Signature]</i>					Date/Time: <i>3-26-25 1205</i>					Received by: <i>[Signature]</i>					Date/Time: _____																
B2502051 - 35																															

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																		
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Netter</i>				Analysis		Matrix																
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																						
				Phone Number : 800-807-4080																										
				Fax Number : 914-448-0147																										
				Site Details:																										
Analysis Turnaround Time				Data Package Type :				EDD Type :				TO-15		Indoor/Ambient Air		Soil Gas														
Standard : 10 business days OR																														
Rush (Specify): _____ Days																														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID																
1A-816-1-3/24/25	3/24/25	1545	1443	-30	-2.5	72	73	-30	-3.5	10203 10626	3079 10595		6 L	4.16	VL042052-D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>55</td> <td>60</td> <td>48</td> </tr> <tr> <td>Stop</td> <td>60</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	55	60	48	Stop	60			10443 GC/MS Analyst Signature (TO-15) <i>Seet</i>								
	Ambient	Maximum	Minimum																											
Start	55	60	48																											
Stop	60																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.73</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.73			Stop	29.93			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Reading SSSG</i> Please follow the instructions on the back of this COC.								
	Ambient	Maximum	Minimum																											
Start	29.73																													
Stop	29.93																													
Special Instructions/QC Requirements & Comments :																														
Suspected Contamination: High Medium Low PID Readings: <i>0.01 ppm</i>																														
Sampling site (State): <i>New Jersey</i>																														
Quick Connector required : <i>No</i>																														
Canisters Shipped by: <i>Scum</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____				B2502051 - 32														
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0900</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>																		
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time: _____																		

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hafner</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambinet Air	Soil Gas
<i>1A-B10-2</i> <i>3/24/25</i>	<i>3/24/25</i> <i>3/25/25</i>	<i>1253</i>	<i>1219</i>	<i>29</i>	<i>-7</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-8.4</i>	<i>10815</i> 40207	<i>2981</i> 10599	<i>6 L</i>	<i>4.16</i>	<i>VL041974.D</i>	☒			☒	
Temperature (Fahrenheit)										10154 GC/MS Analyst Signature (TO-15) <i>Sust</i>									
	Ambient	Maximum	Minimum																
Start	<i>48°F</i>	<i>60°F</i>																	
Stop	<i>42°F</i>	<i>42°F</i>																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>• Hold Pending SSSG</i> Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start	<i>29.75</i>																		
Stop	<i>29.93</i>																		
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>New Jersey</i>																			
Quick Connector required : <i>NO</i>																			
Canisters Shipped by: <i>Sally</i>				Date/Time: <i>03/24/25</i>				Canisters Received by:				Date/Time:							
Samples Relinquished by: <i>Clayton</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-20-25 0910</i>							
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time:							

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Kufner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
AA-1- 3/24/25	3/24/25 3/25/25	1445	1105	-29	-5	—	—	-30	-7.1	10101 10482	3362 10275	6 L	4.16	VL042078.D	X	X	
Temperature (Fahrenheit)										102.68 GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum														
Start	51°	60°	48°														
Stop	54°																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending Analysis</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum														
Start	29.73																
Stop	29.93																
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____					
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/24/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>					
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1245</i>				Received by: <i>[Signature]</i>				Date/Time: _____					

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chayden Helmer</i>				Analysis		Matrix	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
				Analysis Turnaround Time				Data Package Type :							
				Standard : 10 business days OR				EDD Type :							
Country :				Rush (Specify): _____ Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
1A-62-3-3/24/125	3/24/125	1620	1512	-30	-4	70	70	-30	-8.2	10332 40203	10624 10443	6 L	4.16	VL041853.D	X			X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	54	60	48	
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			
Stop	29.93			

60281

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

** Hold Pending 555G*

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.0 ppm*

Sampling site (State): *New Jersey*

Quick Connector required : *NO*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/15</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: _____	Date/Time: _____

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hahn</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
1A-B9-1-3/24/25	3/24/25	1715	1618	-30	-10	64	65	-30	-120	10204-10558	2926-10592		6 L	4.16	VL042052-D	X		X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	55	60	48	
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			
Stop	29.93			

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.
** Hold Pending SSSG*

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.03 ppr*

Sampling site (State): *New Jersey*

Quick Connector required : *No*

Canisters Shipped by: <i>SEM</i>	Date/Time: <i>3/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>SEM</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1219</i>	Received by: <i>[Signature]</i>	Date/Time: _____

Client Contact Information						Bottle Order ID : B2502051				Courier : _____				_____ of _____ COCs															
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Chetan Hattori</i>				Analysis				Matrix															
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																			
						Phone Number : 800-807-4080																							
						Fax Number : 914-448-0147																							
						Site Details:																							
						Analysis Turnaround Time																							
						Standard : 10 business days OR				Data Package Type :																			
						Rush (Specify): _____ Days				EDD Type :																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
IA-SUP-1-3/24/25	3/25/25	1620	1512	-30	-5.5	70	70	-30	-6.7	10713 40101	2263 10268	6 L	4.16	VL041954.D	X	X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>59</td> <td>60</td> <td>48</td> </tr> <tr> <td>Stop</td> <td>60</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	59	60	48	Stop	60			GC/MS Analyst Signature (TO-15) <i>Sut</i>							
	Ambient	Maximum	Minimum																										
Start	59	60	48																										
Stop	60																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.73</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.73			Stop	29.93			*** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start	29.73																												
Stop	29.93																												
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: <i>00 ppm</i> Sampling site (State): <i>New Jersey</i>																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Scm</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____																	
Samples Relinquished by: <i>Chm</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>																	
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time: _____																	

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clyde Parker</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
						Analysis Turnaround Time											
						Standard : 10 business days OR				Data Package Type :							
						Rush (Specify): Days				EDD Type :							

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
1A-DUP-2-3/24/25	3/24/25	1715	1618	-30	-7	64	65	-30	-7.5	10207	10053		6 L	4.16	VL042078.D	X		X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	55	60	48	GC/MS Analyst Signature (TO-15) <i>[Signature]</i>
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SOG</i> Please follow the instructions on the back of this COC.
Stop	29.93			

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.03 ppm*

Sampling site (State): *New Jersey*

Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>3/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Samples Relinquished by: <i>CMH</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>			

B2502051 - 24

Client Contact Information				Bottle Order ID : B2502051				Courier : _____				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Steiner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
1A-B9-2-3/24/25	3/24/25	1720	1624	-29	-4	64	65	-30	-5.5	10168 10552	10599 10281	6 L	4.16	VL042052.D	X		X

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	55	60	48	GC/MS Analyst Signature (TO-15) <i>[Signature]</i>
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Hold Pending Analysis</i> Please follow the instructions on the back of this COC.
Stop	29.93			

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State): *New Jersey*

Quick Connector required : *NO*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: _____

B2502051 - 13

Client Contact Information						Bottle Order ID : B2502051				Courier : _____				_____ of _____ COCs															
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Hultine</i>				Analysis				Matrix															
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																			
						Phone Number : 800-807-4080																							
						Fax Number : 914-448-0147																							
						Site Details:																							
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :																			
Rush (Specify): _____ Days						EDD Type :																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
1A-10-4 3/24/25	3/24/25 3/25/25	1308	1229	-29	-5	70	70	-30	-7.1	10172 10168	10492 10053		6 L	4.16	VL041974-D	X	X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>48°F</td> <td>60°F</td> <td></td> </tr> <tr> <td>Stop</td> <td>42°F</td> <td>42°F</td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	48°F	60°F		Stop	42°F	42°F		GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum																										
Start	48°F	60°F																											
Stop	42°F	42°F																											
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.75</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.75			Stop	29.93			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Hold Reading 555G</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start	29.75																												
Stop	29.93																												
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>New Jersey</i> Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____																	
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>																	
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time: _____																	

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix																			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																							
				Phone Number : 800-807-4080																											
				Fax Number : 914-448-0147																											
				Site Details:																											
				Analysis Turnaround Time																											
				Standard : 10 business days OR				Data Package Type :																							
				Rush (Specify): _____ Days				EDD Type :																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
1A-B10 - 1-2/24/25	3/24/25 3/25/25	1248	1212	-23	-5	70	71	-30	-5.5 -6.3	10190 10222	10598 10271		6 L	4.16	VL042052-D	X		X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>48°F</td> <td>60°F</td> <td></td> </tr> <tr> <td>Stop</td> <td>42°F</td> <td>42°F</td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	48°F	60°F		Stop	42°F	42°F		GC/MS Analyst Signature (TO-15)									
	Ambient	Maximum	Minimum																												
Start	48°F	60°F																													
Stop	42°F	42°F																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.75</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.75			Stop	29.93			*** Submittal of this COC indicates approval of the analysis based on existing conditions. * Hold Pending SSSG Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start	29.75																														
Stop	29.93																														
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>New Jersey</i>																															
Quick Connector required : <i>NO</i>																															
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: _____																			
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>																			
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1219</i>				Received by: <i>[Signature]</i>				Date/Time: _____																			

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																	
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clyde Hufre</i>				Analysis				Matrix																	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
						Phone Number : 800-807-4080																									
						Fax Number : 914-448-0147																									
						Site Details:																									
						Analysis Turnaround Time																									
						Standard : 10 business days OR				Data Package Type :																					
						Rush (Specify): _____ Days				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
1A-82-6-3/24/25	3/24/25	1648	1603	-29	-10.5	70	70	-30	-13.7	10626	10271		6 L	4.16	VL041974.D	X		X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>54</td> <td>60</td> <td>48</td> </tr> <tr> <td>Stop</td> <td>60</td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15) <i>[Signature]</i>											Ambient	Maximum	Minimum	Start	54	60	48	Stop	60												
	Ambient	Maximum	Minimum																												
Start	54	60	48																												
Stop	60																														
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.73</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.93</td> <td></td> <td></td> </tr> </table> ** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending 5556</i> Please follow the instructions on the back of this COC.											Ambient	Maximum	Minimum	Start	29.73			Stop	29.93												
	Ambient	Maximum	Minimum																												
Start	29.73																														
Stop	29.93																														
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i>																															
Sampling site (State): <i>New Jersey</i>																															
Quick Connector required : <i>No</i>																															
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>3/24/25</i>					Canisters Received by: <i>[Signature]</i>					Date/Time: _____																
Samples Relinquished by: <i>CM</i>					Date/Time: <i>3/26/25 0910</i>					Received by: <i>[Signature]</i>					Date/Time: <i>3-26-25 0910</i>																
Relinquished by: <i>[Signature]</i>					Date/Time: <i>3-26-25 1215</i>					Received by: <i>[Signature]</i>					Date/Time: _____																

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs					
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chyton Hlohn</i>				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____				Project Manager : Stephanie rogacki								Indoor/Ambient Air Soil Gas					
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
Site Details:				Analysis Turnaround Time													
Standard : 10 business days OR				Data Package Type :													
Rush (Specify): _____ Days				EDD Type :													

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
1A-B16-2-3/24/25	3/24/25	1548	1447	-28	-2.5	72	73	-30	-1.8	10236 10183	10315 10315	6 L	4.16	VL042078.D	X		

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	55	60	48	GC/MS Analyst Signature (TO-15) <i>Scot</i>
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			*** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Hold Pending SSSG</i> Please follow the instructions on the back of this COC.
Stop	29.93			

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.01 ppm*

Sampling site (State): *New Jersey*

Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>3/26/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1219</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>

B2502051 - 21

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs					
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clyde McKee</i>				Analysis				Matrix					
Customer Woodard & Curran Name : Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
						Phone Number : 800-807-4080													
						Fax Number : 914-448-0147													
						Site Details:													
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :									
Rush (Specify): Days						EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
1A-BM-2-3/24/25	3/24/25	1410	1247	-30	-6.5	72	69	-30	-7.1	1069610190	1037510297	6 L	4.16	VL041974.D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sust</i>									
		Ambient	Maximum	Minimum															
Start		51	60	48															
Stop		54																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Held Pending 8556</i> Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		29.74																	
Stop		29.93																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i>																			
Sampling site (State):																			
Quick Connector required : <i>No</i>																			
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>3/26/25</i>					Canisters Received by: <i>[Signature]</i>					Date/Time:				
Samples Relinquished by: <i>[Signature]</i>					Date/Time: <i>3/26/25 0910</i>					Received by: <i>[Signature]</i>					Date/Time:				
Relinquished by: <i>[Signature]</i>					Date/Time: <i>3-26-25 1215</i>					Received by: <i>[Signature]</i>					Date/Time:				

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Helmer</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas			
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID						
1A-B14-1-3/24/25	3/24/25	1357	1245	-30	-5	72	69	-30	-6.3	10505	10266	6 L	4.16	VL042078-D	X				

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start	51	60°F	48°F
Stop	54		

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start	29.74		
Stop	29.93		

GC/MS Analyst Signature (TO-15) *Scott*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

** Hold Pending 5556*

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.3 ppm*

Sampling site (State):

Quick Connector required : <i>No</i>			
Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/25</i>	Canisters Received by:	Date/Time:
Samples Relinquished by: <i>APR</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time:

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs					
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Hufn</i>				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time													
				Standard : 10 business days OR				Data Package Type :									
				Rush (Specify): Days				EDD Type :									

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-82-5-3/24/25	3/24/25	1644	1504	-29	-8.5	70	70	-30	-8.0	10240-10478	10608-10323	6 L	4.16	VL041974-D	X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	57	60	48	
Stop	60			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.73			
Stop	29.93			

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

** Hold Pending 555G*

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.00 ppm*

Sampling site (State): *New Jersey*

Quick Connector required : *NO*

Canisters Shipped by: <i>[Signature]</i>	Date/Time: <i>3/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Helmer</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
				Analysis Turnaround Time											
Standard : 10 business days OR				Data Package Type :											
Rush (Specify): Days				EDD Type :											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
1A-514-3-3/24/25	3/24/25	1424	1249	-30	-8.5	72	69	-30	-6.7	10482 10696	10294 10266	6 L	4.16	VL04215.D	X			X	

Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Subt</i>									
	Ambient	Maximum	Minimum																
Start	51	60	48																
Stop	54																		

Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold pending SSSG</i> Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start	29.74																		
Stop	29.93																		

Special Instructions/QC Requirements & Comments :

 Suspected Contamination: High Medium Low PID Readings: *0.3 ppm*

 Sampling site (State):

 Quick Connector required : *NO*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>3/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0910</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: _____

B2502051 - 6

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chyten Hofner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B10-7-3/24/25	3/24/25	1302	1222	-29	-7.5	70	70	-30	-8.0	10476 10204	10297 10198	6 L	4.16	VL042052-D	X	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	48°F	60°F		
Stop	42°F	42°F		

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start	29.75			
Stop	29.93			

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.
• Hold Pending SSSG

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **0.3 ppm**

Sampling site (State): *New Jersey*

Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>[Signature]</i>	Date/Time: <i>3/26/25 0910</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 0818</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 1215</i>	Received by: <i>[Signature]</i>	Date/Time: _____

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Hether</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
Analysis Turnaround Time				Data Package Type :												
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>1A-152-2-3/24/25</i>	<i>3/24/25</i>	<i>1616</i>	<i>1519</i>	<i>-30</i>	<i>-9</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-8.0</i>	<i>10206</i> <i>10172</i>	<i>10331</i> <i>10492</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042143:D</i>	<i>X</i>	<i>X</i>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>						
	Ambient	Maximum	Minimum													
Start	<i>54</i>	<i>60</i>	<i>48</i>													
Stop	<i>60</i>															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSS G</i> Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum													
Start	<i>29.73</i>															
Stop	<i>29.93</i>															
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i> Sampling site (State): <i>New Jersey</i>																
Quick Connector required : <i>No</i>																
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>				B2502051 - 29
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>				
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time:				

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clyde Hefner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
Analysis Turnaround Time						Data Package Type :											
Standard : 10 business days OR						EDD Type :											
Rush (Specify): Days																	

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
1A-B4-3-3/24/15	3/24/15	1722	1627	-29	-4.5	64	65	-30	-5.5	10232 10713	10595 10306	6 L	4.16	VL042052.D	X		X

Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum														
Start	55	60	48														
Stop	60																

Pressure (Inches of Hg)										** Submittal of this COC Indicates approval of the analysis based on existing conditions. <i>* Hold Reading 5556</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum														
Start	29.73																
Stop	29.93																

Special Instructions/QC Requirements & Comments :
 Suspected Contamination: High Medium Low PID Readings: **0.00 ppm**
 Sampling site (State): *New Jersey*
 Quick Connector required : *No*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>3/24/15</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: _____
Samples Relinquished by: <i>COV</i>	Date/Time: <i>3/26/15 6:40</i>	Received by: <i>[Signature]</i>	Date/Time: <i>3-26-25 09:15</i>
Relinquished by: <i>[Signature]</i>	Date/Time: <i>3-26-25 12:15</i>	Received by: <i>[Signature]</i>	Date/Time: _____

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Hahn</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
<i>1A-B2-1-3/24/25</i>	<i>3/24/25</i>	<i>1607</i>	<i>1501</i>	<i>-29</i>	<i>-6.5</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-7.5</i>	<i>10183</i> <i>10476</i>	<i>10332</i> <i>10154</i>		<i>6 L</i>	<i>4.16</i>	<i>VL041974-D</i>	☒		☒	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sest</i>									
		Ambient	Maximum	Minimum															
Start		<i>54</i>	<i>60</i>	<i>48</i>															
Stop		<i>60</i>																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		<i>29.73</i>																	
Stop		<i>29.93</i>																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.00 ppm</i> Sampling site (State): <i>New Jersey</i>																			
Quick Connector required : <i>No</i>																			
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>				B2502051 - 4			
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/26/25</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>							
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25</i>							

Client Contact Information				Bottle Order ID : B2502051				Courier :				_____ of _____ COCs																		
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chapman Nelson</i>				Analysis		Matrix																
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																						
				Phone Number : 800-807-4080																										
				Fax Number : 914-448-0147																										
				Site Details:																										
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																						
Rush (Specify): Days				EDD Type :																										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas												
<i>1A-82-9-3/24/25</i>	<i>3/24/25</i>	<i>1625</i>	<i>1507</i>	<i>-30</i>	<i>-5</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-7.1</i>	<i>16558</i> 40236	<i>16306</i> 10332	6 L	4.16	VL042052.D	<i>X</i>		<i>X</i>													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>54</i></td> <td><i>60</i></td> <td><i>48</i></td> </tr> <tr> <td>Stop</td> <td><i>60</i></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>54</i>	<i>60</i>	<i>48</i>	Stop	<i>60</i>			GC/MS Analyst Signature (TO-15) <i>Sum</i>								
	Ambient	Maximum	Minimum																											
Start	<i>54</i>	<i>60</i>	<i>48</i>																											
Stop	<i>60</i>																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>29.73</i></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td><i>29.93</i></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>29.73</i>			Stop	<i>29.93</i>			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending 8886</i> Please follow the instructions on the back of this COC.								
	Ambient	Maximum	Minimum																											
Start	<i>29.73</i>																													
Stop	<i>29.93</i>																													
Special Instructions/QC Requirements & Comments :																														
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppw</i>																														
Sampling site (State): <i>New Jersey</i>																														
Quick Connector required : <i>No</i>																														
Canisters Shipped by: <i>Sum</i>				Date/Time: <i>03/24/25</i>				Canisters Received by:				Date/Time:				B2502051 - 25														
Samples Relinquished by: <i>COM</i>				Date/Time: <i>3/26/25 0910</i>				Received by: <i>[Signature]</i>				Date/Time: <i>3-26-25 0910</i>																		
Relinquished by: <i>[Signature]</i>				Date/Time: <i>3-26-25 1215</i>				Received by: <i>[Signature]</i>				Date/Time:																		

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Friday, April 25, 2025 10:03 AM
To: Yazmeen Gomez
Cc: Stephanie Rogacki; Bryan Maurer
Subject: RE: Q1665 instructions for further analysis

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Thanks for the info Yazmeen, let's go ahead and analyze them even though the hold was up on some yesterday.

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Friday, April 25, 2025 10:01 AM
To: Jill Tribley <jtribley@woodardcurran.com>
Cc: Stephanie Rogacki <SRogacki@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: RE: Q1665 instructions for further analysis

Good morning Jill,

Holding time is 30 days from the sampling date, so it would be up today (some yesterday). We can still run these if you need us to.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Friday, April 25, 2025 8:46 AM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>
Cc: Stephanie Rogacki <SRogacki@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: Q1665 instructions for further analysis

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Good morning Yameen, can we please get the remaining air samples from this SDG prepped for analysis and run for TO-15? Are we within a day or 2 of the hold time? Please see the pink highlights on the attached for which samples we are requesting to be analyzed (it is basically, the rest of the samples in this group) and please reach out if you have any questions.

Thank you,
-Jill

Jill D. Tribley, P.G.

Technical Manager 2 | Principal



📞 412.535.0833 📠 412.600.9893 🌐 woodardcurran.com

✉️ jtribley@woodardcurran.com

📍 400 Penn Center Blvd., Suite 600, Pittsburgh, PA 15235



From: Bryan Maurer <bmaurer@woodardcurran.com>
Sent: Monday, April 14, 2025 10:36 AM
To: Jill Tribley; Yazmeen Gomez; Stephanie Rogacki; Kiran Saleem
Cc: Clayton Hefner
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Yazmeen, please keep the -14 and -17 samples on hold...do not discard at this time.
Bryan

Bryan Maurer
Woodard & Curran
770-679-2043 (direct)
412-600-2561 (cell)

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Monday, April 14, 2025 10:28 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

The following HOLD sample can be analyzed:
Q1665-15, IA-B14-1-32425

The following two HOLD samples can be discarded:
Q1665-14, IA-B14-2-32425
Q1665-17, IA-B14-3-32425

Jill D. Tribley, P.G.
412-535-0833



From: Jill Tribley
Sent: Friday, April 11, 2025 11:10 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

Yes! They can be cleaned out, we won't need those.

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Friday, April 11, 2025 11:08 AM
To: Jill Tribley <jtribley@woodardcurran.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

To clarify, did you want us to run those two samples, or they are OK to be cleaned out?

As for everything else, sounds good!

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com    

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Friday, April 11, 2025 11:05 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen, the following two summa cans can be removed from hold:

Q1665-02 (Sample ID IA-B16-1-32425)
Q1665-13 (Sample ID IA-B16-2-32425)

I am still awaiting instruction on B-14 samples (Q1665-14, -15, and -17) but will have an answer on that on Monday morning.

We are still in discussion on the B2 samples (Q1665-05, -12, -16, -20, -21, and -22). Hold time would be up on those 4/23/25, based on the sample date of 3/24/25, correct?

I believe this covers the remaining HOLD cans, but please correct me if I'm missing any.

Jill D. Tribley, P.G.

412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>

Sent: Friday, April 11, 2025 10:03 AM

To: Jill Tribley <jtribley@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Cc: Clayton Hefner <CHefner@woodardcurran.com>

Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

Good morning Jill,

Can we clean out the rest of the Summa Cans that aren't going to be activated? Or do you still need those on hold?

Best Regards,



Yazmeen Gomez

Sr. Project Manager

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3147

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>

Sent: Thursday, April 10, 2025 4:48 PM

To: Kiran Saleem <Kiran.Saleem@alliancetg.com>; CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Cc: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Clayton Hefner <CHefner@woodardcurran.com>

Subject: RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hello Kiran, please analyze the samples from the attached SDGs:

Q1726 – all (Building 2 IA samples)

Q1668 – all (Building 1 IA samples)

Q1665 – Samples -03, -10, -11, and -18 (Building 10 samples) These are highlighted on the attached login summary; I sent previous instruction on this SDG earlier this week. These samples are in addition to the analysis we requested on 4/8.

Please reach out if you have any questions!

Jill D. Tribley, P.G.

412-535-0833



From: Kiran Saleem <Kiran.Saleem@alliancetg.com>

Sent: Thursday, April 10, 2025 2:06 PM

To: CHEMTECH-Data@chemtech.net; Bryan Maurer <bmaurer@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Cc: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>

Subject: Re: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

Good Afternoon Bryan,

Please review the results and let us know which samples you would want to activate from which are on hold.

Thank you!

NOTE: Chemtech is now an Alliance Technical Group company. Please add AllianceTG.com to your safe senders list to ensure receipt of important emails.

Regards,



Kiran Saleem

Project Manager

Alliance Technical Group

Main: 908-789-8900

Direct: 908-728-3148

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com

From: CHEMTECH-Data@chemtech.net <CHEMTECH-Data@chemtech.net>


Sent: Thursday, April 10, 2025 1:26 PM

To: bmaurer@woodardcurran.com <bmaurer@woodardcurran.com>; jtribley@woodardcurran.com <jtribley@woodardcurran.com>; srogacki@woodardcurran.com <srogacki@woodardcurran.com>

Subject: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point



To Bryan Maurer;

Please see the attached Summary Report for the following project, or download the file using your login credentials from the link below.

Order ID : Q1725
Project ID : US EPA Riverside Industrial Park Superfund Site
Download File : <https://chemtech.net/secureLogin.aspx>
Order Date : 4/3/2025 1:48:00 PM

CHEMTECH's Project Manager : YAZMEEN GOMEZ , YAZMEEN@CHEMTECH.NET , 908-357-0579 Ext :3149
CHEMTECH's Sales Executive : Jordan Hedvat , jordan@chemtech.net , 908-728-3144 Ext :

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey chemtech.net/ClientSurvey.aspx.

Thank you,

Alliance Technical Group LLC.

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

From: Yazmeen Gomez
Sent: Tuesday, April 08, 2025 1:33 PM
To: Jill Tribley; Bryan Maurer; Stephanie Rogacki
Cc: Clayton Hefner
Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Hi Jill,

No problem, Q1665 Samples - 01, 04, 06, 08, 09, and 20. Will be activated.

May I ask when you will know if you will need to run the remaining samples or not? Just so I can let the Air Lab know an estimate on how long these samples will be held.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Tuesday, April 8, 2025 1:27 PM
To: Bryan Maurer <bmaurer@woodardcurran.com>; Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>
Cc: Clayton Hefner <CHefner@woodardcurran.com>
Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen, see attached marked up sample login for instructions, as well as below:
Please analyze the following samples from the Q1665 batch: -01, -04, -06, -08, -09, and -20.
I'm sorry we missed it before, but can you change the ID on sample -20 to: "IA-B9-3-32435"? (Not B4).
Thank you!
-Jill

Jill D. Tribley, P.G.
412-535-0833



From: Bryan Maurer <bmaurer@woodardcurran.com>

Sent: Tuesday, April 8, 2025 1:05 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Sorry Yazmeen, I meant to sent this to Jill, not you.

Jill, please see below and let Yazmeen know what we want to run.

Bryan

Bryan Maurer

Woodard & Curran

770-679-2043 (direct)

412-600-2561 (cell)

From: Bryan Maurer

Sent: Tuesday, April 8, 2025 1:04 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Jill,

Let's go ahead and run the next set of Bldg 9 samples. Keep the Bldg 16 samples on hold for now.

Bryan

Bryan Maurer

Woodard & Curran

770-679-2043 (direct)

412-600-2561 (cell)

From: Jill Tribley <jtribley@woodardcurran.com>

Sent: Tuesday, April 8, 2025 12:26 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Bryan Maurer <bmaurer@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

We are awaiting client buy-in to our recommendations. As soon as we hear back, we will let you know.

Jill D. Tribley, P.G.

412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>

Sent: Tuesday, April 8, 2025 11:55 AM

To: Bryan Maurer <bmaurer@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Subject: RE: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.

Please let me know if you will need to activate or disregard samples based off results.


Thank you!

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com    

From: CHEMTECH-Data@chemtech.net <CHEMTECH-Data@chemtech.net>
Sent: Tuesday, April 8, 2025 11:39 AM
To: bmaurer@woodardcurran.com; jtribley@woodardcurran.com; srogacki@woodardcurran.com
Subject: Edd Details For Project US EPA Riverside Industrial Park Superfund Site-Q1669.



To Bryan Maurer;

Please see the attached EDD for the following project, or download the file using your login credentials from the link below.

Order ID : Q1669
Project ID : US EPA Riverside Industrial Park Superfund Site
Download File : <https://chemtech.net/secureLogin.aspx>
Order Date : 3/27/2025 2:02:00 PM

CHEMTECH's Project Manager : YAZMEEN GOMEZ , YAZMEEN@CHEMTECH.NET , 908-357-0579 Ext :3149
CHEMTECH's Sales Executive : Jordan Hedvat , jordan@chemtech.net , 908-728-3144 Ext :

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey chemtech.net/ClientSurvey.aspx.

Thank you,

Alliance Technical Group LLC.

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or

taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

From: Stephanie Rogacki <SRogacki@woodardcurran.com>
Sent: Thursday, March 27, 2025 5:08 PM
To: Yazmeen Gomez; Jill Tribley; Jordan Hedvat
Cc: Bryan Maurer; Kiran Saleem
Subject: Re: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Very understandable, let's avoid the system crashes and report as is. Thank you!

Best regards,
Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



📞 [914.460.5641](tel:914.460.5641) 📠 [201.774.0238](tel:201.774.0238) 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 [800 Westchester Avenue, Suite N507, Rye Brook, NY 10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Thursday, March 27, 2025 5:02 PM
To: Stephanie Rogacki <SRogacki@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>

Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>

Subject: RE: Sample Updates Request

We try to avoid certain characters in project names and sample IDs because it causes the system to crash or cause errors sometimes.

I can use “-“ but “/” will likely cause an issue once QA/QC try’s to upload the data.

Best Regards,



Yazmeen Gomez

Sr. Project Manager

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3147

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com     

From: Stephanie Rogacki <SRogacki@woodardcurran.com>

Sent: Thursday, March 27, 2025 5:00 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jill Tribbley <jtribbley@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>

Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>

Subject: Re: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Confirmed.

And does the system not allow for the format with the following: IA-B9-3-3/24/2025 with the slashes or can the report/EDD still detail the sample IDs like this?

Best regards,
Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her





This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Yazmeen Gomez
Sent: Thursday, March 27, 2025 4:57 PM
To: Jill Tribley; Stephanie Rogacki; Jordan Hedvat
Cc: Bryan Maurer
Subject: RE: Sample Updates Request

Its B-9 in our system – for some reason its not changing on the login summary. Please see attached.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com   

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Thursday, March 27, 2025 4:52 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>
Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Thank you! I still see Q1665-20 listed with B4, full corrected sample ID should be IA-B9-3-3242025

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Thursday, March 27, 2025 4:49 PM
To: Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: RE: Sample Updates Request

Stephanie,

Just resent all of the updated login summaries.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com   

From: Stephanie Rogacki <SRogacki@woodardcurran.com>
Sent: Thursday, March 27, 2025 4:34 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jordan Hedvat <Jordan.Hedvat@alliancetg.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: Fw: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Correction below in red (should have been Q1669 not Q1665) and also:
Please correct B4 to B9 in Q1665-20 from group Q1665.

Best regards,

Steph

**Stephanie Rogacki, MS,
CSM**

Environmental Scientist 3| she/her



📞 914.460.5641 📠 201.774.0238 🌐 woodardcurran.com

✉ srogacki@woodardcurran.com

📍 [800 Westchester Avenue, Suite N507, Rye Brook, NY
10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Stephanie Rogacki
Sent: Thursday, March 27, 2025 4:27 PM
To: Yazmeen Gomez; Jill Tribley; Jordan Hedvat
Cc: Bryan Maurer; Clayton Hefner; Kiran Saleem
Subject: Re: Sample Updates Request

Hi Yazmeen,

A couple more things:

- Please use the "mm/dd/yyyy" format for all sample IDs.
- Please change the 2 digit year to the 4 digit year. For instance, where it was documented on the COC, as "3/25/25" please change these to "3/25/2025"

Q1669:

- AA-1-3/25/25 should be AA-2-3/25/2025
- AA-1-3/26/25 should be AA-3-3/25/2025

Could you confirm the reporting compound list is the same as the list attached for LLTO-15?

Also could you make sure to include me on distributions from this email: Data-EWR@alliancetg.com

Thank you!

Best regards,
Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



📞 [914.460.5641](tel:914.460.5641) 📠 [201.774.0238](tel:201.774.0238) 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 [800 Westchester Avenue, Suite N507, Rye Brook, NY](#)
[10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Stephanie Rogacki

Sent: Thursday, March 27, 2025 3:10 PM

To: Yazmeen Gomez; Jill Tribley; Jordan Hedvat

Cc: Bryan Maurer; Clayton Hefner; Kiran Saleem

Subject: Re: Sample Updates Request

Hi Yazmeen,

I am answering on Jill's behalf. Thank you for checking with us.

Please analyze all samples listed in Q1669.

Additionally, please change AA-1-3/26/25 ID to AA-2-3/26/25; please also analyze this.

Best regards,

Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



📞 914.460.5641 📠 201.774.0238 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 [800 Westchester Avenue, Suite N507, Rye Brook, NY 10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Yazmeen Gomez
Sent: Thursday, March 27, 2025 2:29 PM
To: Jill Tribley; Stephanie Rogacki; Jordan Hedvat
Cc: Bryan Maurer; Clayton Hefner; Kiran Saleem
Subject: RE: Sample Updates Request

Jill,

Please see attached – just confirming Q1668 are all on hold per COC and Q1669 are OK to analyze (no mention of hold on COC).

There is a few of Indoor and two Ambient air samples that don't mention a hold that I've logged into Q1669. Let me know if any of those need to be on hold.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>

Sent: Thursday, March 27, 2025 1:28 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>

Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>

Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen, this will be standard TAT.

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>

Sent: Thursday, March 27, 2025 1:14 PM

To: Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>

Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>

Subject: RE: Sample Updates Request

Jill,

Can you confirm the TAT? The lab wants to know if you need anything expediated for Tuesday or Wednesday results?

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>
Sent: Thursday, March 27, 2025 12:15 PM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem <Kiran.Saleem@alliancetg.com>
Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

[Secured by Check Point](#)

Hello Yazmeen and Kiran,
I have the info for the (14) 6L Summas we need on Monday:

- (5) 6L Summa canisters with regulators for a 24-hour sampling period
- (4) 6L Summa canisters with 100 ml/min regulators
- (3) 6L Summa canisters with 200 ml/min regulators
- (2) 6L Summa canisters with 70 ml/min regulators

One of our folks can pick these up at 11 am at the lab.
We will be submitting these samples mid-next week.
A batch of samples and the unused 1.4 L canisters will be dropped off at the lab this afternoon.
Please confirm you can still accommodate this.
Thank you!
-Jill

Jill D. Tribley, P.G.
412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Wednesday, March 26, 2025 1:21 PM
To: Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>; Kiran Saleem

<Kiran.Saleem@alliancetg.com>

Subject: RE: Sample Updates Request

Jill,

I spoke with Mohammad he mentioned we can provide 14 Cans on Friday – if you wanted them all to be 200ml/min or to switch them up?

Also, for the sampling team – each Summa Can belongs to a specific Chain of Custody. Looks like the sampler was just crossing out things on our COC instead of keeping the coordinated Chain and Summa Can together which causes confusion in the lab. If you can just have the samplers keep the Chain and related Summa Can together, the same way they are packages when delivered.

Best Regards,



Yazmeen Gomez

Sr. Project Manager

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3147

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com     

From: Jill Tribley <jtribley@woodardcurran.com>

Sent: Wednesday, March 26, 2025 12:49 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>

Cc: Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>

Subject: RE: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen,

Can we get another pickup mid day tomorrow? Would you be able to bring the 24 hour IA and AA canisters at that time?

The canisters and associated regulators are for 1.4 liter canisters. We requested and require 6 liter canisters for this project. When can you get the correct canisters and regulators on site?

Jill D. Tribley, P.G.

412-535-0833



From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Wednesday, March 26, 2025 12:01 PM
To: Stephanie Rogacki <SRogacki@woodardcurran.com>; Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: RE: Sample Updates Request

Hi Stephanie,

Please see below responses in RED.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com   

From: Stephanie Rogacki <SRogacki@woodardcurran.com>
Sent: Wednesday, March 26, 2025 11:54 AM
To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jordan Hedvat <Jordan.Hedvat@alliancetg.com>
Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>
Subject: Sample Updates Request

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen/Jordan,

1. When is the next pickup / drop off scheduled for? **We currently do not have another pick up / drop off scheduled after today. Last we spoke you mentioned you weren't sure if you'd need additional cans. And you'd reach out once you've coordinated with the field teams to schedule the pickups.**
2. We will need 7 more 24 hour samples - 6 IA and 1 AA **When do you need these by?**
3. The name of this project is Riverside Superfund Site not "NYCHHC Environmental Services" **Noted**
4. The PM for this project is Bryan Maurer not me. He is copied here. Please update him for project notes. **Noted**
5. Please copy both Bryan and Jill (copied) on results and acknowledgments, and all other correspondence regarding this project. **Noted**

Best regards,
Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3| she/her



 [914.460.5641](tel:914.460.5641)  [201.774.0238](tel:201.774.0238)  woodardcurran.com

 srogacki@woodardcurran.com

 [800 Westchester Avenue, Suite N507, Rye Brook, NY
10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~NA665:~~

Title: Sample Custodian

Field Sample Seal No. Q1665

Date Broken 3/26/2025

Military Time Seal Broken: 09:10:00

Case No.: US EPA Riverside Industria

Analytical Parameter/Fraction TO-15

Sample No.	Allquot/Extract No.	Sample No.	Allquot/Extract No.
Q1665-01	AA-DUP-1-32425	Q1665-11	IA-B10-1-32425
Q1665-02	IA-B10-1-32425	Q1665-12	IA-B2-6-32425
Q1665-03	IA-B10-2-32425	Q1665-13	IA-B10-2-32425
Q1665-04	AA-1-32425	Q1665-14	IA-B14-2-32425
Q1665-05	IA-B2-3-32425	Q1665-15	IA-B14-1-32425
Q1665-06	IA-B9-1-32425	Q1665-16	IA-B2-5-32425
Q1665-07	IA-DUP-1-32425	Q1665-17	IA-B14-3-32425
Q1665-08	IA-DUP-2-32425	Q1665-18	IA-B10-3-32425
Q1665-09	IA-B9-2-32425	Q1665-19	IA-B2-2-32425
Q1665-10	IA-B10-4-32425	Q1665-20	IA-B4-3-32425
		Q1665-21	IA-B2-1-32425
		Q1665-22	IA-B2-4-32425

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
<u>3-27-25</u>	<u>12:40</u>	Signature <u>[Signature]</u>	Signature <u>[Signature]</u>	
		Printed Name <u>Cassanova Pena</u>	Printed Name <u>Samuel M. J. J. J.</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy