



# SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : <b>B2502051</b>				Courier :				10 of 13 COCs					
Client ID : <b>WOOD06</b> Project ID : <b>NYCHHC Environmental Services</b>				Sampler Name(s) : <i>Clyde McFar</i>				Analysis				Matrix					
Customer Name : <b>Woodard &amp; Curran</b> Address : <b>800 Westchester Avenue, Suite N507 Suite N507</b> City : <b>Rye Brook</b> State : <b>NY</b> Zip Code : <b>10573</b> Country :				Project Manager : <b>Stephanie rogacki</b>				<b>AIR ANALYSIS CHAIN-OF-CUSTODY</b>  <b>Batch Certified</b>									
				Phone Number : <b>800-807-4080</b>													
				Fax Number : <b>914-448-0147</b>													
				Site Details:													
				Analysis Turnaround Time													
				Standard : <b>10 business days</b> OR				Data Package Type :									
				Rush (Specify): <b>Days</b>				EDD Type :									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B1-4-2/28/25	3/23/25 3/24/25	1041	1070	-30	-7	70	70	-30	-5.9	10567 10506	10588 10311	6 L	4.16	VL042078.D	X	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <span style="float: right; border: 1px solid black; padding: 5px;"><i>Set</i></span>							
		Ambient	Maximum	Minimum													
Start		45	54	38													
Stop		40															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Field Reading 5556</i>  Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		30.05	30.25	29.90													
Stop		30.25															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i>																	
Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>NO</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>CL</i>				Date/Time: <i>3/27/25 1125</i>				<b>B2502051 - 20</b>	
Samples Relinquished by: <i>Sam</i>				Date/Time: <i>3/27/25 1125</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information						Bottle Order ID : <b>B2502051</b>				Courier :				<u>11</u> of <u>13</u> COCs				
Client ID : <b>WOOD06</b> Project ID : <b>NYCHHC Environmental Services</b>						Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix				
Customer Name : <b>Woodard &amp; Curran</b> Address : <b>800 Westchester Avenue, Suite N507</b> <b>Suite N507</b> City : <b>Rye Brook</b> State : <b>NY</b> Zip Code : <b>10573</b> Country :						Project Manager : <b>Stephanie rogacki</b>				<b>AIR ANALYSIS</b> <b>CHAIN-OF-CUSTODY</b>  <b>Batch Certified</b>								
						Phone Number : <b>800-807-4080</b>												
						Fax Number : <b>914-448-0147</b>												
						Site Details:												
Analysis Turnaround Time						Standard : <b>10 business days</b> <b>OR</b>				Data Package Type :								
Rush (Specify): <b>Days</b>						EDD Type :												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
1A-B1-2-3/25/25	3/15/25 3/24/25	1029	1015	-29	-5	70	70	-30	-5.5	10529	10269	6 L	4.16	VL042052.D	X		X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <span style="float: right; border: 1px solid black; padding: 5px;"><i>Sut</i></span>								
		Ambient	Maximum	Minimum														
Start		45	54	38														
Stop		40																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i>  Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start		30.05	30.25	29.90														
Stop		30.25																
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>New Jersey</i>																		
Quick Connector required : <i>No</i>																		
Canisters Shipped by: <i>Sevin</i>					Date/Time: <i>03/24/25</i>					Canisters Received by: <i>cl</i>					Date/Time: <i>3/27/25 1225</i>			
Samples Relinquished by: <i>[Signature]</i>					Date/Time: <i>3/27/25 1/25</i>					Received by:					Date/Time:			
Relinquished by:					Date/Time:					Received by:					Date/Time:			

Client Contact Information						Bottle Order ID : <b>B2502051</b>				Courier :				12 of 13 COCs				
Client ID : <b>WOOD06</b> Project ID : <b>NYCHHC Environmental Services</b>						Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix				
Customer Name : <b>Woodard &amp; Curran</b> Address : <b>800 Westchester Avenue, Suite N507 Suite N507</b> City : <b>Rye Brook</b> State : <b>NY</b> Zip Code : <b>10573</b> Country :						Project Manager : <b>Stephanie rogacki</b>				<b>AIR ANALYSIS CHAIN-OF-CUSTODY</b>  <b>Batch Certified</b>								
						Phone Number : <b>800-807-4080</b>												
						Fax Number : <b>914-448-0147</b>												
						Site Details:												
						Analysis Turnaround Time												
						Standard : <b>10 business days</b> OR				Data Package Type :								
						Rush (Specify): <b>Days</b>				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
1A-B1-3-3/25/25	3/25/25 3/26/25	1039	1018	-30	-7	70	70	-30	-5.5	10520	10060 <del>10283</del>	6 L	4.16	VL042078.D	X		X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <span style="border: 1px solid black; padding: 5px; display: inline-block;"><i>[Signature]</i></span>								
		Ambient	Maximum	Minimum														
Start		45	54	38														
Stop		40																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i>  Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start		30.05	30.25	29.90														
Stop		30.25																
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium Low PID Readings: <i>0.31pm</i> Sampling site (State): <i>New Jersey</i>																		
Quick Connector required : <i>NO</i>																		
Canisters Shipped by: <i>Sum</i>					Date/Time: <i>03/24/25</i>					Canisters Received by: <i>CR</i>					Date/Time: <i>3/25/25 11:25</i>			
Samples Relinquished by: <i>[Signature]</i>					Date/Time: <i>3/25/25 11:25</i>					Received by:					Date/Time:			
Relinquished by:					Date/Time:					Received by:					Date/Time:			

Client Contact Information				Bottle Order ID : <b>B2502051</b>				Courier :				<u>13</u> of <u>13</u> COCs				
Client ID : <b>WOOD06</b> Project ID : <b>NYCHHC Environmental Services</b>				Sampler Name(s) : <u>Cleyston Hefner</u>				Analysis				Matrix				
Customer Name : <b>Woodard &amp; Curran</b> Address : <b>800 Westchester Avenue, Suite N507</b> Suite N507 City : <b>Rye Brook</b> State : <b>NY</b> Zip Code : <b>10573</b> Country :				Project Manager : <b>Stephanie rogacki</b>				<b>AIR ANALYSIS CHAIN-OF-CUSTODY</b>  <b>Individual Certified</b>								
				Phone Number : <b>800-807-4080</b>												
				Fax Number : <b>914-448-0147</b>												
				Site Details:												
Analysis Turnaround Time				Data Package Type :												
Standard : <b>10 business days</b> OR				EDD Type :												
Rush (Specify): <b>Days</b>																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B1-1 3/25/25	3/25/25 3/26/25	1025	1013	-30	-5	70	70	-30	-4.7	10110	<del>10601</del> 10601	6 L	4.16	VL041876.D OK	X	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <span style="border: 1px solid black; padding: 5px; display: inline-block;">Sed</span>						
		Ambient	Maximum	Minimum												
Start		45	54	38												
Stop		40														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>* Hold Pending SSSG</u>  Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start		30.05	30.25	29.90												
Stop		30.25														
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <u>0.3 ppm</u> Sampling site (State): <u>New Jersey</u>																
Quick Connector required : <u>No</u>																
Canisters Shipped by: <u>Sed</u>				Date/Time: <u>03/24/25</u>				Canisters Received by: <u>CA</u>				Date/Time: <u>3/27/25 12:5</u>				
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>3/27/25 11:25</u>				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: *John Paul*Supervisor Signature: *Sut*

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/25/25	Q1665-22	10306	11.2	-7.1				sq
03/27/25	Q1668-01	10588	11.8	-5.9				
03/27/25	Q1668-02	10269	12.0	-5.5				
↓	Q1668-03	10060	12.0	-5.5				
↓	Q1668-04	10601	12.4	-4.7				
03/27/25	Q1669-01	10311	11.0	-7.5				
↓	Q1669-02	10283	11.8	-5.9				
	Q1669-03	10320	11.6	-6.3				
	Q1669-04	10267	12.4	-4.7				
	Q1669-05	10607	13.0	-3.5				
	Q1669-06	10606	13.8	-1.8				
	Q1669-07	10445	10.8	-8.0				
	Q1669-08	10282	11.2	-7.1				
↓	Q1669-09	10285	11.6	-6.3				

# CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-1-3/05/25

Client Name: Walden & Lura

Project Name: DPG - Riverbank

Date: 3/25/05 - 3/24/04 Time: 10:12

Analysis: TO-15

Comments:

Storage Location: Air Lab

Sample: Q1668-04

Cust #: IA-B1-1-32525

CHEMTECH

Date Received

Disposal:

B2502051

# CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-3-3/05/25

Client Name: Walden & Lura

Project Name: RLG Marsh

Date: 3/25-3/24/05 Time: 10:18

Analysis:

Comments:

Storage Location: Air Lab

Sample: Q1668-03

Cust #: IA-B1-3-32525

CHEMTECH

Date Received

Disposal:

B2502051

# CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-2-3/25/15

Client Name: Vadot & Son

Project Name: Site Q1668-01

Date: 3/25-3/26/15 Time: 10:15

Analysis: TO-15

Comments:

Storage Location: Air Lab

Sample: Q1668-02

Cust #: IA-B1-2-32525

CHEMTECH

Date Received:

Disposal:

# CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-4-3/25/15

Client Name: Wadot & Son

Project Name: Site Q1668-01

Date: 3/25/15-3/26/15 Time: 10:20

Analysis:

Comments:

Storage Location: Air Lab

Sample: Q1668-01

Cust #: IA-B1-4-32525

CHEMTECH

Date Received:

Disposal:



---

**From:** Jill Tribley <jtribley@woodardcurran.com>  
**Sent:** Thursday, April 10, 2025 4:48 PM  
**To:** Kiran Saleem; CHEMTECH-Data@chemtech.net; Bryan Maurer; Stephanie Rogacki  
**Cc:** Yazmeen Gomez; Clayton Hefner  
**Subject:** RE: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.  
**Attachments:** Q1726-LoginSummaryReport.pdf; Q1668-LoginSummaryReport.pdf

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hello Kiran, please analyze the samples from the attached SDGs:  
Q1726 – all (Building 2 IA samples)  
Q1668 – all (Building 1 IA samples)  
Q1665 – Samples -03, -10, -11, and -18 (Building 10 samples) These are highlighted on the attached login summary; I sent previous instruction on this SDG earlier this week. These samples are in addition to the analysis we requested on 4/8.  
Please reach out if you have any questions!

Jill D. Tribley, P.G.  
412-535-0833



---

**From:** Kiran Saleem <[Kiran.Saleem@alliancetg.com](mailto:Kiran.Saleem@alliancetg.com)>  
**Sent:** Thursday, April 10, 2025 2:06 PM  
**To:** [CHEMTECH-Data@chemtech.net](mailto:CHEMTECH-Data@chemtech.net); Bryan Maurer <[bmaurer@woodardcurran.com](mailto:bmaurer@woodardcurran.com)>; Jill Tribley <[jtribley@woodardcurran.com](mailto:jtribley@woodardcurran.com)>; Stephanie Rogacki <[SRogacki@woodardcurran.com](mailto:SRogacki@woodardcurran.com)>  
**Cc:** Yazmeen Gomez <[Yazmeen.Gomez@alliancetg.com](mailto:Yazmeen.Gomez@alliancetg.com)>  
**Subject:** Re: Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

Good Afternoon Bryan,

Please review the results and let us know which samples you would want to activate from which are on hold.

*Thank you!*

**NOTE:** Chemtech is now an Alliance Technical Group company. Please add [AllianceTG.com](https://AllianceTG.com) to your safe senders list to ensure receipt of important emails.

Regards,




**Kiran Saleem**  
**Project Manager**  
**Alliance Technical Group**  
**Main:** 908-789-8900  
**Direct:** 908-728-3148  
**Address:** 284 Sheffield St, Ste 1, Mountainside, NJ 07092  
[www.alliancetg.com](http://www.alliancetg.com)

---

**From:** [CHEMTECH-Data@chemtech.net](mailto:CHEMTECH-Data@chemtech.net) <[CHEMTECH-Data@chemtech.net](mailto:CHEMTECH-Data@chemtech.net)>  
**Sent:** Thursday, April 10, 2025 1:26 PM  
**To:** [bmaurer@woodardcurran.com](mailto:bmaurer@woodardcurran.com) <[bmaurer@woodardcurran.com](mailto:bmaurer@woodardcurran.com)>; [jtribley@woodardcurran.com](mailto:jtribley@woodardcurran.com) <[jtribley@woodardcurran.com](mailto:jtribley@woodardcurran.com)>; [srogacki@woodardcurran.com](mailto:srogacki@woodardcurran.com) <[srogacki@woodardcurran.com](mailto:srogacki@woodardcurran.com)>  
**Subject:** Summary Report Details For Project US EPA Riverside Industrial Park Superfund Site-Q1725.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point



To Bryan Maurer;

Please see the attached Summary Report for the following project, or download the file using your login credentials from the link below.

**Order ID** : Q1725  
**Project ID** : US EPA Riverside Industrial Park Superfund Site  
**Download File** : <https://chemtech.net/secureLogin.aspx>  
**Order Date** : 4/3/2025 1:48:00 PM

**CHEMTECH's Project Manager** : YAZMEEN GOMEZ , [YAZMEEN@CHEMTECH.NET](mailto:YAZMEEN@CHEMTECH.NET) , 908-357-0579 Ext :3149  
**CHEMTECH's Sales Executive** : Jordan Hedvat , [jordan@chemtech.net](mailto:jordan@chemtech.net) , 908-728-3144 Ext :

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey [chemtech.net/ClientSurvey.aspx](http://chemtech.net/ClientSurvey.aspx).

Thank you,

Alliance Technical Group LLC.

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

### Laboratory Certification



Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

## Internal Chain of Custody

**Instructions:** Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
Field Sample Seal No. <u>Q1668</u>		Title: <u>Sample Custodian</u>	
Case No.: <u>US EPA Riverside Industria</u>		Date Broken <u>3/25/2025</u> <u>3/27/2025</u> Military Time Seal Broken: <u>11:25:00</u>	
		Analytical Parameter/Fraction <u>TO-15</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1668-01	IA-B1-4-32525		
Q1668-02	IA-B1-2-32525		
Q1668-03	IA-B1-3-32525		
Q1668-04	IA-B1-1-32525		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
3-27-25	1440	Signature 	Signature 	
		Printed Name <u>Christina Perez</u>	Printed Name <u>Samuel J. Garcia</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy