

Client Contact Information				Bottle Order ID : B2502051				Courier :				10 of 13 COCs					
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde McFar</i>				Analysis				Matrix					
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time													
				Standard : 10 business days OR				Data Package Type :									
				Rush (Specify): Days				EDD Type :									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B1-4-2128/25	3/23/25 3/24/25	1041	1070	-30	-7	70	70	-30	-5.9	10567 10506	10588 10311	6 L	4.16	VL042078.D	X	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start		45	54	38													
Stop		40															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Field Reading 5556</i> Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		30.05	30.25	29.90													
Stop		30.25															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.3 ppm																	
Sampling site (State): New Jersey																	
Quick Connector required : NO																	
Canisters Shipped by: Sam				Date/Time: 03/24/25				Canisters Received by: [Signature]				Date/Time: 3/27/25 1125				B2502051 - 20	
Samples Relinquished by: [Signature]				Date/Time: 3/27/25 1125				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information						Bottle Order ID : B2502051				Courier :				<u>11</u> of <u>13</u> COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :							
Rush (Specify): Days						EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B1-2-3/25/25	3/15/25 3/24/25	1029	1015	-29	-5	70	70	-30	-5.5	10529	10269	6 L	4.16	VL042052.D	X	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sut</i>							
		Ambient	Maximum	Minimum													
Start		45	54	38													
Stop		40															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		30.05	30.25	29.90													
Stop		30.25															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>Sevin</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>cl</i>				Date/Time: <i>3/27/25 1225</i>					
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/27/25 1/25</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information						Bottle Order ID : B2502051				Courier :				12 of 13 COCs															
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix															
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																			
						Phone Number : 800-807-4080																							
						Fax Number : 914-448-0147																							
						Site Details:																							
						Analysis Turnaround Time																							
						Standard : 10 business days OR				Data Package Type :																			
						Rush (Specify): Days				EDD Type :																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
1A-B1-3-3/25/25	3/25/25 3/26/25	1039	1018	-30	-7	70	70	-30	-5.5	10520	10060 10283	6 L	4.16	VL042078.D	X	X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>45</td> <td>54</td> <td>38</td> </tr> <tr> <td>Stop</td> <td>40</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	45	54	38	Stop	40			GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start	45	54	38																										
Stop	40																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>30.05</td> <td>30.25</td> <td>29.90</td> </tr> <tr> <td>Stop</td> <td>30.25</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	30.05	30.25	29.90	Stop	30.25			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start	30.05	30.25	29.90																										
Stop	30.25																												
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: <i>0.31pm</i>																													
Sampling site (State): <i>New Jersey</i>																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>CR</i>				Date/Time: <i>3/25/25 11:25</i>																	
Samples Relinquished by: <i>Sam</i>				Date/Time: <i>3/25/25 11:25</i>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2502051				Courier :				<u>13</u> of <u>13</u> COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <u>Cleyston Hefner</u>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
Analysis Turnaround Time				Data Package Type :												
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B1-1 3/25/25	3/25/25 3/26/25	1025	1013	-30	-5	70	70	-30	-4.7	10110	10601 10601	6 L	4.16	VL041876.D OK	X	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sed						
		Ambient	Maximum	Minimum												
Start		45	54	38												
Stop		40														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>* Hold Pending SSSG</u> Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start		30.05	30.25	29.90												
Stop		30.25														
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <u>0.3 ppm</u> Sampling site (State): <u>New Jersey</u>																
Quick Connector required : <u>No</u>																
Canisters Shipped by: <u>Sed</u>				Date/Time: <u>03/24/25</u>				Canisters Received by: <u>CA</u>				Date/Time: <u>3/27/25 12:5</u>				
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>3/27/25 11:25</u>				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: *John Paul*Supervisor Signature: *Sut*

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/25/25	Q1665-22	10306	11.2	-7.1				sq
03/27/25	Q1668-01	10588	11.8	-5.9				
03/27/25	Q1668-02	10269	12.0	-5.5				
1	Q1668-03	10060	12.0	-5.5				
↓	Q1668-04	10601	12.4	-4.7				
03/27/25	Q1669-01	10311	11.0	-7.5				
↓	Q1669-02	10283	11.8	-5.9				
	Q1669-03	10320	11.6	-6.3				
	Q1669-04	10267	12.4	-4.7				
	Q1669-05	10607	13.0	-3.5				
	Q1669-06	10606	13.8	-1.8				
	Q1669-07	10445	10.8	-8.0				
	Q1669-08	10282	11.2	-7.1				
↓	Q1669-09	10285	11.6	-6.3				

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-1-3/05/25

Client Name: Walden & Luv

Project Name: DPG - Riverbank

Date: 3/25/05 - 3/24/04 Time: 10:12

Analysis: TO-15

Comments:

Storage Location: Air Lab

Sample: Q1668-04

Cust #: IA-B1-1-32525

CHEMTECH

Date Received

Disposal:

B2502051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-3-3/05/25

Client Name: Walden & Luv

Project Name: RLG Marsh

Date: 3/25-3/24/05 Time: 10:18

Analysis:

Comments:

Storage Location: Air Lab

Sample: Q1668-03

Cust #: IA-B1-3-32525

CHEMTECH

Date Received

Disposal:

B2502051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-2-3/25/15

Client Name: Vadob & Son

Project Name: Site Remediation

Date: 3/25-3/26/15 Time: 10:15

Analysis: TO-15

Comments:

Storage Location: Air Lab

Sample: Q1668-02

Cust #: IA-B1-2-32525

CHEMTECH

Date Received

Disposal:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA-B1-4-3/25/15

Client Name: Wetzel & Sons

Project Name: PPG Abundant

Date: 3/25/15-3/26/15 Time: 10:20

Analysis:

Comments:

Storage Location: Air Lab

Sample: Q1668-01

Cust #: IA-B1-4-32525

CHEMTECH

Date Received:

Disposal: