

Client Contact Information				Bottle Order ID : B2502051				Courier :				1 of 13 COCs				
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Alphon Hefner</i>				Analysis		Matrix		
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
				Analysis Turnaround Time												
				Standard : 10 business days OR				Data Package Type :								
				Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-04-3- 3/26/25	3/26/25 3/27/25	1158	0909	-30	-6	55	55	-30	-7.5	1034 10637 10508	10508 10588	6 L	100	VL041966-D	X	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>S. Hefner</i>						
		Ambient	Maximum	Minimum												
Start		45	54	38												
Stop		39														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start		30.05														
Stop		30.26														
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: 0.0 ppm																
Sampling site (State): New Jersey																
Quick Connector required : NO																
Canisters Shipped by: <i>S. Hefner</i>				Date/Time: 3/24/25				Canisters Received by: <i>CP</i>				Date/Time: 3/27/25 11:25				
Samples Relinquished by: <i>Hefner</i>				Date/Time: 3/27/25 11:25				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information						Bottle Order ID : B2502051				Courier :				<u>2</u> of <u>13</u> COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Helmer</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
						Analysis Turnaround Time											
						Standard : 10 business days OR				Data Package Type :							
						Rush (Specify): Days				EDD Type :							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
1A-B4-3-3/26/25	3/26/25 3/27/25	1136	0932	-28	-6	55	55	-30	-5.9	10785 10567	10283 10285	6 L	4.16	VL042078-D	X	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Self</i>							
		Ambient	Maximum	Minimum													
Start		45	54	38													
Stop		39															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		30.05															
Stop		30.26															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i>																	
Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>CP</i>				Date/Time: <i>3/27/25 11:25</i>				B2502051 - 16	
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/27/25 11:25</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information						Bottle Order ID : B2502051				Courier : _____				3 of 13 COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clyde Hether</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
						Phone Number : 800-807-4080												
						Fax Number : 914-448-0147												
						Site Details:												
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :								
Rush (Specify): _____ Days						EDD Type :												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
1A-B4-1- 3/26/28	3/26/25 3/27/25	1104	0905	-29	-30	55	55	-30	-6.3	10771 40635	10320	6 L	100	VL042143.D	X		X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>								
	Ambient	Maximum	Minimum															
Start	45	54	38															
Stop	39																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
	Ambient	Maximum	Minimum															
Start	30.05																	
Stop	30.26																	
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i>																		
Sampling site (State): <i>New Jersey</i>																		
Quick Connector required : <i>NO</i>																		
Canisters Shipped by: <i>Sara</i>					Date/Time: <i>03/24/25</i>					Canisters Received by: <i>CR</i>					Date/Time: <i>3/27/25 11:29</i>			
Samples Relinquished by: <i>[Signature]</i>					Date/Time: <i>3/27/25 11:29</i>					Received by: _____					Date/Time: _____			
Relinquished by: _____					Date/Time: _____					Received by: _____					Date/Time: _____			

Client Contact Information						Bottle Order ID : B2502051				Courier :				<u>4</u> of <u>13</u> COCs					
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <u>Clayton Hefner</u>				Analysis				Matrix					
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
						Phone Number : 800-807-4080													
						Fax Number : 914-448-0147													
						Site Details:													
Analysis Turnaround Time						Data Package Type :													
Standard : 10 business days OR						EDD Type :													
Rush (Specify): _____ Days																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
AA-1- 3/26/25	3/24/25 3/27/25	1038	0857	-31	-6	—	—	-30	-6.3	10506 10508	10285 10280	6 L	4.16	VL042143-D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start		45°F	54°F	38°F															
Stop		40°F																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. X									
		Ambient	Maximum	Minimum															
Start		30.05	30.25	29.90															
Stop		30.25																	
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: <u>0.2 ppm</u> Sampling site (State): <u>New Jersey</u> Quick Connector required : <u>No</u>																			
Canisters Shipped by: <u>[Signature]</u>				Date/Time: <u>3/24/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>3/27/25 1125</u>				B2502051 - 12			
Samples Relinquished by: <u>[Signature]</u>				Date/Time: <u>3/27/25/1125</u>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2502051				Courier :				<u>5</u> of <u>13</u> COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) :				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
Analysis Turnaround Time				Data Package Type :															
Standard : 10 business days OR				EDD Type :															
Rush (Specify): Days																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
<i>SSG-016-3-3/26/25</i>	<i>3/26/25</i>	<i>1452</i>	<i>1539</i>	<i>-30</i>	<i>-4.5</i>	<i>55</i>	<i>55</i>	<i>-30</i>	<i>-3.5</i>	<i>10633</i>	<i>10607</i>	<i>6 L</i>	<i>100</i>	<i>VL041974.D</i>	<i>X</i>				<i>X</i>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
		Ambient	Maximum	Minimum															
Start		<i>50</i>	<i>54</i>	<i>38</i>															
Stop		<i>50</i>																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		<i>29.99</i>																	
Stop		<i>29.99</i>																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																			
Sampling site (State): <i>New Jersey</i>																			
Quick Connector required : <i>NO</i>																			
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>3/24/25</i>				Canisters Received by: <i>CR</i>				Date/Time: <i>3/27/25 1128</i>				B2502051 - 40			
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/27/25 1125</i>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information						Bottle Order ID : B2502051				Courier :				<u>6</u> of <u>13</u> COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Hefner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
						Analysis Turnaround Time											
						Standard : 10 business days OR				Data Package Type :							
						Rush (Specify): Days				EDD Type :							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
3/26/15 SSSC-BUP-1 - 3/26/15	3/26/15	1420	1500	-32	-5	55	55	-30	-1.8	10695	10606	6 L	100	VL042143.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start		50	54	38													
Stop		50															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		29.99															
Stop		29.99															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>6.0 ppm</i> Sampling site (State): <i>New Jersey</i>																	
Quick Connector required : <i>No</i>																	
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>03/26/15</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>3/27/15 125</i>					
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/27/15 1125</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2502051				Courier :				7 of 13 COCs									
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Helmer</i>				Analysis				Matrix									
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified													
				Phone Number : 800-807-4080																	
				Fax Number : 914-448-0147																	
				Site Details:																	
				Analysis Turnaround Time																	
				Standard : 10 business days OR				Data Package Type :													
				Rush (Specify): _____ Days				EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
SSSG-B16-1-2/24/25	3/26/25	1420	1520	-30	-6	55	55	-30	-8.0	10769	10445	6 L	100	VL042143.D	X					X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sue</i>											
		Ambient	Maximum	Minimum																	
Start		50	54	38																	
Stop		50																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start		29.99																			
Stop		29.99																			
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings: 0.1 ppm																					
Sampling site (State): New Jersey																					
Quick Connector required : NO																					
Canisters Shipped by: Sam				Date/Time: 3/24/25				Canisters Received by: CR				Date/Time: 3/27/25				B2502051 - 28					
Samples Relinquished by: [Signature]				Date/Time: 3/27/25				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

Client Contact Information				Bottle Order ID : B2502051				Courier :				<u>8</u> of <u>13</u> COCs									
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Plutner</i>				Analysis				Matrix									
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified													
				Phone Number : 800-807-4080																	
				Fax Number : 914-448-0147																	
				Site Details:																	
				Analysis Turnaround Time																	
				Standard : 10 business days OR				Data Package Type :													
				Rush (Specify): Days				EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
<i>SSSA-BIG-2-3/26/25</i>	<i>3/26/25</i>	<i>1415</i>	<i>1526</i>	<i>-30</i>	<i>-5</i>	<i>55</i>	<i>55</i>	<i>-30</i>	<i>-7.1</i>	<i>10773</i>	<i>10282</i>	<i>6 L</i>	<i>100</i>	<i>VL041966.D</i>	<i>X</i>					<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>											
	Ambient	Maximum	Minimum																		
Start	<i>50</i>	<i>54</i>	<i>38</i>																		
Stop	<i>50</i>																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
	Ambient	Maximum	Minimum																		
Start	<i>29.99</i>																				
Stop	<i>29.99</i>																				
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>New Jersey</i>																					
Quick Connector required : <i>NO</i>																					
Canisters Shipped by: <i>Seum</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>CP</i>				Date/Time: <i>3/27/25 1225</i>				B2502051 - 14					
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>3/27/25 1125</i>				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

Client Contact Information				Bottle Order ID : B2502051				Courier :				<u>9</u> of <u>13</u> COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton Ketter</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): _____ Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
AA-1- 3/25/25	3/25/25 3/26/25	1010	0954	-70	-5	-	-	-30	-4.7	10537 10785	10652 10054		6 L	4.16	VL04215:D	X		X	
Temperature (Fahrenheit)										10267 GC/MS Analyst Signature (TO-15) <i>Sult</i>									
		Ambient	Maximum	Minimum															
Start		48	60	40															
Stop		44																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		29.90	30.04	29.90															
Stop		30.04																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>New Jersey</i>																			
Quick Connector required : <i>NO</i>																			
Canisters Shipped by: <i>Savin</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>CL-</i>				Date/Time: <i>3/27/25 1125</i>				B2502051 - 2			
Samples Relinquished by: <i>1125</i>				Date/Time: <i>3/27/25 1125</i>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: *John Lued*Supervisor Signature: *Sut*

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/25/25	Q1665-22	10306	11.2	-7.1				sy
03/27/25	Q1668-01	10588	11.8	-5.9				↓
03/27/25	Q1668-02	10269	12.0	-5.5				
↓	Q1668-03	10060	12.0	-5.5				
↓	Q1668-04	10601	12.4	-4.7				
03/27/25	Q1669-01	10311	11.0	-7.5				
↓	Q1669-02	10283	11.8	-5.9				
	Q1669-03	10320	11.6	-6.3				
	Q1669-04	10267	12.4	-4.7				
	Q1669-05	10607	13.0	-3.5				
	Q1669-06	10606	13.8	-1.8				
	Q1669-07	10445	10.8	-8.0				
	Q1669-08	10282	11.2	-7.1				
↓	Q1669-09	10285	11.6	-6.3				

1159
571

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 1A-B9-3-3/26/25
Client Name: W+C
Project Name: Riverside
Date: 3/26-3/27/25 Time: 0909 (3/27/25)
Analysis: TO-15
Comments: _____
CHEMTECH
Date Received: _____

Storage Location: Air Lab
Sample: Q1669-01
Cust #: IA-B9-3-32625

Disposal: _____

651
28201

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 1A-B9-2-3/26/25
Client Name: W+C
Project Name: Riverside
Date: 3/26-3/27/25 Time: 0932 (3/27/25)
Analysis: TO-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1669-02
Cust #: IA-B9-2-32625

Disposal: _____

639-
28201

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 1A-B9-1-3/26/25
Client Name: W+C
Project Name: Riverside
Date: 3/26/25 Time: 0905 (3/27/25)
Analysis: TO-15
Comments: _____
CHEMTECH
Date Received: _____

Storage Location: Air Lab
Sample: Q1669-03
Cust #: IA-B9-1-32625

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B16-3-3/26/25

Client Name: W+C

Project Name: Riverside

Date: 3/26/15 Time: 1539

Analysis: TO-15

Comments: _____

Storage Location: Air Lab

Sample: Q1669-05

Cust #: SSSG-B16-3-32625

Chemtech's
Date Received: _____

Disposal: _____

32502051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-1-3/25/15

Client Name: Wacker & Carraro

Project Name: PPG Riviside

Date: 3/25/15 Time: 0954

Analysis: TO-15

Comment: _____

Storage Location: Air Lab

Sample: Q1669-04

Cust #: AA-2-3252025

Chemtech's
Date Received: _____

Disposal: _____

32502051

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-DUP-1-3/26/25

Client Name: W+C

Project Name: Riverside

Date: 3/26/25 Time: 1420 - 1500

Analysis: TO-15

Comment: _____

Storage Location: Air Lab

Sample: Q1669-06

Cust #: SSSG-DUP-1-32625

Chemtech's
Date Received: _____

Disposal: _____

15020578

5445

8.8

10282

17

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SSSG-B16-1-3/26/25

Client Name: WtC

Project Name: Riverside

Date: 3/26/25 Time: 1520

Analysis: PO-15

Comments: _____

CHEMTECH'S SAMPLING

Date Received: _____

Storage Location: Air Lab

Sample: Q1669-07

Cust #: SSSG-B16-1-32625

dispose: _____

B2502051

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SSSG-B16-2-3/26/25

Client Name: WtC

Project Name: Riverside

Date: 3/26/25 Time: 15:26

Analysis: PO-15

Comments: _____

CHEMTECH'S SAMPLING

Date Received: _____

Storage Location: Air Lab

Sample: Q1669-08

Cust #: SSSG-B16-2-32625

dispose: _____

B2502051

5445

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-1-3/26/25

Client Name: WtC

Project Name: Riverside

Date: 3/26/25 Time: 0857 (3/27/25)

Analysis: PO-15

Comments: _____

CHEMTECH'S SAMPLING

Date Received: _____

Storage Location: Air Lab

Sample: Q1669-09

Cust #: AA-3-3252025

dispose: _____

15020528