

Hit Summary Sheet
SW-846

SDG No.: Q1669
Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: IA-B9-3-3262025								
Q1669-01	IA-B9-3-3262025	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Chloromethane	0.76	J	0.21	1.03	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Trichlorofluoromethane	1.24	J	0.90	2.81	ug/m3
Q1669-01	IA-B9-3-3262025	Air	tert-Butyl alcohol	1.52		0.58	1.52	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Heptane	1.56	J	0.45	2.05	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Acetone	82.4	E	0.57	1.19	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Methylene Chloride	1.25	J	0.66	1.74	ug/m3
Q1669-01	IA-B9-3-3262025	Air	2-Butanone	2.68		0.35	1.47	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Carbon Tetrachloride	0.38		0.060	0.19	ug/m3
Q1669-01	IA-B9-3-3262025	Air	2,2,4-Trimethylpentane	1.26	J	0.47	2.34	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Benzene	2.04		0.29	1.60	ug/m3
Q1669-01	IA-B9-3-3262025	Air	4-Methyl-2-Pentanone	1.48	J	0.37	2.05	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Toluene	8.67		0.41	1.88	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Ethyl Benzene	1.35	J	0.52	2.17	ug/m3
Q1669-01	IA-B9-3-3262025	Air	m/p-Xylene	4.78		0.91	4.34	ug/m3
Q1669-01	IA-B9-3-3262025	Air	o-Xylene	2.22		0.52	2.17	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Styrene	0.51	J	0.47	2.13	ug/m3
Q1669-01	IA-B9-3-3262025	Air	1,2,4-Trimethylbenzene	2.51		0.39	2.46	ug/m3
Q1669-01	IA-B9-3-3262025	Air	Hexane	6.70		0.39	1.76	ug/m3
Total Voc :					125			
Q1669-01	IA-B9-3-3262025	Air	unknown1.774	* 1.40	J	0	0	ppbv
Q1669-01	IA-B9-3-3262025	Air	Pentane, 3-methyl-	* 1.60	J	0	0	ppbv
Q1669-01	IA-B9-3-3262025	Air	Pentane, 2-methyl-	* 2.50	J	0	0	ppbv
Q1669-01	IA-B9-3-3262025	Air	Pentane	* 1.80	J	0	0	ppbv
Q1669-01	IA-B9-3-3262025	Air	1-Propene, 2-methyl-	* 3.30	J	0	0	ppbv
Q1669-01	IA-B9-3-3262025	Air	Chlorodifluoromethane	* 0.27	J	0.090	0.50	ppbv
Q1669-01	IA-B9-3-3262025	Air	Propene	* 0.79	J	0.15	0.50	ppbv
Q1669-01	IA-B9-3-3262025	Air	n-propylbenzene	* 0.10	J	0.080	0.50	ppbv
Total Tics :					11.8			
Total Concentration:					137			
Client ID: IA-B9-3-3262025DL								
Q1669-01DL	IA-B9-3-3262025DL	Air	Acetone	88.1	D	2.85	5.94	ug/m3
Q1669-01DL	IA-B9-3-3262025DL	Air	Methylene Chloride	3.82	JD	3.30	8.69	ug/m3
Q1669-01DL	IA-B9-3-3262025DL	Air	2-Butanone	2.80	JD	1.77	7.37	ug/m3
Q1669-01DL	IA-B9-3-3262025DL	Air	Benzene	1.82	JD	1.41	7.99	ug/m3
Q1669-01DL	IA-B9-3-3262025DL	Air	Toluene	7.91	JD	2.07	9.42	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1669-01DL	IA-B9-3-3262025	Air	Hexane	5.64	JD	1.94	8.81	ug/m3
			Total Voc :			110		
			Total Concentration:			110		
Client ID:	IA-B9-2-3262025							
Q1669-02	IA-B9-2-3262025	Air	Dichlorodifluoromethane	2.03	J	1.04	2.47	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Chloromethane	0.45	J	0.21	1.03	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Trichlorofluoromethane	1.12	J	0.90	2.81	ug/m3
Q1669-02	IA-B9-2-3262025	Air	tert-Butyl alcohol	1.15	J	0.58	1.52	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Heptane	2.01	J	0.45	2.05	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Acetone	5.70		0.57	1.19	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Methylene Chloride	1.22	J	0.66	1.74	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Cyclohexane	0.76	J	0.76	1.72	ug/m3
Q1669-02	IA-B9-2-3262025	Air	2-Butanone	1.24	J	0.35	1.47	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Chloroform	0.59	J	0.39	2.44	ug/m3
Q1669-02	IA-B9-2-3262025	Air	2,2,4-Trimethylpentane	1.73	J	0.47	2.34	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Benzene	2.14		0.29	1.60	ug/m3
Q1669-02	IA-B9-2-3262025	Air	4-Methyl-2-Pentanone	1.76	J	0.37	2.05	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Toluene	8.67		0.41	1.88	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Ethyl Benzene	1.69	J	0.52	2.17	ug/m3
Q1669-02	IA-B9-2-3262025	Air	m/p-Xylene	6.08		0.91	4.34	ug/m3
Q1669-02	IA-B9-2-3262025	Air	o-Xylene	2.82		0.52	2.17	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Styrene	0.55	J	0.47	2.13	ug/m3
Q1669-02	IA-B9-2-3262025	Air	1,3,5-Trimethylbenzene	0.88	J	0.54	2.46	ug/m3
Q1669-02	IA-B9-2-3262025	Air	1,2,4-Trimethylbenzene	2.65		0.39	2.46	ug/m3
Q1669-02	IA-B9-2-3262025	Air	4-Ethyltoluene	0.98	J	0.59	2.46	ug/m3
Q1669-02	IA-B9-2-3262025	Air	Hexane	8.11		0.39	1.76	ug/m3
			Total Voc :			54.8		
Q1669-02	IA-B9-2-3262025	Air	Pentane, 3-methyl-	* 1.60	J	0	0	ppbv
Q1669-02	IA-B9-2-3262025	Air	Cyclopentane, methyl-	* 1.00	J	0	0	ppbv
Q1669-02	IA-B9-2-3262025	Air	Butane	* 1.10	J	0	0	ppbv
Q1669-02	IA-B9-2-3262025	Air	Pentane, 2-methyl-	* 3.10	J	0	0	ppbv
Q1669-02	IA-B9-2-3262025	Air	Pentane	* 1.70	J	0	0	ppbv
Q1669-02	IA-B9-2-3262025	Air	Chlorodifluoromethane	* 0.24	J	0.090	0.50	ppbv
Q1669-02	IA-B9-2-3262025	Air	Propene	* 1.60	J	0.15	0.50	ppbv
			Total Tics :			10.3		
			Total Concentration:			65.1		

Hit Summary Sheet
SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	IA-B9-1-3262025							
Q1669-03	IA-B9-1-3262025	Air	Dichlorodifluoromethane	1.88	J	1.04	2.47	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Chloromethane	0.52	J	0.21	1.03	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1669-03	IA-B9-1-3262025	Air	tert-Butyl alcohol	1.27	J	0.58	1.52	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Heptane	2.09		0.45	2.05	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Acetone	7.60		0.57	1.19	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Methylene Chloride	2.81		0.66	1.74	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Cyclohexane	0.96	J	0.76	1.72	ug/m3
Q1669-03	IA-B9-1-3262025	Air	2-Butanone	1.59		0.35	1.47	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1669-03	IA-B9-1-3262025	Air	2,2,4-Trimethylpentane	1.45	J	0.47	2.34	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Benzene	2.40		0.29	1.60	ug/m3
Q1669-03	IA-B9-1-3262025	Air	4-Methyl-2-Pentanone	3.52		0.37	2.05	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Toluene	9.80		0.41	1.88	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Ethyl Benzene	1.65	J	0.52	2.17	ug/m3
Q1669-03	IA-B9-1-3262025	Air	m/p-Xylene	6.08		0.91	4.34	ug/m3
Q1669-03	IA-B9-1-3262025	Air	o-Xylene	2.48		0.52	2.17	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Styrene	10.6		0.47	2.13	ug/m3
Q1669-03	IA-B9-1-3262025	Air	1,3,5-Trimethylbenzene	0.69	J	0.54	2.46	ug/m3
Q1669-03	IA-B9-1-3262025	Air	1,2,4-Trimethylbenzene	2.06	J	0.39	2.46	ug/m3
Q1669-03	IA-B9-1-3262025	Air	4-Ethyltoluene	0.64	J	0.59	2.46	ug/m3
Q1669-03	IA-B9-1-3262025	Air	Hexane	7.75		0.39	1.76	ug/m3
			Total Voc :			69.5		
Q1669-03	IA-B9-1-3262025	Air	Pentane, 3-methyl-	* 1.80	J	0	0	ppbv
Q1669-03	IA-B9-1-3262025	Air	Cyclopentane, methyl-	* 1.40	J	0	0	ppbv
Q1669-03	IA-B9-1-3262025	Air	Butane	* 1.10	J	0	0	ppbv
Q1669-03	IA-B9-1-3262025	Air	Pentane, 2-methyl-	* 3.10	J	0	0	ppbv
Q1669-03	IA-B9-1-3262025	Air	Pentane	* 2.20	J	0	0	ppbv
Q1669-03	IA-B9-1-3262025	Air	Chlorodifluoromethane	* 0.35	J	0.090	0.50	ppbv
Q1669-03	IA-B9-1-3262025	Air	Propene	* 0.62	J	0.15	0.50	ppbv
Q1669-03	IA-B9-1-3262025	Air	n-propylbenzene	* 0.11	J	0.080	0.50	ppbv
			Total Tics :			10.7		
			Total Concentration:			80.2		
Client ID:	AA-2-3252025							
Q1669-04	AA-2-3252025	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1669-04	AA-2-3252025	Air	Chloromethane	0.97	J	0.21	1.03	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration		C	MDL	RDL	Units
Q1669-04	AA-2-3252025	Air	Trichlorofluoromethane	1.24		J	0.90	2.81	ug/m3
Q1669-04	AA-2-3252025	Air	Acetone	7.60			0.57	1.19	ug/m3
Q1669-04	AA-2-3252025	Air	Methylene Chloride	2.71			0.66	1.74	ug/m3
Q1669-04	AA-2-3252025	Air	2-Butanone	0.71		J	0.35	1.47	ug/m3
Q1669-04	AA-2-3252025	Air	Carbon Tetrachloride	0.44			0.060	0.19	ug/m3
Q1669-04	AA-2-3252025	Air	Benzene	0.99		J	0.29	1.60	ug/m3
Q1669-04	AA-2-3252025	Air	Toluene	1.17		J	0.41	1.88	ug/m3
Q1669-04	AA-2-3252025	Air	Hexane	5.99			0.39	1.76	ug/m3
Total Voc :				23.8					
Q1669-04	AA-2-3252025	Air	Pentane, 2-methyl-	* 1.20		J	0	0	ppbv
Q1669-04	AA-2-3252025	Air	Chlorodifluoromethane	* 0.26		J	0.090	0.50	ppbv
Q1669-04	AA-2-3252025	Air	Propene	* 0.42		J	0.15	0.50	ppbv
Total Tics :				1.88					
Total Concentration:				25.7					
Client ID:	SSSG-B16-3-3262025								
Q1669-05	SSSG-B16-3-32620	Air	Dichlorodifluoromethane	2.13		J	1.04	2.47	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Chloromethane	0.74		J	0.21	1.03	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Tetrahydrofuran	1.21		J	0.38	1.47	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Trichlorofluoromethane	1.29		J	0.90	2.81	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Heptane	1.64		J	0.45	2.05	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Acetone	14.7			0.57	1.19	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Methylene Chloride	2.57			0.66	1.74	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Cyclohexane	1.38		J	0.76	1.72	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	2-Butanone	8.55			0.35	1.47	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Carbon Tetrachloride	0.44			0.060	0.19	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Chloroform	2.93			0.39	2.44	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	2,2,4-Trimethylpentane	1.82		J	0.47	2.34	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Benzene	1.76			0.29	1.60	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Toluene	7.91			0.41	1.88	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Tetrachloroethene	0.27			0.14	0.20	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Ethyl Benzene	1.17		J	0.52	2.17	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	m/p-Xylene	4.34			0.91	4.34	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	o-Xylene	1.56		J	0.52	2.17	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Styrene	1.53		J	0.47	2.13	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	1,2,4-Trimethylbenzene	1.28		J	0.39	2.46	ug/m3
Q1669-05	SSSG-B16-3-32620	Air	Hexane	6.70			0.39	1.76	ug/m3
Total Voc :				66.0					

Hit Summary Sheet
SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1669-05	SSSG-B16-3-32620	Air	unknown2.441	* 1.20	J	0	0	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Pentane, 3-methyl-	* 2.00	J	0	0	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Cyclopentane, methyl-	* 1.60	J	0	0	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Butane	* 14.6	J	0	0	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Pentane, 2-methyl-	* 3.90	J	0	0	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Pentane	* 5.70	J	0	0	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Decane	* 1.10	J	0	0	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Chlorodifluoromethane	* 0.28	J	0.090	0.50	ppbv
Q1669-05	SSSG-B16-3-32620	Air	Propene	* 0.63	J	0.15	0.50	ppbv
Total Tics :				31.0				
Total Concentration:				97.0				
Client ID:	SSSG-DUP-1-3262025							
Q1669-06	SSSG-DUP-1-32620	Air	Dichlorodifluoromethane	2.27	J	1.04	2.47	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Chloromethane	0.89	J	0.21	1.03	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Tetrahydrofuran	5.90		0.38	1.47	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Trichlorofluoromethane	1.12	J	0.90	2.81	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Heptane	6.56		0.45	2.05	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Acetone	57.0	E	0.57	1.19	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Methylene Chloride	1.77		0.66	1.74	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Cyclohexane	5.16		0.76	1.72	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	2-Butanone	18.3		0.35	1.47	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	2,2,4-Trimethylpentane	10.7		0.47	2.34	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Benzene	17.9		0.29	1.60	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	4-Methyl-2-Pentanone	1.64	J	0.37	2.05	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Toluene	36.5		0.41	1.88	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Ethyl Benzene	5.65		0.52	2.17	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	m/p-Xylene	22.1		0.91	4.34	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	o-Xylene	8.25		0.52	2.17	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Styrene	5.96		0.47	2.13	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	1,3,5-Trimethylbenzene	2.11	J	0.54	2.46	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	1,2,4-Trimethylbenzene	6.88		0.39	2.46	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Naphthalene	2.25		0.42	0.52	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	4-Ethyltoluene	2.16	J	0.59	2.46	ug/m3
Q1669-06	SSSG-DUP-1-32620	Air	Hexane	15.5		0.39	1.76	ug/m3
Total Voc :				237				
Q1669-06	SSSG-DUP-1-32620	Air	Butane, 2,3-dimethyl-	* 3.30	J	0	0	ppbv

Hit Summary Sheet SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1669-06	SSSG-DUP-1-3262	Air	Pentane, 3-methyl-	* 4.90	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Cyclopentane, methyl-	* 4.30	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Butane	* 8.30	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Pentane, 2-methyl-	* 8.90	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Cyclohexane, methyl-	* 2.50	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Cyclohexanone	* 2.20	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Pentane	* 8.80	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	1-Propene, 2-methyl-	* 6.80	J	0	0	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Chlorodifluoromethane	* 0.31	J	0.090	0.50	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	Propene	* 17.2	J	0.15	0.50	ppbv
Q1669-06	SSSG-DUP-1-3262	Air	n-propylbenzene	* 0.23	J	0.080	0.50	ppbv
Total Tics :				67.7				
Total Concentration:				305				
Client ID:	SSSG-DUP-1-3262025DL							
Q1669-06DL	SSSG-DUP-1-3262	Air	Chloromethane	1.12	JD	0.81	4.13	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Tetrahydrofuran	6.19	D	1.53	5.90	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Heptane	6.97	JD	1.80	8.20	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Acetone	53.9	D	2.28	4.75	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Cyclohexane	5.16	JD	3.03	6.88	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	2-Butanone	18.9	D	1.42	5.90	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	2,2,4-Trimethylpentane	10.3	D	1.87	9.34	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Benzene	18.2	D	1.12	6.39	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Toluene	35.8	D	1.66	7.54	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Ethyl Benzene	5.65	JD	2.08	8.69	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	m/p-Xylene	20.9	D	3.65	17.4	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	o-Xylene	7.38	JD	2.08	8.69	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Styrene	5.11	JD	1.87	8.52	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	1,2,4-Trimethylbenzene	5.41	JD	1.52	9.83	ug/m3
Q1669-06DL	SSSG-DUP-1-3262	Air	Hexane	15.5	D	1.55	7.05	ug/m3
Total Voc :				216				
Total Concentration:				216				
Client ID:	SSSG-B16-1-3262025							
Q1669-07	SSSG-B16-1-32620	Air	Dichlorodifluoromethane	2.57		1.04	2.47	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Chloromethane	0.29	J	0.21	1.03	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Tetrahydrofuran	1.39	J	0.38	1.47	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Trichlorofluoromethane	1.12	J	0.90	2.81	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	tert-Butyl alcohol	1.91		0.58	1.52	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1669-07	SSSG-B16-1-32620	Air	Heptane	1.31	J	0.45	2.05	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Acetone	84.1	E	0.57	1.19	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Methylene Chloride	5.21		0.66	1.74	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	2-Butanone	6.78		0.35	1.47	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Carbon Tetrachloride	0.25		0.060	0.19	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Chloroform	0.54	J	0.39	2.44	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	1,1,1-Trichloroethane	0.27		0.050	0.16	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	2,2,4-Trimethylpentane	1.12	J	0.47	2.34	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Benzene	1.44	J	0.29	1.60	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Trichloroethene	0.43		0.11	0.16	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	4-Methyl-2-Pentanone	6.56		0.37	2.05	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Toluene	23.0		0.41	1.88	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Tetrachloroethene	1.02		0.14	0.20	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Ethyl Benzene	2.35		0.52	2.17	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	m/p-Xylene	8.69		0.91	4.34	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	o-Xylene	3.74		0.52	2.17	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Styrene	3.32		0.47	2.13	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	1,3,5-Trimethylbenzene	0.98	J	0.54	2.46	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	1,2,4-Trimethylbenzene	2.41	J	0.39	2.46	ug/m3
Q1669-07	SSSG-B16-1-32620	Air	Hexane	3.88		0.39	1.76	ug/m3
Total Voc :					165			
Q1669-07	SSSG-B16-1-32620	Air	Butane	* 1.20	J	0	0	ppbv
Q1669-07	SSSG-B16-1-32620	Air	Pentane, 2-methyl-	* 1.30	J	0	0	ppbv
Q1669-07	SSSG-B16-1-32620	Air	Pentane	* 1.00	J	0	0	ppbv
Q1669-07	SSSG-B16-1-32620	Air	1-Propene, 2-methyl-	* 2.30	J	0	0	ppbv
Q1669-07	SSSG-B16-1-32620	Air	Propene	* 0.88	J	0.15	0.50	ppbv
Q1669-07	SSSG-B16-1-32620	Air	n-propylbenzene	* 0.15	J	0.080	0.50	ppbv
Total Tics :					6.83			
Total Concentration:					171			
Client ID:	SSSG-B16-1-3262025DL							
Q1669-07DL	SSSG-B16-1-32620	Air	Acetone	91.0	D	5.70	11.9	ug/m3
Q1669-07DL	SSSG-B16-1-32620	Air	Methylene Chloride	8.34	JD	6.60	17.4	ug/m3
Q1669-07DL	SSSG-B16-1-32620	Air	2-Butanone	7.08	JD	3.54	14.8	ug/m3
Q1669-07DL	SSSG-B16-1-32620	Air	4-Methyl-2-Pentanone	6.97	JD	3.81	20.5	ug/m3
Q1669-07DL	SSSG-B16-1-32620	Air	Toluene	21.5	D	4.15	18.8	ug/m3
Total Voc :					135			
Total Concentration:					135			

Hit Summary Sheet SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SSSG-B16-2-3262025							
Q1669-08	SSSG-B16-2-32620	Air	Dichlorodifluoromethane	2.08	J	1.04	2.47	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Trichlorofluoromethane	1.01	J	0.90	2.81	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Heptane	0.57	J	0.45	2.05	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Acetone	25.6		0.57	1.19	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Methylene Chloride	2.29		0.66	1.74	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	2-Butanone	1.86		0.35	1.47	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Carbon Tetrachloride	0.25		0.060	0.19	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Chloroform	6.35		0.39	2.44	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Benzene	0.77	J	0.29	1.60	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	4-Methyl-2-Pentanone	13.9		0.37	2.05	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Toluene	10.9		0.41	1.88	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Tetrachloroethene	1.29		0.14	0.20	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Chlorobenzene	0.46	J	0.37	2.30	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Ethyl Benzene	1.09	J	0.52	2.17	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	m/p-Xylene	5.21		0.91	4.34	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	o-Xylene	1.95	J	0.52	2.17	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Styrene	1.58	J	0.47	2.13	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	1,3,5-Trimethylbenzene	0.69	J	0.54	2.46	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	1,2,4-Trimethylbenzene	1.57	J	0.39	2.46	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	4-Ethyltoluene	0.64	J	0.59	2.46	ug/m3
Q1669-08	SSSG-B16-2-32620	Air	Hexane	1.97		0.39	1.76	ug/m3
Total Voc :				82.1				
Q1669-08	SSSG-B16-2-32620	Air	unknown1.557	* 1.30	J	0	0	ppbv
Q1669-08	SSSG-B16-2-32620	Air	2-Hexanol	* 5.20	J	0	0	ppbv
Q1669-08	SSSG-B16-2-32620	Air	Undecane	* 1.30	J	0	0	ppbv
Q1669-08	SSSG-B16-2-32620	Air	1-Iodo-2-methylnonane	* 1.20	J	0	0	ppbv
Q1669-08	SSSG-B16-2-32620	Air	Chlorodifluoromethane	* 0.21	J	0.090	0.50	ppbv
Q1669-08	SSSG-B16-2-32620	Air	Propene	* 0.16	J	0.15	0.50	ppbv
Total Tics :				9.37				
Total Concentration:				91.5				
Client ID:	AA-3-3252025							
Q1669-09	AA-3-3252025	Air	Dichlorodifluoromethane	2.23	J	1.04	2.47	ug/m3
Q1669-09	AA-3-3252025	Air	Chloromethane	0.91	J	0.21	1.03	ug/m3
Q1669-09	AA-3-3252025	Air	Trichlorofluoromethane	1.24	J	0.90	2.81	ug/m3
Q1669-09	AA-3-3252025	Air	Acetone	5.94		0.57	1.19	ug/m3
Q1669-09	AA-3-3252025	Air	Methylene Chloride	24.3		0.66	1.74	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1669

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1669-09	AA-3-3252025	Air	2-Butanone	0.53	J	0.35	1.47	ug/m3
Q1669-09	AA-3-3252025	Air	Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1669-09	AA-3-3252025	Air	Benzene	0.42	J	0.29	1.60	ug/m3
Q1669-09	AA-3-3252025	Air	Toluene	1.28	J	0.41	1.88	ug/m3
Q1669-09	AA-3-3252025	Air	1,2,4-Trimethylbenzene	1.43	J	0.39	2.46	ug/m3
Q1669-09	AA-3-3252025	Air	Hexane	15.9		0.39	1.76	ug/m3
Total Voc :				54.6				
Q1669-09	AA-3-3252025	Air	Pentane, 3-methyl-	* 1.20	J	0	0	ppbv
Q1669-09	AA-3-3252025	Air	Cyclopentane, methyl-	* 1.40	J	0	0	ppbv
Q1669-09	AA-3-3252025	Air	Chlorodifluoromethane	* 0.43	J	0.090	0.50	ppbv
Q1669-09	AA-3-3252025	Air	Propene	* 0.29	J	0.15	0.50	ppbv
Total Tics :				3.32				
Total Concentration:				57.9				