

rteres

Instrument :

FID_E

ClientSampleId :

PB167382BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/01/2025

Supervised By :mohammad ahmed 04/02/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03312
Data File : FE053072.D
Signal(s) : FID1B.ch
Acq On : 31 Mar 2025 15:31
Sample : PB167382BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032925.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.263	3.228	3.364	BB	629008	6375407	52.41%	2.762%
2	4.514	4.471	4.531	BV	681594	6629976	54.50%	2.872%
3	4.549	4.531	4.603	VV	698075	7067749	58.10%	3.061%
4	6.219	6.188	6.341	BB	690558	6980127	57.38%	3.023%
5	6.686	6.644	6.768	BB	650892	6646865	54.64%	2.879%
6	7.320	7.281	7.438	PV	593366	6197820	50.95%	2.685%
7	8.523	8.484	8.594	BV	584345	6445999	52.99%	2.792%
8	8.627	8.594	8.734	VB	621190	6535845	53.72%	2.831%
9	8.928	8.888	9.021	BB	639390	6594428	54.21%	2.856%
10	9.720	9.681	9.848	BB	610261	6495919	53.40%	2.814%
11	10.136	10.091	10.211	BB	579941	6378774	52.43%	2.763%
12	11.132	11.071	11.178	BV	547296	6092703	50.08%	2.639%
13	11.209	11.178	11.338	VB	524028	6072457	49.92%	2.630%
14	11.585	11.544	11.661	BB	536514	6170601	50.72%	2.673%
15	11.900	11.854	11.971	BB	579293	6480100	53.27%	2.807%
16	12.899	12.814	12.929	BV	503753	6186452	50.85%	2.680%
17	12.961	12.929	13.081	VB	508098	6084751	50.02%	2.636%
18	13.261	13.204	13.299	BV	522530	5955194	48.95%	2.580%
19	13.345	13.299	13.434	VB	390836	4851572	39.88%	2.101%
20	13.513	13.474	13.591	BB	459012	5879319	48.33%	2.547%
21	14.102	14.024	14.171	BB	473959	5796376	47.65%	2.511%
22	15.150	15.104	15.171	BV	443361	5995862	49.29%	2.597%
23	15.198	15.171	15.358	VB	675213	12165576	100.00%	5.270%
24	16.233	16.034	16.301	BB	421252	5671138	46.62%	2.456%
25	16.717	16.654	16.733	BV	415237	6240887	51.30%	2.703%
26	16.752	16.733	16.944	VB	494507	7431957	61.09%	3.219%
27	17.103	17.044	17.151	BV	414700	6429595	52.85%	2.785%
28	17.185	17.151	17.331	VB	420110	6021781	49.50%	2.608%
29	18.077	18.014	18.181	BB	395135	5791170	47.60%	2.508%
30	18.486	18.401	18.500	BV	250079	4091903	33.64%	1.772%
31	18.520	18.500	18.696	VV	353244	8657517	71.16%	3.750%
32	18.742	18.696	18.851	PBA	255495	5570575	45.79%	2.413%
33	18.911	18.851	19.064	BB	364758	5547231	45.60%	2.403%
34	19.698	19.601	19.858	BB	305302	5619862	46.19%	2.434%
35	20.439	20.371	20.651	BB	232169	5140386	42.25%	2.227%
36	21.180	21.101	21.431	BB	158042	4626671	38.03%	2.004%

37 22.098 21.981 22.394 BB 95945 3942858 32.41% 1.708%
rteres
Sum of corrected areas: 2308

Aliphatic EPH 032925.M Tue Apr 01 02:18:35 2025

Instrument :

FID_E

ClientSampleId :

PB167382BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/01/2025

Supervised By :mohammad ahmed 04/02/2025