

rteres

Instrument :

FID_E

ClientSampleId :

PB167382BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/01/2025

Supervised By :mohammad ahmed 04/02/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE03312
Data File : FE053073.D
Signal(s) : FID1B.ch
Acq On : 31 Mar 2025 16:01
Sample : PB167382BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032925.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.263	3.221	3.361	BB	613260	6228981	51.96%	2.736%
2	4.514	4.478	4.531	BV	667747	6478998	54.04%	2.846%
3	4.548	4.531	4.603	VV	680603	6902995	57.58%	3.032%
4	6.219	6.188	6.361	BB	679584	6838658	57.04%	3.004%
5	6.686	6.645	6.771	BB	634178	6489384	54.13%	2.850%
6	7.320	7.275	7.438	PV	584737	6072506	50.65%	2.667%
7	8.523	8.485	8.591	BV	577035	6295505	52.51%	2.765%
8	8.627	8.591	8.738	VB	628752	6416191	53.52%	2.818%
9	8.928	8.885	9.028	BB	613250	6472374	53.99%	2.843%
10	9.721	9.678	9.831	BB	589460	6376465	53.19%	2.801%
11	10.136	10.095	10.215	BB	558165	6230564	51.97%	2.737%
12	11.133	11.065	11.178	BV	534533	5998346	50.03%	2.635%
13	11.209	11.178	11.328	VB	523610	5977081	49.85%	2.625%
14	11.585	11.541	11.651	BB	515976	6031794	50.31%	2.649%
15	11.901	11.861	11.975	BB	571021	6298065	52.53%	2.766%
16	12.900	12.859	12.929	PV	506322	6059965	50.55%	2.662%
17	12.961	12.929	13.071	VB	522244	5989589	49.96%	2.631%
18	13.261	13.215	13.299	BV	515654	5866917	48.94%	2.577%
19	13.345	13.299	13.441	VB	385181	4727254	39.43%	2.076%
20	13.513	13.475	13.588	BB	476369	5769926	48.13%	2.534%
21	14.101	14.061	14.178	BB	445395	5689962	47.46%	2.499%
22	15.150	15.108	15.171	BV	453420	5933871	49.49%	2.606%
23	15.198	15.171	15.345	VB	661714	11989122	100.00%	5.266%
24	16.234	16.161	16.315	BB	442892	5584308	46.58%	2.453%
25	16.717	16.645	16.733	BV	409181	6159928	51.38%	2.706%
26	16.752	16.733	16.945	VV	483762	7310772	60.98%	3.211%
27	17.102	17.041	17.151	BV	412940	6355463	53.01%	2.791%
28	17.184	17.151	17.325	VB	408906	5917434	49.36%	2.599%
29	18.076	18.005	18.175	BB	393373	5708218	47.61%	2.507%
30	18.485	18.425	18.500	BV	270286	4365993	36.42%	1.918%
31	18.520	18.500	18.695	VV	357970	8628232	71.97%	3.790%
32	18.742	18.695	18.851	PBA	270285	5810850	48.47%	2.552%
33	18.910	18.851	19.075	BB	357709	5462730	45.56%	2.399%
34	19.697	19.591	19.881	BB	302080	5592485	46.65%	2.456%
35	20.440	20.371	20.558	BV	233389	4892528	40.81%	2.149%
36	21.180	21.101	21.421	BB	162163	4653279	38.81%	2.044%

37 22.100 21.991 22.421 BB 101218 4102110 34.22% 1.802%
rteres
Sum of corrected areas: 2276

Aliphatic EPH 032925.M Tue Apr 01 02:19:11 2025

Instrument :

FID_E

ClientSampleId :

PB167382BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/01/2025

Supervised By :mohammad ahmed 04/02/2025