

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040725\
 Data File : BM049838.D
 Acq On : 07 Apr 2025 14:04
 Operator : RC/JU
 Sample : Q1675-18
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 K1P

Quant Time: Apr 07 14:55:54 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 13 14:55:34 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.781	152	359832	20.000	ng	-0.02
21) Naphthalene-d8	10.580	136	1263445	20.000	ng	-0.02
39) Acenaphthene-d10	14.427	164	811796	20.000	ng	-0.02
64) Phenanthrene-d10	17.168	188	1511487	20.000	ng	-0.02
76) Chrysene-d12	21.403	240	1443653	20.000	ng	-0.02
86) Perylene-d12	24.409	264	1643723	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.369	112	1985128	93.087	ng	-0.02
7) Phenol-d6	6.957	99	2415578	90.260	ng	-0.02
23) Nitrobenzene-d5	8.939	82	1416069	57.544	ng	-0.02
42) 2,4,6-Tribromophenol	15.915	330	1303619	137.522	ng	-0.02
45) 2-Fluorobiphenyl	13.045	172	3537935	54.581	ng	-0.02
79) Terphenyl-d14	19.798	244	4902521	57.225	ng	-0.01
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.315	149	610951	12.524	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040725\
Data File : BM049838.D
Acq On : 07 Apr 2025 14:04
Operator : RC/JU
Sample : Q1675-18
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
K1P


Quant Time: Apr 07 14:55:54 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 13 14:55:34 2025
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM040725\
Data File : BM049838.D
Acq On : 07 Apr 2025 14:04
Operator : RC/JU
Sample : Q1675-18
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
K1P

Quant Time: Apr 07 14:55:54 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM031325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 13 14:55:34 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.781 min Scan# 819
Delta R.T. -0.024 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04




Instrument :
BNA_M
ClientSampleId :
K1P


Tgt Ion:152 Resp: 359832
Ion Ratio Lower Upper
152 100
150 156.3 123.8 185.8
115 53.1 43.0 64.6



#5
2-Fluorophenol
Concen: 93.087 ng
RT: 5.369 min Scan# 405
Delta R.T. -0.018 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04

Tgt Ion:112 Resp: 1985128
Ion Ratio Lower Upper
112 100
64 51.5 45.3 67.9
63 26.7 24.4 36.6









#7
Phenol-d6
Concen: 90.260 ng
RT: 6.957 min Scan# 61
Delta R.T. -0.024 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04




Instrument :
BNA_M
ClientSampleId :
K1P


Tgt Ion: 99 Resp: 2415578
Ion Ratio Lower Upper
99 100
42 15.3 13.6 20.4
71 31.1 27.0 40.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.580 min Scan# 1291
Delta R.T. -0.024 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04

Tgt Ion: 136 Resp: 1263445
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 6.4 5.8 8.8
68 5.6 4.5 6.7









#23
Nitrobenzene-d5
Concen: 57.544 ng
RT: 8.939 min Scan# 1012
Delta R.T. -0.024 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04




Instrument :
BNA_M
ClientSampleId :
K1P


Tgt Ion: 82 Resp: 1416069
Ion Ratio Lower Upper
82 100
128 46.0 33.4 50.0
54 43.7 36.4 54.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.427 min Scan# 1945
Delta R.T. -0.018 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04

Tgt Ion:164 Resp: 811796
Ion Ratio Lower Upper
164 100
162 100.1 80.5 120.7
160 44.3 36.9 55.3









#42
2,4,6-Tribromophenol
Concen: 137.522 ng
RT: 15.915 min Scan# 21
Delta R.T. -0.018 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04




Instrument :
BNA_M
ClientSampleId :
K1P


Tgt Ion:330 Resp: 1303619
Ion Ratio Lower Upper
330 100
332 95.8 77.0 115.4
141 27.0 27.8 41.6#



#45
2-Fluorobiphenyl
Concen: 54.581 ng
RT: 13.045 min Scan# 1710
Delta R.T. -0.024 min
Lab File: BM049838.D
Acq: 07 Apr 2025 14:04

Tgt Ion:172 Resp: 3537935
Ion Ratio Lower Upper
172 100
171 34.3 27.9 41.9
170 22.8 18.6 28.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.168 min Scan# 2414

Delta R.T. -0.018 min

Lab File: BM049838.D

Acq: 07 Apr 2025 14:04

Instrument :

BNA_M

ClientSampleId :

K1P





Tgt Ion:188 Resp: 1511487

Ion Ratio Lower Upper

188 100

94 7.5 5.8 8.6

80 7.8 6.3 9.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.403 min Scan# 3131

Delta R.T. -0.024 min

Lab File: BM049838.D

Acq: 07 Apr 2025 14:04




Tgt Ion:240 Resp: 1443653


Ion Ratio Lower Upper

240 100

120 8.9 6.5 9.7

236 25.8 20.7 31.1





#79

Terphenyl-d14

Concen: 57.225 ng

RT: 19.798 min Scan# 2

Delta R.T. -0.012 min

Lab File: BM049838.D

Acq: 07 Apr 2025 14:04

Instrument :

BNA_M

ClientSampleId :

K1P





Tgt Ion:244 Resp: 4902521

Ion Ratio Lower Upper

244 100

212 6.7 5.8 8.6

122 6.9 6.0 9.0



#84

Bis(2-ethylhexyl)phthalate

Concen: 12.524 ng

RT: 21.315 min Scan# 3116

Delta R.T. -0.024 min

Lab File: BM049838.D

Acq: 07 Apr 2025 14:04




Tgt Ion:149 Resp: 610951


Ion Ratio Lower Upper

149 100

167 28.6 22.9 34.3

279 4.3 3.5 5.3





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.409 min Scan# 30
 Delta R.T. -0.030 min
 Lab File: BM049838.D
 Acq: 07 Apr 2025 14:04

Instrument :
 BNA_M
 ClientSampleId :
 K1P

Tgt Ion:264 Resp: 1643723
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.6 29.4
 265 22.3 18.2 27.2

