

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	04/01/25
Project:	Former Schlumberger STC PTC Site D3868221	Date Received:	04/01/25
Client Sample ID:	IW-02-55-040125-FD	SDG No.:	Q1697
Lab Sample ID:	Q1697-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	70.8		1	1.94	20.0	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-36-0	Antimony	0.11	U	1	0.11	2.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-38-2	Arsenic	0.39	JN	1	0.089	1.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-39-3	Barium	303		1	0.21	10.0	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-41-7	Beryllium	0.32	U	1	0.32	1.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-43-9	Cadmium	0.34	U	1	0.34	1.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-47-3	Chromium	0.86	J	1	0.21	2.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-50-8	Copper	0.30	U	1	0.30	2.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7439-89-6	Iron	5440		1	7.81	50.0	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7439-92-1	Lead	0.21	U	1	0.21	1.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7439-95-4	Magnesium	8590		1	19.5	500	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7439-96-5	Manganese	602		1	0.43	1.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-09-7	Potassium	7150	N	1	36.4	500	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7782-49-2	Selenium	2.90	U	1	2.90	5.00	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A
7440-23-5	Sodium	6930		1	128	500	ug/L	04/03/25 09:15	04/03/25 17:02	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group4			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits