

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : RM

Start Digest Date: 04/03/2025 Time : 08:50 Temp : N/A

End Digest Date: 04/03/2025 Time : 10:20 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: RM

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP111004
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

04/03/2025 RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB167444BL	PBS444	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1680-04DUP	TP-4DUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1680-04	TP-4	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1681-04	TP-12	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1693-04	WCS-TP-3	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1693-08	WCS-TP-2	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1693-12	WCS-TP-1	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1694-04	TP-18	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1695-04	TT-2	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1695-08	TT-3	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1698-02	B-9	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1698-08	B-10	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A