

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 04/04/2025 Time : 10:00 Temp : N/A

Matrix : SOIL

End Digest Date: 04/04/2025 Time : 11:30 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: i2

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
04.04.2025, 11:50	NF/WC	NF/WC
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167462BL	PBS462	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1680-04DUP	TP-4DUP	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1680-04	TP-4	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1681-04	TP-12	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1693-04	WCS-TP-3	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1693-08	WCS-TP-2	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1693-12	WCS-TP-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1694-04	TP-18	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1695-04	TT-2	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1695-08	TT-3	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1698-02	B-9	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1698-08	B-10	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1712-04	Z-05A	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1712-08	TT-7	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A