



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Jacobs
ADDRESS: 412 Mt Kemble Ave Suite # 100
CITY: Morrisstown STATE: NJ ZIP: 07960
ATTENTION: John Yufank John.Yufank@Jacobs.com
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: STC PTE
PROJECT NO.: 03868221 LOCATION: Princeton Junction
PROJECT MANAGER: Mary Murphy
e-mail: PM Pgt Mary.Murphy@Jacobs.com
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: Mary Murphy PO#:
ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) Rush TAT (2 day) DAYS*
HARDCOPY (DATA PACKAGE): DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

1. Site Specific VOCs (SM123208)
2. 1st Diatom (SM123208)
3. Total 15 Metals (SM123208)
4. Dissolved Iron (SM123208)
5. Alkalinity (SM123208)
6. TDS (SM123208)
7. Anions (SM123208)
8. Trace VOCs (SM123208)
9. (SM123208)

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES								COMMENTS	
			COMP	GRAB	DATE	TIME		A/E	E	B/E	E	E	E	E	A/E		
								1	2	3	4	5	6	7	8	9	← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER
1.	MW-18B-56-040225	GW		✓	4/2/25	1235	27	✓	✓	✓	✓	✓	✓	✓	✓	MS/MSD !! (27 bottles)	
2.	MW-17B-55-040225	GW		✓	4/2/25	1535	9	✓	✓	✓	✓	✓	✓	✓	✓	9 bottles	
3.	MW-18B-56-040225-SIM	GW		✓	4/2/25	1235	2								✓		
4.	MW-17B-55-040225-SIM	GW		✓	4/2/25	1535	2								✓		
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>HAL</u>	DATE/TIME: 4-2-25 1650	RECEIVED BY: 1. <u>[Signature]</u> 4-2-25 1650	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>3.06</u> °C Comments: <u>See work order for list of site specific VOCs</u> <u>PRESERVE DISSOLVE IRON SAMPLES UPON ARRIVAL TO THE LAB</u> <u>PO # 148064311</u> <u>Temp 3.0°C C Adjusted Factor +1.0 IR Gon #1.</u>
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY: 2. <u>[Signature]</u>	
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: 4-2-25 1825	RECEIVED BY: 3. <u>[Signature]</u>	

Q1711

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Jacobs
ADDRESS: 412 Mt Kemble Ave Suite 100
CITY: Morrisstown STATE: NJ ZIP: 07960
ATTENTION: John Yufante John.Yufante@Jacobs.com
PHONE: _____ FAX: _____

CLIENT PROJECT INFORMATION

PROJECT NAME: STC PTC
PROJECT NO.: D386821 LOCATION: Princeton Junction
PROJECT MANAGER: Mary Murphy
e-mail: Mary.Murphy@Jacobs.com
PHONE: _____ FAX: _____

CLIENT BILLING INFORMATION

BILL TO: Mary Murphy PO#: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) Standard TAT DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☒ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other _____
☐ EDD FORMAT _____

1. Site Spec Vocs (GC/MS) 1650
2. A.M. DW (3270E-SIM) 1650
3. Trace Vocs 1650
4. Total Aromatics (GC/MS) 1650
5. Dissolved Iron 1650
6. Alkalinity 1650
7. TDS (SM2520B) 1650
8. Ammonia (AP56) 1650
9. _____

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES								COMMENTS
			COMP	GRAB	DATE	TIME		A/E	E	A/E	B/E	E	E	E	E	
1.	RMW-05B-89-040225	GW		✓	4/2/25	1605	4	✓	✓	✓	✓	✓	✓	✓	✓	
2.	EB01-040225	DI		✓	4/2/25	1550	9	✓	✓		✓	✓	✓	✓	✓	
3.	EB01-040225-SIM	DI		✓	4/2/25	1550	2			✓						
4.	TB01-040225	DI		✓	4/2/25	1600	2	✓								
5.																
6.																
7.																
8.																
9.																
10.																

← Specify Preservatives
A-HCl D-NaOH
B-HNO3 E-ICE
C-H2SO4 F-OTHER

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>HL</u>	DATE/TIME: <u>4-2-25 1650</u>	RECEIVED BY: <u>[Signature]</u> <u>1650</u> <u>4-2-25</u>
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME: <u>4-2-25</u>	RECEIVED BY: <u>[Signature]</u>
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: <u>4-2-25</u>	RECEIVED BY: <u>[Signature]</u>

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 3.0 °C
Comments: see work order for list of site specific vocs

Temp 3.0°C (Adjusted Factor +1) IR Gun #1.

Page 2 of 2 CLIENT: ☐ Hand Delivered ☐ Other _____
Shipment Complete ☐ YES ☐ NO

From: Ynfante, John <John.Ynfante@jacobs.com>
Sent: Friday, April 04, 2025 12:54 PM
To: Yazmeen Gomez; Mohammad Ahmed
Subject: RE: Princeton SIM/no-SIM

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Thanks Yazmeen, but like I mentioned yesterday if you aren't able to analyze any of those 3 normal samples by SIM then I have no need for the EB to be analyzed by SIM either so please just cancel that SIM EB. I will already have EB data for VOCs from the EB you ran (or are running) by your routine low 8260D.

From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Friday, April 4, 2025 11:51 AM
To: Ynfante, John <John.Ynfante@jacobs.com>; Mohammad Ahmed <mohammad.ahmed@alliancetg.com>
Subject: [EXTERNAL] RE: Princeton SIM/no-SIM





John,

Please see attached. SIM analysis is also not possible for MW-18B and MW-17B.

However, "EB01-040225-SIM" will be analyzed with SIM.

Best Regards,



Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com    

From: Ynfante, John <John.Ynfante@jacobs.com>
Sent: Thursday, April 3, 2025 6:27 PM
To: Mohammad Ahmed <mohammad.ahmed@alliancetg.com>; Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Subject: RE: Princeton SIM/no-SIM

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Ok thanks for the confirmation Mohammad

From: Mohammad Ahmed <mohammad.ahmed@alliancetg.com>

Sent: Thursday, April 3, 2025 5:22 PM

To: Ynfante, John <John.Ynfante@jacobs.com>; Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>

Subject: [EXTERNAL] Re: Princeton SIM/no-SIM

Hi John ,

I will let you know about other 2 samples regarding SIM .

1 8oz jar is enough to run Total metals and SPLP

Get [Outlook for iOS](#)

From: Ynfante, John <John.Ynfante@jacobs.com>

Sent: Thursday, April 3, 2025 5:55:35 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Mohammad Ahmed <mohammad.ahmed@alliancetg.com>

Subject: Princeton SIM/no-SIM

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen and Mohammad, a few things:

After speaking with Mohammad I understand that the full scan 8260D run for the MW-17B sample had ~11ppm of TCE and high concs of other VOCs as well so you won't be able to run SIM on it – I understand the limitations and have passed that update on to the team so that is fine. There should also be SIM samples collected for 2 more samples - MW-18B and MW-19B so please let me know if your standard 8260 run shows similar concentrations on those as well. Note that these 3 samples are in a completely different location from the rest of the samples and their concentrations shouldn't necessarily represent the levels we will see for other samples – I understand if you have to dilute these high-conc samples I just don't want to over-dilute other samples unnecessarily.

Also, if you don't end up running any of the 3 SFAM-SIM samples then we have no need for that SIM equipment blank to be analyzed either so you can cancel that unless MW-18B or MW-19B turn out to be low enough to be able to be run by SIM in which case I would want the SIM EB.

Finally, for the soil samples we are collecting next week the client decided today that we should also collect for SPLP silver and place it on hold pending the total silver results – I believe you sent 8oz jars for the total silver so that should be plenty to cover the initial silver analysis and then still have enough for SPLP Silver if we need to run it right? Or do you prefer a completely separate jar for the SPLP Ag?

John Ynfante

Jacobs

Chemist

281-414-1719 mobile

John.Ynfante@jacobs.com

www.jacobs.com

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1711	JACO05	Order Date : 4/3/2025 10:00:00 AM	Project Mgr :
Client Name : JACOBS Engineering Grou		Project Name : Former Schlumberger STC	Report Type : Level 4
Client Contact : John Ynfante		Receive DateTime : 4/2/2025 6:25:00 PM	EDD Type : CH2MHILL
Invoice Name : JACOBS Engineering Grou		Purchase Order :	Hard Copy Date :
Invoice Contact : John Ynfante			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1711-01	MW-18B-56-040225	Water	04/02/2025	12:35					
					VOCMS Group3		8260-Low	2 Bus. Days	
Q1711-02	Q1711-01MS	Water	04/02/2025	12:35					
					VOCMS Group3		8260-Low	2 Bus. Days	
Q1711-03	Q1711-01MSD	Water	04/02/2025	12:35					
					VOCMS Group3		8260-Low	2 Bus. Days	
Q1711-04	MW-17B-55-040225	Water	04/02/2025	15:35					
					VOCMS Group3		8260-Low	2 Bus. Days	
Q1711-05	MW-18B-56-040225-SIM	Water	04/02/2025	12:35					
					VOC-TRACE-SFAM		SFAM_Trace	2 Bus. Days	
Q1711-06	MW-17B-56-040225-SIM	Water	04/02/2025	15:35					
					VOC-TRACE-SFAM		SFAM_Trace	2 Bus. Days	
Q1711-07	RMW-05B-89-040225	Water	04/02/2025	16:05					
					VOCMS Group3		8260-Low	2 Bus. Days	
Q1711-08	EB01-040225	Water	04/02/2025	15:50					

YG
04/04/2025

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1711	JACO05	Order Date : 4/3/2025 10:00:00 AM	Project Mgr :
Client Name : JACOBS Engineering Grou		Project Name : Former Schlumberger STC	Report Type : Level 4
Client Contact : John Ynfante		Receive DateTime : 4/2/2025 6:25:00 PM	EDD Type : CH2MHILL
Invoice Name : JACOBS Engineering Grou		Purchase Order :	Hard Copy Date :
Invoice Contact : John Ynfante			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
					VOCMS Group3		8260-Low	2 Bus. Days	
Q1711-09	EB01-040225-SIM	Water	04/02/2025	15:50	VOC TRACE SFAM	SFAM_Trace	2 Bus. Days	YG	04/04/2025
Q1711-10	TB01-040225	Water	04/02/2025	16:00	VOCMS Group3		8260-Low	2 Bus. Days	

Relinquished By : af

Date / Time : 4.3.25 1225

Received By : [Signature]

Date / Time : 4.3.25 12:25

Storage Area : VOA Refridgerator Room