

NO

1.00

0

1.00

1

1

U

Ignitability

Paint Filter

oC

ml/100gm

04/04/25 14:25 1030

04/07/25 08:25 9095B

Report of Analysis

Client:	PSEG	Date Collected:	04/02/25 23:25
Project:	PSEG Clay Street	Date Received:	04/03/25
Client Sample ID:	Z-05A	SDG No.:	Q1712
Lab Sample ID:	Q1712-01	Matrix:	SOIL
		% Solid:	87.5
Parameter	Conc. Qua. DF MDL	LOQ / CRQL Units(Dry Weight) Prep Date	Date Ana. Ana Met.
Hexavalent Chromium	0.46 U 1 0.080	0.46 mg/Kg 04/07/25 11:4	0 04/07/25 15:10 7196A

0

1.00

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank

- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits

^{* =} indicates the duplicate analysis is not within control limits.