

LAB CHRONICLE

OrderID:	Q1717	OrderDate:	4/3/2025 12:30:00 PM
Client:	Holland Manufacturing Co.	Project:	Pre Treatment Plant 2025
Contact:	Todd Holland	Location:	L21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1717-01	EFFLUENT	WATER			04/03/25 09:00			04/03/25
			Ammonia	SM4500-NH3		04/09/25	04/09/25 11:46	
			BOD5	SM5210 B			04/04/25 16:45	
			Oil and Grease	1664A			04/09/25 09:15	
			Phosphorus-Ortho	SM4500-P E			04/03/25 14:11	
			Phosphorus-Total	365.3		04/03/25	04/03/25 15:51	
			TSS	SM2540 D			04/08/25 11:00	
Q1717-01DL	EFFLUENTDL	WATER			04/03/25 09:00			04/03/25
			Ammonia	SM4500-NH3		04/09/25	04/09/25 12:21	
Q1717-04	AERATION-1	WATER			04/03/25 09:00			04/03/25
			TSS	SM2540 D			04/08/25 11:00	
Q1717-05	INFLUENT	WATER			04/03/25 09:00			04/03/25
			Ammonia	SM4500-NH3		04/09/25	04/09/25 11:53	
			BOD5	SM5210 B			04/04/25 16:45	

LAB CHRONICLE

Q1717-05DL

INFLUENTDL

WATER

Ammonia

SM4500-NH3

**04/03/25
09:00**

04/09/25

04/09/25
12:21

04/03/25
