



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Clayton Motive</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time				Data Package Type :											
				Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
5554-B1-2-4/1/2025	4/1/25	0833	0951	-28	-4.5	51	51	-30	-5.9	10554	10153	6 L	70	VL04215.D	X			X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Self</i>									
		Ambient	Maximum	Minimum															
Start		41																	
Stop		45																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		29.88																	
Stop		29.95																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																			
Sampling site (State): <i>NY</i>																			
Quick Connector required : <i>NA</i>																			
Canisters Shipped by: <i>Self</i>				Date/Time: <i>03/21/25</i>				Canisters Received by: <i>CA</i>				Date/Time: <i>4/1/25 1005</i>				B2503044 - 1			
Samples Relinquished by: <i>CA</i>				Date/Time: <i>4/1/25 1005</i>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information						Bottle Order ID : B2503044				Courier :				_____ of _____ COCs			
Client ID : WOOD06						Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Alpha Hetero</i>				Analysis		Matrix	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15	Indoor/Ambient Air	Soil Gas	
						Phone Number : 800-807-4080											
						Fax Number : 914-448-0147											
						Site Details:											
						Analysis Turnaround Time				Data Package Type :							
						Standard : 10 business days OR				EDD Type :							
						Rush (Specify): _____ Days											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID			
SSG-810-4 4/1/2025	4/1/2025	0923	1054	-30	-5	77	77	-30	-4.7	10633	10321	6 L	100	VL04215.D	X	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sam</i>							
		Ambient	Maximum	Minimum													
Start		69															
Stop		69															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		29.90															
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <i>NO</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/31/15</i>				Canisters Received by: <i>SA</i>				Date/Time: <i>4/3/25 1005</i>				B2503044 - 6	
Samples Relinquished by: <i>CPH</i>				Date/Time: <i>4/8/25 1005</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs																			
Client ID : WOOD06				Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Clyde Hefner</i>				Analysis		Matrix																	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 800-807-4080																											
				Fax Number : 914-448-0147																											
				Site Details:																											
Analysis Turnaround Time				Data Package Type :				EDD Type :																							
Standard : 10 business days OR				Rush (Specify): _____ Days																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
<i>3559-008-2-4112025</i>	<i>4/1/25</i>	<i>1435</i>	<i>1535</i>	<i>-30</i>	<i>-4.5</i>	<i>65</i>	<i>65</i>	<i>-30</i>	<i>-8.8</i>	<i>10769</i>	<i>10296</i>	<i>6 L</i>	<i>100</i>	<i>VL04215.D</i>	<i>X</i>				<i>X</i>												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>56</i></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td><i>56</i></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>56</i>			Stop	<i>56</i>			GC/MS Analyst Signature (TO-15) <i>Sit</i>									
	Ambient	Maximum	Minimum																												
Start	<i>56</i>																														
Stop	<i>56</i>																														
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>30.02</i></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td><i>30.02</i></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>30.02</i>			Stop	<i>30.02</i>			** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start	<i>30.02</i>																														
Stop	<i>30.02</i>																														
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i>																															
Sampling site (State): <i>NO</i>																															
Quick Connector required : <i>NO</i>																															
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/21/25</i>				Canisters Received by: <i>AW</i>				Date/Time: <i>4/3/25 1005</i>				B2503044 - 4															
Samples Relinquished by: <i>AW</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:																			
Relinquished by:				Date/Time:				Received by:				Date/Time:																			

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs								
Client ID : WOOD06 Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Clayton Dwyer</i>				Analysis				Matrix								
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 800-807-4080																
				Fax Number : 914-448-0147																
				Site Details:																
				Analysis Turnaround Time																
Standard : 10 business days OR				Data Package Type :																
Rush (Specify): _____ Days				EDD Type :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
AA-1-3/31/2025	3/31/2025 4/1/2025	1210	1030	-30	-45	-	-	-30	-1.4	10520	10605	6 L	4.16	VL042182.D	X				X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>										
		Ambient	Maximum	Minimum																
Start		65																		
Stop		45																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start		29.70																		
Stop		29.88																		
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>New Jersey</i>																				
Quick Connector required : <i>No</i>																				
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/31/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				B2503044 - 13				
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs							
Client ID : WOOD06				Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Cynthia Kletner</i>				Analysis		Matrix					
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
5585-814-3-4/1/2025	4/1/25	1435	1535	-27.5	-4.5	65	65	-30	-5.9	10695	10279	6 L	100	VL04215.D	X				X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sust</i>									
		Ambient	Maximum	Minimum															
Start		56																	
Stop		56																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		30.02																	
Stop		30.02																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.3 ppm</i> Sampling site (State): <i>NJ</i>																			
Quick Connector required : <i>NJ</i>																			
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/31/25</i>				Canisters Received by: <i>CA</i>				Date/Time: <i>4/3/25 1005</i>				B2503044 - 2			
Samples Relinquished by: <i>CDH</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Center Unit</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
Analysis Turnaround Time				Data Package Type :												
Standard : 10 business days OR				EDD Type :												
Rush (Specify): Days																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>8556-810-3-3/31/2025</i>	<i>3/31/25</i>	<i>1547</i>	<i>1636</i>	<i>-30</i>	<i>-4.5</i>	<i>71</i>	<i>71</i>	<i>-30</i>	<i>-2.7</i>	<i>10290</i>	<i>10466</i>	<i>6L 100</i>	<i>VL042092-D</i>	<i>X</i>		<i>X</i>
Temperature (Fahrenheit)										<i>10596</i> GC/MS Analyst Signature (TO-15) <i>[Signature]</i>						
		Ambient	Maximum	Minimum												
Start		<i>69</i>														
Stop		<i>69</i>														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start		<i>29.90</i>														
Stop		<i>29.80</i>														
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>NJ</i>																
Quick Connector required : <i>Yes</i>																
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25</i>				B2503008 - 18
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>4/3/25</i>				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs										
Client ID : WOOD06 Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Clyde Hester</i>				Analysis				Matrix										
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified														
				Phone Number : 800-807-4080																		
				Fax Number : 914-448-0147																		
				Site Details:																		
Analysis Turnaround Time				Data Package Type :																		
Standard : 10 business days OR				EDD Type :																		
Rush (Specify): Days																						
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas		
5555-B10-1- 3/31/2005/ Split	3/31/25	1337	1507	-3	-4.9	71	71	-30	-7.1	10536	10303	6 L	70	VL04215.D	X					X		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sut</i>												
	Ambient	Maximum	Minimum																			
Start	69																					
Stop	69																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.												
	Ambient	Maximum	Minimum																			
Start	29.90																					
Stop	29.88																					
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium Low PID Readings: <i>0.0ppm</i> Sampling site (State): <i>NJ</i>																						
Quick Connector required : <i>NJ</i>																						
Canisters Shipped by: <i>Scrum</i>				Date/Time: <i>3/31/25</i>				Canisters Received by: <i>SA</i>				Date/Time: <i>4/3/25 1005</i>				B2503044 - 5						
Samples Relinquished by: <i>CDR</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:										
Relinquished by:				Date/Time:				Received by:				Date/Time:										

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs									
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chad P. Hite</i>				Analysis				Matrix									
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified													
				Phone Number : 800-807-4080																	
				Fax Number : 914-448-0147																	
				Site Details:																	
Analysis Turnaround Time				Data Package Type :																	
Standard : 10 business days OR				EDD Type :																	
Rush (Specify): Days																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
SSSG-B10-2-3/31/2025	3/31/25	1424	1509	-30	-4.5	71	71	-30	-7.1	10523 10512	10333 10467	6L 100	100 200	VL042053-D	X					X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>											
		Ambient	Maximum	Minimum																	
Start		69																			
Stop		69																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start		29.90																			
Stop		29.80																			
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>NO</i>																					
Quick Connector required : <i>Yes</i>																					
Canisters Shipped by: <i>Semi</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				B2503008 - 19					
Samples Relinquished by: <i>CMR</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

Analyst Signature: [Signature] Supervisor Signature: [Signature]
METHOD: TO-15 Pressure Gauge ID: A255971

Document Control # A304122.8

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: SSSG-B10-4-4/1/2025

Client Name: WPC

Project Name: Riverside

Date: 4/1/2025 Time: 1054

Analysis: TD-15

Comments:

Storage Location: Air Lab

Sample: Q1725-02

Cust #: SSSG-B10-4-04012025

Disposal:

CHEMTECH

Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: SSSG-B1-2-4/1/2025

Client Name: WPC

Project Name: WPC

Date: 3/31/2025 Time: 0951

Analysis: TD-15

Comments:

Storage Location: Air Lab

Sample: Q1725-01

Cust #: SSSG-B1-2-04012025

Disposal:

CHEMTECH

Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: SSSG-DUP-2-4/1/2025

Client Name: WPC

Project Name: Riverside

Date: 4/1/2025 Time: 1535

Analysis: TD-15

Comments:

Storage Location: Air Lab

Sample: Q1725-03

Cust #: SSSG-DUP-2-04012025

Disposal:

CHEMTECH'S

Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: ~~AA-1~~ B14-3-4/1/2025
Client Name: WBC
Project Name: _____
Date: 4/1/2025 Time: 1535
Analysis: TD-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1725-05
Cust #: SSSG-B14-3-04012025

Disposal: _____

B2503044

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-1-3/31/2025
Client Name: WtC
Project Name: Riverside
Date: 3/31-4/1 Time: 1030
Analysis: TD-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1725-04
Cust #: AA-1-03312025

Disposal: _____

B2503044

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B10-3-3/31/2025
Client Name: WtC
Project Name: Riverside
Date: 3/31/2025 Time: 1636
Analysis: TD-15
Comments: _____
CHEMTECH'S
Date Received: _____

Storage Location: Air Lab
Sample: Q1725-06
Cust #: SSSG-B10-3-03312025

Disposal: _____

B2503044

B2503044

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: SSSG-B10-2-3/31/2025

Client Name: W+C

Project Name: Riverside

Date: 3/31/2025 Time: 1509

Analysis: TO-15

Comments:

Storage Location: Air Lab

Sample: Q1725-08

Cust #: SSSG-B10-2-3312025

CHEMTECH'S

Date Received:

Disposal:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #:

Client Name:

Project Name:

Date: Time:

Analysis:

Comments:

Storage Location: Air Lab

Sample: Q1725-07

Cust #: SSSG-B10-1-03312025-SPLIT

CHEMTECH'S

Date Received:

Disposal:

Laboratory Certification



Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: Chemtech		Location: 284 Sheffield Street, Mountainside, NJ 7092	
NAME:		Title: Sample Custodian	
Field Sample Seal No. Q1725		Date Broken 4/3/2025	
Case No.: US EPA Riverside Industria		Military Time Seal Broken: 10:05:00	
		Analytical Parameter/Fraction TO-15	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1725-01	SSSG-B1-2-04012025		
Q1725-02	SSSG-B10-4-04012025		
Q1725-03	SSSG-DUP-2-04012025		
Q1725-04	AA-1-03312025		
Q1725-05	SSSG-B14-3-04012025		
Q1725-06	SSSG-B10-3-03312025		
Q1725-07	SSSG-B10-1-03312025-SPLIT		
Q1725-08	SSSG-B10-2- 03312025 03312025		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4/9/25		Signature 	Signature 	
		Printed Name Casanova Pena	Printed Name Samuel J. Pena	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	