

## Report of Analysis

|                    |                                                 |                 |          |
|--------------------|-------------------------------------------------|-----------------|----------|
| Client:            | Woodard & Curran                                | Date Collected: | 04/01/25 |
| Project:           | US EPA Riverside Industrial Park Superfund Site | Date Received:  | 04/03/25 |
| Client Sample ID:  | SSSG-DUP-2-04012025                             | SDG No.:        | Q1725    |
| Lab Sample ID:     | Q1725-03                                        | Matrix:         | Air      |
| Analytical Method: | TO-15                                           | Test:           | TO-15    |
| Sample Wt/Vol:     | 400                                             | Units:          | mL       |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VL042256.D        | 1         |           | 04/08/25 10:55 | VL040825      |

| CAS Number     | Parameter                      | Conc.<br>ppbv | Conc.<br>ug/M3 | Qualifier | MDL   | LOQ / CRQL | Units |
|----------------|--------------------------------|---------------|----------------|-----------|-------|------------|-------|
| <b>TARGETS</b> |                                |               |                |           |       |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.37          | 1.83           | J         | 1.04  | 2.47       | ug/m3 |
| 74-87-3        | Chloromethane                  | 0.41          | 0.85           | J         | 0.21  | 1.03       | ug/m3 |
| 75-01-4        | Vinyl Chloride                 | 0.010         | 0.030          | U         | 0.030 | 0.080      | ug/m3 |
| 74-83-9        | Bromomethane                   | 0.14          | 0.54           | U         | 0.54  | 1.94       | ug/m3 |
| 75-00-3        | Chloroethane                   | 0.17          | 0.45           | U         | 0.45  | 1.32       | ug/m3 |
| 109-99-9       | Tetrahydrofuran                | 0.13          | 0.38           | U         | 0.38  | 1.47       | ug/m3 |
| 75-69-4        | Trichlorofluoromethane         | 0.20          | 1.12           | J         | 0.90  | 2.81       | ug/m3 |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.16          | 1.23           | U         | 1.23  | 3.83       | ug/m3 |
| 76-14-2        | Dichlorotetrafluoroethane      | 0.090         | 0.63           | U         | 0.63  | 3.49       | ug/m3 |
| 75-65-0        | tert-Butyl alcohol             | 0.19          | 0.58           | U         | 0.58  | 1.52       | ug/m3 |
| 142-82-5       | Heptane                        | 0.11          | 0.45           | U         | 0.45  | 2.05       | ug/m3 |
| 75-35-4        | 1,1-Dichloroethene             | 0.14          | 0.56           | U         | 0.56  | 1.98       | ug/m3 |
| 67-64-1        | Acetone                        | 38.5          | 91.5           | E         | 0.57  | 1.19       | ug/m3 |
| 75-15-0        | Carbon Disulfide               | 0.16          | 0.50           | U         | 0.50  | 1.56       | ug/m3 |
| 1634-04-4      | Methyl tert-Butyl Ether        | 0.12          | 0.43           | U         | 0.43  | 1.80       | ug/m3 |
| 75-09-2        | Methylene Chloride             | 0.63          | 2.19           |           | 0.66  | 1.74       | ug/m3 |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.19          | 0.75           | U         | 0.75  | 1.98       | ug/m3 |
| 75-34-3        | 1,1-Dichloroethane             | 0.13          | 0.53           | U         | 0.53  | 2.02       | ug/m3 |
| 110-82-7       | Cyclohexane                    | 0.22          | 0.76           | U         | 0.76  | 1.72       | ug/m3 |
| 78-93-3        | 2-Butanone                     | 0.44          | 1.30           | J         | 0.35  | 1.47       | ug/m3 |
| 56-23-5        | Carbon Tetrachloride           | 0.080         | 0.50           |           | 0.060 | 0.19       | ug/m3 |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.090         | 0.36           | U         | 0.36  | 1.98       | ug/m3 |
| 67-66-3        | Chloroform                     | 0.39          | 1.90           | J         | 0.39  | 2.44       | ug/m3 |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.010         | 0.050          | U         | 0.050 | 0.16       | ug/m3 |
| 540-84-1       | 2,2,4-Trimethylpentane         | 0.10          | 0.47           | U         | 0.47  | 2.34       | ug/m3 |
| 71-43-2        | Benzene                        | 0.16          | 0.51           | J         | 0.29  | 1.60       | ug/m3 |
| 107-06-2       | 1,2-Dichloroethane             | 0.090         | 0.36           | U         | 0.36  | 2.02       | ug/m3 |
| 79-01-6        | Trichloroethene                | 0.050         | 0.27           |           | 0.11  | 0.16       | ug/m3 |
| 78-87-5        | 1,2-Dichloropropane            | 0.11          | 0.51           | U         | 0.51  | 2.31       | ug/m3 |
| 75-27-4        | Bromodichloromethane           | 0.080         | 0.54           | U         | 0.54  | 3.35       | ug/m3 |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.090         | 0.37           | U         | 0.37  | 2.05       | ug/m3 |
| 108-88-3       | Toluene                        | 0.72          | 2.71           |           | 0.41  | 1.88       | ug/m3 |
| 10061-02-6     | t-1,3-Dichloropropene          | 0.060         | 0.27           | U         | 0.27  | 2.27       | ug/m3 |
| 10061-01-5     | cis-1,3-Dichloropropene        | 0.060         | 0.27           | U         | 0.27  | 2.27       | ug/m3 |
| 79-00-5        | 1,1,2-Trichloroethane          | 0.070         | 0.38           | U         | 0.38  | 2.73       | ug/m3 |

## Report of Analysis

|                    |                                                 |                 |          |
|--------------------|-------------------------------------------------|-----------------|----------|
| Client:            | Woodard & Curran                                | Date Collected: | 04/01/25 |
| Project:           | US EPA Riverside Industrial Park Superfund Site | Date Received:  | 04/03/25 |
| Client Sample ID:  | SSSG-DUP-2-04012025                             | SDG No.:        | Q1725    |
| Lab Sample ID:     | Q1725-03                                        | Matrix:         | Air      |
| Analytical Method: | TO-15                                           | Test:           | TO-15    |
| Sample Wt/Vol:     | 400      Units:    mL                           |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VL042256.D        | 1         |           | 04/08/25 10:55 | VL040825      |

| CAS Number  | Parameter                 | Conc.<br>ppbv | Conc.<br>ug/M3 | Qualifier | MDL   | LOQ / CRQL | Units |
|-------------|---------------------------|---------------|----------------|-----------|-------|------------|-------|
| 124-48-1    | Dibromochloromethane      | 0.070         | 0.60           | U         | 0.60  | 4.26       | ug/m3 |
| 106-93-4    | 1,2-Dibromoethane         | 0.070         | 0.54           | U         | 0.54  | 0.77       | ug/m3 |
| 127-18-4    | Tetrachloroethene         | 0.080         | 0.54           |           | 0.14  | 0.20       | ug/m3 |
| 108-90-7    | Chlorobenzene             | 0.080         | 0.37           | U         | 0.37  | 2.30       | ug/m3 |
| 100-41-4    | Ethyl Benzene             | 1.30          | 5.65           |           | 0.52  | 2.17       | ug/m3 |
| 179601-23-1 | m/p-Xylene                | 6.30          | 27.4           |           | 0.91  | 4.34       | ug/m3 |
| 95-47-6     | o-Xylene                  | 1.20          | 5.21           |           | 0.52  | 2.17       | ug/m3 |
| 100-42-5    | Styrene                   | 0.35          | 1.49           | J         | 0.47  | 2.13       | ug/m3 |
| 75-25-2     | Bromoform                 | 0.060         | 0.62           | U         | 0.62  | 5.17       | ug/m3 |
| 79-34-5     | 1,1,2,2-Tetrachloroethane | 0.010         | 0.070          | U         | 0.070 | 0.21       | ug/m3 |
| 95-49-8     | 2-Chlorotoluene           | 0.11          | 0.57           | U         | 0.57  | 2.59       | ug/m3 |
| 108-67-8    | 1,3,5-Trimethylbenzene    | 0.13          | 0.64           | J         | 0.54  | 2.46       | ug/m3 |
| 95-63-6     | 1,2,4-Trimethylbenzene    | 0.36          | 1.77           | J         | 0.39  | 2.46       | ug/m3 |
| 541-73-1    | 1,3-Dichlorobenzene       | 0.080         | 0.48           | U         | 0.48  | 3.01       | ug/m3 |
| 106-46-7    | 1,4-Dichlorobenzene       | 0.050         | 0.30           | U         | 0.30  | 3.01       | ug/m3 |
| 95-50-1     | 1,2-Dichlorobenzene       | 0.080         | 0.48           | U         | 0.48  | 3.01       | ug/m3 |
| 120-82-1    | 1,2,4-Trichlorobenzene    | 0.090         | 0.67           | U         | 0.67  | 3.71       | ug/m3 |
| 87-68-3     | Hexachloro-1,3-Butadiene  | 0.090         | 0.96           | U         | 0.96  | 5.33       | ug/m3 |
| 106-99-0    | 1,3-Butadiene             | 0.13          | 0.29           | U         | 0.29  | 1.11       | ug/m3 |
| 91-20-3     | Naphthalene               | 0.080         | 0.42           | U         | 0.42  | 0.52       | ug/m3 |
| 622-96-8    | 4-Ethyltoluene            | 0.12          | 0.59           | U         | 0.59  | 2.46       | ug/m3 |
| 110-54-3    | Hexane                    | 0.28          | 0.99           | J         | 0.39  | 1.76       | ug/m3 |
| 107-05-1    | Allyl Chloride            | 0.15          | 0.47           | U         | 0.47  | 1.57       | ug/m3 |
| 123-91-1    | 1,4-Dioxane               | 0.21          | 0.76           | U         | 0.76  | 1.80       | ug/m3 |
| 80-62-6     | Methyl Methacrylate       | 0.090         | 0.37           | U         | 0.37  | 2.05       | ug/m3 |

### SURROGATES

|          |                         |      |  |                     |      |         |
|----------|-------------------------|------|--|---------------------|------|---------|
| 460-00-4 | 1-Bromo-4-Fluorobenzene | 10.0 |  | 70 (65) - 130 (135) | 100% | SPK: 10 |
|----------|-------------------------|------|--|---------------------|------|---------|

### INTERNAL STANDARDS

|           |                     |        |       |
|-----------|---------------------|--------|-------|
| 74-97-5   | Bromochloromethane  | 197000 | 2.803 |
| 540-36-3  | 1,4-Difluorobenzene | 511000 | 3.981 |
| 3114-55-4 | Chlorobenzene-d5    | 446000 | 8.904 |

### TENTATIVE IDENTIFIED COMPOUNDS

|          |                       |      |   |      |      |
|----------|-----------------------|------|---|------|------|
| 75-45-6  | Chlorodifluoromethane | 0.34 | J | 1.48 | ppbv |
| 115-07-1 | Propene               | 0.40 | J | 1.50 | ppbv |
| 64-17-5  | Ethanol               | 12.9 | J | 1.73 | ppbv |

## Report of Analysis

|                    |                                                 |                 |          |
|--------------------|-------------------------------------------------|-----------------|----------|
| Client:            | Woodard & Curran                                | Date Collected: | 04/01/25 |
| Project:           | US EPA Riverside Industrial Park Superfund Site | Date Received:  | 04/03/25 |
| Client Sample ID:  | SSSG-DUP-2-04012025                             | SDG No.:        | Q1725    |
| Lab Sample ID:     | Q1725-03                                        | Matrix:         | Air      |
| Analytical Method: | TO-15                                           | Test:           | TO-15    |
| Sample Wt/Vol:     | 400      Units:    mL                           |                 |          |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VL042256.D        | 1         |           | 04/08/25 10:55 | VL040825      |

| CAS Number   | Parameter                          | Conc.<br>ppbv | Conc.<br>ug/M3 | Qualifier | MDL | LOQ / CRQL | Units |
|--------------|------------------------------------|---------------|----------------|-----------|-----|------------|-------|
| 67-63-0      | Isopropyl Alcohol                  | 110           |                | J         |     | 1.89       | ppbv  |
| 007452-79-1  | Butanoic acid, 2-methyl-, ethyl es | 2.30          |                | J         |     | 9.17       | ppbv  |
| 005989-27-5  | D-Limonene                         | 2.20          |                | J         |     | 12.1       | ppbv  |
| 017302-32-8  | Nonane, 3,7-dimethyl-              | 1.80          |                | J         |     | 12.2       | ppbv  |
|              | unknown12.267                      | 1.30          |                | J         |     | 12.3       | ppbv  |
| 001120-21-4  | Undecane                           | 2.00          |                | J         |     | 12.5       | ppbv  |
| 1000368-55-3 | 2-Hexyldecyl isobutyrate           | 1.10          |                | J         |     | 12.7       | ppbv  |

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements