

Hit Summary Sheet
SW-846

SDG No.: Q1725
Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: SSSG-B1-2-04012025								
Q1725-01	SSSG-B1-2-040120	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Heptane	0.49	J	0.45	2.05	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Acetone	5.94		0.57	1.19	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Methylene Chloride	3.40		0.66	1.74	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	2-Butanone	0.59	J	0.35	1.47	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Chloroform	9.77		0.39	2.44	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Benzene	0.45	J	0.29	1.60	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Trichloroethene	0.38		0.11	0.16	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Toluene	7.91		0.41	1.88	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Tetrachloroethene	0.34		0.14	0.20	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Chlorobenzene	0.92	J	0.37	2.30	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Ethyl Benzene	1.22	J	0.52	2.17	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	m/p-Xylene	5.21		0.91	4.34	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	o-Xylene	1.74	J	0.52	2.17	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Styrene	0.94	J	0.47	2.13	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	1,2,4-Trimethylbenzene	1.13	J	0.39	2.46	ug/m3
Q1725-01	SSSG-B1-2-040120	Air	Hexane	1.09	J	0.39	1.76	ug/m3
			Total Voc :			45.1		
Q1725-01	SSSG-B1-2-040120	Air	Chlorodifluoromethane	* 0.27	J	0.090	0.50	ppbv
			Total Tics :			0.27		
			Total Concentration:			45.4		
Client ID: SSSG-B10-4-04012025								
Q1725-02	SSSG-B10-4-04012	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Chloromethane	0.27	J	0.21	1.03	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Trichlorofluoromethane	1.29	J	0.90	2.81	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	tert-Butyl alcohol	1.49	J	0.58	1.52	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Heptane	0.61	J	0.45	2.05	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	1,1-Dichloroethene	6.34		0.56	1.98	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Acetone	74.3	E	0.57	1.19	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Methylene Chloride	2.33		0.66	1.74	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	2-Butanone	2.04		0.35	1.47	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Carbon Tetrachloride	22.6		0.060	0.19	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Chloroform	586	E	0.39	2.44	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	1,1,1-Trichloroethane	0.60		0.050	0.16	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1725

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1725-02	SSSG-B10-4-04012	Air	Benzene	0.77	J	0.29	1.60	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Trichloroethene	4.94		0.11	0.16	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Bromodichloromethane	2.81	J	0.54	3.35	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Toluene	5.28		0.41	1.88	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Tetrachloroethene	21.0		0.14	0.20	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Chlorobenzene	0.74	J	0.37	2.30	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Ethyl Benzene	1.17	J	0.52	2.17	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	m/p-Xylene	4.78		0.91	4.34	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	o-Xylene	1.69	J	0.52	2.17	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Styrene	1.45	J	0.47	2.13	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	1,2,4-Trimethylbenzene	1.87	J	0.39	2.46	ug/m3
Q1725-02	SSSG-B10-4-04012	Air	Hexane	1.59	J	0.39	1.76	ug/m3
Total Voc :				748				
Q1725-02	SSSG-B10-4-04012	Air	unknown12.267	* 8.10	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	Hexane, 3,3-dimethyl-	* 2.80	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	D-Limonene	* 1.90	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	Heptane, 2,2,4,6,6-pentamethyl	* 1.90	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	6-Chloro-2-ethyl-4-phenylquin	* 87.6	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	Nonane, 3-methyl-5-propyl-	* 9.20	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	Octane, 2,2,6-trimethyl-	* 2.60	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	Heptane, 5-ethyl-2,2,3-trimethy	* 6.30	J	0	0	ppbv
Q1725-02	SSSG-B10-4-04012	Air	Propene	* 2.50	J	0.15	0.50	ppbv
Total Tics :				123				
Total Concentration:				871				
Client ID:	SSSG-B10-4-04012025DL							
Q1725-02DL	SSSG-B10-4-04012	Air	1,1-Dichloroethene	6.34	JD	5.55	19.8	ug/m3
Q1725-02DL	SSSG-B10-4-04012	Air	Acetone	80.5	D	5.70	11.9	ug/m3
Q1725-02DL	SSSG-B10-4-04012	Air	Methylene Chloride	8.69	JD	6.60	17.4	ug/m3
Q1725-02DL	SSSG-B10-4-04012	Air	Carbon Tetrachloride	20.8	D	0.69	1.89	ug/m3
Q1725-02DL	SSSG-B10-4-04012	Air	Chloroform	1950	ED	4.05	24.4	ug/m3
Q1725-02DL	SSSG-B10-4-04012	Air	Trichloroethene	5.27	D	0.91	1.61	ug/m3
Q1725-02DL	SSSG-B10-4-04012	Air	Toluene	4.52	JD	4.15	18.8	ug/m3
Q1725-02DL	SSSG-B10-4-04012	Air	Tetrachloroethene	19.7	D	1.02	2.03	ug/m3
Total Voc :				2100				
Total Concentration:				2100				
Client ID:	SSSG-B10-4-04012025DL2							
Q1725-02DL2	SSSG-B10-4-04012	Air	Acetone	101	D	22.8	47.5	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1725

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1725-02DL2	SSSG-B10-4-04012	Air	Chloroform	2340	D	16.1	97.7	ug/m3
			Total Voc :	2450				
			Total Concentration:	2450				
Client ID:	SSSG-DUP-2-04012025							
Q1725-03	SSSG-DUP-2-04012	Air	Dichlorodifluoromethane	1.83	J	1.04	2.47	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Chloromethane	0.85	J	0.21	1.03	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Trichlorofluoromethane	1.12	J	0.90	2.81	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Acetone	91.5	E	0.57	1.19	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Methylene Chloride	2.19		0.66	1.74	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	2-Butanone	1.30	J	0.35	1.47	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Chloroform	1.90	J	0.39	2.44	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Benzene	0.51	J	0.29	1.60	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Trichloroethene	0.27		0.11	0.16	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Toluene	2.71		0.41	1.88	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Tetrachloroethene	0.54		0.14	0.20	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Ethyl Benzene	5.65		0.52	2.17	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	m/p-Xylene	27.4		0.91	4.34	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	o-Xylene	5.21		0.52	2.17	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Styrene	1.49	J	0.47	2.13	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	1,3,5-Trimethylbenzene	0.64	J	0.54	2.46	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	1,2,4-Trimethylbenzene	1.77	J	0.39	2.46	ug/m3
Q1725-03	SSSG-DUP-2-04012	Air	Hexane	0.99	J	0.39	1.76	ug/m3
			Total Voc :	148				
Q1725-03	SSSG-DUP-2-04012	Air	unknown12.267	* 1.30	J	0	0	ppbv
Q1725-03	SSSG-DUP-2-04012	Air	Undecane	* 2.00	J	0	0	ppbv
Q1725-03	SSSG-DUP-2-04012	Air	D-Limonene	* 2.20	J	0	0	ppbv
Q1725-03	SSSG-DUP-2-04012	Air	Butanoic acid, 2-methyl-, ethyl	* 2.30	J	0	0	ppbv
Q1725-03	SSSG-DUP-2-04012	Air	Nonane, 3,7-dimethyl-	* 1.80	J	0	0	ppbv
Q1725-03	SSSG-DUP-2-04012	Air	2-Hexyldecyl isobutyrate	* 1.10	J	0	0	ppbv
Q1725-03	SSSG-DUP-2-04012	Air	Chlorodifluoromethane	* 0.34	J	0.090	0.50	ppbv
Q1725-03	SSSG-DUP-2-04012	Air	Propene	* 0.40	J	0.15	0.50	ppbv
			Total Tics :	11.4				
			Total Concentration:	160				
Client ID:	SSSG-DUP-2-04012025DL							
Q1725-03DL	SSSG-DUP-2-04012	Air	Chloromethane	1.09	JD	0.81	4.13	ug/m3
Q1725-03DL	SSSG-DUP-2-04012	Air	Acetone	104	D	2.28	4.75	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1725

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1725-03DL	SSSG-DUP-2-0401	Air	Methylene Chloride	4.17	JD	2.64	6.95	ug/m3
Q1725-03DL	SSSG-DUP-2-0401	Air	Chloroform	2.10	JD	1.61	9.77	ug/m3
Q1725-03DL	SSSG-DUP-2-0401	Air	Toluene	2.30	JD	1.66	7.54	ug/m3
Q1725-03DL	SSSG-DUP-2-0401	Air	Ethyl Benzene	4.34	JD	2.08	8.69	ug/m3
Q1725-03DL	SSSG-DUP-2-0401	Air	m/p-Xylene	18.2	D	3.65	17.4	ug/m3
Q1725-03DL	SSSG-DUP-2-0401	Air	o-Xylene	3.65	JD	2.08	8.69	ug/m3
Total Voc :				140				
Total Concentration:				140				
Client ID:	AA-1-03312025							
Q1725-04	AA-1-03312025	Air	Dichlorodifluoromethane	1.98	J	1.04	2.47	ug/m3
Q1725-04	AA-1-03312025	Air	Chloromethane	1.20		0.21	1.03	ug/m3
Q1725-04	AA-1-03312025	Air	Trichlorofluoromethane	1.18	J	0.90	2.81	ug/m3
Q1725-04	AA-1-03312025	Air	Heptane	0.45	J	0.45	2.05	ug/m3
Q1725-04	AA-1-03312025	Air	Acetone	12.1		0.57	1.19	ug/m3
Q1725-04	AA-1-03312025	Air	Methylene Chloride	1.39	J	0.66	1.74	ug/m3
Q1725-04	AA-1-03312025	Air	2-Butanone	1.56		0.35	1.47	ug/m3
Q1725-04	AA-1-03312025	Air	Carbon Tetrachloride	0.44		0.060	0.19	ug/m3
Q1725-04	AA-1-03312025	Air	Benzene	0.45	J	0.29	1.60	ug/m3
Q1725-04	AA-1-03312025	Air	4-Methyl-2-Pentanone	0.53	J	0.37	2.05	ug/m3
Q1725-04	AA-1-03312025	Air	Toluene	2.30		0.41	1.88	ug/m3
Q1725-04	AA-1-03312025	Air	m/p-Xylene	0.96	J	0.91	4.34	ug/m3
Q1725-04	AA-1-03312025	Air	Hexane	1.16	J	0.39	1.76	ug/m3
Total Voc :				25.7				
Q1725-04	AA-1-03312025	Air	Chlorodifluoromethane	* 0.28	J	0.090	0.50	ppbv
Q1725-04	AA-1-03312025	Air	Propene	* 0.48	J	0.15	0.50	ppbv
Total Tics :				0.76				
Total Concentration:				26.5				
Client ID:	SSSG-B14-3-04012025							
Q1725-05	SSSG-B14-3-04012	Air	Dichlorodifluoromethane	2.27	J	2.08	4.94	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Chloromethane	0.97	J	0.41	2.07	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Acetone	105	E	1.14	2.38	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Methylene Chloride	2.22	J	1.32	3.47	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	2-Butanone	2.12	J	0.71	2.95	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Carbon Tetrachloride	0.44		0.13	0.38	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Chloroform	1.03	J	0.83	4.88	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Toluene	2.90	J	0.83	3.77	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Tetrachloroethene	0.54		0.20	0.41	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1725

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1725-05	SSSG-B14-3-04012	Air	Ethyl Benzene	4.00	J	1.04	4.34	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	m/p-Xylene	17.4		1.82	8.69	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	o-Xylene	3.61	J	1.04	4.34	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Styrene	1.70	J	0.94	4.26	ug/m3
Q1725-05	SSSG-B14-3-04012	Air	Hexane	0.92	J	0.78	3.52	ug/m3
Total Voc :				145				
Q1725-05	SSSG-B14-3-04012	Air	Butanoic acid, 2-methyl-, ethyl *	2.10	J	0	0	ppbv
Q1725-05	SSSG-B14-3-04012	Air	Chlorodifluoromethane *	0.35	J	0.18	1.00	ppbv
Q1725-05	SSSG-B14-3-04012	Air	Propene *	0.92	J	0.30	1.00	ppbv
Total Tics :				3.37				
Total Concentration:				148				
Client ID:	SSSG-B14-3-04012025DL							
Q1725-05DL	SSSG-B14-3-04012	Air	Acetone	110	D	5.70	11.9	ug/m3
Q1725-05DL	SSSG-B14-3-04012	Air	m/p-Xylene	13.0	JD	9.12	43.4	ug/m3
Total Voc :				123				
Total Concentration:				123				
Client ID:	SSSG-B10-3-03312025							
Q1725-06	SSSG-B10-3-03312	Air	Chloromethane	1.34	J	0.81	4.13	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	Tetrahydrofuran	2.86	J	1.53	5.90	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	tert-Butyl alcohol	3.64	J	2.30	6.06	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	Acetone	380	E	2.28	4.75	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	Methylene Chloride	23.6		2.64	6.95	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	2-Butanone	57.8		1.42	5.90	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	Chloroform	6.84	J	1.61	9.77	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	Toluene	1.81	J	1.66	7.54	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	Tetrachloroethene	16.9		0.41	0.81	ug/m3
Q1725-06	SSSG-B10-3-03312	Air	Hexane	7.05		1.55	7.05	ug/m3
Total Voc :				502				
Q1725-06	SSSG-B10-3-03312	Air	unknown12.720 *	4.20	J	0	0	ppbv
Q1725-06	SSSG-B10-3-03312	Air	D-Limonene *	98.9	J	0	0	ppbv
Q1725-06	SSSG-B10-3-03312	Air	Butanoic acid, 2-methyl-, ethyl *	88.2	J	0	0	ppbv
Q1725-06	SSSG-B10-3-03312	Air	11H-Dibenzo[b,e][1,4]diazepin *	27.5	J	0	0	ppbv
Q1725-06	SSSG-B10-3-03312	Air	(Z,Z)-3,6-Nonadienal *	5.00	J	0	0	ppbv
Q1725-06	SSSG-B10-3-03312	Air	Propene *	3.20	J	0.60	2.00	ppbv
Total Tics :				227				
Total Concentration:				729				
Client ID:	SSSG-B10-3-03312025DL							
Q1725-06DL	SSSG-B10-3-03312	Air	Acetone	380	D	22.8	47.5	ug/m3

Hit Summary Sheet SW-846

SDG No.: Q1725

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1725-06DL	SSSG-B10-3-03312	Air	Methylene Chloride	45.9	JD	26.4	69.5	ug/m3
Q1725-06DL	SSSG-B10-3-03312	Air	2-Butanone	49.3	JD	14.2	59.0	ug/m3
Q1725-06DL	SSSG-B10-3-03312	Air	Tetrachloroethene	16.9	D	4.07	8.14	ug/m3
Total Voc :				492				
Total Concentration:				492				
Client ID:	SSSG-B10-1-03312025-SPLIT							
Q1725-07	SSSG-B10-1-03312	Air	Dichlorodifluoromethane	1.78	J	1.04	2.47	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Trichlorofluoromethane	1.35	J	0.90	2.81	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	tert-Butyl alcohol	2.43		0.58	1.52	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Heptane	2.50		0.45	2.05	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Acetone	67.0	E	0.57	1.19	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Methylene Chloride	3.82		0.66	1.74	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	2-Butanone	4.42		0.35	1.47	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Carbon Tetrachloride	0.57		0.060	0.19	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Chloroform	11.7		0.39	2.44	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	1,1,1-Trichloroethane	0.16		0.050	0.16	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	2,2,4-Trimethylpentane	1.35	J	0.47	2.34	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Benzene	1.57	J	0.29	1.60	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Trichloroethene	1.40		0.11	0.16	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Toluene	16.2		0.41	1.88	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Tetrachloroethene	5.09		0.14	0.20	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Ethyl Benzene	3.78		0.52	2.17	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	m/p-Xylene	18.7		0.91	4.34	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	o-Xylene	7.82		0.52	2.17	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	1,3,5-Trimethylbenzene	2.16	J	0.54	2.46	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	1,2,4-Trimethylbenzene	8.36		0.39	2.46	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	1,3-Dichlorobenzene	0.96	J	0.48	3.01	ug/m3
Q1725-07	SSSG-B10-1-03312	Air	Hexane	3.52		0.39	1.76	ug/m3
Total Voc :				167				
Q1725-07	SSSG-B10-1-03312	Air	Pentane, 2-methyl-	* 1.60	J	0	0	ppbv
Q1725-07	SSSG-B10-1-03312	Air	1-Propene, 2-methyl-	* 2.70	J	0	0	ppbv
Q1725-07	SSSG-B10-1-03312	Air	Nonanal	* 2.80	J	0	0	ppbv
Q1725-07	SSSG-B10-1-03312	Air	Hexane, 3-methyl-	* 1.20	J	0	0	ppbv
Q1725-07	SSSG-B10-1-03312	Air	Benzene, 1-ethyl-2-methyl-	* 1.40	J	0	0	ppbv
Q1725-07	SSSG-B10-1-03312	Air	1-Hexene, 4-methyl-	* 1.30	J	0	0	ppbv
Q1725-07	SSSG-B10-1-03312	Air	Undecane, 4,6-dimethyl-	* 1.70	J	0	0	ppbv
Q1725-07	SSSG-B10-1-03312	Air	Chlorodifluoromethane	* 0.13	J	0.090	0.50	ppbv

Hit Summary Sheet
SW-846

SDG No.: Q1725

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1725-07	SSSG-B10-1-03312	Air	Propene	* 1.40	J	0.15	0.50	ppbv
Q1725-07	SSSG-B10-1-03312	Air	n-propylbenzene	* 0.23	J	0.080	0.50	ppbv
Total Tics :				14.5				
Total Concentration:				181				
Client ID:	SSSG-B10-1-03312025-SPLITDL							
Q1725-07DL	SSSG-B10-1-03312	Air	Acetone	76.0	D	5.70	11.9	ug/m3
Q1725-07DL	SSSG-B10-1-03312	Air	Methylene Chloride	9.73	JD	6.60	17.4	ug/m3
Q1725-07DL	SSSG-B10-1-03312	Air	2-Butanone	4.72	JD	3.54	14.8	ug/m3
Q1725-07DL	SSSG-B10-1-03312	Air	Chloroform	12.2	JD	4.05	24.4	ug/m3
Q1725-07DL	SSSG-B10-1-03312	Air	Toluene	11.7	JD	4.15	18.8	ug/m3
Q1725-07DL	SSSG-B10-1-03312	Air	Tetrachloroethene	4.95	D	1.02	2.03	ug/m3
Q1725-07DL	SSSG-B10-1-03312	Air	m/p-Xylene	10.9	JD	9.12	43.4	ug/m3
Q1725-07DL	SSSG-B10-1-03312	Air	o-Xylene	5.21	JD	5.21	21.7	ug/m3
Total Voc :				135				
Total Concentration:				135				
Client ID:	SSSG-B10-2-03312025							
Q1725-08	SSSG-B10-2-03312	Air	Chloromethane	0.93	J	0.81	4.13	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	tert-Butyl alcohol	3.64	J	2.30	6.06	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Acetone	333	E	2.28	4.75	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Methylene Chloride	3.34	J	2.64	6.95	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	2-Butanone	64.6		1.42	5.90	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Chloroform	7.33	J	1.61	9.77	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Benzene	1.47	J	1.12	6.39	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Toluene	6.78	J	1.66	7.54	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Tetrachloroethene	21.0		0.41	0.81	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Ethyl Benzene	2.26	J	2.08	8.69	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	m/p-Xylene	8.25	J	3.65	17.4	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	o-Xylene	3.61	J	2.08	8.69	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	1,2,4-Trimethylbenzene	3.34	J	1.52	9.83	ug/m3
Q1725-08	SSSG-B10-2-03312	Air	Hexane	1.80	J	1.55	7.05	ug/m3
Total Voc :				461				
Q1725-08	SSSG-B10-2-03312	Air	D-Limonene	* 33.8	J	0	0	ppbv
Q1725-08	SSSG-B10-2-03312	Air	Butanoic acid, 2-methyl-, ethyl	* 29.6	J	0	0	ppbv
Q1725-08	SSSG-B10-2-03312	Air	Propene	* 7.50	J	0.60	2.00	ppbv
Total Tics :				70.9				
Total Concentration:				532				
Client ID:	SSSG-B10-2-03312025DL							
Q1725-08DL	SSSG-B10-2-03312	Air	Acetone	380	D	22.8	47.5	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1725

Client: Woodard & Curran

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1725-08DL	SSSG-B10-2-03312	Air	2-Butanone	61.9	D	14.2	59.0	ug/m3
Q1725-08DL	SSSG-B10-2-03312	Air	Tetrachloroethene	20.3	D	4.07	8.14	ug/m3
Total Voc :				462				
Total Concentration:				462				