

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs					
Client ID : WOOD06						Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Alpha Helium</i>				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
						Phone Number : 800-807-4080													
						Fax Number : 914-448-0147													
						Site Details:													
						Analysis Turnaround Time													
						Standard : 10 business days OR				Data Package Type :									
						Rush (Specify): Days				EDD Type :									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas		
1A-DUP-3-3/31/2025	3/31/25 4/1/25	1006	1215	-30	-4	70	70	-30	-1.8	10206 10271	10597 10507	6 L	4.16	VE042143-D	X	X			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Scot</i>									
		Ambient	Maximum	Minimum															
Start		68																	
Stop		45																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		29.70																	
Stop		29.88																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>NJ</i>																			
Quick Connector required : <i>No</i>																			
Canisters Shipped by: <i>Scot</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>Scot</i>				Date/Time: <i>4/3/25 1005</i>							
Samples Relinquished by: <i>Scot</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2502051				Courier : _____				_____ of _____ COCs																	
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chryllo</i>				Analysis				Matrix																	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country : _____				Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 800-807-4080																									
				Fax Number : 914-448-0147																									
				Site Details:																									
Analysis Turnaround Time				Data Package Type :																									
Standard : 10 business days OR				Rush (Specify): _____ Days				EDD Type :																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas													
1A-B2-6-3/31/2025	3/31/25 4/1/25	1610	1217	-27	-5	70	70	-30	-6.7	10696 10774	10288 10597	6 L	4.16	VL042143-D	X	X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>68</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>45</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	68			Stop	45			GC/MS Analyst Signature (TO-15) <i>Set</i>							
	Ambient	Maximum	Minimum																										
Start	68																												
Stop	45																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.70</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.88</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.70			Stop	29.88										
	Ambient	Maximum	Minimum																										
Start	29.70																												
Stop	29.88																												
** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i>																													
Please follow the instructions on the back of this COC.																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																													
Sampling site (State): <i>NJ</i>																													
Quick Connector required : <i>No</i>																													
Canisters Shipped by: <i>Seam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>SA</i>				Date/Time: <i>4/3/25 1000</i>																	
Samples Relinquished by: <i>Crn</i>				Date/Time: <i>4/3/25 1000</i>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs								
Client ID : WOOD06 Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Clayton D. Hfner</i>				Analysis				Matrix								
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 800-807-4080																
				Fax Number : 914-448-0147																
				Site Details:																
Analysis Turnaround Time				Data Package Type :																
Standard : 10 business days OR				Rush (Specify): _____ Days				EDD Type :												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas	
<i>1A-82-2-3/31/2025</i>	<i>3/31/25 4/1/25</i>	<i>1241</i>	<i>1220</i>	<i>-30</i>	<i>-5</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-7.1</i>	<i>10506</i>	<i>10410</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042182.D</i>	<i>X</i>			<i>X</i>		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>										
		Ambient	Maximum	Minimum																
Start		<i>68</i>																		
Stop		<i>45</i>																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start		<i>29.70</i>																		
Stop		<i>29.88</i>																		
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>New Jersey</i>																				
Quick Connector required : <i>NO</i>																				
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>03/25/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/24/25</i>				B2503044 - 9				
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information						Bottle Order ID : B2502051				Courier :				_____ of _____ COCs															
Client ID : WOOD06						Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clayton</i>				Analysis		Matrix													
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : Stephanie rogacki				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																			
						Phone Number : 800-807-4080																							
						Fax Number : 914-448-0147																							
						Site Details:																							
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :																			
Rush (Specify): _____ Days						EDD Type :																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
1A-B2-S-3/31/2025	3/31-4/1/25	1606	1215	-30	-1	70	70	-30	-1.8	10771 10505	10807 10054	6 L	4.16	VL042143-D	X	X													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>68</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>45</td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15) <i>Scot</i>											Ambient	Maximum	Minimum	Start	68			Stop	45			** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending 555G</i> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start	68																												
Stop	45																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.70</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.88</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.70			Stop	29.88										
	Ambient	Maximum	Minimum																										
Start	29.70																												
Stop	29.88																												
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>NJ</i>																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>SA</i>				Date/Time: <i>4/1/25 10:05</i>				B2502051 - 34													
Samples Relinquished by: <i>Clayton</i>				Date/Time: <i>4/3/25 10:05</i>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs									
Client ID : WOOD06 Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Clayton Ketter</i>				Analysis				Matrix									
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified													
				Phone Number : 800-807-4080																	
				Fax Number : 914-448-0147																	
				Site Details:																	
Analysis Turnaround Time				Data Package Type :																	
Standard : 10 business days OR				Rush (Specify): _____ Days				EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
<i>1A-82-1-3/31/2025</i>	<i>3/31/25 4/1/25</i>	<i>1246</i>	<i>1356</i>	<i>-30</i>	<i>-6</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-5.1</i>	<i>10537</i>	<i>10295</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042182.D</i>	<i>X</i>				<i>X</i>		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sud</i>											
		Ambient	Maximum	Minimum																	
Start		<i>68</i>																			
Stop		<i>45</i>																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i># Hold Pending SSSG</i> Please follow the instructions on the back of this COC.											
		Ambient	Maximum	Minimum																	
Start		<i>29.70</i>																			
Stop		<i>29.88</i>																			
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>New Jersey</i>																					
Quick Connector required : <i>NO</i>																					
Canisters Shipped by: <i>Selin</i>				Date/Time: <i>3/31/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1000</i>				B2503044 - 3					
Samples Relinquished by: <i>Clayton</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

Client Contact Information				Bottle Order ID : B2503044				Courier :				_____ of _____ COCs								
Client ID : WOOD06 Project ID : US EPA Riverside Industrial Park Superfund S				Sampler Name(s) : <i>Clough/McIntire</i>				Analysis				Matrix								
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 800-807-4080																
				Fax Number : 914-448-0147																
				Site Details:																
Analysis Turnaround Time				Data Package Type :																
Standard : 10 business days OR				EDD Type :																
Rush (Specify): Days																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambinet Air	Soil Gas
<i>1A-B2-3 - 3/31/25</i>	<i>3/31/25</i>	<i>1243</i>	<i>1537</i>	<i>27.5</i>	<i>-9</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-6.7</i>	<i>10577</i>	<i>10590</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042182.D</i>	<i>X</i>				<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>										
	Ambient	Maximum	Minimum																	
Start	<i>68</i>																			
Stop	<i>45</i>																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>X Held Pending SSSG</i> Please follow the instructions on the back of this COC.										
	Ambient	Maximum	Minimum																	
Start	<i>29.70</i>																			
Stop	<i>29.88</i>																			
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>New Jersey</i>																				
Quick Connector required : <i>No</i>																				
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>3/31/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/1/25</i>				B2503044 - 11				
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>4/3/25</i>				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								


Client Contact Information						Bottle Order ID : B2503044				Courier :				_____ of _____ COCs					
Client ID : WOOD06 Project ID : US EPA Riverside Industrial Park Superfund S						Sampler Name(s) : <i>Clayton Helmer</i>				Analysis				Matrix					
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : JILL TRIBLEY				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
						Phone Number : 800-807-4080													
						Fax Number : 914-448-0147													
						Site Details:													
						Analysis Turnaround Time													
						Standard : 10 business days OR				Data Package Type :									
						Rush (Specify): Days				EDD Type :									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
<i>17-B2-4-2/31/25</i>	<i>3/31/25</i>	<i>1245</i>	<i>1539</i>	<i>-30</i>	<i>-7</i>	<i>70</i>	<i>70</i>	<i>-30</i>	<i>-5.5</i>	<i>10567</i>	<i>10448</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042182.D</i>	☒			☒	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 									
		Ambient	Maximum	Minimum															
Start		<i>68</i>																	
Stop		<i>45</i>																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. <i>* Hold Pending SSSG</i> Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		<i>29.70</i>																	
Stop		<i>29.88</i>																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>New Jersey</i>																			
Quick Connector required : <i>No</i>																			
Canisters Shipped by: <i>Scrum</i>					Date/Time: <i>03/31/25</i>					Canisters Received by: <i>Scrum</i>					Date/Time: <i>4/2/25</i>				
Samples Relinquished by: <i>Scrum</i>					Date/Time: <i>4/3/25 1009</i>					Received by:					Date/Time:				
Relinquished by:					Date/Time:					Received by:					Date/Time:				

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
Title: <u>Sample Custodian</u>		Date Broken: <u>8/3/2025</u>	
Field Sample Seal No. <u>Q1726</u>		Military Time Seal Broken: <u>10:05:00</u>	
Case No.: <u>US EPA Riverside Industria</u>		Analytical Parameter/Fraction: <u>TO-15</u>	

Sample No.	Allquot/Extract No.	Sample No.	Allquot/Extract No.
Q1726-01	IA-DUP-3-03312025		
Q1726-02	IA-B2-6-03312025		
Q1726-03	IA-B2-2-03312025		
Q1726-04	IA-B2-5-03312025		
Q1726-05	IA-B2-1-03312025		
Q1726-06	IA-B2-3-03312025		
Q1726-07	IA-B2-4-03312025		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
8/3/25		Signature 	Signature 	
		Printed Name <u>Cassanoza Rene</u>	Printed Name <u>Samir</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
04/03/15	Q1725-01	10153	11.8	-5.9				sy
	Q1725-02	10321	12.4	-4.7				sy
	Q1725-03	10296	10.4	-8.8				
	Q1725-04	10605	14.0	-1.4				
	Q1725-05	10279	11.8	-5.9				
	Q1725-06	10596	13.4	-2.7				
	Q1725-07	10303	11.2	-7.1				
	Q1725-08	10333	11.2	-7.1				
4/03/15	Q1726-01	10597	13.8	-1.8				
	Q1726-02	10280	11.4	-6.7				
	Q1726-03	10410	11.2	-7.1				
	Q1726-04	10054	13.8	-1.8				
	Q1726-05	10295	12.2	-5.1				
	Q1726-06	10590	11.4	-6.7				
	Q1726-07	10448	12.0	-5.5				
04/03/15	Q1728-01	10130	10.0	-9.6				sy
	Q1728-02	10149	11.2	-7.1				
	Q1728-03	10458	10.6	-8.4				
	Q1728-04	10663	11.3	-7.1				
	Q1728-05	10662	10.6	-8.4				
	Q1728-06	10119	10.4	-8.8				

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 1A-B2-6-3/31/2025
 Client Name: W+C
 Project Name: Riverside
 Date: 3/31 - 1217 Time: 1217
 Analysis: 10-15
 Comments: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1726-02
 Cust #: 1A-B2-6-03312025

2502051

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 1A-B2-3-3/31/2025
 Client Name: W+C
 Project Name: Riverside
 Date: 3/31 - 1215 Time: 1215
 Analysis: 10-15
 Comments: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1726-01
 Cust #: 1A-DUP-3-03312025

2502051

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 1A-B2-2-3/31/2025
 Client Name: W+C
 Project Name: Riverside
 Date: 3/31 - 1220 Time: 1220
 Analysis: 10-15
 Comments: _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1726-03
 Cust #: 1A-B2-2-03312025

2502051

75001

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: A-B2-5-3/31/2025
 Client Name: W+FC
 Project Name: Paradise
 Date: 3/31
 Analysis: TD-15
 Comments: _____
 CHEMTECH'S _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1726-04
 Cust #: 1A-B2-5-03312025

Disposal: _____

B2502051

5020

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 1A-B2-1-3/31/2025
 Client Name: W+FC
 Project Name: Paradise
 Date: 3/31
 Analysis: TD-15
 Comments: _____
 CHEMTECH'S _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1726-05
 Cust #: 1A-B2-1-03312025

Disposal: _____

B2503044

06581

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 1A-B2-3-3/31/2025
 Client Name: W+FC
 Project Name: Paradise
 Date: 3/31
 Analysis: TD-15
 Comments: _____
 CHEMTECH'S _____
 Date Received: _____

Storage Location: Air Lab
 Sample: Q1726-06
 Cust #: 1A-B2-3-03312025

Disposal: _____

B2503044

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:	1A-D2-4-3/31/2025
Client Name:	W & C
Project Name:	Riverside
Date:	3/31-4/1/25
Time:	1522
Analysis:	TD-15
Comments:	W & C 27.5W 17
Disposal:	

55-
O

Storage Location: Air Lab
Sample: Q1726-07
Cust #: 1A-B2-4-03312025

CHEMTECH
Date Received

877701