

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs																
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clifton Heights</i>				Analysis				Matrix																
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 800-807-4080																								
				Fax Number : 914-448-0147																								
				Site Details:																								
				Analysis Turnaround Time																								
Standard : 10 business days OR				Data Package Type :																								
Rush (Specify): _____ Days				EDD Type :																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
5556- B14-2-4/1/2025	4/1/25	1556	1607	-30	-9.5	65	65	-30	-9.6	10571 10507	10130 10652	1.4 L 200	VL042053-D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>56</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>56</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	56			Stop	56			GC/MS Analyst Signature (TO-15) <i>SD</i>						
	Ambient	Maximum	Minimum																									
Start	56																											
Stop	56																											
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>30.02</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>30.03</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	30.02			Stop	30.03									
	Ambient	Maximum	Minimum																									
Start	30.02																											
Stop	30.03																											
** Submittal of this COC indicates approval of the analysis based on existing conditions.																												
Please follow the instructions on the back of this COC.																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i>																												
Sampling site (State):																												
Quick Connector required : <i>YS</i>																												
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/28/25</i>				Canisters Received by: <i>AS</i>				Date/Time: <i>4/3/25</i> <i>NOF</i>																
Samples Relinquished by: <i>CPM</i>				Date/Time: <i>4/3/25</i> <i>1005</i>				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) :				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas			
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SSSG-B1-S-4/1/2025	4/1/25	1210	1219	-27	-4.5	51	51	-30	-7.1	10254 10559	10149 10471	1.4 L 200	VL042092.D	X		X

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start	45		
Stop	45		

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start	29.96		
Stop	29.96		

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.1 ppm

Sampling site (State): NJ

Quick Connector required : Yes			
Canisters Shipped by: Sam	Date/Time: 03/26/25	Canisters Received by: [Signature]	Date/Time: 4/3/25
Samples Relinquished by: CMH	Date/Time: 4/3/25 1005	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2503008 - 20

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs							
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) :				Analysis		Matrix					
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): _____ Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
SSSG-B2-2-4/2/2025	4/2/15	1508	1516	-30	-4.5	69	69	-30	-8.4	10237 19500	10458 10452		1.4 L 200	VL042053-D	X				X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) SUT									
		Ambient	Maximum	Minimum															
Start		49																	
Stop		49																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: 0.0 ppm																			
Sampling site (State): NJ																			
Quick Connector required : YES																			
Canisters Shipped by: SCAM				Date/Time: 03/26/15				Canisters Received by: [Signature]				Date/Time: 4/3/15				B2503008 - 13			
Samples Relinquished by: CDH				Date/Time: 4/3/25 1605				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Project Manager : YAZMEEN GOMEZ				Sampler Name(s) : <i>Clyde N. N. N.</i>				Analysis		Matrix	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Phone Number : 800-807-4080				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15	Indoor/Ambient Air	Soil Gas	
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time															
Standard : 10 business days OR				Data Package Type :				EDD Type :							
Rush (Specify): _____ Days															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	
555G-82-7-4/2/2025	4/2/25	1453	1508	-32	-4.5	69	69	-30	-7.1	10572 10475	10663 10573		1.4 L 200	VL042053-D	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>					
		Ambient	Maximum	Minimum											
Start		49													
Stop		49													
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.					
		Ambient	Maximum	Minimum											
Start		30.44													
Stop		30.44													
Special Instructions/QC Requirements & Comments :															
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i>															
Sampling site (State): <i>NJ</i>															
Quick Connector required : <i>Yes</i>															
Canisters Shipped by: <i>[Signature]</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25</i>			
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>4/3/25</i>				Received by:				Date/Time:			
Relinquished by:				Date/Time:				Received by:				Date/Time:			

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Cherita Kibwe</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
				Analysis Turnaround Time												
				Standard : 10 business days OR				Data Package Type :								
				Rush (Specify): _____ Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
5556-B2-6-4/2/2025	4/2/25	1522	1533	30	-4	69	69	-30	-8.4	102/110166	1066210669	1.4 L 200	VL042053.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>						
		Ambient	Maximum	Minimum												
Start		49														
Stop		49														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start		30.44														
Stop		30.44														
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>NJ</i>																
Quick Connector required : <i>Yes</i>																
Canisters Shipped by: <i>Samy</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1003</i>				B2503008 - 26
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs					
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Christa Hahn</i>				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time				Data Package Type :									
				Standard : 10 business days OR				EDD Type :									
Country :				Rush (Specify): _____ Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
5556-BZ-5-4/2/2025	4/2/25	1555	1606	-31	-4.5	69	69	-30	-8.8	10484 10543	10119 10455		1.4 L 200	VL042053-D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start		49															
Stop		49															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		30.44															
Stop		30.44															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																	
Sampling site (State): <i>NY</i>																	
Quick Connector required : <i>Yes</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				B2503008 - 15	
Samples Relinquished by: <i>CDH</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs															
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde H. H. H.</i>				Analysis		Matrix													
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																			
				Phone Number : 800-807-4080																							
				Fax Number : 914-448-0147																							
				Site Details:																							
Analysis Turnaround Time				Data Package Type :				EDD Type :				TO-15 Indoor/Ambient Air Soil Gas															
Standard : 10 business days OR				Rush (Specify): _____ Days																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID														
5556-01-1-4/1/2025	4/1/25	1050	1058	-28	-4.75	51	51	-30	-10.0	10571 10550	10467 10550	1.4 L 200	VL042092.D	X	X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>41</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>45</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	41			Stop	45			GC/MS Analyst Signature (TO-15) <i>Sut</i>					
	Ambient	Maximum	Minimum																								
Start	41																										
Stop	45																										
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>29.88</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>29.95</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	29.88			Stop	29.95								
	Ambient	Maximum	Minimum																								
Start	29.88																										
Stop	29.95																										
** Submittal of this COC Indicates approval of the analysis based on existing conditions.																											
Please follow the instructions on the back of this COC.																											
Special Instructions/QC Requirements & Comments :																											
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																											
Sampling site (State): <i>NJ</i>																											
Quick Connector required : <i>yes</i>																											
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>SA</i>				Date/Time: <i>4/12/25</i>															
Samples Relinquished by: <i>ADP</i>				Date/Time: <i>4/8/25 1005</i>				Received by:				Date/Time:															
Relinquished by:				Date/Time:				Received by:				Date/Time:															

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs								
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chryslers</i>				Analysis				Matrix								
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 800-807-4080																
				Fax Number : 914-448-0147																
				Site Details:																
Analysis Turnaround Time				Data Package Type :																
Standard : 10 business days OR				EDD Type :																
Rush (Specify): _____ Days																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
<i>556-02-4-4/2/2025</i>	<i>4/2/25</i>	<i>1614</i>	<i>1622</i>	<i>-30</i>	<i>-45</i>	<i>69</i>	<i>69</i>	<i>-30</i>	<i>-9.2</i>	<i>10247</i> 10165	<i>10749</i> 10454		<i>1.4 L</i>	<i>200</i>	<i>VL042053-D</i>	<i>X</i>				<i>X</i>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>SEA</i>										
	Ambient	Maximum	Minimum																	
Start	<i>49</i>																			
Stop	<i>49</i>																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
	Ambient	Maximum	Minimum																	
Start	<i>30.44</i>																			
Stop	<i>30.44</i>																			
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings: <i>0.0ppm</i> Sampling site (State): <i>NJ</i>																				
Quick Connector required : <i>yes</i>																				
Canisters Shipped by: <i>Seam</i>				Date/Time: <i>4/3/25</i>				Canisters Received by: <i>SEA</i>				Date/Time: <i>4/5/25</i>				B2503008 - 14				
Samples Relinquished by: <i>CND</i>				Date/Time: <i>4/3/25</i>				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information						Bottle Order ID : B2503008				Courier :				_____ of _____ COCs								
Client ID : WOOD06 Project ID : NYCHHC Environmental Services						Sampler Name(s) : <i>Clayton Hahn</i>				Analysis				Matrix								
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :						Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
						Phone Number : 800-807-4080																
						Fax Number : 914-448-0147																
						Site Details:																
Analysis Turnaround Time						Data Package Type :																
Standard : 10 business days OR						EDD Type :																
Rush (Specify): Days																						
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas				
5556-B2-1-4/2/2025	4/2/25	1538	1545	-30	-4.25	69	69	-30	-10.4	10244	10722	1.4 L	200	VL042092-D	X			X				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>												
		Ambient	Maximum	Minimum																		
Start		49																				
Stop		49																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.												
		Ambient	Maximum	Minimum																		
Start		30.44																				
Stop		30.44																				
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium Low PID Readings:																						
Sampling site (State): <i>NJ</i>																						
Quick Connector required : <i>Yes</i>																						
Canisters Shipped by: <i>Sevan</i>				Date/Time: <i>03/26/15</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25-1025</i>				B2503008 - 12						
Samples Relinquished by: <i>CPH</i>				Date/Time: <i>4/3/25 1025</i>				Received by:				Date/Time:										
Relinquished by:				Date/Time:				Received by:				Date/Time:										

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs										
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Agenda Hahn</i>				Analysis				Matrix										
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified														
				Phone Number : 800-807-4080																		
				Fax Number : 914-448-0147																		
				Site Details:																		
Analysis Turnaround Time				Data Package Type :																		
Standard : 10 business days OR				Rush (Specify): _____ Days				EDD Type :														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas		
<i>SSSG-814-4-4/2/2025</i>	<i>4/2/25</i>	<i>1350</i>	<i>1400</i>	<i>-30</i>	<i>-4.75</i>	<i>69</i>	<i>69</i>	<i>-30</i>	<i>-9.2</i>	<i>10230</i> 10583	<i>10116</i> 10431		<i>1.4 L</i>	<i>200</i>	<i>VL042092-D</i>	<i>X</i>					<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>												
	Ambient	Maximum	Minimum																			
Start	<i>46</i>																					
Stop	<i>46</i>																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.												
	Ambient	Maximum	Minimum																			
Start	<i>30.49</i>																					
Stop	<i>30.49</i>																					
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>NY</i>																						
Quick Connector required : <i>Yes</i>																						
Canisters Shipped by: <i>Seam</i>				Date/Time: <i>03/26/15</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/25/15</i>				B2503008 - 11						
Samples Relinquished by: <i>CMR</i>				Date/Time: <i>4/3/15 1005</i>				Received by:				Date/Time:										
Relinquished by:				Date/Time:				Received by:				Date/Time:										

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs					
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chris Pistor</i>				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time				Data Package Type :									
				Standard : 10 business days OR				EDD Type :									
Country :				Rush (Specify): _____ Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas	
5556-01-4-4/1/2025	4/1/25	1132	1143	-29.5	-4.5	51	51	-30	-10.4	10487 10484	10466 10116	1.4 L 200	VL042053-D	X		X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start		45															
Stop		45															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		29.96															
Stop		29.96															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																	
Sampling site (State): <i>NJ</i>																	
Quick Connector required : <i>Yes</i>																	
Canisters Shipped by: <i>Seymour</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25-1005</i>				B2503008 - 2	
Samples Relinquished by: <i>CODH</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs																				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Hufner</i>				Analysis				Matrix																				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																								
				Phone Number : 800-807-4080																												
				Fax Number : 914-448-0147																												
				Site Details:																												
Analysis Turnaround Time				Data Package Type :																												
Rush (Specify): _____ Days				EDD Type :																												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas												
<i>555A-B1-3-4/1/2025</i>	<i>4/1/25</i>	<i>1132</i>	<i>1143</i>	<i>-30</i>	<i>-5</i>	<i>51</i>	<i>51</i>	<i>-30</i>	<i>-8.0</i>	<i>10512</i> <i>10255</i>	<i>10462</i> <i>10246</i>		<i>1.4 L</i>	<i>200</i>	<i>VL042090.D</i>	<i>X</i>					<i>X</i>											
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>45</i></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td><i>45</i></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>45</i>			Stop	<i>45</i>			GC/MS Analyst Signature (TO-15) <i>[Signature]</i>										
	Ambient	Maximum	Minimum																													
Start	<i>45</i>																															
Stop	<i>45</i>																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td><i>29.96</i></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td><i>29.96</i></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	<i>29.96</i>			Stop	<i>29.96</i>			** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
	Ambient	Maximum	Minimum																													
Start	<i>29.96</i>																															
Stop	<i>29.96</i>																															
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i> Sampling site (State): <i>WJ</i>																																
Quick Connector required : <i>yes</i>																																
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1001</i>				B2503008 - 34																
Samples Relinquished by: <i>CDH</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:																				
Relinquished by:				Date/Time:				Received by:				Date/Time:																				

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
04/03/15	Q1725-01	10153	11.8	-5.9				sy
	Q1725-02	10321	12.4	-4.7				sy
	Q1725-03	10296	10.4	-8.8				
	Q1725-04	10605	14.0	-1.4				
	Q1725-05	10279	11.8	-5.9				
	Q1725-06	10596	13.4	-2.7				
	Q1725-07	10303	15.2	-7.1				
	Q1725-08	10333	11.2	-7.1				
4/03/15	Q1726-01	10597	13.8	-1.8				
	Q1726-02	10280	11.4	-6.7				
	Q1726-03	10410	11.2	-7.1				
	Q1726-04	10054	13.8	-1.8				
	Q1726-05	10295	12.2	-5.1				
	Q1726-06	10590	11.4	-6.7				
	Q1726-07	10448	12.0	-5.5				✓
04/03/15	Q1728-01	10130	10.0	-9.6				sy
	Q1728-02	10149	11.2	-7.1				
	Q1728-03	10458	10.6	-8.4				
	Q1728-04	10663	11.2	-7.1				
	Q1728-05	10662	10.6	-8.4				
	Q1728-06	10119	10.4	-8.8				

Analyst Signature:

Supervisor Signature:

METHOD: TO-15

Pressure Gauge ID:

Document Control # A3041228

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B1-5-4/1/2025
Client Name: W8C
Project Name: _____
Date: 4/1/2025 Time: 12:19
Analysis: TO-15
Comments: _____

CHEMTECH
Date Received

Storage Location: Air Lab
Sample: Q1728-02
Cust #: SSSG-B1-5-04012025

Disposal: _____

B2503008

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-2-4/1/2025
Client Name: W+C
Project Name: Riverside
Date: 4/1/2025 Time: 1607
Analysis: TO-15
Comments: Went 4 mins over time

CHEMTECH
Date Received

Storage Location: Air Lab
Sample: Q1728-01
Cust #: SSSG-B14-2-04012025

Disposal: _____

B2503008

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B2-2-4/2/2025
Client Name: W8C
Project Name: _____
Date: 4/2/2025 Time: 13:16
Analysis: TO-15
Comments: _____

Storage Location: Air Lab

Sample: Q1728-03

Cust #: SSSG-B2-2-04022025

CHEMTECH

Date Received

Disposal: _____

B2503008

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-6-4/2/2025
Client Name: W+C
Project Name: Riverside
Date: 4/2/2025 Time: 1533
Analysis: TO-15
Comments:

CHEMTECH
Date Received:

Storage Location: Air Lab
Sample: Q1728-05
Cust #: SSSG-~~02~~-6-04022025
B14

of Disposal:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-7-4/2/2025
Client Name: W+C
Project Name: Riverside
Date: 4/2/2025 Time: 1508
Analysis: TO-15
Comments:

CHEMTECH'S SA
Date Received:

Storage Location: Air Lab
Sample: Q1728-04
Cust #: SSSG-~~02~~-7-04022025
B14

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-5-4/2/2025
Client Name: W+C
Project Name: Riverside
Date: 4/2/2025 Time: 1606
Analysis: TO-15
Comments:

Storage Location: Air Lab
Sample: Q1728-06
Cust #: SSSG-~~02~~-5-04022025
B14

CHEMTECH'S
Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B2-4-4/2/2025

Client Name: WPC

Project Name: _____

Date: 4/2/2025 Time: 1622

Analysis: TO-15

Comments: _____

CHEMTECH

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-08

Cust #: SSSG-B2-4-04022025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B1-1-4/1/2025

Client Name: WPC

Project Name: _____

Date: 4/1/2025 Time: 1058

Analysis: TO-15

Comments: _____

CHEMTECH

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-07

Cust #: SSSG-B1-1-04012025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B2-1-4/2/2025

Client Name: WPC

Project Name: _____

Date: 4/2/2025 Time: _____

Analysis: TO-15

Comments: _____

CHEMTECH

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-09

Cust #: SSSG-B2-1-04022025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: SSSG-B1-4-4/1/2025

Client Name: WRC

Project Name: _____

Date: 4/1/2025 Time: 11:43

Analysis: TO-15

Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-11

Cust #: SSSG-B1-4-04012025

Disposal: _____

B2503008

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: SSSG-B14-4-4/2/2025

Client Name: WRC

Project Name: Mountside

Date: 4/2/2025 Time: 1400

Analysis: TO-15

Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-10

Cust #: SSSG-B14-4-04022025

Disposal: _____

B2503008

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908)789-8922

Client Sample ID #: SSSG-B1-3-4/1/2025

Client Name: WRC

Project Name: Mountside

Date: 4/1/2025 Time: 1149

Analysis: TO-15

Comments: _____

CHEMTEC

Date Rec'd: _____

Storage Location: Air Lab

Sample: Q1728-12

Cust #: SSSG-B1-3-04012025

Disposal: _____

B2503008

Q.8-

29701