



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clifton Heights</i>				Analysis				Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 800-807-4080												
				Fax Number : 914-448-0147												
				Site Details:												
Analysis Turnaround Time				Data Package Type :												
Standard : 10 business days OR				Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
5556- B14-2-4/1/2025	4/1/25	1556	1607	-30	-9.5	65	65	-30	-9.6	10571 10507	10130 10652	1.4 L 200	VL042053-D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>						
		Ambient	Maximum	Minimum												
Start		56														
Stop		56														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start		30.02														
Stop		30.03														
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i>																
Sampling site (State):																
Quick Connector required : <i>YS</i>																
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/24/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 NOR</i>				
Samples Relinquished by: <i>CPM</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				
B2503008 - 22																

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) :				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">TO-15</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Indoor/Ambient Air</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Soil Gas</div> </div>			
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SSSG-B1-S-4/1/2025	4/1/25	1210	1219	-27	-4.5	51	51	-30	-7.1	10254 10559	10149 10471	1.4 L 200	VL042092.D	X		X

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start	45		
Stop	45		

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start	29.96		
Stop	29.96		

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.1 ppm

Sampling site (State): NJ

Quick Connector required : Yes

Canisters Shipped by: Sam	Date/Time: 03/26/25	Canisters Received by: [Signature]	Date/Time: 4/3/25
Samples Relinquished by: CMH	Date/Time: 4/3/25 1005	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2503008 - 20

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs					
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) :				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time													
				Standard : 10 business days OR				Data Package Type :									
				Rush (Specify): _____ Days				EDD Type :									

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas	
SSSG-B2-2-4/2/2025	4/2/25	1508	1516	-30	-4.5	69	69	-30	-8.4	10237 19500	10458 10452	1.4 L 200	VL042053-D	X					X	

Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) SUT									
		Ambient		Maximum		Minimum													
Start		49																	
Stop		49																	

Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient		Maximum		Minimum													
Start																			
Stop																			

Special Instructions/QC Requirements & Comments :
 Suspected Contamination: High Medium Low PID Readings: 0.0 ppm
 Sampling site (State): NJ

Quick Connector required : YES			
Canisters Shipped by: SCAM	Date/Time: 03/26/15	Canisters Received by: [Signature]	Date/Time: 4/3/25
Samples Relinquished by: CDH	Date/Time: 4/3/25 1605	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2503008 - 13

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs					
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde N. N. N.</i>				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time													
				Standard : 10 business days OR				Data Package Type :									
				Rush (Specify): _____ Days				EDD Type :									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
555G-82-7-4/2/2025	4/2/25	1453	1508	-32	-4.5	69	69	-30	-7.1	10572	10663		1.4 L	200	VL042053-D	X	X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start		49															
Stop		49															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		30.44															
Stop		30.44															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.1 ppm																	
Sampling site (State): NJ																	
Quick Connector required : <i>Yes</i>																	
Canisters Shipped by: <i>[Signature]</i>				Date/Time: 03/26/25				Canisters Received by: <i>[Signature]</i>				Date/Time: 4/3/25				B2503008 - 27	
Samples Relinquished by: <i>[Signature]</i>				Date/Time: 4/3/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Cherita Kibwe</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
<i>5556-B2-L-4/2/2025</i>	<i>4/2/25</i>	<i>1522</i>	<i>1533</i>	<i>30</i>	<i>-4</i>	<i>69</i>	<i>69</i>	<i>-30</i>	<i>-8.4</i>	<i>102/110166</i>	<i>10662</i> 10669		<i>1.4 L</i>	<i>200</i>	<i>VL042053-D</i>	<i>X</i>			<i>X</i>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
	Ambient	Maximum	Minimum																
Start	<i>49</i>																		
Stop	<i>49</i>																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start	<i>30.44</i>																		
Stop	<i>30.44</i>																		
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.1 ppm</i> Sampling site (State): <i>NJ</i>																			
Quick Connector required : <i>Yes</i>																			
Canisters Shipped by: <i>Samy</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1003</i>				B2503008 - 26			
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs							
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Christa Hahn</i>				Analysis				Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 800-807-4080															
				Fax Number : 914-448-0147															
				Site Details:															
				Analysis Turnaround Time															
				Standard : 10 business days OR				Data Package Type :											
				Rush (Specify): _____ Days				EDD Type :											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
5556-BZ-5-4/2/2025	4/2/25	1555	1606	-31	-4.5	69	69	-30	-8.8	10484 10543	10119 10455		1.4 L 200	VL042053-D	X				X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
		Ambient	Maximum	Minimum															
Start		49																	
Stop		49																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start		30.44																	
Stop		30.44																	
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																			
Sampling site (State): <i>NY</i>																			
Quick Connector required : <i>Yes</i>																			
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25 1005</i>				B2503008 - 15			
Samples Relinquished by: <i>CDH</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs			
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde H. H. H.</i>				Analysis		Matrix	
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
				Analysis Turnaround Time											
Standard : 10 business days OR				Data Package Type :											
Rush (Specify): _____ Days				EDD Type :											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
5556-01-1-4/1/2025	4/1/25	1050	1058	-28	-4.75	51	51	-30	-10.0	10571 10550	10467 10550	1.4 L 200	VL042092.D	X		X

Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sut</i>							
		Ambient		Maximum		Minimum											
Start		41															
Stop		45															

Pressure (Inches of Hg)										** Submittal of this COC Indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient		Maximum		Minimum											
Start		29.88															
Stop		29.95															

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.0 ppm*

Sampling site (State): *NJ*

Quick Connector required : *yes*

Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/24/25</i>	Canisters Received by: <i>SA</i>	Date/Time: <i>4/12-1005</i>
Samples Relinquished by: <i>ADP</i>	Date/Time: <i>4/8/25 1005</i>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2503008 - 21

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs								
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chryslers</i>				Analysis				Matrix								
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 800-807-4080																
				Fax Number : 914-448-0147																
				Site Details:																
Analysis Turnaround Time				Data Package Type :																
Standard : 10 business days OR				EDD Type :																
Rush (Specify): _____ Days																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
<i>556-02-4-4/2/2025</i>	<i>4/2/25</i>	<i>1614</i>	<i>1622</i>	<i>-30</i>	<i>-45</i>	<i>69</i>	<i>69</i>	<i>-30</i>	<i>-9.2</i>	<i>10247</i> 10165	<i>10749</i> 10454		<i>1.4 L</i>	<i>200</i>	<i>VL042053-D</i>	<i>X</i>				<i>X</i>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>SEA</i>										
	Ambient	Maximum	Minimum																	
Start	<i>49</i>																			
Stop	<i>49</i>																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
	Ambient	Maximum	Minimum																	
Start	<i>30.44</i>																			
Stop	<i>30.44</i>																			
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings: <i>0.0ppm</i> Sampling site (State): <i>NJ</i>																				
Quick Connector required : <i>yes</i>																				
Canisters Shipped by: <i>Seam</i>				Date/Time: <i>4/3/25</i>				Canisters Received by: <i>SEA</i>				Date/Time: <i>4/5/25</i>				B2503008 - 14				
Samples Relinquished by: <i>CND</i>				Date/Time: <i>4/3/25</i>				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs									
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Project Manager : YAZMEEN GOMEZ				Sampler Name(s) : <i>Clayton Hahn</i>				Analysis		Matrix							
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Phone Number : 800-807-4080				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15	Indoor/Ambient Air	Soil Gas							
				Fax Number : 914-448-0147																	
				Site Details:																	
				Analysis Turnaround Time																	
Standard : 10 business days OR				Data Package Type :				EDD Type :													
Rush (Specify): _____ Days																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID							
5556-B2-1-4/2/2025	4/2/25	1538	1545	-30	-4.25	69	69	-30	-10.4	10244	10722		1.4 L 200	VL042092-D							
Temperature (Fahrenheit)															GC/MS Analyst Signature (TO-15) <i>[Signature]</i>						
		Ambient	Maximum	Minimum																	
Start	49																				
Stop	49																				
Pressure (Inches of Hg)															** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum																	
Start	30.44																				
Stop	30.44																				
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State): <i>NJ</i>																					
Quick Connector required : <i>Yes</i>																					
Canisters Shipped by: <i>Sevan</i>				Date/Time: <i>03/26/15</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25-1025</i>									
Samples Relinquished by: <i>CPH</i>				Date/Time: <i>4/3/25 1025</i>				Received by:				Date/Time:									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

Client Contact Information					Bottle Order ID : B2503008					Courier :					_____ of _____ COCs				
Client ID : WOOD06 Project ID : NYCHHC Environmental Services					Sampler Name(s) : <i>Agenda Hahn</i>					Analysis					Matrix				
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :					Project Manager : YAZMEEN GOMEZ					AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
					Phone Number : 800-807-4080														
					Fax Number : 914-448-0147														
					Site Details:														
Analysis Turnaround Time					Data Package Type :														
Standard : 10 business days OR					EDD Type :														
Rush (Specify): _____ Days																			

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SSSG-814-4-4/2/2025	4/2/25	1350	1400	-30	-4.75	69	69	-30	-9.2	10230 10583	10116 10431	1.4 L 200	VL042092-D	X		X

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start	46		
Stop	46		

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start	30.49		
Stop	30.49		

GC/MS Analyst Signature (TO-15) *[Signature]*

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: *0.1 ppm*

Sampling site (State): *NY*

Quick Connector required : *Yes*

Canisters Shipped by: <i>Seam</i>	Date/Time: <i>03/26/15</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>4/25/15</i>
Samples Relinquished by: <i>CMR</i>	Date/Time: <i>4/3/15 1005</i>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2503008 - 11

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs					
Client ID : WOOD06				Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Chris Pistor</i>				Analysis		Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 800-807-4080													
				Fax Number : 914-448-0147													
				Site Details:													
				Analysis Turnaround Time				Data Package Type :									
				Standard : 10 business days OR				EDD Type :									
Country :				Rush (Specify): _____ Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
5556-B1-4-4/1/2025	4/1/25	1132	1143	-29.5	-4.5	51	51	-30	-10.4	10487 10484	10466 10116		1.4 L 200	VL042053-D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start		45															
Stop		45															
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start		29.96															
Stop		29.96															
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: <i>0.0 ppm</i>																	
Sampling site (State): <i>NJ</i>																	
Quick Connector required : <i>Yes</i>																	
Canisters Shipped by: <i>Seymour</i>				Date/Time: <i>03/26/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>4/3/25-1005</i>				B2503008 - 2	
Samples Relinquished by: <i>CODH</i>				Date/Time: <i>4/3/25 1005</i>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2503008				Courier :				_____ of _____ COCs			
Client ID : WOOD06 Project ID : NYCHHC Environmental Services				Sampler Name(s) : <i>Clyde Hufner</i>				Analysis				Matrix			
Customer Name : Woodard & Curran Address : 800 Westchester Avenue, Suite N507 Suite N507 City : Rye Brook State : NY Zip Code : 10573 Country :				Project Manager : YAZMEEN GOMEZ				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
				Phone Number : 800-807-4080											
				Fax Number : 914-448-0147											
				Site Details:											
Analysis Turnaround Time				Data Package Type :											
Standard : 10 business days OR				EDD Type :											
Rush (Specify): _____ Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>555A-B1-3-4/1/2025</i>	<i>4/1/25</i>	<i>1132</i>	<i>1143</i>	<i>-30</i>	<i>-5</i>	<i>51</i>	<i>51</i>	<i>-30</i>	<i>-8.0</i>	<i>10512</i> <i>10255</i>	<i>10462</i> <i>10246</i>	<i>1.4 L</i>	<i>200</i>	<i>VL042090.D</i>	<i>X</i>	<i>X</i>

Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum														
Start	<i>45</i>																
Stop	<i>45</i>																

Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum														
Start	<i>29.96</i>																
Stop	<i>29.96</i>																

Special Instructions/QC Requirements & Comments :

 Suspected Contamination: High Medium Low PID Readings: *0.0 ppm*

 Sampling site (State): *WJ*

Quick Connector required : <i>yes</i>			
Canisters Shipped by: <i>Sam</i>	Date/Time: <i>03/26/25</i>	Canisters Received by: <i>[Signature]</i>	Date/Time: <i>4/3/25 1001</i>
Samples Relinquished by: <i>CDH</i>	Date/Time: <i>4/3/25 1005</i>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2503008 - 34

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: [Signature]Supervisor Signature: [Signature]

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
04/03/15	Q1725-01	10153	11.8	-5.9				sy
	Q1725-02	10321	12.4	-4.7				sy
	Q1725-03	10296	10.4	-8.8				
	Q1725-04	10605	14.0	-1.4				
	Q1725-05	10279	11.8	-5.9				
	Q1725-06	10596	13.4	-2.7				
	Q1725-07	10303	15.2	-7.1				
	Q1725-08	10333	11.2	-7.1				
4/03/15	Q1726-01	10597	13.8	-1.8				
	Q1726-02	10280	11.4	-6.7				
	Q1726-03	10410	11.2	-7.1				
	Q1726-04	10054	13.8	-1.8				
	Q1726-05	10295	12.2	-5.1				
	Q1726-06	10590	11.4	-6.7				
	Q1726-07	10448	12.0	-5.5				✓
04/03/15	Q1728-01	10130	10.0	-9.6				sy
	Q1728-02	10149	11.2	-7.1				
	Q1728-03	10458	10.6	-8.4				
	Q1728-04	10663	11.2	-7.1				
	Q1728-05	10662	10.6	-8.4				
	Q1728-06	10119	10.4	-8.8				

Analyst Signature:

Supervisor Signature:

METHOD: TO-15

Pressure Gauge ID:

Document Control # A3041228

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

1.t-
101467101

Client Sample ID #: SSSG-B1-5-4/1/2025
Client Name: W8C
Project Name: _____
Date: 4/1/2025 Time: 12:19
Analysis: TO-15
Comments: _____

B2503008

CHEMTECH
Date Received

Storage Location: Air Lab
Sample: Q1728-02
Cust #: SSSG-B1-5-04012025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

9.6-
08101

Client Sample ID #: SSSG-B14-2-4/1/2025
Client Name: W+C
Project Name: Riverside
Date: 4/1/2025 Time: 1607
Analysis: TO-15
Comments: Went 4 mins over time

B2503008

CHEMTECH
Date Received

Storage Location: Air Lab
Sample: Q1728-01
Cust #: SSSG-B14-2-04012025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

B2503008

Client Sample ID #: SSSG-B2-2-4/2/2025
Client Name: W8C
Project Name: _____
Date: 4/2/2025 Time: 13:16
Analysis: TO-15
Comments: _____

Storage Location: Air Lab

Sample: Q1728-03

Cust #: SSSG-B2-2-04022025

CHEMTECH

Date Received

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-6-4/2/2025
Client Name: W+C
Project Name: Riverside
Date: 4/2/2025 Time: 1533
Analysis: TO-15
Comments:

CHEMTECH
Date Received:

Storage Location: Air Lab
Sample: Q1728-05
Cust #: SSSG-~~02~~-6-04022025
B14

of Disposal:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-7-4/2/2025
Client Name: W+C
Project Name: Riverside
Date: 4/2/2025 Time: 1508
Analysis: TO-15
Comments:

CHEMTECH'S SA
Date Received:

Storage Location: Air Lab
Sample: Q1728-04
Cust #: SSSG-~~02~~-7-04022025
B14

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-5-4/2/2025
Client Name: W+C
Project Name: Riverside
Date: 4/2/2025 Time: 1606
Analysis: TO-15
Comments:

Storage Location: Air Lab
Sample: Q1728-06
Cust #: SSSG-~~02~~-5-04022025
B14

CHEMTECH'S
Date Received:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B2-4-4/2/2025

Client Name: WPC

Project Name: _____

Date: 4/2/2025 Time: 1622

Analysis: TO-15

Comments: _____

CHEMTECH

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-08

Cust #: SSSG-B2-4-04022025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B1-1-4/1/2025

Client Name: WPC

Project Name: _____

Date: 4/1/2025 Time: 1058

Analysis: TO-15

Comments: _____

CHEMTECH

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-07

Cust #: SSSG-B1-1-04012025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B2-1-4/2/2025

Client Name: WPC

Project Name: _____

Date: 4/2/2025 Time: _____

Analysis: TO-15

Comments: _____

CHEMTECH

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-09

Cust #: SSSG-B2-1-04022025

Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B1-4-4/1/2025

Client Name: WRC

Project Name: _____

Date: 4/1/2025 Time: 11:43

Analysis: TO-15

Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-11

Cust #: SSSG-B1-4-04012025

Disposal: _____

B2503008

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B14-4-4/2/2025

Client Name: WRC

Project Name: Mountside

Date: 4/2/2025 Time: 1400

Analysis: TO-15

Comments: _____

CHEMTECH'S

Date Received: _____

Storage Location: Air Lab

Sample: Q1728-10

Cust #: SSSG-B14-4-04022025

Disposal: _____

B2503008

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SSSG-B1-3-4/1/2025

Client Name: WRC

Project Name: Mountside

Date: 4/1/2025 Time: 1149

Analysis: TO-15

Comments: _____

CHEMTEC

Date Rec'd: _____

Storage Location: Air Lab

Sample: Q1728-12

Cust #: SSSG-B1-3-04012025

Disposal: _____

B2503008

Q.8-

29701

From: Stephanie Rogacki <SRogacki@woodardcurran.com>
Sent: Tuesday, April 8, 2025 11:44 AM
To: Yazmeen Gomez; Jordan Hedvat
Cc: Jill Tribley; Bryan Maurer; Clayton Hefner
Subject: Re: Login Summary Details For Project US EPA Riverside Industrial Park Superfund Site-Q1728.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Yazmeen,

Please follow the COC. B14 was sampled on 4/1/2025 not on 4/2/2025, so my email with the corrections should be applied to the SAF.

Best regards,
Steph


Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



 [914.460.5641](tel:914.460.5641)  [201.774.0238](tel:201.774.0238)  woodardcurran.com

 srogacki@woodardcurran.com

 [800 Westchester Avenue, Suite N507, Rye Brook, NY 10573](#)



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Yazmeen Gomez
Sent: Tuesday, April 8, 2025 10:56 AM

To: Stephanie Rogacki; Jordan Hedvat

Cc: Jill Tribley; Bryan Maurer; Clayton Hefner

Subject: RE: Login Summary Details For Project US EPA Riverside Industrial Park Superfund Site-Q1728.

Hi Stephanie,

I meant to send an email regarding these sample IDS. The COC mentions what you have down below, however the TAGS on the Summa Cans all have "B14" instead of "B2".

Confirming you want us to follow the COC not the Summa Can Tags?

Best Regards,



Yazmeen Gomez

Sr. Project Manager

An Alliance Technical Group Company

Main: 908-789-8900

Direct: 908-728-3147

Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092

www.alliancetg.com     

From: Stephanie Rogacki <SRogacki@woodardcurran.com>

Sent: Monday, April 7, 2025 5:06 PM

To: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>; Jordan Hedvat <Jordan.Hedvat@alliancetg.com>

Cc: Jill Tribley <jtribley@woodardcurran.com>; Bryan Maurer <bmaurer@woodardcurran.com>; Clayton Hefner <CHefner@woodardcurran.com>

Subject: Re: Login Summary Details For Project US EPA Riverside Industrial Park Superfund Site-Q1728.

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

[Secured by Check Point](#)

Hi Yazmeen,

- SSSG-B14-7-04022025 (4th down on SAF) is supposed to be SSSG-B2-7-04022025
- SSSG-B14-6-04022025 should be SSSG-B2-6-04022025
- SSSG-B14-5-04022025 should be SSSG-B2-5-04022025

Best regards,
Steph

Stephanie Rogacki, MS, CSM

Environmental Scientist 3 | she/her



📞 914.460.5641 📠 201.774.0238 🌐 woodardcurran.com

✉️ srogacki@woodardcurran.com

📍 800 Westchester Avenue, Suite N507, Rye Brook, NY
10573



This e-mail communication and any attachments are confidential and intended only for the use of the designated recipients named above. This communication may be an attorney-client communication and as such is privileged and confidential. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited.

From: Data-EWR@alliancetg.com <Data-EWR@alliancetg.com>

Sent: Monday, April 7, 2025 4:06 PM

To: Bryan Maurer <bmaurer@woodardcurran.com>; Jill Tribley <jtribley@woodardcurran.com>; Stephanie Rogacki <SRogacki@woodardcurran.com>

Cc: YAZMEEN@CHEMTECH.NET <YAZMEEN@CHEMTECH.NET>

Subject: Login Summary Details For Project US EPA Riverside Industrial Park Superfund Site-Q1728.

You don't often get email from data-ewr@alliancetg.com. [Learn why this is important](#)

To Bryan Maurer;

Please see the attached Login Summary for the following project, or download the file using your login credentials from the link below.

Order ID : Q1728
Project ID : US EPA Riverside Industrial Park Superfund Site
Download File : <https://chemtech.net/secureLogin.aspx>
Order Date : 4/4/2025 10:39:00 AM

CHEMTECH's Project Manager : YAZMEEN GOMEZ , YAZMEEN@CHEMTECH.NET , 908-357-0579 Ext : 3149
CHEMTECH's Sales Executive : Jordan Hedvat , jordan@chemtech.net , 908-728-3144 Ext :

Thank you for the opportunity to provide you with our services. For any questions please feel free to contact your project manager.

Click Here for our short online customer Survey <http://chemtech.net/ClientSurvey.aspx>.

Thank you,

Alliance Technical Group LLC.

Notice: The information transmitted in this e-mail message and in any attachments is intended Solely for the attention of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.

Laboratory Certification



Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
NASS: Field Sample Seal No.: <u>Q1728</u>		Title: <u>Sample Custodian</u>	
Case No.: <u>US EPA Riverside Industria</u>		Date Broken: <u>4/3/2025</u>	Military Time Seal Broken: <u>10:05:00</u>
		Analytical Parameter/Fraction: <u>TO-15</u>	

Sample No.	Allquot/Extract No.	Sample No.	Allquot/Extract No.
Q1728-01	SSSG-B14-2-04012025	Q1728-11	SSSG-B1-4-04012025
Q1728-02	SSSG-B1-5-04012025	Q1728-12	SSSG-B1-3-04012025
Q1728-03	SSSG-B2-2-04022025		
Q1728-04	SSSG-B14-7-04022025	SSSG-B2-7-04022025	
Q1728-05	SSSG-B14-6-04022025	SSSG-B2-6-04022025	
Q1728-06	SSSG-B14-5-04022025	SSSG-B2-5-04022025	
Q1728-07	SSSG-B1-1-04012025		
Q1728-08	SSSG-B2-4-04022025		
Q1728-09	SSSG-B2-1-04022025		
Q1728-10	SSSG-B14-4-04022025		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
4-7-25	10:33	Signature 	Signature 	
		Printed Name <u>Cassanova Peña</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

YG 04/15/2025