

Hit Summary Sheet SW-846

SDG No.: Q1730 **Order ID:** Q1730
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-VSL-15-040325									
Q1730-02	OU4-VSL-15-040325	Water	Arsenic	5.30	JD	0.89	2.50	10.0	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Barium	128	D	1.05	6.25	50.0	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Chromium	28.6	D	1.05	3.75	10.0	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Copper	92.1	D	1.50	7.50	10.0	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Lead	1.65	JD	1.05	3.75	5.00	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Nickel	132	D	1.35	3.75	5.00	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Mercury	0.61		0.076	0.16	0.20	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Vanadium	528	D	0.39	1.25	25.0	ug/L
Q1730-02	OU4-VSL-15-040325	Water	Zinc	757	D	6.25	7.50	25.0	ug/L
Client ID : OU4-VSL-16-040325									
Q1730-04	OU4-VSL-16-040325	Water	Arsenic	4.90	JD	0.89	2.50	10.0	ug/L
Q1730-04	OU4-VSL-16-040325	Water	Barium	130	D	1.05	6.25	50.0	ug/L
Q1730-04	OU4-VSL-16-040325	Water	Chromium	12.9	D	1.05	3.75	10.0	ug/L
Q1730-04	OU4-VSL-16-040325	Water	Copper	111	D	1.50	7.50	10.0	ug/L
Q1730-04	OU4-VSL-16-040325	Water	Lead	1.45	JD	1.05	3.75	5.00	ug/L
Q1730-04	OU4-VSL-16-040325	Water	Nickel	117	D	1.35	3.75	5.00	ug/L
Q1730-04	OU4-VSL-16-040325	Water	Vanadium	356	D	0.39	1.25	25.0	ug/L
Q1730-04	OU4-VSL-16-040325	Water	Zinc	739	D	6.25	7.50	25.0	ug/L
Client ID : OU4-VSL-17-040325									
Q1730-06	OU4-VSL-17-040325	Water	Arsenic	4.00	JD	2.23	6.25	25.0	ug/L
Q1730-06	OU4-VSL-17-040325	Water	Barium	119	D	1.05	6.25	50.0	ug/L
Q1730-06	OU4-VSL-17-040325	Water	Chromium	8.90	JD	1.05	3.75	10.0	ug/L
Q1730-06	OU4-VSL-17-040325	Water	Copper	124	D	1.50	7.50	10.0	ug/L
Q1730-06	OU4-VSL-17-040325	Water	Nickel	96.4	D	1.35	3.75	5.00	ug/L
Q1730-06	OU4-VSL-17-040325	Water	Mercury	0.20		0.076	0.16	0.20	ug/L
Q1730-06	OU4-VSL-17-040325	Water	Vanadium	246	D	0.39	1.25	25.0	ug/L
Q1730-06	OU4-VSL-17-040325	Water	Zinc	889	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-21-040325									
Q1730-08	OU4-PCS-TC-21-040325	Water	Arsenic	4.40	JD	0.89	2.50	10.0	ug/L
Q1730-08	OU4-PCS-TC-21-040325	Water	Barium	129	D	1.05	6.25	50.0	ug/L
Q1730-08	OU4-PCS-TC-21-040325	Water	Chromium	1.80	JD	1.05	3.75	10.0	ug/L
Q1730-08	OU4-PCS-TC-21-040325	Water	Copper	88.0	D	1.50	7.50	10.0	ug/L
Q1730-08	OU4-PCS-TC-21-040325	Water	Nickel	56.7	D	1.35	3.75	5.00	ug/L
Q1730-08	OU4-PCS-TC-21-040325	Water	Vanadium	54.6	D	0.39	1.25	25.0	ug/L
Q1730-08	OU4-PCS-TC-21-040325	Water	Zinc	835	D	6.25	7.50	25.0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1730 **Order ID:** Q1730
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-PCS-TC-22-040325									
Q1730-10	OU4-PCS-TC-22-040325	Water	Arsenic	2.70	JD	0.45	1.25	5.00	ug/L
Q1730-10	OU4-PCS-TC-22-040325	Water	Barium	122	D	1.05	6.25	50.0	ug/L
Q1730-10	OU4-PCS-TC-22-040325	Water	Chromium	2.40	JD	1.05	3.75	10.0	ug/L
Q1730-10	OU4-PCS-TC-22-040325	Water	Copper	98.2	D	1.50	7.50	10.0	ug/L
Q1730-10	OU4-PCS-TC-22-040325	Water	Nickel	59.4	D	1.35	3.75	5.00	ug/L
Q1730-10	OU4-PCS-TC-22-040325	Water	Vanadium	85.4	D	0.39	1.25	25.0	ug/L
Q1730-10	OU4-PCS-TC-22-040325	Water	Zinc	760	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-23-040325									
Q1730-12	OU4-PCS-TC-23-040325	Water	Arsenic	8.10	JD	0.89	2.50	10.0	ug/L
Q1730-12	OU4-PCS-TC-23-040325	Water	Barium	110	D	1.05	6.25	50.0	ug/L
Q1730-12	OU4-PCS-TC-23-040325	Water	Chromium	36.2	D	1.05	3.75	10.0	ug/L
Q1730-12	OU4-PCS-TC-23-040325	Water	Copper	103	D	1.50	7.50	10.0	ug/L
Q1730-12	OU4-PCS-TC-23-040325	Water	Nickel	107	D	1.35	3.75	5.00	ug/L
Q1730-12	OU4-PCS-TC-23-040325	Water	Vanadium	94.2	D	0.39	1.25	25.0	ug/L
Q1730-12	OU4-PCS-TC-23-040325	Water	Zinc	867	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-24-040325									
Q1730-14	OU4-PCS-TC-24-040325	Water	Barium	123	D	1.05	6.25	50.0	ug/L
Q1730-14	OU4-PCS-TC-24-040325	Water	Copper	2.00	JD	1.50	7.50	10.0	ug/L
Q1730-14	OU4-PCS-TC-24-040325	Water	Nickel	50.5	D	1.35	3.75	5.00	ug/L
Q1730-14	OU4-PCS-TC-24-040325	Water	Zinc	957	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-25-040325									
Q1730-16	OU4-PCS-TC-25-040325	Water	Arsenic	12.5	D	0.89	2.50	10.0	ug/L
Q1730-16	OU4-PCS-TC-25-040325	Water	Barium	118	D	1.05	6.25	50.0	ug/L
Q1730-16	OU4-PCS-TC-25-040325	Water	Chromium	2.65	JD	1.05	3.75	10.0	ug/L
Q1730-16	OU4-PCS-TC-25-040325	Water	Copper	88.5	D	1.50	7.50	10.0	ug/L
Q1730-16	OU4-PCS-TC-25-040325	Water	Nickel	71.7	D	1.35	3.75	5.00	ug/L
Q1730-16	OU4-PCS-TC-25-040325	Water	Vanadium	109	D	0.39	1.25	25.0	ug/L
Q1730-16	OU4-PCS-TC-25-040325	Water	Zinc	817	D	6.25	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-26-040325									
Q1730-18	OU4-PCS-TC-26-040325	Water	Arsenic	2.35	JD	0.45	1.25	5.00	ug/L
Q1730-18	OU4-PCS-TC-26-040325	Water	Barium	115	D	1.05	6.25	50.0	ug/L
Q1730-18	OU4-PCS-TC-26-040325	Water	Chromium	2.90	JD	1.05	3.75	10.0	ug/L
Q1730-18	OU4-PCS-TC-26-040325	Water	Copper	58.4	D	1.50	7.50	10.0	ug/L
Q1730-18	OU4-PCS-TC-26-040325	Water	Nickel	89.5	D	1.35	3.75	5.00	ug/L
Q1730-18	OU4-PCS-TC-26-040325	Water	Vanadium	167	D	0.39	1.25	25.0	ug/L
Q1730-18	OU4-PCS-TC-26-040325	Water	Zinc	715	D	6.25	7.50	25.0	ug/L

A
B
C
D

Hit Summary Sheet
SW-846

SDG No.: Q1730

Order ID: Q1730

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-CF-15-040325									
Q1730-20	OU4-CF-15-040325	Water	Arsenic	1.85	JD	0.45	1.25	5.00	ug/L
Q1730-20	OU4-CF-15-040325	Water	Barium	118	D	1.05	6.25	50.0	ug/L
Q1730-20	OU4-CF-15-040325	Water	Copper	49.0	D	1.50	7.50	10.0	ug/L
Q1730-20	OU4-CF-15-040325	Water	Nickel	73.3	D	1.35	3.75	5.00	ug/L
Q1730-20	OU4-CF-15-040325	Water	Vanadium	15.0	JD	0.39	1.25	25.0	ug/L
Q1730-20	OU4-CF-15-040325	Water	Zinc	811	D	6.25	7.50	25.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-VSL-15-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-38-2	Arsenic	5.30	JDN	10	0.89	2.50	10.0	ug/L	04/08/25 12:30	04/10/25 17:02	SW6020	3010A
7440-39-3	Barium	128	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-47-3	Chromium	28.6	D	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-50-8	Copper	92.1	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7439-92-1	Lead	1.65	JD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7439-97-6	Mercury	0.61		1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:28	SW7470A	
7440-02-0	Nickel	132	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/10/25 17:02	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-62-2	Vanadium	528	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A
7440-66-6	Zinc	757	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 15:55	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-VSL-16-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-38-2	Arsenic	4.90	JDN	10	0.89	2.50	10.0	ug/L	04/08/25 12:30	04/10/25 17:05	SW6020	3010A
7440-39-3	Barium	130	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-47-3	Chromium	12.9	D	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-50-8	Copper	111	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7439-92-1	Lead	1.45	JD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:31	SW7470A	
7440-02-0	Nickel	117	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/10/25 17:05	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-62-2	Vanadium	356	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A
7440-66-6	Zinc	739	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 15:59	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-VSL-17-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-38-2	Arsenic	4.00	JDN	25	2.23	6.25	25.0	ug/L	04/08/25 12:30	04/14/25 16:51	SW6020	3010A
7440-39-3	Barium	119	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-47-3	Chromium	8.90	JD	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-50-8	Copper	124	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7439-97-6	Mercury	0.20		1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:40	SW7470A	
7440-02-0	Nickel	96.4	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7782-49-2	Selenium	113	UD	25	72.5	113	125	ug/L	04/08/25 12:30	04/14/25 16:51	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-62-2	Vanadium	246	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A
7440-66-6	Zinc	889	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:02	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-PCS-TC-21-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-38-2	Arsenic	4.40	JDN	10	0.89	2.50	10.0	ug/L	04/08/25 12:30	04/14/25 16:55	SW6020	3010A
7440-39-3	Barium	129	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-47-3	Chromium	1.80	JD	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-50-8	Copper	88.0	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:42	SW7470A	
7440-02-0	Nickel	56.7	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/14/25 16:55	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-62-2	Vanadium	54.6	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A
7440-66-6	Zinc	835	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:05	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-PCS-TC-22-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-38-2	Arsenic	2.70	JDN	5	0.45	1.25	5.00	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-39-3	Barium	122	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-47-3	Chromium	2.40	JD	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-50-8	Copper	98.2	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:45	SW7470A	
7440-02-0	Nickel	59.4	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/14/25 16:58	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-62-2	Vanadium	85.4	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A
7440-66-6	Zinc	760	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:19	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-PCS-TC-23-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-38-2	Arsenic	8.10	JDN	10	0.89	2.50	10.0	ug/L	04/08/25 12:30	04/10/25 17:11	SW6020	3010A
7440-39-3	Barium	110	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-47-3	Chromium	36.2	D	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-50-8	Copper	103	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:47	SW7470A	
7440-02-0	Nickel	107	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/10/25 17:11	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-62-2	Vanadium	94.2	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A
7440-66-6	Zinc	867	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:23	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-PCS-TC-24-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-38-2	Arsenic	1.25	UDN5		0.45	1.25	5.00	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-39-3	Barium	123	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-47-3	Chromium	3.75	UD	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-50-8	Copper	2.00	JD	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:49	SW7470A	
7440-02-0	Nickel	50.5	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	14.5	22.5	25.0	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-62-2	Vanadium	1.25	UD	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A
7440-66-6	Zinc	957	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:26	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-PCS-TC-25-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-38-2	Arsenic	12.5	DN	10	0.89	2.50	10.0	ug/L	04/08/25 12:30	04/10/25 17:15	SW6020	3010A
7440-39-3	Barium	118	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-47-3	Chromium	2.65	JD	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-50-8	Copper	88.5	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:51	SW7470A	
7440-02-0	Nickel	71.7	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/10/25 17:15	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-62-2	Vanadium	109	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A
7440-66-6	Zinc	817	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:29	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-PCS-TC-26-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-38-2	Arsenic	2.35	JDN	5	0.45	1.25	5.00	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-39-3	Barium	115	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-47-3	Chromium	2.90	JD	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-50-8	Copper	58.4	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:54	SW7470A	
7440-02-0	Nickel	89.5	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/14/25 17:01	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-62-2	Vanadium	167	D	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A
7440-66-6	Zinc	715	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:32	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	04/03/25
Project:	Raymark Superfund Site	Date Received:	04/04/25
Client Sample ID:	OU4-CF-15-040325	SDG No.:	Q1730
Lab Sample ID:	Q1730-20	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-38-2	Arsenic	1.85	JDN	5	0.45	1.25	5.00	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-39-3	Barium	118	D	5	1.05	6.25	50.0	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.70	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-47-3	Chromium	3.75	UD	5	1.05	3.75	10.0	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-50-8	Copper	49.0	D	5	1.50	7.50	10.0	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7439-92-1	Lead	3.75	UD	5	1.05	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	04/10/25 09:45	04/10/25 14:56	SW7470A	
7440-02-0	Nickel	73.3	D	5	1.35	3.75	5.00	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7782-49-2	Selenium	45.0	UD	10	29.0	45.0	50.0	ug/L	04/08/25 12:30	04/14/25 17:04	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.30	2.50	5.00	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-62-2	Vanadium	15.0	JD	5	0.39	1.25	25.0	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A
7440-66-6	Zinc	811	D	5	6.25	7.50	25.0	ug/L	04/08/25 12:30	04/10/25 16:36	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1730	OrderDate:	4/4/2025 10:51:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	L31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1730-01	OU4-VSL-15-040325	SOIL			04/03/25			04/04/25
			Mercury	7471B		04/08/25	04/08/25	
			Metals ICP-TAL	6010D		04/07/25	04/14/25	
Q1730-02	OU4-VSL-15-040325	Water			04/03/25			04/04/25
			SPLP Mercury	7470A		04/10/25	04/10/25	
			SPLP MetalGroup3	6020B		04/08/25	04/10/25	
Q1730-03	OU4-VSL-16-040325	SOIL			04/03/25			04/04/25
			Mercury	7471B		04/08/25	04/08/25	
			Metals ICP-TAL	6010D		04/07/25	04/14/25	
Q1730-04	OU4-VSL-16-040325	Water			04/03/25			04/04/25
			SPLP Mercury	7470A		04/10/25	04/10/25	
			SPLP MetalGroup3	6020B		04/08/25	04/10/25	
Q1730-05	OU4-VSL-17-040325	SOIL			04/03/25			04/04/25
			Mercury	7471B		04/08/25	04/08/25	
			Metals ICP-TAL	6010D		04/07/25	04/14/25	
Q1730-06	OU4-VSL-17-040325	Water			04/03/25			04/04/25
			SPLP Mercury	7470A		04/10/25	04/10/25	
			SPLP MetalGroup3	6020B		04/08/25	04/10/25	
			SPLP MetalGroup3	6020B		04/08/25	04/14/25	
Q1730-07	OU4-PCS-TC-21-040325	SOIL			04/03/25			04/04/25
			Mercury	7471B		04/08/25	04/08/25	
			Metals ICP-TAL	6010D		04/07/25	04/14/25	
Q1730-08	OU4-PCS-TC-21-040325	Water			04/03/25			04/04/25
			SPLP Mercury	7470A		04/10/25	04/10/25	

LAB CHRONICLE

			SPLP MetalGroup3	6020B	04/08/25	04/10/25	
			SPLP MetalGroup3	6020B	04/08/25	04/14/25	
Q1730-09	OU4-PCS-TC-22-0403 25	SOIL			04/03/25		04/04/25
			Mercury	7471B	04/08/25	04/08/25	
			Metals ICP-TAL	6010D	04/07/25	04/14/25	
Q1730-10	OU4-PCS-TC-22-0403 25	Water			04/03/25		04/04/25
			SPLP Mercury	7470A	04/10/25	04/10/25	
			SPLP MetalGroup3	6020B	04/08/25	04/10/25	
			SPLP MetalGroup3	6020B	04/08/25	04/14/25	
Q1730-11	OU4-PCS-TC-23-0403 25	SOIL			04/03/25		04/04/25
			Mercury	7471B	04/08/25	04/08/25	
			Metals ICP-TAL	6010D	04/07/25	04/14/25	
Q1730-12	OU4-PCS-TC-23-0403 25	Water			04/03/25		04/04/25
			SPLP Mercury	7470A	04/10/25	04/10/25	
			SPLP MetalGroup3	6020B	04/08/25	04/10/25	
Q1730-13	OU4-PCS-TC-24-0403 25	SOIL			04/03/25		04/04/25
			Mercury	7471B	04/08/25	04/08/25	
			Metals ICP-TAL	6010D	04/07/25	04/14/25	
Q1730-14	OU4-PCS-TC-24-0403 25	Water			04/03/25		04/04/25
			SPLP Mercury	7470A	04/10/25	04/10/25	
			SPLP MetalGroup3	6020B	04/08/25	04/10/25	
Q1730-15	OU4-PCS-TC-25-0403 25	SOIL			04/03/25		04/04/25
			Mercury	7471B	04/08/25	04/08/25	
			Metals ICP-TAL	6010D	04/07/25	04/14/25	
Q1730-16	OU4-PCS-TC-25-0403 25	Water			04/03/25		04/04/25
			SPLP Mercury	7470A	04/10/25	04/10/25	
			SPLP MetalGroup3	6020B	04/08/25	04/10/25	

LAB CHRONICLE

Q1730-17	OU4-PCS-TC-26-0403 25	SOIL			04/03/25		04/04/25
			Mercury	7471B		04/08/25	04/08/25
			Metals ICP-TAL	6010D		04/07/25	04/14/25
Q1730-18	OU4-PCS-TC-26-0403 25	Water			04/03/25		04/04/25
			SPLP Mercury	7470A		04/10/25	04/10/25
			SPLP MetalGroup3	6020B		04/08/25	04/10/25
			SPLP MetalGroup3	6020B		04/08/25	04/14/25
Q1730-19	OU4-CF-15-040325	SOIL			04/03/25		04/04/25
			Mercury	7471B		04/08/25	04/08/25
			Metals ICP-TAL	6010D		04/07/25	04/14/25
Q1730-20	OU4-CF-15-040325	Water			04/03/25		04/04/25
			SPLP Mercury	7470A		04/10/25	04/10/25
			SPLP MetalGroup3	6020B		04/08/25	04/10/25
			SPLP MetalGroup3	6020B		04/08/25	04/14/25