



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1730

Order ID: Q1730

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-VSL-15-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-01		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	96.9	Decanted:
Sample Wt/Vol:	30.07	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110269.D	1	04/07/25 08:20	04/07/25 13:38	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	8.50	U	4.10	8.50	17.5	ug/kg
11104-28-2	Aroclor-1221	13.4	U	4.10	13.4	17.5	ug/kg
11141-16-5	Aroclor-1232	8.50	U	3.80	8.50	17.5	ug/kg
53469-21-9	Aroclor-1242	8.50	U	4.10	8.50	17.5	ug/kg
12672-29-6	Aroclor-1248	13.4	U	6.10	13.4	17.5	ug/kg
11097-69-1	Aroclor-1254	8.50	U	3.30	8.50	17.5	ug/kg
37324-23-5	Aroclor-1262	13.4	U	5.20	13.4	17.5	ug/kg
11100-14-4	Aroclor-1268	8.50	U	3.70	8.50	17.5	ug/kg
11096-82-5	Aroclor-1260	8.50	U	3.30	8.50	17.5	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	20.2		44 - 130		101%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.6		60 - 125		88%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-VSL-16-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-03		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	94.5	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110270.D	1	04/07/25 08:20	04/07/25 13:56	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	8.80	U	4.20	8.80	18.0	ug/kg
11104-28-2	Aroclor-1221	13.7	U	4.30	13.7	18.0	ug/kg
11141-16-5	Aroclor-1232	8.80	U	3.90	8.80	18.0	ug/kg
53469-21-9	Aroclor-1242	8.80	U	4.20	8.80	18.0	ug/kg
12672-29-6	Aroclor-1248	13.7	U	6.30	13.7	18.0	ug/kg
11097-69-1	Aroclor-1254	8.80	U	3.40	8.80	18.0	ug/kg
37324-23-5	Aroclor-1262	13.7	U	5.30	13.7	18.0	ug/kg
11100-14-4	Aroclor-1268	8.80	U	3.80	8.80	18.0	ug/kg
11096-82-5	Aroclor-1260	8.80	U	3.40	8.80	18.0	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	22.4		44 - 130		112%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.4		60 - 125		97%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-VSL-17-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-05		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	92.4	Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110297.D	1	04/07/25 08:20	04/08/25 10:39	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.00	U	4.30	9.00	18.3	ug/kg
11104-28-2	Aroclor-1221	14.0	U	4.30	14.0	18.3	ug/kg
11141-16-5	Aroclor-1232	9.00	U	4.00	9.00	18.3	ug/kg
53469-21-9	Aroclor-1242	9.00	U	4.30	9.00	18.3	ug/kg
12672-29-6	Aroclor-1248	14.0	U	6.40	14.0	18.3	ug/kg
11097-69-1	Aroclor-1254	9.00	U	3.50	9.00	18.3	ug/kg
37324-23-5	Aroclor-1262	14.0	U	5.40	14.0	18.3	ug/kg
11100-14-4	Aroclor-1268	9.00	U	3.90	9.00	18.3	ug/kg
11096-82-5	Aroclor-1260	9.00	U	3.50	9.00	18.3	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	23.2		44 - 130		116%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.1		60 - 125		105%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-PCS-TC-21-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-07		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	89	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110298.D	1	04/07/25 08:20	04/08/25 10:58	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.30	U	4.40	9.30	19.1	ug/kg
11104-28-2	Aroclor-1221	14.6	U	4.50	14.6	19.1	ug/kg
11141-16-5	Aroclor-1232	9.30	U	4.20	9.30	19.1	ug/kg
53469-21-9	Aroclor-1242	9.30	U	4.50	9.30	19.1	ug/kg
12672-29-6	Aroclor-1248	14.6	U	6.60	14.6	19.1	ug/kg
11097-69-1	Aroclor-1254	9.30	U	3.60	9.30	19.1	ug/kg
37324-23-5	Aroclor-1262	14.6	U	5.60	14.6	19.1	ug/kg
11100-14-4	Aroclor-1268	9.30	U	4.00	9.30	19.1	ug/kg
11096-82-5	Aroclor-1260	9.30	U	3.60	9.30	19.1	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	20.3		44 - 130		102%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.1		60 - 125		85%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-PCS-TC-22-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-09		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	90.8	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110299.D	1	04/07/25 08:20	04/08/25 11:16	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.10	U	4.30	9.10	18.7	ug/kg
11104-28-2	Aroclor-1221	14.3	U	4.40	14.3	18.7	ug/kg
11141-16-5	Aroclor-1232	9.10	U	4.10	9.10	18.7	ug/kg
53469-21-9	Aroclor-1242	9.10	U	4.40	9.10	18.7	ug/kg
12672-29-6	Aroclor-1248	14.3	U	6.50	14.3	18.7	ug/kg
11097-69-1	Aroclor-1254	9.10	U	3.50	9.10	18.7	ug/kg
37324-23-5	Aroclor-1262	14.3	U	5.50	14.3	18.7	ug/kg
11100-14-4	Aroclor-1268	9.10	U	4.00	9.10	18.7	ug/kg
11096-82-5	Aroclor-1260	9.10	U	3.60	9.10	18.7	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	20.7		44 - 130		104%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.9		60 - 125		90%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-PCS-TC-23-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-11		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	90.9	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110300.D	1	04/07/25 08:20	04/08/25 11:35	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.10	U	4.30	9.10	18.7	ug/kg
11104-28-2	Aroclor-1221	14.3	U	4.40	14.3	18.7	ug/kg
11141-16-5	Aroclor-1232	9.10	U	4.10	9.10	18.7	ug/kg
53469-21-9	Aroclor-1242	9.10	U	4.40	9.10	18.7	ug/kg
12672-29-6	Aroclor-1248	14.3	U	6.50	14.3	18.7	ug/kg
11097-69-1	Aroclor-1254	9.10	U	3.50	9.10	18.7	ug/kg
37324-23-5	Aroclor-1262	14.3	U	5.50	14.3	18.7	ug/kg
11100-14-4	Aroclor-1268	9.10	U	4.00	9.10	18.7	ug/kg
11096-82-5	Aroclor-1260	9.10	U	3.50	9.10	18.7	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	20.9		44 - 130		104%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.0		60 - 125		90%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-PCS-TC-24-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-13		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	91.3	Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO110301.D	1	04/07/25 08:20	04/08/25 11:53	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.10	U	4.30	9.10	18.6	ug/kg
11104-28-2	Aroclor-1221	14.2	U	4.40	14.2	18.6	ug/kg
11141-16-5	Aroclor-1232	9.10	U	4.10	9.10	18.6	ug/kg
53469-21-9	Aroclor-1242	9.10	U	4.40	9.10	18.6	ug/kg
12672-29-6	Aroclor-1248	14.2	U	6.50	14.2	18.6	ug/kg
11097-69-1	Aroclor-1254	9.10	U	3.50	9.10	18.6	ug/kg
37324-23-5	Aroclor-1262	14.2	U	5.50	14.2	18.6	ug/kg
11100-14-4	Aroclor-1268	9.10	U	3.90	9.10	18.6	ug/kg
11096-82-5	Aroclor-1260	9.10	U	3.50	9.10	18.6	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	20.5		44 - 130		102%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.9		60 - 125		94%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-PCS-TC-25-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-15		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	92.5	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071142.D	1	04/07/25 08:20	04/08/25 11:39	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.00	U	4.30	9.00	18.3	ug/kg
11104-28-2	Aroclor-1221	14.0	U	4.30	14.0	18.3	ug/kg
11141-16-5	Aroclor-1232	9.00	U	4.00	9.00	18.3	ug/kg
53469-21-9	Aroclor-1242	9.00	U	4.30	9.00	18.3	ug/kg
12672-29-6	Aroclor-1248	14.0	U	6.40	14.0	18.3	ug/kg
11097-69-1	Aroclor-1254	9.00	U	3.50	9.00	18.3	ug/kg
37324-23-5	Aroclor-1262	14.0	U	5.40	14.0	18.3	ug/kg
11100-14-4	Aroclor-1268	9.00	U	3.90	9.00	18.3	ug/kg
11096-82-5	Aroclor-1260	9.00	U	3.50	9.00	18.3	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	24.8		44 - 130		124%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.3		60 - 125		116%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-PCS-TC-26-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-17		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	92.1	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071143.D	1	04/07/25 08:20	04/08/25 11:56	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	9.00	U	4.30	9.00	18.4	ug/kg
11104-28-2	Aroclor-1221	14.1	U	4.40	14.1	18.4	ug/kg
11141-16-5	Aroclor-1232	9.00	U	4.00	9.00	18.4	ug/kg
53469-21-9	Aroclor-1242	9.00	U	4.30	9.00	18.4	ug/kg
12672-29-6	Aroclor-1248	14.1	U	6.40	14.1	18.4	ug/kg
11097-69-1	Aroclor-1254	9.00	U	3.50	9.00	18.4	ug/kg
37324-23-5	Aroclor-1262	14.1	U	5.40	14.1	18.4	ug/kg
11100-14-4	Aroclor-1268	9.00	U	3.90	9.00	18.4	ug/kg
11096-82-5	Aroclor-1260	9.00	U	3.50	9.00	18.4	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	25.1		44 - 130		125%	SPK: 20
2051-24-3	Decachlorobiphenyl	24.9		60 - 125		124%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Nobis Group		Date Collected:	04/03/25	
Project:	Raymark Superfund Site		Date Received:	04/04/25	
Client Sample ID:	OU4-CF-15-040325		SDG No.:	Q1730	
Lab Sample ID:	Q1730-19		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	93.9	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP071144.D	1	04/07/25 08:20	04/08/25 12:12	PB167469

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	8.80	U	4.20	8.80	18.1	ug/kg
11104-28-2	Aroclor-1221	13.8	U	4.30	13.8	18.1	ug/kg
11141-16-5	Aroclor-1232	8.80	U	4.00	8.80	18.1	ug/kg
53469-21-9	Aroclor-1242	8.80	U	4.30	8.80	18.1	ug/kg
12672-29-6	Aroclor-1248	13.8	U	6.30	13.8	18.1	ug/kg
11097-69-1	Aroclor-1254	8.80	U	3.40	8.80	18.1	ug/kg
37324-23-5	Aroclor-1262	13.8	U	5.30	13.8	18.1	ug/kg
11100-14-4	Aroclor-1268	8.80	U	3.80	8.80	18.1	ug/kg
11096-82-5	Aroclor-1260	8.80	U	3.40	8.80	18.1	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	27.5	*	44 - 130		138%	SPK: 20
2051-24-3	Decachlorobiphenyl	24.1		60 - 125		121%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1730	OrderDate:	4/4/2025 10:51:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	L31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1730-01	OU4-VSL-15-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/07/25	04/04/25
Q1730-03	OU4-VSL-16-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/07/25	04/04/25
Q1730-05	OU4-VSL-17-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/08/25	04/04/25
Q1730-07	OU4-PCS-TC-21-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/08/25	04/04/25
Q1730-09	OU4-PCS-TC-22-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/08/25	04/04/25
Q1730-11	OU4-PCS-TC-23-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/08/25	04/04/25
Q1730-13	OU4-PCS-TC-24-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/08/25	04/04/25
Q1730-15	OU4-PCS-TC-25-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/08/25	04/04/25
Q1730-17	OU4-PCS-TC-26-040325	SOIL	PCB	8082A	04/03/25	04/07/25	04/08/25	04/04/25
Q1730-19	OU4-CF-15-040325	SOIL			04/03/25			04/04/25

LAB CHRONICLE

PCB	8082A	04/07/25	04/08/25
-----	-------	----------	----------

A

B

C

D