

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL040725\
 Data File : PL095073.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Apr 2025 19:55
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 08 02:22:16 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.535	2.768	142.5E6	194.7E6	50.343	54.548
28)	SA Decachlor...	9.051	7.900	112.2E6	206.3E6	53.246	51.066
Target Compounds							
2)	A alpha-BHC	3.991	3.270	209.4E6	297.6E6	50.419	55.194
3)	MA gamma-BHC...	4.324	3.600	202.2E6	280.3E6	50.669	54.541
4)	MA Heptachlor	4.911	3.937	188.4E6	272.2E6	48.546	51.658
5)	MB Aldrin	5.253	4.216	183.6E6	260.1E6	49.722	53.348
6)	B beta-BHC	4.523	3.900	92530508	122.1E6	50.146	54.950
7)	B delta-BHC	4.770	4.128	202.6E6	279.8E6	52.014	55.934
8)	B Heptachlo...	5.680	4.719	168.8E6	242.3E6	50.474	52.919
9)	A Endosulfan I	6.065	5.088	159.8E6	232.0E6	52.043	52.852
10)	B gamma-Chl...	5.936	4.968	173.3E6	256.5E6	51.444	53.131
11)	B alpha-Chl...	6.015	5.032	171.0E6	251.9E6	51.874	52.778
12)	B 4,4'-DDE	6.189	5.221	168.6E6	256.6E6	57.292	55.197
13)	MA Dieldrin	6.340	5.352	170.0E6	257.6E6	53.169	53.091
14)	MA Endrin	6.571	5.628	129.2E6	216.3E6	46.605	49.566
15)	B Endosulfa...	6.791	5.923	143.7E6	230.2E6	52.946	53.178
16)	A 4,4'-DDD	6.707	5.776	133.5E6	215.3E6	61.640	59.871
17)	MA 4,4'-DDT	7.020	6.025	124.8E6	208.6E6	52.459	51.745
18)	B Endrin al...	6.922	6.102	109.5E6	172.9E6	51.890	51.385
19)	B Endosulfa...	7.156	6.325	125.9E6	219.4E6	51.772	53.867
20)	A Methoxychlor	7.497	6.601	63441009	110.9E6	52.997	52.274
21)	B Endrin ke...	7.641	6.831	143.1E6	283.9E6	54.138	59.478
22)	Mirex	8.114	7.010	102.0E6	195.3E6	49.361	51.471
24)	Chlordane-2	5.253f	0.000	183.6E6	0	1213.335	N.D. #
25)	Chlordane-3	5.936	4.968	173.3E6	256.5E6	346.792	482.218 #
26)	Chlordane-4	6.015	5.032	171.0E6	251.9E6	290.309	483.896 #
27)	Chlordane-5	0.000	5.923	0	230.2E6	N.D.	1199.809 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.535 min
Delta R.T.: -0.003 min
Response: 142505495
Conc: 50.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.768 min
Delta R.T.: -0.004 min
Response: 194695512
Conc: 54.55 ng/ml




#2 alpha-BHC

R.T.: 3.991 min
Delta R.T.: -0.003 min
Response: 209356384
Conc: 50.42 ng/ml



#2 alpha-BHC


R.T.: 3.270 min
Delta R.T.: -0.004 min
Response: 297572685
Conc: 55.19 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: -0.003 min
Response: 202182264
Conc: 50.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.600 min
Delta R.T.: -0.005 min
Response: 280308329
Conc: 54.54 ng/ml




#4 Heptachlor

R.T.: 4.911 min
Delta R.T.: -0.003 min
Response: 188436730
Conc: 48.55 ng/ml



#4 Heptachlor


R.T.: 3.937 min
Delta R.T.: -0.006 min
Response: 272169589
Conc: 51.66 ng/ml



#5 Aldrin


R.T.: 5.253 min
Delta R.T.: -0.003 min
Response: 183583886
Conc: 49.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.216 min
Delta R.T.: -0.006 min
Response: 260142165
Conc: 53.35 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.003 min
Response: 92530508
Conc: 50.15 ng/ml



#6 beta-BHC


R.T.: 3.900 min
Delta R.T.: -0.005 min
Response: 122060787
Conc: 54.95 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.003 min
Response: 202558316
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.128 min
Delta R.T.: -0.005 min
Response: 279782143
Conc: 55.93 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.004 min
Response: 168844648
Conc: 50.47 ng/ml



#8 Heptachlor epoxide


R.T.: 4.719 min
Delta R.T.: -0.006 min
Response: 242295022
Conc: 52.92 ng/ml



#9 Endosulfan I


R.T.: 6.065 min
Delta R.T.: -0.004 min
Response: 159783604
Conc: 52.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.088 min
Delta R.T.: -0.006 min
Response: 231953973
Conc: 52.85 ng/ml




#10 gamma-Chlordane

R.T.: 5.936 min
Delta R.T.: -0.004 min
Response: 173333661
Conc: 51.44 ng/ml



#10 gamma-Chlordane


R.T.: 4.968 min
Delta R.T.: -0.006 min
Response: 256539271
Conc: 53.13 ng/ml



#11 alpha-Chlordane


R.T.: 6.015 min
Delta R.T.: -0.004 min
Response: 171018665
Conc: 51.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.032 min
Delta R.T.: -0.005 min
Response: 251896806
Conc: 52.78 ng/ml




#12 4,4'-DDE

R.T.: 6.189 min
Delta R.T.: -0.004 min
Response: 168555974
Conc: 57.29 ng/ml



#12 4,4'-DDE


R.T.: 5.221 min
Delta R.T.: -0.006 min
Response: 256585818
Conc: 55.20 ng/ml



#13 Dieldrin


R.T.: 6.340 min
Delta R.T.: -0.004 min
Response: 170042857
Conc: 53.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.352 min
Delta R.T.: -0.006 min
Response: 257589046
Conc: 53.09 ng/ml




#14 Endrin

R.T.: 6.571 min
Delta R.T.: -0.003 min
Response: 129191554
Conc: 46.60 ng/ml



#14 Endrin


R.T.: 5.628 min
Delta R.T.: -0.006 min
Response: 216287994
Conc: 49.57 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: -0.003 min
Response: 143735779
Conc: 52.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.923 min
Delta R.T.: -0.005 min
Response: 230166700
Conc: 53.18 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: -0.003 min
Response: 133516414
Conc: 61.64 ng/ml



#16 4,4'-DDD


R.T.: 5.776 min
Delta R.T.: -0.006 min
Response: 215288531
Conc: 59.87 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: -0.004 min
Response: 124776433
Conc: 52.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.025 min
Delta R.T.: -0.006 min
Response: 208639831
Conc: 51.74 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: -0.002 min
Response: 109540118
Conc: 51.89 ng/ml



#18 Endrin aldehyde


R.T.: 6.102 min
Delta R.T.: -0.006 min
Response: 172931006
Conc: 51.39 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.156 min
Delta R.T.: -0.002 min
Response: 125910141
Conc: 51.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.325 min
Delta R.T.: -0.005 min
Response: 219425527
Conc: 53.87 ng/ml




#20 Methoxychlor

R.T.: 7.497 min
Delta R.T.: -0.002 min
Response: 63441009
Conc: 53.00 ng/ml



#20 Methoxychlor


R.T.: 6.601 min
Delta R.T.: -0.006 min
Response: 110876420
Conc: 52.27 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: -0.002 min
Response: 143101250
Conc: 54.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.831 min
Delta R.T.: -0.005 min
Response: 283862401
Conc: 59.48 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 101993427
Conc: 49.36 ng/ml



#22 Mirex


R.T.: 7.010 min
Delta R.T.: -0.006 min
Response: 195349245
Conc: 51.47 ng/ml



#24 Chlordane-2


R.T.: 5.253 min
Delta R.T.: 0.023 min
Response: 183583886
Conc: 1213.34 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.936 min
Delta R.T.: -0.004 min
Response: 173333661
Conc: 346.79 ng/ml



#25 Chlordane-3


R.T.: 4.968 min
Delta R.T.: -0.007 min
Response: 256539271
Conc: 482.22 ng/ml



#26 Chlordane-4


R.T.: 6.015 min
Delta R.T.: -0.007 min
Response: 171018665
Conc: 290.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.032 min
Delta R.T.: -0.005 min
Response: 251896806
Conc: 483.90 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.923 min
Delta R.T.: -0.010 min
Response: 230166700
Conc: 1199.81 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.051 min
Delta R.T.: -0.005 min
Response: 112214366
Conc: 53.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.900 min
Delta R.T.: -0.007 min
Response: 206272441
Conc: 51.07 ng/ml