DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

Laboratory Name : Alliance Technical Group LLC Client : G Environmental

Project Location : NJ Project Number : Stockton

Laboratory Sample ID(s) : Q1736 Sampling Date(s) : 4/04/2025

List DKQP Methods Used (e.g., 8260,8270, et Cetra) **,6010D,7471B,8082A,8270-Modified,NJEPH,SOP**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	☑ Yes ☐ No
1A	Were the method specified handling, preservation, and holding time requirements met?	☑ Yes ☐ No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	☑ Yes ☐ No ☐ N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	☑ Yes ☐ No
3	Were samples received at an appropriate temperature (4±2° C)?	☑ Yes ☐ No ☐ N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	☐ Yes ☑ No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	☑ Yes ☐ No ☑ Yes ☐ No ☐ N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	☑ Yes ☐ No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	☐ Yes ☑ No

Notes: For all questions to which the response was “No” (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is “No”, the data package does not meet the requirements for “Data of Known Quality.”

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Cover Page

Order ID : Q1736

Project ID : Stockton

Client : G Environmental

Lab Sample Number	Client Sample Number
Q1736-01	GST1
Q1736-02	GST2

I certify that the data package is in compliance with the terms and conditions of the contract,both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 4/17/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

G Environmental
Project Name: Stockton
Project # N/A
Chemtech Project # Q1736
Test Name: Metals ICP-TAL,Mercury

A. Number of Samples and Date of Receipt:
2 Solid samples were received on 04/04/2025.

B. Parameters:
According to the Chain of Custody document, the following analyses were requested: EPH_F2, Mercury, Metals ICP-TAL, METALS-TAL, PCB and SVOC-SIMGroup1. This data package contains results for Metals ICP-TAL,Mercury.

C. Analytical Techniques:
The analysis of Metals ICP-TAL was based on method 6010D, digestion based on method 3050 (soils). The analysis and digestion of Mercury was based on method 7471B.

D. QA/ QC Samples:
The Holding Times were met for all analysis.
The Blank Spike met requirements for all samples.
The Duplicate (OK-02-040425DUP) analysis met criteria for all samples except for Cadmium, Calcium and Potassium due to sample matrix interference.
The Matrix Spike (OK-02-040425MS) analysis met criteria for all samples except for Arsenic, Barium, Beryllium, Chromium, Cobalt, Copper, Selenium, Silver, Vanadium and Zinc due to Chemical Interference during Digestion Process.
The Matrix Spike Duplicate (OK-02-040425MSD) analysis met criteria for all samples except for Arsenic, Barium, Beryllium, Chromium, Cobalt, Copper, Potassium, Silver, Vanadium and Zinc due to Chemical Interference during Digestion Process.
The Blank analysis did not indicate the presence of lab contamination.
The Calibration met the requirements.
The Serial Dilution met the acceptable requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

Alliance TECHNICAL GROUP

284 Sheffield Street, Mountainside NJ 07092
Tel. 908-789-8900 Fax: 908-789-8922

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following " Results Qualifiers" are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers **"P"** for ICP instrument **"PM"** for ICP when Microwave Digestion is used **"CV"** for Manual Cold Vapor AA **"AV"** for automated Cold Vapor AA **"CA"** for MIDI-Distillation Spectrophotometric **"AS"** for Semi –Automated Spectrophotometric **"C"** for Manual Spectrophotometric **"T"** for Titrimetric **"NR"** for analyte not required to be analyzed
OR	Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: **Q1736**

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)	✓
Check chain-of-custody for proper relinquish/return of samples	✓
Is the chain of custody signed and complete	✓
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	✓
Collect information for each project id from server. Were all requirements followed	✓
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	✓
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	✓
Do requested analyses on Chain of Custody agree with the log-in page	✓
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	✓
Were the samples received within hold time	✓
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	✓
ANALYTICAL:	
Was method requirement followed?	✓
Was client requirement followed?	✓
Does the case narrative summarize all QC failure?	✓
All runlogs and manual integration are reviewed for requirements	✓
All manual calculations and /or hand notations verified	✓

QA Review Signature: **SOHIL JODHANI** **Date:** **04/17/2025**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

LAB CHRONICLE

OrderID:	Q1736	**OrderDate:**	4/4/2025 1:39:00 PM
Client:	G Environmental	**Project:**	Stockton
Contact:	Gary Landis	**Location:**	L21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1736-01	**GST1**	**SOIL**			**04/04/25**			**04/04/25**
			Mercury	7471B		04/08/25	04/08/25	
			Metals ICP-TAL	6010D		04/07/25	04/14/25	
Q1736-02	**GST2**	**SOIL**			**04/04/25**			**04/04/25**
			Mercury	7471B		04/08/25	04/08/25	
			Metals ICP-TAL	6010D		04/07/25	04/14/25	

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1736 **Order ID:** Q1736

Client: G Environmental **Project ID:** Stockton

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : GST1								
Q1736-01	GST1	SOIL	Aluminum	4450		2.75	5.71	mg/Kg
Q1736-01	GST1	SOIL	Antimony	2.48	J	0.17	2.85	mg/Kg
Q1736-01	GST1	SOIL	Arsenic	29.8		0.33	1.14	mg/Kg
Q1736-01	GST1	SOIL	Barium	70.6		0.73	5.71	mg/Kg
Q1736-01	GST1	SOIL	Beryllium	0.61		0.014	0.34	mg/Kg
Q1736-01	GST1	SOIL	Cadmium	0.22	J	0.018	0.34	mg/Kg
Q1736-01	GST1	SOIL	Calcium	2230		3.19	114	mg/Kg
Q1736-01	GST1	SOIL	Chromium	9.94		0.062	0.57	mg/Kg
Q1736-01	GST1	SOIL	Cobalt	5.58		0.066	1.71	mg/Kg
Q1736-01	GST1	SOIL	Copper	193		0.54	1.14	mg/Kg
Q1736-01	GST1	SOIL	Iron	11300		3.07	5.71	mg/Kg
Q1736-01	GST1	SOIL	Lead	184		0.17	0.69	mg/Kg
Q1736-01	GST1	SOIL	Magnesium	1090		3.91	114	mg/Kg
Q1736-01	GST1	SOIL	Manganese	73.7		0.081	1.14	mg/Kg
Q1736-01	GST1	SOIL	Mercury	0.43		0.0090	0.015	mg/Kg
Q1736-01	GST1	SOIL	Nickel	53.6		0.10	2.28	mg/Kg
Q1736-01	GST1	SOIL	Potassium	520		32.7	114	mg/Kg
Q1736-01	GST1	SOIL	Selenium	0.52	J	0.38	1.14	mg/Kg
Q1736-01	GST1	SOIL	Sodium	327		41.2	114	mg/Kg
Q1736-01	GST1	SOIL	Thallium	0.91	J	0.50	2.28	mg/Kg
Q1736-01	GST1	SOIL	Vanadium	23.0		0.31	2.28	mg/Kg
Q1736-01	GST1	SOIL	Zinc	98.9		0.13	2.28	mg/Kg
Client ID : GST2								
Q1736-02	GST2	SOIL	Aluminum	3670		2.59	5.38	mg/Kg
Q1736-02	GST2	SOIL	Arsenic	1.92		0.31	1.08	mg/Kg
Q1736-02	GST2	SOIL	Barium	39.3		0.69	5.38	mg/Kg
Q1736-02	GST2	SOIL	Beryllium	0.42		0.013	0.32	mg/Kg
Q1736-02	GST2	SOIL	Cadmium	0.14	J	0.017	0.32	mg/Kg
Q1736-02	GST2	SOIL	Calcium	1230		3.01	108	mg/Kg
Q1736-02	GST2	SOIL	Chromium	8.72		0.058	0.54	mg/Kg
Q1736-02	GST2	SOIL	Cobalt	5.44		0.062	1.61	mg/Kg
Q1736-02	GST2	SOIL	Copper	10.2		0.51	1.08	mg/Kg
Q1736-02	GST2	SOIL	Iron	10000		2.89	5.38	mg/Kg
Q1736-02	GST2	SOIL	Lead	6.81		0.16	0.65	mg/Kg
Q1736-02	GST2	SOIL	Magnesium	2010		3.69	108	mg/Kg
Q1736-02	GST2	SOIL	Manganese	127		0.076	1.08	mg/Kg
Q1736-02	GST2	SOIL	Mercury	0.010	J	0.0080	0.015	mg/Kg

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1736 **Order ID:** Q1736

Client: G Environmental **Project ID:** Stockton

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1736-02	GST2	SOIL	Nickel	10.8		0.097	2.15	mg/Kg
Q1736-02	GST2	SOIL	Potassium	605		30.9	108	mg/Kg
Q1736-02	GST2	SOIL	Sodium	221		38.8	108	mg/Kg
Q1736-02	GST2	SOIL	Vanadium	13.5		0.29	2.15	mg/Kg
Q1736-02	GST2	SOIL	Zinc	21.4		0.12	2.15	mg/Kg



SAMPLE DATA

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	G Environmental	Date Collected:	04/04/25
Project:	Stockton	Date Received:	04/04/25
Client Sample ID:	GST1	SDG No.:	Q1736
Lab Sample ID:	Q1736-01	Matrix:	SOIL
Level (low/med):	low	% Solid:	78.6

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	4450		1	2.75	5.71	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-36-0	Antimony	2.48	J	1	0.17	2.85	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-38-2	Arsenic	29.8	N	1	0.33	1.14	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-39-3	Barium	70.6	N	1	0.73	5.71	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-41-7	Beryllium	0.61	N	1	0.014	0.34	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-43-9	Cadmium	0.22	J*	1	0.018	0.34	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-70-2	Calcium	2230	*	1	3.19	114	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-47-3	Chromium	9.94	N	1	0.062	0.57	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-48-4	Cobalt	5.58	N	1	0.066	1.71	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-50-8	Copper	193	N	1	0.54	1.14	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7439-89-6	Iron	11300		1	3.07	5.71	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7439-92-1	Lead	184		1	0.17	0.69	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7439-95-4	Magnesium	1090		1	3.91	114	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7439-96-5	Manganese	73.7		1	0.081	1.14	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7439-97-6	Mercury	0.43		1	0.0090	0.015	mg/Kg	04/08/25 07:20	04/08/25 10:38	SW7471B	
7440-02-0	Nickel	53.6		1	0.10	2.28	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-09-7	Potassium	520	N*	1	32.7	114	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7782-49-2	Selenium	0.52	JN	1	0.38	1.14	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-22-4	Silver	0.059	UN	1	0.059	0.57	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-23-5	Sodium	327		1	41.2	114	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-28-0	Thallium	0.91	J	1	0.50	2.28	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-62-2	Vanadium	23.0	N	1	0.31	2.28	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050
7440-66-6	Zinc	98.9	N	1	0.13	2.28	mg/Kg	04/07/25 10:05	04/14/25 19:53	SW6010	SW3050

Color Before:	Black	Clarity Before:		Texture:	Medium
Color After:	Yellow	Clarity After:		Artifacts:	
Comments:	METALS-TAL				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	G Environmental	Date Collected:	04/04/25
Project:	Stockton	Date Received:	04/04/25
Client Sample ID:	GST2	SDG No.:	Q1736
Lab Sample ID:	Q1736-02	Matrix:	SOIL
Level (low/med):	low	% Solid:	80.5

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	3670		1	2.59	5.38	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-36-0	Antimony	0.16	U	1	0.16	2.69	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-38-2	Arsenic	1.92	N	1	0.31	1.08	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-39-3	Barium	39.3	N	1	0.69	5.38	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-41-7	Beryllium	0.42	N	1	0.013	0.32	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-43-9	Cadmium	0.14	J*	1	0.017	0.32	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-70-2	Calcium	1230	*	1	3.01	108	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-47-3	Chromium	8.72	N	1	0.058	0.54	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-48-4	Cobalt	5.44	N	1	0.062	1.61	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-50-8	Copper	10.2	N	1	0.51	1.08	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7439-89-6	Iron	10000		1	2.89	5.38	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7439-92-1	Lead	6.81		1	0.16	0.65	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7439-95-4	Magnesium	2010		1	3.69	108	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7439-96-5	Manganese	127		1	0.076	1.08	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7439-97-6	Mercury	0.010	J	1	0.0080	0.015	mg/Kg	04/08/25 07:20	04/08/25 10:40	SW7471B	
7440-02-0	Nickel	10.8		1	0.097	2.15	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-09-7	Potassium	605	N*	1	30.9	108	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7782-49-2	Selenium	0.36	UN	1	0.36	1.08	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-22-4	Silver	0.056	UN	1	0.056	0.54	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-23-5	Sodium	221		1	38.8	108	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-28-0	Thallium	0.47	U	1	0.47	2.15	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-62-2	Vanadium	13.5	N	1	0.29	2.15	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050
7440-66-6	Zinc	21.4	N	1	0.12	2.15	mg/Kg	04/07/25 10:05	04/14/25 20:05	SW6010	SW3050

Color Before:	Brown	Clarity Before:		Texture:	Medium
Color After:	Yellow	Clarity After:		Artifacts:	
Comments:	METALS-TAL				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

METAL CALIBRATION DATA

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: PLASMA-PURE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV80	Mercury	3.68	4.0	92	90 - 110	CV	04/08/2025	09:43	LB135337

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: PLASMA-PURE

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV42	Mercury	5.06	5.0	101	90 - 110	CV	04/08/2025	09:47	LB135337
CCV43	Mercury	4.80	5.0	96	90 - 110	CV	04/08/2025	10:15	LB135337
CCV44	Mercury	4.61	5.0	92	90 - 110	CV	04/08/2025	10:42	LB135337
CCV45	Mercury	5.27	5.0	105	90 - 110	CV	04/08/2025	11:14	LB135337

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV01	Aluminum	2360	2500	94	90 - 110	P	04/14/2025	13:56	LB135424
	Antimony	1040	1000	104	90 - 110	P	04/14/2025	13:56	LB135424
	Arsenic	1060	1000	106	90 - 110	P	04/14/2025	13:56	LB135424
	Barium	534	520	103	90 - 110	P	04/14/2025	13:56	LB135424
	Beryllium	496	510	97	90 - 110	P	04/14/2025	13:56	LB135424
	Cadmium	507	510	99	90 - 110	P	04/14/2025	13:56	LB135424
	Calcium	9360	10000	94	90 - 110	P	04/14/2025	13:56	LB135424
	Chromium	507	520	98	90 - 110	P	04/14/2025	13:56	LB135424
	Cobalt	490	520	94	90 - 110	P	04/14/2025	13:56	LB135424
	Copper	513	510	100	90 - 110	P	04/14/2025	13:56	LB135424
	Iron	9380	10000	94	90 - 110	P	04/14/2025	13:56	LB135424
	Lead	1000	1000	100	90 - 110	P	04/14/2025	13:56	LB135424
	Magnesium	5990	6000	100	90 - 110	P	04/14/2025	13:56	LB135424
	Manganese	483	520	93	90 - 110	P	04/14/2025	13:56	LB135424
	Nickel	494	530	93	90 - 110	P	04/14/2025	13:56	LB135424
	Potassium	9740	9900	98	90 - 110	P	04/14/2025	13:56	LB135424
	Selenium	1050	1000	105	90 - 110	P	04/14/2025	13:56	LB135424
	Silver	246	250	98	90 - 110	P	04/14/2025	13:56	LB135424
	Sodium	10100	10000	101	90 - 110	P	04/14/2025	13:56	LB135424
	Thallium	1030	1000	103	90 - 110	P	04/14/2025	13:56	LB135424
	Vanadium	474	500	95	90 - 110	P	04/14/2025	13:56	LB135424
	Zinc	994	1000	99	90 - 110	P	04/14/2025	13:56	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
LLICV01	Aluminum	97.5	100	98	80 - 120	P	04/14/2025	14:01	LB135424
	Antimony	53.2	50.0	106	80 - 120	P	04/14/2025	14:01	LB135424
	Arsenic	22.8	20.0	114	80 - 120	P	04/14/2025	14:01	LB135424
	Barium	96.1	100	96	80 - 120	P	04/14/2025	14:01	LB135424
	Beryllium	6.00	6.0	100	80 - 120	P	04/14/2025	14:01	LB135424
	Cadmium	6.12	6.0	102	80 - 120	P	04/14/2025	14:01	LB135424
	Calcium	1980	2000	99	80 - 120	P	04/14/2025	14:01	LB135424
	Chromium	9.81	10.0	98	80 - 120	P	04/14/2025	14:01	LB135424
	Cobalt	29.6	30.0	98	80 - 120	P	04/14/2025	14:01	LB135424
	Copper	22.6	20.0	113	80 - 120	P	04/14/2025	14:01	LB135424
	Iron	99.4	100	99	80 - 120	P	04/14/2025	14:01	LB135424
	Lead	12.4	12.0	103	80 - 120	P	04/14/2025	14:01	LB135424
	Magnesium	2080	2000	104	80 - 120	P	04/14/2025	14:01	LB135424
	Manganese	20.6	20.0	103	80 - 120	P	04/14/2025	14:01	LB135424
	Nickel	39.5	40.0	99	80 - 120	P	04/14/2025	14:01	LB135424
	Potassium	1920	2000	96	80 - 120	P	04/14/2025	14:01	LB135424
	Selenium	19.0	20.0	95	80 - 120	P	04/14/2025	14:01	LB135424
	Silver	10.0	10.0	100	80 - 120	P	04/14/2025	14:01	LB135424
	Sodium	1840	2000	92	80 - 120	P	04/14/2025	14:01	LB135424
	Thallium	41.8	40.0	105	80 - 120	P	04/14/2025	14:01	LB135424
	Vanadium	40.4	40.0	101	80 - 120	P	04/14/2025	14:01	LB135424
	Zinc	41.6	40.0	104	80 - 120	P	04/14/2025	14:01	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV01	Aluminum	9750	10000	98	90 - 110	P	04/14/2025	14:31	LB135424
	Antimony	4920	5000	98	90 - 110	P	04/14/2025	14:31	LB135424
	Arsenic	4910	5000	98	90 - 110	P	04/14/2025	14:31	LB135424
	Barium	9640	10000	96	90 - 110	P	04/14/2025	14:31	LB135424
	Beryllium	256	250	102	90 - 110	P	04/14/2025	14:31	LB135424
	Cadmium	2460	2500	98	90 - 110	P	04/14/2025	14:31	LB135424
	Calcium	24400	25000	98	90 - 110	P	04/14/2025	14:31	LB135424
	Chromium	1000	1000	100	90 - 110	P	04/14/2025	14:31	LB135424
	Cobalt	2460	2500	98	90 - 110	P	04/14/2025	14:31	LB135424
	Copper	1240	1250	100	90 - 110	P	04/14/2025	14:31	LB135424
	Iron	4830	5000	97	90 - 110	P	04/14/2025	14:31	LB135424
	Lead	4940	5000	99	90 - 110	P	04/14/2025	14:31	LB135424
	Magnesium	24400	25000	98	90 - 110	P	04/14/2025	14:31	LB135424
	Manganese	2440	2500	98	90 - 110	P	04/14/2025	14:31	LB135424
	Nickel	2460	2500	98	90 - 110	P	04/14/2025	14:31	LB135424
	Potassium	23800	25000	95	90 - 110	P	04/14/2025	14:31	LB135424
	Selenium	4930	5000	98	90 - 110	P	04/14/2025	14:31	LB135424
	Silver	1250	1250	100	90 - 110	P	04/14/2025	14:31	LB135424
	Sodium	23800	25000	95	90 - 110	P	04/14/2025	14:31	LB135424
	Thallium	5050	5000	101	90 - 110	P	04/14/2025	14:31	LB135424
	Vanadium	2440	2500	98	90 - 110	P	04/14/2025	14:31	LB135424
	Zinc	2510	2500	100	90 - 110	P	04/14/2025	14:31	LB135424
CCV02	Aluminum	9730	10000	97	90 - 110	P	04/14/2025	15:22	LB135424
	Antimony	4950	5000	99	90 - 110	P	04/14/2025	15:22	LB135424
	Arsenic	4930	5000	99	90 - 110	P	04/14/2025	15:22	LB135424
	Barium	9580	10000	96	90 - 110	P	04/14/2025	15:22	LB135424
	Beryllium	246	250	98	90 - 110	P	04/14/2025	15:22	LB135424
	Cadmium	2460	2500	98	90 - 110	P	04/14/2025	15:22	LB135424
	Calcium	24100	25000	96	90 - 110	P	04/14/2025	15:22	LB135424
	Chromium	995	1000	100	90 - 110	P	04/14/2025	15:22	LB135424
	Cobalt	2460	2500	98	90 - 110	P	04/14/2025	15:22	LB135424
	Copper	1250	1250	100	90 - 110	P	04/14/2025	15:22	LB135424
	Iron	4880	5000	98	90 - 110	P	04/14/2025	15:22	LB135424
	Lead	4930	5000	98	90 - 110	P	04/14/2025	15:22	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV02	Magnesium	24000	25000	96	90 - 110	P	04/14/2025	15:22	LB135424
	Manganese	2410	2500	96	90 - 110	P	04/14/2025	15:22	LB135424
	Nickel	2460	2500	98	90 - 110	P	04/14/2025	15:22	LB135424
	Potassium	24300	25000	97	90 - 110	P	04/14/2025	15:22	LB135424
	Selenium	4970	5000	99	90 - 110	P	04/14/2025	15:22	LB135424
	Silver	1230	1250	98	90 - 110	P	04/14/2025	15:22	LB135424
	Sodium	24400	25000	98	90 - 110	P	04/14/2025	15:22	LB135424
	Thallium	4980	5000	100	90 - 110	P	04/14/2025	15:22	LB135424
	Vanadium	2420	2500	97	90 - 110	P	04/14/2025	15:22	LB135424
	Zinc	2480	2500	99	90 - 110	P	04/14/2025	15:22	LB135424
CCV03	Aluminum	9760	10000	98	90 - 110	P	04/14/2025	16:28	LB135424
	Antimony	4910	5000	98	90 - 110	P	04/14/2025	16:28	LB135424
	Arsenic	4890	5000	98	90 - 110	P	04/14/2025	16:28	LB135424
	Barium	9870	10000	99	90 - 110	P	04/14/2025	16:28	LB135424
	Beryllium	248	250	99	90 - 110	P	04/14/2025	16:28	LB135424
	Cadmium	2470	2500	99	90 - 110	P	04/14/2025	16:28	LB135424
	Calcium	24400	25000	98	90 - 110	P	04/14/2025	16:28	LB135424
	Chromium	983	1000	98	90 - 110	P	04/14/2025	16:28	LB135424
	Cobalt	2480	2500	99	90 - 110	P	04/14/2025	16:28	LB135424
	Copper	1250	1250	100	90 - 110	P	04/14/2025	16:28	LB135424
	Iron	4970	5000	99	90 - 110	P	04/14/2025	16:28	LB135424
	Lead	4930	5000	99	90 - 110	P	04/14/2025	16:28	LB135424
	Magnesium	24200	25000	97	90 - 110	P	04/14/2025	16:28	LB135424
	Manganese	2460	2500	98	90 - 110	P	04/14/2025	16:28	LB135424
	Nickel	2470	2500	99	90 - 110	P	04/14/2025	16:28	LB135424
	Potassium	26100	25000	104	90 - 110	P	04/14/2025	16:28	LB135424
	Selenium	4900	5000	98	90 - 110	P	04/14/2025	16:28	LB135424
	Silver	1230	1250	99	90 - 110	P	04/14/2025	16:28	LB135424
	Sodium	26500	25000	106	90 - 110	P	04/14/2025	16:28	LB135424
	Thallium	4870	5000	97	90 - 110	P	04/14/2025	16:28	LB135424
	Vanadium	2450	2500	98	90 - 110	P	04/14/2025	16:28	LB135424
	Zinc	2470	2500	99	90 - 110	P	04/14/2025	16:28	LB135424
CCV04	Aluminum	9710	10000	97	90 - 110	P	04/14/2025	17:18	LB135424
	Antimony	4930	5000	99	90 - 110	P	04/14/2025	17:18	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV04	Arsenic	4920	5000	98	90 - 110	P	04/14/2025	17:18	LB135424
	Barium	9580	10000	96	90 - 110	P	04/14/2025	17:18	LB135424
	Beryllium	248	250	99	90 - 110	P	04/14/2025	17:18	LB135424
	Cadmium	2480	2500	99	90 - 110	P	04/14/2025	17:18	LB135424
	Calcium	24200	25000	97	90 - 110	P	04/14/2025	17:18	LB135424
	Chromium	1000	1000	100	90 - 110	P	04/14/2025	17:18	LB135424
	Cobalt	2480	2500	99	90 - 110	P	04/14/2025	17:18	LB135424
	Copper	1250	1250	100	90 - 110	P	04/14/2025	17:18	LB135424
	Iron	4930	5000	99	90 - 110	P	04/14/2025	17:18	LB135424
	Lead	4940	5000	99	90 - 110	P	04/14/2025	17:18	LB135424
	Magnesium	24100	25000	96	90 - 110	P	04/14/2025	17:18	LB135424
	Manganese	2410	2500	96	90 - 110	P	04/14/2025	17:18	LB135424
	Nickel	2470	2500	99	90 - 110	P	04/14/2025	17:18	LB135424
	Potassium	26000	25000	104	90 - 110	P	04/14/2025	17:18	LB135424
	Selenium	4950	5000	99	90 - 110	P	04/14/2025	17:18	LB135424
	Silver	1240	1250	99	90 - 110	P	04/14/2025	17:18	LB135424
	Sodium	25900	25000	104	90 - 110	P	04/14/2025	17:18	LB135424
	Thallium	4960	5000	99	90 - 110	P	04/14/2025	17:18	LB135424
	Vanadium	2420	2500	97	90 - 110	P	04/14/2025	17:18	LB135424
	Zinc	2450	2500	98	90 - 110	P	04/14/2025	17:18	LB135424
CCV05	Aluminum	9700	10000	97	90 - 110	P	04/14/2025	18:16	LB135424
	Antimony	4910	5000	98	90 - 110	P	04/14/2025	18:16	LB135424
	Arsenic	4860	5000	97	90 - 110	P	04/14/2025	18:16	LB135424
	Barium	9570	10000	96	90 - 110	P	04/14/2025	18:16	LB135424
	Beryllium	256	250	102	90 - 110	P	04/14/2025	18:16	LB135424
	Cadmium	2470	2500	99	90 - 110	P	04/14/2025	18:16	LB135424
	Calcium	24300	25000	97	90 - 110	P	04/14/2025	18:16	LB135424
	Chromium	986	1000	99	90 - 110	P	04/14/2025	18:16	LB135424
	Cobalt	2470	2500	99	90 - 110	P	04/14/2025	18:16	LB135424
	Copper	1240	1250	99	90 - 110	P	04/14/2025	18:16	LB135424
	Iron	4770	5000	95	90 - 110	P	04/14/2025	18:16	LB135424
	Lead	4920	5000	98	90 - 110	P	04/14/2025	18:16	LB135424
	Magnesium	24200	25000	97	90 - 110	P	04/14/2025	18:16	LB135424
	Manganese	2430	2500	97	90 - 110	P	04/14/2025	18:16	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV05	Nickel	2460	2500	98	90 - 110	P	04/14/2025	18:16	LB135424
	Potassium	23600	25000	94	90 - 110	P	04/14/2025	18:16	LB135424
	Selenium	4910	5000	98	90 - 110	P	04/14/2025	18:16	LB135424
	Silver	1230	1250	98	90 - 110	P	04/14/2025	18:16	LB135424
	Sodium	23400	25000	94	90 - 110	P	04/14/2025	18:16	LB135424
	Thallium	4910	5000	98	90 - 110	P	04/14/2025	18:16	LB135424
	Vanadium	2440	2500	97	90 - 110	P	04/14/2025	18:16	LB135424
	Zinc	2460	2500	98	90 - 110	P	04/14/2025	18:16	LB135424
CCV06	Aluminum	9630	10000	96	90 - 110	P	04/14/2025	19:07	LB135424
	Antimony	4840	5000	97	90 - 110	P	04/14/2025	19:07	LB135424
	Arsenic	4780	5000	96	90 - 110	P	04/14/2025	19:07	LB135424
	Barium	9740	10000	97	90 - 110	P	04/14/2025	19:07	LB135424
	Beryllium	252	250	101	90 - 110	P	04/14/2025	19:07	LB135424
	Cadmium	2460	2500	98	90 - 110	P	04/14/2025	19:07	LB135424
	Calcium	24200	25000	97	90 - 110	P	04/14/2025	19:07	LB135424
	Chromium	957	1000	96	90 - 110	P	04/14/2025	19:07	LB135424
	Cobalt	2460	2500	99	90 - 110	P	04/14/2025	19:07	LB135424
	Copper	1230	1250	98	90 - 110	P	04/14/2025	19:07	LB135424
	Iron	4560	5000	91	90 - 110	P	04/14/2025	19:07	LB135424
	Lead	4870	5000	98	90 - 110	P	04/14/2025	19:07	LB135424
	Magnesium	24000	25000	96	90 - 110	P	04/14/2025	19:07	LB135424
	Manganese	2440	2500	98	90 - 110	P	04/14/2025	19:07	LB135424
	Nickel	2450	2500	98	90 - 110	P	04/14/2025	19:07	LB135424
	Potassium	24300	25000	97	90 - 110	P	04/14/2025	19:07	LB135424
	Selenium	4820	5000	96	90 - 110	P	04/14/2025	19:07	LB135424
	Silver	1190	1250	95	90 - 110	P	04/14/2025	19:07	LB135424
	Sodium	24200	25000	97	90 - 110	P	04/14/2025	19:07	LB135424
	Thallium	4870	5000	98	90 - 110	P	04/14/2025	19:07	LB135424
	Vanadium	2430	2500	97	90 - 110	P	04/14/2025	19:07	LB135424
	Zinc	2350	2500	94	90 - 110	P	04/14/2025	19:07	LB135424
CCV07	Aluminum	9540	10000	95	90 - 110	P	04/14/2025	19:57	LB135424
	Antimony	4810	5000	96	90 - 110	P	04/14/2025	19:57	LB135424
	Arsenic	4740	5000	95	90 - 110	P	04/14/2025	19:57	LB135424
	Barium	9610	10000	96	90 - 110	P	04/14/2025	19:57	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV07	Beryllium	240	250	96	90 - 110	P	04/14/2025	19:57	LB135424
	Cadmium	2430	2500	97	90 - 110	P	04/14/2025	19:57	LB135424
	Calcium	24000	25000	96	90 - 110	P	04/14/2025	19:57	LB135424
	Chromium	974	1000	97	90 - 110	P	04/14/2025	19:57	LB135424
	Cobalt	2440	2500	98	90 - 110	P	04/14/2025	19:57	LB135424
	Copper	1220	1250	98	90 - 110	P	04/14/2025	19:57	LB135424
	Iron	4830	5000	97	90 - 110	P	04/14/2025	19:57	LB135424
	Lead	4820	5000	96	90 - 110	P	04/14/2025	19:57	LB135424
	Magnesium	23700	25000	95	90 - 110	P	04/14/2025	19:57	LB135424
	Manganese	2380	2500	95	90 - 110	P	04/14/2025	19:57	LB135424
	Nickel	2420	2500	97	90 - 110	P	04/14/2025	19:57	LB135424
	Potassium	25300	25000	101	90 - 110	P	04/14/2025	19:57	LB135424
	Selenium	4770	5000	95	90 - 110	P	04/14/2025	19:57	LB135424
	Silver	1200	1250	96	90 - 110	P	04/14/2025	19:57	LB135424
	Sodium	25400	25000	102	90 - 110	P	04/14/2025	19:57	LB135424
	Thallium	4850	5000	97	90 - 110	P	04/14/2025	19:57	LB135424
	Vanadium	2400	2500	96	90 - 110	P	04/14/2025	19:57	LB135424
	Zinc	2400	2500	96	90 - 110	P	04/14/2025	19:57	LB135424
CCV08	Aluminum	9600	10000	96	90 - 110	P	04/14/2025	20:48	LB135424
	Antimony	4870	5000	97	90 - 110	P	04/14/2025	20:48	LB135424
	Arsenic	4810	5000	96	90 - 110	P	04/14/2025	20:48	LB135424
	Barium	9830	10000	98	90 - 110	P	04/14/2025	20:48	LB135424
	Beryllium	242	250	97	90 - 110	P	04/14/2025	20:48	LB135424
	Cadmium	2440	2500	98	90 - 110	P	04/14/2025	20:48	LB135424
	Calcium	24100	25000	96	90 - 110	P	04/14/2025	20:48	LB135424
	Chromium	955	1000	96	90 - 110	P	04/14/2025	20:48	LB135424
	Cobalt	2460	2500	98	90 - 110	P	04/14/2025	20:48	LB135424
	Copper	1230	1250	99	90 - 110	P	04/14/2025	20:48	LB135424
	Iron	4750	5000	95	90 - 110	P	04/14/2025	20:48	LB135424
	Lead	4850	5000	97	90 - 110	P	04/14/2025	20:48	LB135424
	Magnesium	23600	25000	94	90 - 110	P	04/14/2025	20:48	LB135424
	Manganese	2420	2500	97	90 - 110	P	04/14/2025	20:48	LB135424
	Nickel	2440	2500	98	90 - 110	P	04/14/2025	20:48	LB135424
	Potassium	23800	25000	95	90 - 110	P	04/14/2025	20:48	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV08	Selenium	4860	5000	97	90 - 110	P	04/14/2025	20:48	LB135424
	Silver	1190	1250	96	90 - 110	P	04/14/2025	20:48	LB135424
	Sodium	24000	25000	96	90 - 110	P	04/14/2025	20:48	LB135424
	Thallium	4810	5000	96	90 - 110	P	04/14/2025	20:48	LB135424
	Vanadium	2420	2500	97	90 - 110	P	04/14/2025	20:48	LB135424
	Zinc	2390	2500	96	90 - 110	P	04/14/2025	20:48	LB135424
CCV09	Aluminum	9520	10000	95	90 - 110	P	04/14/2025	21:38	LB135424
	Antimony	4820	5000	96	90 - 110	P	04/14/2025	21:38	LB135424
	Arsenic	4770	5000	95	90 - 110	P	04/14/2025	21:38	LB135424
	Barium	9610	10000	96	90 - 110	P	04/14/2025	21:38	LB135424
	Beryllium	246	250	98	90 - 110	P	04/14/2025	21:38	LB135424
	Cadmium	2430	2500	97	90 - 110	P	04/14/2025	21:38	LB135424
	Calcium	23900	25000	96	90 - 110	P	04/14/2025	21:38	LB135424
	Chromium	973	1000	97	90 - 110	P	04/14/2025	21:38	LB135424
	Cobalt	2440	2500	98	90 - 110	P	04/14/2025	21:38	LB135424
	Copper	1220	1250	98	90 - 110	P	04/14/2025	21:38	LB135424
	Iron	4830	5000	97	90 - 110	P	04/14/2025	21:38	LB135424
	Lead	4840	5000	97	90 - 110	P	04/14/2025	21:38	LB135424
	Magnesium	23600	25000	94	90 - 110	P	04/14/2025	21:38	LB135424
	Manganese	2400	2500	96	90 - 110	P	04/14/2025	21:38	LB135424
	Nickel	2430	2500	97	90 - 110	P	04/14/2025	21:38	LB135424
	Potassium	25400	25000	102	90 - 110	P	04/14/2025	21:38	LB135424
	Selenium	4800	5000	96	90 - 110	P	04/14/2025	21:38	LB135424
	Silver	1220	1250	97	90 - 110	P	04/14/2025	21:38	LB135424
	Sodium	25700	25000	103	90 - 110	P	04/14/2025	21:38	LB135424
	Thallium	4830	5000	97	90 - 110	P	04/14/2025	21:38	LB135424
	Vanadium	2400	2500	96	90 - 110	P	04/14/2025	21:38	LB135424
	Zinc	2410	2500	96	90 - 110	P	04/14/2025	21:38	LB135424
CCV10	Aluminum	9550	10000	96	90 - 110	P	04/14/2025	22:28	LB135424
	Antimony	4880	5000	98	90 - 110	P	04/14/2025	22:28	LB135424
	Arsenic	4830	5000	97	90 - 110	P	04/14/2025	22:28	LB135424
	Barium	9670	10000	97	90 - 110	P	04/14/2025	22:28	LB135424
	Beryllium	243	250	97	90 - 110	P	04/14/2025	22:28	LB135424
	Cadmium	2450	2500	98	90 - 110	P	04/14/2025	22:28	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -
INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV10	Calcium	23800	25000	95	90 - 110	P	04/14/2025	22:28	LB135424
	Chromium	977	1000	98	90 - 110	P	04/14/2025	22:28	LB135424
	Cobalt	2450	2500	98	90 - 110	P	04/14/2025	22:28	LB135424
	Copper	1230	1250	99	90 - 110	P	04/14/2025	22:28	LB135424
	Iron	4880	5000	98	90 - 110	P	04/14/2025	22:28	LB135424
	Lead	4870	5000	97	90 - 110	P	04/14/2025	22:28	LB135424
	Magnesium	23600	25000	95	90 - 110	P	04/14/2025	22:28	LB135424
	Manganese	2380	2500	95	90 - 110	P	04/14/2025	22:28	LB135424
	Nickel	2440	2500	98	90 - 110	P	04/14/2025	22:28	LB135424
	Potassium	24400	25000	98	90 - 110	P	04/14/2025	22:28	LB135424
	Selenium	4880	5000	98	90 - 110	P	04/14/2025	22:28	LB135424
	Silver	1220	1250	98	90 - 110	P	04/14/2025	22:28	LB135424
	Sodium	24000	25000	96	90 - 110	P	04/14/2025	22:28	LB135424
	Thallium	4900	5000	98	90 - 110	P	04/14/2025	22:28	LB135424
	Vanadium	2400	2500	96	90 - 110	P	04/14/2025	22:28	LB135424
	Zinc	2430	2500	97	90 - 110	P	04/14/2025	22:28	LB135424
CCV11	Aluminum	9490	10000	95	90 - 110	P	04/14/2025	22:40	LB135424
	Antimony	4850	5000	97	90 - 110	P	04/14/2025	22:40	LB135424
	Arsenic	4800	5000	96	90 - 110	P	04/14/2025	22:40	LB135424
	Barium	9830	10000	98	90 - 110	P	04/14/2025	22:40	LB135424
	Beryllium	241	250	96	90 - 110	P	04/14/2025	22:40	LB135424
	Cadmium	2450	2500	98	90 - 110	P	04/14/2025	22:40	LB135424
	Calcium	24100	25000	96	90 - 110	P	04/14/2025	22:40	LB135424
	Chromium	958	1000	96	90 - 110	P	04/14/2025	22:40	LB135424
	Cobalt	2460	2500	98	90 - 110	P	04/14/2025	22:40	LB135424
	Copper	1230	1250	99	90 - 110	P	04/14/2025	22:40	LB135424
	Iron	4930	5000	99	90 - 110	P	04/14/2025	22:40	LB135424
	Lead	4850	5000	97	90 - 110	P	04/14/2025	22:40	LB135424
	Magnesium	23500	25000	94	90 - 110	P	04/14/2025	22:40	LB135424
	Manganese	2420	2500	97	90 - 110	P	04/14/2025	22:40	LB135424
	Nickel	2440	2500	98	90 - 110	P	04/14/2025	22:40	LB135424
	Potassium	25200	25000	101	90 - 110	P	04/14/2025	22:40	LB135424
	Selenium	4850	5000	97	90 - 110	P	04/14/2025	22:40	LB135424
	Silver	1210	1250	97	90 - 110	P	04/14/2025	22:40	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source: EPA

Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV11	Sodium	25700	25000	103	90 - 110	P	04/14/2025	22:40	LB135424
	Thallium	4870	5000	97	90 - 110	P	04/14/2025	22:40	LB135424
	Vanadium	2400	2500	96	90 - 110	P	04/14/2025	22:40	LB135424
	Zinc	2400	2500	96	90 - 110	P	04/14/2025	22:40	LB135424
CCV12	Aluminum	9430	10000	94	90 - 110	P	04/14/2025	23:06	LB135424
	Antimony	4830	5000	96	90 - 110	P	04/14/2025	23:06	LB135424
	Arsenic	4760	5000	95	90 - 110	P	04/14/2025	23:06	LB135424
	Barium	9900	10000	99	90 - 110	P	04/14/2025	23:06	LB135424
	Beryllium	229	250	92	90 - 110	P	04/14/2025	23:06	LB135424
	Cadmium	2430	2500	97	90 - 110	P	04/14/2025	23:06	LB135424
	Calcium	23900	25000	96	90 - 110	P	04/14/2025	23:06	LB135424
	Chromium	965	1000	96	90 - 110	P	04/14/2025	23:06	LB135424
	Cobalt	2440	2500	98	90 - 110	P	04/14/2025	23:06	LB135424
	Copper	1220	1250	98	90 - 110	P	04/14/2025	23:06	LB135424
	Iron	5060	5000	101	90 - 110	P	04/14/2025	23:06	LB135424
	Lead	4830	5000	97	90 - 110	P	04/14/2025	23:06	LB135424
	Magnesium	23200	25000	93	90 - 110	P	04/14/2025	23:06	LB135424
	Manganese	2380	2500	95	90 - 110	P	04/14/2025	23:06	LB135424
	Nickel	2420	2500	97	90 - 110	P	04/14/2025	23:06	LB135424
	Potassium	27200	25000	109	90 - 110	P	04/14/2025	23:06	LB135424
	Selenium	4800	5000	96	90 - 110	P	04/14/2025	23:06	LB135424
	Silver	1200	1250	96	90 - 110	P	04/14/2025	23:06	LB135424
	Sodium	27500	25000	110	90 - 110	P	04/14/2025	23:06	LB135424
	Thallium	4850	5000	97	90 - 110	P	04/14/2025	23:06	LB135424
	Vanadium	2380	2500	95	90 - 110	P	04/14/2025	23:06	LB135424
	Zinc	2410	2500	96	90 - 110	P	04/14/2025	23:06	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2b -
CRDL STANDARD FOR AA & ICP

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Initial Calibration Source:

Continuing Calibration Source:

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRA	Mercury	0.21	0.2	106	40 - 160	CV	04/08/2025	09:52	LB135337
CRI01	Aluminum	91.7	100	92	40 - 160	P	04/14/2025	14:09	LB135424
	Antimony	51.7	50.0	103	40 - 160	P	04/14/2025	14:09	LB135424
	Arsenic	22.3	20.0	112	40 - 160	P	04/14/2025	14:09	LB135424
	Barium	95.6	100	96	40 - 160	P	04/14/2025	14:09	LB135424
	Beryllium	5.76	6.0	96	40 - 160	P	04/14/2025	14:09	LB135424
	Cadmium	6.08	6.0	101	40 - 160	P	04/14/2025	14:09	LB135424
	Calcium	1970	2000	98	40 - 160	P	04/14/2025	14:09	LB135424
	Chromium	9.67	10.0	97	40 - 160	P	04/14/2025	14:09	LB135424
	Cobalt	29.3	30.0	98	40 - 160	P	04/14/2025	14:09	LB135424
	Copper	22.7	20.0	113	40 - 160	P	04/14/2025	14:09	LB135424
	Iron	102	100	102	40 - 160	P	04/14/2025	14:09	LB135424
	Lead	12.2	12.0	102	40 - 160	P	04/14/2025	14:09	LB135424
	Magnesium	2060	2000	103	40 - 160	P	04/14/2025	14:09	LB135424
	Manganese	20.4	20.0	102	40 - 160	P	04/14/2025	14:09	LB135424
	Nickel	39.4	40.0	98	40 - 160	P	04/14/2025	14:09	LB135424
	Potassium	1930	2000	97	40 - 160	P	04/14/2025	14:09	LB135424
	Selenium	19.6	20.0	98	40 - 160	P	04/14/2025	14:09	LB135424
	Silver	9.88	10.0	99	40 - 160	P	04/14/2025	14:09	LB135424
	Sodium	1840	2000	92	40 - 160	P	04/14/2025	14:09	LB135424
	Thallium	41.8	40.0	104	40 - 160	P	04/14/2025	14:09	LB135424
	Vanadium	40.7	40.0	102	40 - 160	P	04/14/2025	14:09	LB135424
	Zinc	41.0	40.0	102	40 - 160	P	04/14/2025	14:09	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB80	Mercury	0.20	+/-0.20	U	0.20	CV	04/08/2025	09:45	LB135337

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB42	Mercury	0.20	+/-0.20	U	0.20	CV	04/08/2025	09:49	LB135337
CCB43	Mercury	0.20	+/-0.20	U	0.20	CV	04/08/2025	10:17	LB135337
CCB44	Mercury	0.20	+/-0.20	U	0.20	CV	04/08/2025	10:44	LB135337
CCB45	Mercury	0.20	+/-0.20	U	0.20	CV	04/08/2025	11:16	LB135337

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	100	+/-100	U	100	P	04/14/2025	14:05	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	14:05	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	14:05	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	14:05	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	14:05	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	14:05	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	14:05	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	14:05	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	14:05	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	14:05	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	14:05	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	14:05	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	14:05	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	14:05	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	14:05	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	14:05	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	14:05	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	14:05	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	14:05	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	14:05	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	14:05	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	14:05	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	100	+/-100	U	100	P	04/14/2025	14:35	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	14:35	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	14:35	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	14:35	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	14:35	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	14:35	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	14:35	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	14:35	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	14:35	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	14:35	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	14:35	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	14:35	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	14:35	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	14:35	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	14:35	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	14:35	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	14:35	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	14:35	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	14:35	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	14:35	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	14:35	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	14:35	LB135424
CCB02	Aluminum	100	+/-100	U	100	P	04/14/2025	15:26	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	15:26	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	15:26	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	15:26	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	15:26	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	15:26	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	15:26	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	15:26	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	15:26	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	15:26	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	15:26	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	15:26	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	15:26	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	15:26	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	15:26	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	15:26	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	15:26	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	15:26	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	15:26	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	15:26	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	15:26	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	15:26	LB135424
CCB03	Aluminum	100	+/-100	U	100	P	04/14/2025	16:32	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	16:32	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	16:32	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	16:32	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	16:32	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	16:32	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	16:32	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	16:32	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	16:32	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	16:32	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	16:32	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	16:32	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	16:32	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	16:32	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	16:32	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	16:32	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	16:32	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	16:32	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	16:32	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	16:32	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	16:32	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	16:32	LB135424
CCB04	Aluminum	100	+/-100	U	100	P	04/14/2025	17:22	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	17:22	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	17:22	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	17:22	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	17:22	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	17:22	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	17:22	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	17:22	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	17:22	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	17:22	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	17:22	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	17:22	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB04	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	17:22	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	17:22	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	17:22	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	17:22	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	17:22	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	17:22	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	17:22	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	17:22	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	17:22	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	17:22	LB135424
CCB05	Aluminum	100	+/-100	U	100	P	04/14/2025	18:20	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	18:20	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	18:20	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	18:20	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	18:20	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	18:20	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	18:20	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	18:20	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	18:20	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	18:20	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	18:20	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	18:20	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	18:20	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	18:20	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	18:20	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	18:20	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	18:20	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	18:20	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	18:20	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	18:20	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	18:20	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	18:20	LB135424
CCB06	Aluminum	100	+/-100	U	100	P	04/14/2025	19:11	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	19:11	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	19:11	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	19:11	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	19:11	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	19:11	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	19:11	LB135424

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB06	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	19:11	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	19:11	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	19:11	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	19:11	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	19:11	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	19:11	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	19:11	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	19:11	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	19:11	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	19:11	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	19:11	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	19:11	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	19:11	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	19:11	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	19:11	LB135424
CCB07	Aluminum	100	+/-100	U	100	P	04/14/2025	20:01	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	20:01	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	20:01	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	20:01	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	20:01	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	20:01	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	20:01	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	20:01	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	20:01	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	20:01	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	20:01	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	20:01	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	20:01	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	20:01	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	20:01	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	20:01	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	20:01	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	20:01	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	20:01	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	20:01	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	20:01	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	20:01	LB135424
CCB08	Aluminum	100	+/-100	U	100	P	04/14/2025	20:52	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	20:52	LB135424

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB08	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	20:52	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	20:52	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	20:52	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	20:52	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	20:52	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	20:52	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	20:52	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	20:52	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	20:52	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	20:52	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	20:52	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	20:52	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	20:52	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	20:52	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	20:52	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	20:52	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	20:52	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	20:52	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	20:52	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	20:52	LB135424
CCB09	Aluminum	100	+/-100	U	100	P	04/14/2025	21:42	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	21:42	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	21:42	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	21:42	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	21:42	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	21:42	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	21:42	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	21:42	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	21:42	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	21:42	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	21:42	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	21:42	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	21:42	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	21:42	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	21:42	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	21:42	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	21:42	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	21:42	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	21:42	LB135424

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB09	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	21:42	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	21:42	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	21:42	LB135424
CCB10	Aluminum	100	+/-100	U	100	P	04/14/2025	22:32	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	22:32	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	22:32	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	22:32	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	22:32	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	22:32	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	22:32	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	22:32	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	22:32	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	22:32	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	22:32	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	22:32	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	22:32	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	22:32	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	22:32	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	22:32	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	22:32	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	22:32	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	22:32	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	22:32	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	22:32	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	22:32	LB135424
CCB11	Aluminum	100	+/-100	U	100	P	04/14/2025	22:44	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	22:44	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	22:44	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	22:44	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	22:44	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	22:44	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	22:44	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	22:44	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	22:44	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	22:44	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	22:44	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	22:44	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	22:44	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	22:44	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB11	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	22:44	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	22:44	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	22:44	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	22:44	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	22:44	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	22:44	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	22:44	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	22:44	LB135424
CCB12	Aluminum	100	+/-100	U	100	P	04/14/2025	23:11	LB135424
	Antimony	50.0	+/-50.0	U	50.0	P	04/14/2025	23:11	LB135424
	Arsenic	20.0	+/-20.0	U	20.0	P	04/14/2025	23:11	LB135424
	Barium	100	+/-100	U	100	P	04/14/2025	23:11	LB135424
	Beryllium	6.00	+/-6.00	U	6.00	P	04/14/2025	23:11	LB135424
	Cadmium	6.00	+/-6.00	U	6.00	P	04/14/2025	23:11	LB135424
	Calcium	2000	+/-2000	U	2000	P	04/14/2025	23:11	LB135424
	Chromium	10.0	+/-10.0	U	10.0	P	04/14/2025	23:11	LB135424
	Cobalt	30.0	+/-30.0	U	30.0	P	04/14/2025	23:11	LB135424
	Copper	20.0	+/-20.0	U	20.0	P	04/14/2025	23:11	LB135424
	Iron	100	+/-100	U	100	P	04/14/2025	23:11	LB135424
	Lead	12.0	+/-12.0	U	12.0	P	04/14/2025	23:11	LB135424
	Magnesium	2000	+/-2000	U	2000	P	04/14/2025	23:11	LB135424
	Manganese	20.0	+/-20.0	U	20.0	P	04/14/2025	23:11	LB135424
	Nickel	40.0	+/-40.0	U	40.0	P	04/14/2025	23:11	LB135424
	Potassium	2000	+/-2000	U	2000	P	04/14/2025	23:11	LB135424
	Selenium	20.0	+/-20.0	U	20.0	P	04/14/2025	23:11	LB135424
	Silver	10.0	+/-10.0	U	10.0	P	04/14/2025	23:11	LB135424
	Sodium	2000	+/-2000	U	2000	P	04/14/2025	23:11	LB135424
	Thallium	40.0	+/-40.0	U	40.0	P	04/14/2025	23:11	LB135424
	Vanadium	40.0	+/-40.0	U	40.0	P	04/14/2025	23:11	LB135424
	Zinc	40.0	+/-40.0	U	40.0	P	04/14/2025	23:11	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals
- 3b -
PREPARATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Instrument: CV1

Sample ID	Analyte	Result (mg/Kg)	Acceptance Limit	Conc Qual	CRQL mg/Kg	M	Analysis Date	Analysis Time	Run
PB167516BL		**SOLID**		**Batch Number:**	**PB167516**		**Prep Date:**	**04/08/2025**	
	Mercury	0.013	<0.013	U	0.013	CV	04/08/2025	09:59	LB135337

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals
- 3b -
PREPARATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q1736

Instrument: P4

Sample ID	Analyte	Result (mg/Kg)	Acceptance Limit	Conc Qual	CRQL mg/Kg	M	Analysis Date	Analysis Time	Run
PB167482BL		**SOLID**		**Batch Number:**	**PB167482**		**Prep Date:**	**04/07/2025**	
	Aluminum	4.55	<4.55	U	4.55	P	04/14/2025	18:00	LB135424
	Antimony	2.27	<2.27	U	2.27	P	04/14/2025	18:00	LB135424
	Arsenic	0.91	<0.91	U	0.91	P	04/14/2025	18:00	LB135424
	Barium	4.55	<4.55	U	4.55	P	04/14/2025	18:00	LB135424
	Beryllium	0.27	<0.27	U	0.27	P	04/14/2025	18:00	LB135424
	Cadmium	0.27	<0.27	U	0.27	P	04/14/2025	18:00	LB135424
	Calcium	90.9	<90.9	U	90.9	P	04/14/2025	18:00	LB135424
	Chromium	0.46	<0.46	U	0.46	P	04/14/2025	18:00	LB135424
	Cobalt	1.36	<1.36	U	1.36	P	04/14/2025	18:00	LB135424
	Copper	0.91	<0.91	U	0.91	P	04/14/2025	18:00	LB135424
	Iron	4.55	<4.55	U	4.55	P	04/14/2025	18:00	LB135424
	Lead	0.55	<0.55	U	0.55	P	04/14/2025	18:00	LB135424
	Magnesium	90.9	<90.9	U	90.9	P	04/14/2025	18:00	LB135424
	Manganese	0.91	<0.91	U	0.91	P	04/14/2025	18:00	LB135424
	Nickel	1.82	<1.82	U	1.82	P	04/14/2025	18:00	LB135424
	Potassium	90.9	<90.9	U	90.9	P	04/14/2025	18:00	LB135424
	Selenium	0.91	<0.91	U	0.91	P	04/14/2025	18:00	LB135424
	Silver	0.46	<0.46	U	0.46	P	04/14/2025	18:00	LB135424
	Sodium	90.9	<90.9	U	90.9	P	04/14/2025	18:00	LB135424
	Thallium	1.82	<1.82	U	1.82	P	04/14/2025	18:00	LB135424
	Vanadium	1.82	<1.82	U	1.82	P	04/14/2025	18:00	LB135424
	Zinc	1.82	<1.82	U	1.82	P	04/14/2025	18:00	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

ICS Source: EPA **Instrument ID:** P4

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSA01	Aluminum	236000	255000	92	216000	294000	04/14/2025	14:14	LB135424
	Antimony	1.38			-50	50	04/14/2025	14:14	LB135424
	Arsenic	10.8			-20	20	04/14/2025	14:14	LB135424
	Barium	4.69	6.0	78	-94	106	04/14/2025	14:14	LB135424
	Beryllium	1.32			-6	6	04/14/2025	14:14	LB135424
	Cadmium	-1.94	1.0	194	-5	7	04/14/2025	14:14	LB135424
	Calcium	226000	245000	92	208000	282000	04/14/2025	14:14	LB135424
	Chromium	55.2	52.0	106	42	62	04/14/2025	14:14	LB135424
	Cobalt	1.77			-30	30	04/14/2025	14:14	LB135424
	Copper	9.26	2.0	463	-18	22	04/14/2025	14:14	LB135424
	Iron	99000	101000	98	85600	116500	04/14/2025	14:14	LB135424
	Lead	5.03			-12	12	04/14/2025	14:14	LB135424
	Magnesium	242000	255000	95	216000	294000	04/14/2025	14:14	LB135424
	Manganese	-0.13	7.0	2	-13	27	04/14/2025	14:14	LB135424
	Nickel	1.20	2.0	60	-38	42	04/14/2025	14:14	LB135424
	Potassium	11.8			0	0	04/14/2025	14:14	LB135424
	Selenium	-0.72			-20	20	04/14/2025	14:14	LB135424
	Silver	-3.74			-10	10	04/14/2025	14:14	LB135424
	Sodium	81.4			0	0	04/14/2025	14:14	LB135424
	Thallium	5.49			-40	40	04/14/2025	14:14	LB135424
	Vanadium	3.78			-40	40	04/14/2025	14:14	LB135424
	Zinc	4.10			-40	40	04/14/2025	14:14	LB135424
ICSAB01	Aluminum	236000	247000	96	209000	285000	04/14/2025	14:18	LB135424
	Antimony	646	618	104	525	711	04/14/2025	14:18	LB135424
	Arsenic	114	104	110	88.4	120	04/14/2025	14:18	LB135424
	Barium	479	537	89	437	637	04/14/2025	14:18	LB135424
	Beryllium	493	495	100	420	570	04/14/2025	14:18	LB135424
	Cadmium	1040	972	107	826	1120	04/14/2025	14:18	LB135424
	Calcium	226000	235000	96	199000	271000	04/14/2025	14:18	LB135424
	Chromium	553	542	102	460	624	04/14/2025	14:18	LB135424
	Cobalt	507	476	106	404	548	04/14/2025	14:18	LB135424
	Copper	506	511	99	434	588	04/14/2025	14:18	LB135424
	Iron	95200	99300	96	84400	114500	04/14/2025	14:18	LB135424
	Lead	53.8	49.0	110	37	61	04/14/2025	14:18	LB135424
	Magnesium	243000	248000	98	210000	286000	04/14/2025	14:18	LB135424
	Manganese	471	507	93	430	584	04/14/2025	14:18	LB135424
	Nickel	1000	954	105	810	1100	04/14/2025	14:18	LB135424
	Potassium	-12.3			0	0	04/14/2025	14:18	LB135424
	Selenium	47.1	46.0	102	26	66	04/14/2025	14:18	LB135424
	Silver	179	201	89	170	232	04/14/2025	14:18	LB135424
	Sodium	66.6			0	0	04/14/2025	14:18	LB135424
	Thallium	103	108	95	68	148	04/14/2025	14:18	LB135424

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

ICS Source: EPA **Instrument ID:** P4

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSAB01	Vanadium	473	491	96	417	565	04/14/2025	14:18	LB135424
	Zinc	1040	952	109	809	1095	04/14/2025	14:18	LB135424

METAL
QC
DATA

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

metals
- 5a -
MATRIX SPIKE SUMMARY

client: G Environmental **level:** low **sdg no.:** Q1736

contract: GENV01 **lab code:** CHEM **case no.:** Q1736 **sas no.:** Q1736

matrix: Solid **sample id:** Q1738-01 **client id:** OK-02-040425MS

Percent Solids for Sample: 86.1 **Spiked ID:** Q1738-01MS **Percent Solids for Spike Sample:** 86.1

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Aluminum	mg/Kg	74 - 119	6760		7390		110	-572		P
Antimony	mg/Kg	79 - 114	34.4		2.81	U	42.6	81		P
Arsenic	mg/Kg	82 - 111	36.0		2.02		42.6	80	N	P
Barium	mg/Kg	83 - 113	28.2		20.7		10.7	70	N	P
Beryllium	mg/Kg	83 - 113	8.26		0.42		10.7	73	N	P
Cadmium	mg/Kg	82 - 113	10.5		0.41		10.7	94		P
Calcium	mg/Kg	81 - 116	4380		5530		53.3	-2170		P
Chromium	mg/Kg	85 - 113	29.3		13.6		21.3	74	N	P
Cobalt	mg/Kg	85 - 112	19.7		11.0		10.7	81	N	P
Copper	mg/Kg	81 - 117	40.5		31.9		16.0	54	N	P
Iron	mg/Kg	81 - 118	15100		15400		160	-195		P
Lead	mg/Kg	81 - 112	57.9		9.05		53.3	92		P
Magnesium	mg/Kg	78 - 115	3640		4120		110	-437		P
Manganese	mg/Kg	84 - 114	188		190		10.7	-18		P
Nickel	mg/Kg	83 - 113	38.3		15.1		26.6	87		P
Potassium	mg/Kg	81 - 116	1260		772		530	93		P
Selenium	mg/Kg	78 - 111	82.8		1.12	U	110	75	N	P
Silver	mg/Kg	82 - 112	2.65		0.56	U	4.0	66	N	P
Sodium	mg/Kg	83 - 118	733		642		160	57		P
Thallium	mg/Kg	83 - 111	95.7		2.24	U	110	87		P
Vanadium	mg/Kg	82 - 114	44.8		35.8		16.0	56	N	P
Zinc	mg/Kg	82 - 113	33.5		27.5		10.7	57	N	P

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

metals
- 5a -
MATRIX SPIKE DUPLICATE SUMMARY

client: G Environmental **level:** low **sdg no.:** Q1736

contract: GENV01 **lab code:** CHEM **case no.:** Q1736 **sas no.:** Q1736

matrix: Solid **sample id:** Q1738-01 **client id:** OK-02-040425MSD

Percent Solids for Sample: 86.1 **Spiked ID:** Q1738-01MSD **Percent Solids for Spike Sample:** 86.1

Analyte	Units	Acceptance Limit %R	MSD Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Aluminum	mg/Kg	74 - 119	6640		7390		100	-758		P
Antimony	mg/Kg	79 - 114	33.1		2.81	U	41.1	80		P
Arsenic	mg/Kg	82 - 111	35.2		2.02		41.1	81	N	P
Barium	mg/Kg	83 - 113	27.5		20.7		10.3	66	N	P
Beryllium	mg/Kg	83 - 113	8.54		0.42		10.3	79	N	P
Cadmium	mg/Kg	82 - 113	10.4		0.41		10.3	97		P
Calcium	mg/Kg	81 - 116	3970		5530		51.4	-3041		P
Chromium	mg/Kg	85 - 113	28.2		13.6		20.6	71	N	P
Cobalt	mg/Kg	85 - 112	19.3		11.0		10.3	80	N	P
Copper	mg/Kg	81 - 117	40.0		31.9		15.4	53	N	P
Iron	mg/Kg	81 - 118	13900		15400		150	-1063		P
Lead	mg/Kg	81 - 112	56.6		9.05		51.4	92		P
Magnesium	mg/Kg	78 - 115	3470		4120		100	-651		P
Manganese	mg/Kg	84 - 114	185		190		10.3	-44		P
Nickel	mg/Kg	83 - 113	37.4		15.1		25.7	87		P
Potassium	mg/Kg	81 - 116	1170		772		510	78	N	P
Selenium	mg/Kg	78 - 111	81.0		1.12	U	100	81		P
Silver	mg/Kg	82 - 112	2.39		0.56	U	3.9	61	N	P
Sodium	mg/Kg	83 - 118	661		642		150	13		P
Thallium	mg/Kg	83 - 111	93.2		2.24	U	100	93		P
Vanadium	mg/Kg	82 - 114	43.5		35.8		15.4	50	N	P
Zinc	mg/Kg	82 - 113	32.5		27.5		10.3	48	N	P

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

metals
- 5a -
MATRIX SPIKE SUMMARY

client: G Environmental **level:** low **sdg no.:** Q1736

contract: GENV01 **lab code:** CHEM **case no.:** Q1736 **sas no.:** Q1736

matrix: Solid **sample id:** Q1743-01 **client id:** TP-16MS

Percent Solids for Sample: 94.6 **Spiked ID:** Q1743-01MS **Percent Solids for Spike Sample:** 94.6

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Mercury	mg/Kg	80 - 124	0.25		0.027		0.27	84		CV

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

metals
- 5a -
MATRIX SPIKE DUPLICATE SUMMARY

client: G Environmental **level:** low **sdg no.:** Q1736

contract: GENV01 **lab code:** CHEM **case no.:** Q1736 **sas no.:** Q1736

matrix: Solid **sample id:** Q1743-01 **client id:** TP-16MSD

Percent Solids for Sample: 94.6 **Spiked ID:** Q1743-01MSD **Percent Solids for Spike Sample:** 94.6

Analyte	Units	Acceptance Limit %R	MSD Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Mercury	mg/Kg	80 - 124	0.26		0.027		0.26	90		CV

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals
- 5b -
POST DIGEST SPIKE SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Matrix: Solid **Level:** LOW **Client ID:** OK-02-040425A

Sample ID: Q1738-01 **Spiked ID:** Q1738-01A

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Arsenic	mg/Kg	82 - 111	37.8		2.02		44.9	80		P
Barium	mg/Kg	83 - 113	30.5		20.7		11.2	87		P
Beryllium	mg/Kg	83 - 113	8.80		0.42		11.2	75		P
Chromium	mg/Kg	85 - 113	30.4		13.6		22.4	75		P
Cobalt	mg/Kg	85 - 112	21.0		11.0		11.2	89		P
Copper	mg/Kg	81 - 117	43.2		31.9		16.8	67		P
Potassium	mg/Kg	81 - 116	1330		772		560	99		P
Selenium	mg/Kg	78 - 111	86.7		1.12	U	110	79		P
Silver	mg/Kg	82 - 112	2.71		0.56	U	4.20	64		P
Vanadium	mg/Kg	82 - 114	47.8		35.8		16.8	71		P
Zinc	mg/Kg	82 - 113	35.1		27.5		11.2	68		P

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: G Environmental **Level:** LOW **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Matrix: Solid **Sample ID:** Q1738-01 **Client ID:** OK-02-040425DUP

Percent Solids for Sample: 86.1 **Duplicate ID** Q1738-01DUP **Percent Solids for Spike Sample:** 86.1

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Aluminum	mg/Kg	20	7390		7040		5		P
Antimony	mg/Kg	20	2.81	U	2.81	U			P
Arsenic	mg/Kg	20	2.02		2.12		5		P
Barium	mg/Kg	20	20.7		22.8		10		P
Beryllium	mg/Kg	20	0.42		0.39		7		P
Cadmium	mg/Kg	20	0.41		0.044	J	161	*	P
Calcium	mg/Kg	20	5530		3660		41	*	P
Chromium	mg/Kg	20	13.6		13.9		2		P
Cobalt	mg/Kg	20	11.0		9.80		12		P
Copper	mg/Kg	20	31.9		29.3		8		P
Iron	mg/Kg	20	15400		16300		6		P
Lead	mg/Kg	20	9.05		9.28		3		P
Magnesium	mg/Kg	20	4120		3500		16		P
Manganese	mg/Kg	20	190		200		5		P
Nickel	mg/Kg	20	15.1		13.9		8		P
Potassium	mg/Kg	20	772		957		21	*	P
Selenium	mg/Kg	20	1.12	U	1.12	U			P
Silver	mg/Kg	20	0.56	U	0.56	U			P
Sodium	mg/Kg	20	642		629		2		P
Thallium	mg/Kg	20	2.24	U	2.24	U			P
Vanadium	mg/Kg	20	35.8		34.7		3		P
Zinc	mg/Kg	20	27.5		26.1		5		P

"A control limit of ±20% RPD for each matrix applies for sample values greater than 10 times Detection Limit"

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: G Environmental **Level:** LOW **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Matrix: Solid **Sample ID:** Q1738-01MS **Client ID:** OK-02-040425MSD

Percent Solids for Sample: 86.1 **Duplicate ID** Q1738-01MSD **Percent Solids for Spike Sample:** 86.1

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Aluminum	mg/Kg	20	6760		6640		2		P
Antimony	mg/Kg	20	34.4		33.1		4		P
Arsenic	mg/Kg	20	36.0		35.2		2		P
Barium	mg/Kg	20	28.2		27.5		3		P
Beryllium	mg/Kg	20	8.26		8.54		3		P
Cadmium	mg/Kg	20	10.5		10.4		0		P
Calcium	mg/Kg	20	4380		3970		10		P
Chromium	mg/Kg	20	29.3		28.2		4		P
Cobalt	mg/Kg	20	19.7		19.3		2		P
Copper	mg/Kg	20	40.5		40.0		1		P
Iron	mg/Kg	20	15100		13900		8		P
Lead	mg/Kg	20	57.9		56.6		2		P
Magnesium	mg/Kg	20	3640		3470		5		P
Manganese	mg/Kg	20	188		185		2		P
Nickel	mg/Kg	20	38.3		37.4		2		P
Potassium	mg/Kg	20	1260		1170		7		P
Selenium	mg/Kg	20	82.8		81.0		2		P
Silver	mg/Kg	20	2.65		2.39		10		P
Sodium	mg/Kg	20	733		661		10		P
Thallium	mg/Kg	20	95.7		93.2		3		P
Vanadium	mg/Kg	20	44.8		43.5		3		P
Zinc	mg/Kg	20	33.5		32.5		3		P

"A control limit of ±20% RPD for each matrix applies for sample values greater than 10 times Detection Limit"

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: G Environmental **Level:** LOW **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Matrix: Solid **Sample ID:** Q1743-01 **Client ID:** TP-16DUP

Percent Solids for Sample: 94.6 **Duplicate ID** Q1743-01DUP **Percent Solids for Spike Sample:** 94.6

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Mercury	mg/Kg	20	0.027		0.028		4		CV

"A control limit of ±20% RPD for each matrix applies for sample values greater than 10 times Detection Limit"

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client: G Environmental **Level:** LOW **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Matrix: Solid **Sample ID:** Q1743-01MS **Client ID:** TP-16MSD

Percent Solids for Sample: 94.6 **Duplicate ID** Q1743-01MSD **Percent Solids for Spike Sample:** 94.6

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Mercury	mg/Kg	20	0.25		0.26		3		CV

"A control limit of ±20% RPD for each matrix applies for sample values greater than 10 times Detection Limit"

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

LABORATORY CONTROL SAMPLE SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB167482BS							
Aluminum	mg/Kg	92.6	79.7		86	74 - 119	P
Antimony	mg/Kg	37.0	34.8		94	79 - 114	P
Arsenic	mg/Kg	37.0	34.7		94	82 - 111	P
Barium	mg/Kg	9.3	8.17		88	83 - 113	P
Beryllium	mg/Kg	9.3	7.92		85	83 - 113	P
Cadmium	mg/Kg	9.3	8.67		93	82 - 113	P
Calcium	mg/Kg	46.3	41.7	J	90	81 - 116	P
Chromium	mg/Kg	18.5	16.9		91	85 - 113	P
Cobalt	mg/Kg	9.3	8.37		90	85 - 112	P
Copper	mg/Kg	13.9	13.2		95	81 - 117	P
Iron	mg/Kg	140	131		94	81 - 118	P
Lead	mg/Kg	46.3	42.7		92	81 - 112	P
Magnesium	mg/Kg	92.6	79.4	J	86	78 - 115	P
Manganese	mg/Kg	9.3	8.29		89	84 - 114	P
Nickel	mg/Kg	23.1	21.0		91	83 - 113	P
Potassium	mg/Kg	460	416		90	81 - 116	P
Selenium	mg/Kg	92.6	87.1		94	78 - 111	P
Silver	mg/Kg	3.5	3.12		89	82 - 112	P
Sodium	mg/Kg	140	121		86	83 - 118	P
Thallium	mg/Kg	92.6	88.3		95	83 - 111	P
Vanadium	mg/Kg	13.9	12.3		88	82 - 114	P
Zinc	mg/Kg	9.3	8.46		91	82 - 113	P

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

LABORATORY CONTROL SAMPLE SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB167516BS							
Mercury	mg/Kg	0.25	0.21		85	80 - 124	CV

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

-9 -

ICP SERIAL DILUTIONS

SAMPLE NO.

OK-02-040425L

Lab Name: Chemtech Consulting Group **Contract:** GENV01

Lab Code: CHEM **Lb No.:** lb135424 **Lab Sample ID :** Q1738-01L **SDG No.:** Q1736

Matrix (soil/water): Solid **Level (low/med):** LOW

Concentration Units: mg/Kg

Analyte	Initial Sample Result (I)	C	Serial Dilution Result (S)	C	% Difference	Q	M
Aluminum	7390		7920		7		P
Antimony	2.81	U	14.0	U			P
Arsenic	2.02		2.26	J	12		P
Barium	20.7		23.5	J	13		P
Beryllium	0.42		0.51	J	21		P
Cadmium	0.41		1.68	U	100.0		P
Calcium	5530		6300		14		P
Chromium	13.6		15.9		16		P
Cobalt	11.0		10.5		4		P
Copper	31.9		37.1		16		P
Iron	15400		17900		16		P
Lead	9.05		9.30		3		P
Magnesium	4120		4610		12		P
Manganese	190		222		17		P
Nickel	15.1		14.7		2		P
Potassium	772		832		8		P
Selenium	1.12	U	5.61	U			P
Silver	0.56	U	2.81	U			P
Sodium	642		645		0		P
Thallium	2.24	U	11.2	U			P
Vanadium	35.8		41.2		15		P
Zinc	27.5		32.0		16		P

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

-9 -

ICP SERIAL DILUTIONS

SAMPLE NO.

TP-16L

Lab Name: Chemtech Consulting Group **Contract:** GENV01

Lab Code: CHEM **Lb No.:** lb135337 **Lab Sample ID :** Q1743-01L **SDG No.:** Q1736

Matrix (soil/water): Solid **Level (low/med):** LOW

Concentration Units: mg/Kg

Analyte	Initial Sample Result (I)	C	Serial Dilution Result (S)	C	% Difference	Q	M
Mercury	0.027		0.053	J	93		CV

METAL PREPARATION & INSTRUMENT DATA

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Metals
- 11 -
ICP INTERELEMENT CORRECTION FACTORS

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Instrument ID: **Date:**

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave-Length (nm)	ICP Interelement Correction Factors For: Al	Ca	Fe	Mg	Ag
Aluminum	396.100	0.0000000	-0.0002060	0.0000000	0.0000000	0.0000000
Antimony	206.833	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	0.0000000	0.0000000	-0.0000440	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000000	0.0000930	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	-0.0075970	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0000000	0.0007850	0.0000000	0.0000000
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Lead	220.353	-0.0000920	0.0000000	0.0000380	0.0000000	0.0000000
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	-0.0001440	0.0000000	0.0000000
Silver	328.068	0.0000000	0.0000000	-0.0001490	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Vanadium	292.402	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0001050	0.0000000	0.0000000

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Metals
- 11 -
ICP INTERELEMENT CORRECTION FACTORS

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Instrument ID: **Date:**

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave-Length (nm)	ICP Interelement Correction Factors For: As	Ba	Be	Cd	Co
Aluminum	396.100	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Antimony	206.833	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000000	0.0000000	0.0000000	0.0002870
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0000000	0.0000000	0.0000000	0.0009530
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	-0.0039600
Lead	220.353	0.0000000	0.0003170	0.0000000	0.0000000	0.0000000
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0000000	0.0000000	-0.0003570
Silver	328.068	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0000000	0.0054900
Vanadium	292.402	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Metals
- 11 -
ICP INTERELEMENT CORRECTION FACTORS

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Instrument ID: **Date:**

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave-Length (nm)	ICP Interelement Correction Factors For: Cr	Cu	K	Mn	Mo
Aluminum	396.100	0.0000000	0.0000000	0.0000590	0.0000000	0.0396900
Antimony	206.833	0.0122000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	-0.0029000	0.0000000	0.0000000	0.0000000	0.0004900
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	-0.0000710	-0.0003400
Cadmium	226.502	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000070	0.0002200	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	-0.0007860
Copper	224.700	0.0000000	0.0000000	0.0000000	0.0006510	0.0020500
Iron	240.488	0.0000000	0.0000000	0.0000730	0.0000000	-0.0015250
Lead	220.353	0.0000000	0.0000000	0.0000000	0.0001400	-0.0008600
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0000000	0.0007460	0.0000000
Silver	328.068	0.0000000	0.0000000	0.0000000	0.0000000	-0.0000120
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0017400	-0.0100400
Vanadium	292.402	-0.0025100	0.0000000	0.0000000	0.0000000	-0.0072000
Zinc	213.800	0.0000000	0.0009010	0.0000000	0.0000000	0.0000000

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Metals
- 11 -
ICP INTERELEMENT CORRECTION FACTORS

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Instrument ID: **Date:**

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave-Length (nm)	ICP Interelement Correction Factors For: Na	Ni	Pb	Sb	Se
Aluminum	396.100	0.0000000	0.0000000	0.0012800	0.0000000	0.0000000
Antimony	206.833	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Arsenic	193.759	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cobalt	228.616	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	-0.0047000	0.0036100	0.0000000	0.0000000
Iron	240.488	0.0000000	-0.0017000	0.0000000	0.0000000	0.0000000
Lead	220.353	0.0000000	0.0006580	0.0000000	0.0000000	0.0001290
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0003330	0.0000000	0.0000000
Silver	328.068	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Vanadium	292.402	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0067600	0.0000000	0.0000000	0.0000000

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Metals
- 11 -
ICP INTERELEMENT CORRECTION FACTORS

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q1736 **SAS No.:** Q1736

Instrument ID: **Date:**

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave-Length (nm)	ICP Interelement Correction Factors For: Sn	Ti	Tl	V	Zn
Aluminum	396.100	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Antimony	206.833	-0.0035600	-0.0007970	0.0000000	-0.0018900	0.0000000
Arsenic	193.759	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Barium	493.409	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Beryllium	234.861	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Cadmium	226.502	0.0000000	0.0000630	0.0001280	0.0000000	0.0000000
Calcium	373.690	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Chromium	267.716	0.0000000	0.0000000	0.0000000	0.0001110	0.0000000
Cobalt	228.616	0.0000000	0.0018800	0.0000000	0.0000000	0.0000000
Copper	224.700	0.0000000	0.0003840	0.0000000	0.0000000	0.0000000
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Lead	220.353	0.0000000	-0.0003610	0.0000000	0.0000000	0.0000000
Magnesium	279.079	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Nickel	231.604	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Potassium	766.490	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Selenium	196.090	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Silver	328.068	0.0000000	-0.0007420	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Thallium	190.856	0.0000000	-0.0039700	0.0000000	-0.0115600	0.0000000
Vanadium	292.402	0.0000000	0.0005320	0.0000000	0.0000000	0.0000000
Zinc	213.800	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

METAL PREPARATION & ANALYICAL SUMMARY

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals
- 13 -
SAMPLE PREPARATION SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Method:**

Case No.: Q1736 **SAS No.:** Q1736

Sample ID	Client ID	Sample Type	Matrix	Prep Date	Initial Sample Size(g)	Final Sample Volume (mL)	Percent Solids
Batch Number:	**PB167482**						
PB167482BL	PB167482BL	MB	SOLID	04/07/2025	2.20	100.0	100.00
PB167482BS	PB167482BS	LCS	SOLID	04/07/2025	2.16	100.0	100.00
Q1736-01	GST1	SAM	SOLID	04/07/2025	2.23	100.0	78.60
Q1736-02	GST2	SAM	SOLID	04/07/2025	2.31	100.0	80.50
Q1738-01DUP	OK-02-040425DUP	DUP	SOLID	04/07/2025	2.07	100.0	86.10
Q1738-01MS	OK-02-040425MS	MS	SOLID	04/07/2025	2.18	100.0	86.10
Q1738-01MSD	OK-02-040425MSD	MSD	SOLID	04/07/2025	2.26	100.0	86.10

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals
- 13 -
SAMPLE PREPARATION SUMMARY

Client: G Environmental **SDG No.:** Q1736

Contract: GENV01 **Lab Code:** CHEM **Method:**

Case No.: Q1736 **SAS No.:** Q1736

Sample ID	Client ID	Sample Type	Matrix	Prep Date	Initial Sample Size(g)	Final Sample Volume (mL)	Percent Solids
Batch Number:	**PB167516**						
PB167516BL	PB167516BL	MB	SOLID	04/08/2025	0.52	35.0	100.00
PB167516BS	PB167516BS	LCS	SOLID	04/08/2025	0.57	35.0	100.00
Q1736-01	GST1	SAM	SOLID	04/08/2025	0.58	35.0	78.60
Q1736-02	GST2	SAM	SOLID	04/08/2025	0.58	35.0	80.50
Q1743-01DUP	TP-16DUP	DUP	SOLID	04/08/2025	0.53	35.0	94.60
Q1743-01MS	TP-16MS	MS	SOLID	04/08/2025	0.55	35.0	94.60
Q1743-01MSD	TP-16MSD	MSD	SOLID	04/08/2025	0.58	35.0	94.60

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

metals
- 14 -
ANALYSIS RUN LOG

Client: G Environmental **Contract:** GENV01

Lab code: CHEM **Case no.:** Q1736 **Sas no.:** Q1736 **Sdg no.:** Q1736

Instrument id number: **Method:** **Run number:** LB135337

Start date: 04/08/2025 **End date:** 04/08/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	0928	HG
S0.2	S0.2	1	0930	HG
S2.5	S2.5	1	0933	HG
S5	S5	1	0935	HG
S7.5	S7.5	1	0937	HG
S10	S10	1	0940	HG
ICV80	ICV80	1	0943	HG
ICB80	ICB80	1	0945	HG
CCV42	CCV42	1	0947	HG
CCB42	CCB42	1	0949	HG
CRA	CRA	1	0952	HG
PB167516BL	PB167516BL	1	0959	HG
PB167516BS	PB167516BS	1	1001	HG
CCV43	CCV43	1	1015	HG
CCB43	CCB43	1	1017	HG
Q1736-01	GST1	1	1038	HG
Q1736-02	GST2	1	1040	HG
CCV44	CCV44	1	1042	HG
CCB44	CCB44	1	1044	HG
Q1743-01DUP	TP-16DUP	1	1056	HG
Q1743-01MS	TP-16MS	1	1058	HG
Q1743-01MSD	TP-16MSD	1	1100	HG
Q1743-01L	TP-16L	5	1109	HG
CCV45	CCV45	1	1114	HG
CCB45	CCB45	1	1116	HG

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

metals
- 14 -
ANALYSIS RUN LOG

Client: G Environmental **Contract:** GENV01

Lab code: CHEM **Case no.:** Q1736 **Sas no.:** Q1736 **Sdg no.:** Q1736

Instrument id number: **Method:** **Run number:** LB135424

Start date: 04/14/2025 **End date:** 04/14/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1313	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S1	S1	1	1317	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S2	S2	1	1322	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S3	S3	1	1326	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S4	S4	1	1330	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
S5	S5	1	1334	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICV01	ICV01	1	1356	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
LLICV01	LLICV01	1	1401	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICB01	ICB01	1	1405	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CRI01	CRI01	1	1409	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICSA01	ICSA01	1	1414	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
ICSAB01	ICSAB01	1	1418	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV01	CCV01	1	1431	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB01	CCB01	1	1435	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV02	CCV02	1	1522	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB02	CCB02	1	1526	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV03	CCV03	1	1628	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB03	CCB03	1	1632	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV04	CCV04	1	1718	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB04	CCB04	1	1722	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
PB167482BL	PB167482BL	1	1800	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
PB167482BS	PB167482BS	1	1812	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV05	CCV05	1	1816	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB05	CCB05	1	1820	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV06	CCV06	1	1907	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB06	CCB06	1	1911	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q1736-01	GST1	1	1953	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV07	CCV07	1	1957	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB07	CCB07	1	2001	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q1736-02	GST2	1	2005	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q1738-01DUP	OK-02-040425DUP	1	2014	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q1738-01L	OK-02-040425L	5	2018	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q1738-01MS	OK-02-040425MS	1	2022	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q1738-01MSD	OK-02-040425MSD	1	2026	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
Q1738-01A	OK-02-040425A	1	2030	Ag,As,Ba,Be,Co,Cr,Cu,K,Se,V,Zn
CCV08	CCV08	1	2048	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB08	CCB08	1	2052	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV09	CCV09	1	2138	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB09	CCB09	1	2142	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV10	CCV10	1	2228	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB10	CCB10	1	2232	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

metals
- 14 -
ANALYSIS RUN LOG

Client: G Environmental **Contract:** GENV01

Lab code: CHEM **Case no.:** Q1736 **Sas no.:** Q1736 **Sdg no.:** Q1736


Instrument id number: **Method:** **Run number:** LB135424

Start date: 04/14/2025 **End date:** 04/14/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
CCV11	CCV11	1	2240	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB11	CCB11	1	2244	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCV12	CCV12	1	2306	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn
CCB12	CCB12	1	2311	Ag,Al,As,Ba,Be,Ca,Cd,Co,Cr,Cu,Fe,K,Mg,Mn,Na,Ni,Pb,Sb,Se,Tl,V,Zn

METAL
RAW DATA

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




As 189.042 {479}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000202	Re-Slope:	1.000000
A1 (Gain):	0.048194	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999926	Status:	OK.
Std Error of Est:	0.000014		
Predicted MDL:	0.003056		
Predicted MQL:	0.010185		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	-.00020	.000	1
S1	.02000	.02387	.004	19.4	.00094	.000	1
S3	2.5000	2.4638	-.036	-1.45	.11841	.000	1
S4	5.0000	4.9731	-.027	-.537	.23922	.001	1
S5	10.000	10.082	.082	.817	.48516	.001	1
S2	.80000	.77750	-.022	-2.81	.03723	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Tl 190.856 {477}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000072	Re-Slope:	1.000000
A1 (Gain):	0.057613	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999949	Status:	OK.
Std Error of Est:	0.000019		
Predicted MDL:	0.002115		
Predicted MQL:	0.007050		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	-.00007	.000	1
S1	.04000	.04322	.003	8.06	.00227	.000	1
S3	2.5000	2.5326	.033	1.30	.14319	.001	1
S4	5.0000	5.0451	.045	.902	.28529	.002	1
S5	10.000	9.9156	-.084	-.844	.56059	.007	1
S2	.80000	.80359	.004	.448	.04538	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Pb 220.353 {453}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000280	Re-Slope:	1.000000
A1 (Gain):	0.185627	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999982	Status:	OK.
Std Error of Est:	0.000020		
Predicted MDL:	0.001586		
Predicted MQL:	0.005286		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	-.00028	.000	1
S1	.01200	.01009	-.002	-15.9	.00155	.000	1
S3	2.5000	2.4891	-.011	-.434	.46126	.001	1
S4	5.0000	4.9775	-.023	-.451	.92265	.002	1
S5	10.000	10.041	.041	.411	1.8616	.002	1
S2	.80000	.79413	-.006	-.733	.14697	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Se 196.090 {472}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000318	Re-Slope:	1.000000
A1 (Gain):	0.040927	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999953	Status:	OK.
Std Error of Est:	0.000009		
Predicted MDL:	0.003974		
Predicted MQL:	0.013246		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00032	.000	1
S1	.02000	.01786	-.002	-10.7	.00105	.000	1
S3	2.5000	2.4760	-.024	-.961	.10161	.000	1
S4	5.0000	4.9806	-.019	-.389	.20408	.001	1
S5	10.000	10.070	.070	.695	.41228	.002	1
S2	.80000	.77610	-.024	-2.99	.03207	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Sb 206.833 {463}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000236	Re-Slope:	1.000000
A1 (Gain):	0.094612	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999928	Status:	OK.
Std Error of Est:	0.000042		
Predicted MDL:	0.002572		
Predicted MQL:	0.008574		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	.00024	.000	1
S1	.05000	.05426	.004	8.52	.00538	.000	1
S3	2.5000	2.4523	-.048	-1.91	.23289	.001	1
S4	5.0000	4.9608	-.039	-.783	.47087	.000	1
S5	10.000	10.095	.095	.950	.95791	.004	1
S2	.80000	.78762	-.012	-1.55	.07496	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Al 396.152 { 85}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000143	Re-Slope:	1.000000
A1 (Gain):	0.078693	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999679	Status:	OK.
Std Error of Est:	0.000151		
Predicted MDL:	0.006320		
Predicted MQL:	0.021068		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00001	.000	.000	-.00014	.000	1
S1	.10000	.09667	-.003	-3.33	.00808	.000	1
S3	5.0000	4.7971	-.203	-4.06	.38499	.000	1
S4	10.000	9.8067	-.193	-1.93	.78685	.001	1
S5	20.000	20.456	.456	2.28	1.6402	.003	1
S2	1.6000	1.5435	-.056	-3.53	.12376	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Ba 493.409 { 68}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.026285	Re-Slope:	1.000000
A1 (Gain):	2.104365	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999432	Status:	OK.
Std Error of Est:	0.005264		
Predicted MDL:	0.001018		
Predicted MQL:	0.003393		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00001	.000	.000	.02630	.002	1
S1	.10000	.09732	-.003	-2.68	.23107	.002	1
S3	5.0000	4.8369	-.163	-3.26	10.205	.016	1
S4	10.000	9.5639	-.436	-4.36	20.152	.384	1
S5	20.000	20.586	.586	2.93	43.347	.555	1
S2	1.6000	1.6156	.016	.976	3.4261	.003	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Be 234.861 {144}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000132	Re-Slope:	1.000000
A1 (Gain):	3.183422	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.998813	Status:	OK.
Std Error of Est:	0.000445		
Predicted MDL:	0.000062		
Predicted MQL:	0.000208		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	-.00013	.000	1
S1	.00600	.00604	.000	.685	.01896	.000	1
S3	.12500	.12548	.000	.383	.39754	.003	1
S4	.25000	.26908	.019	7.63	.85290	.002	1
S5	.50000	.48192	-.018	-3.62	1.5269	.016	1
S2	.04000	.03849	-.002	-3.79	.12181	.001	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Cd 226.502 {449}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000053	Re-Slope:	1.000000
A1 (Gain):	2.179277	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999943	Status:	OK.
Std Error of Est:	0.000211		
Predicted MDL:	0.000092		
Predicted MQL:	0.000308		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00005	.000	1
S1	.00600	.00613	.000	2.10	.01347	.000	1
S3	1.2500	1.2334	-.017	-1.33	2.6904	.005	1
S4	2.5000	2.4773	-.023	-.910	5.4035	.019	1
S5	5.0000	5.0473	.047	.947	11.009	.016	1
S2	.40000	.39187	-.008	-2.03	.85481	.002	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Ca 373.690 { 90}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000516	Re-Slope:	1.000000
A1 (Gain):	0.052718	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999739	Status:	OK.
Std Error of Est:	0.000637		
Predicted MDL:	0.008534		
Predicted MQL:	0.028447		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00006	.000	.000	.00052	.000	1
S2	4.0000	4.0120	.012	.300	.21202	.000	1
S3	12.500	12.229	-.271	-2.17	.64518	.002	1
S4	25.000	24.253	-.747	-2.99	1.2791	.004	1
S5	50.000	51.013	1.01	2.03	2.6898	.018	1
S1	2.0000	1.9931	-.007	-.343	.10559	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Cr 267.716 {126}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000100	Re-Slope:	1.000000
A1 (Gain):	0.171487	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999966	Status:	OK.
Std Error of Est:	0.000011		
Predicted MDL:	0.000393		
Predicted MQL:	0.001310		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	.00010	.000	1
S1	.01000	.00971	-.000	-2.90	.00177	.000	1
S3	.50000	.50229	.002	.458	.08626	.000	1
S4	1.0000	1.0058	.006	.576	.17263	.000	1
S5	2.0000	1.9878	-.012	-.611	.34108	.001	1
S2	.16000	.16447	.004	2.80	.02831	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Co 228.616 {448}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000061	Re-Slope:	1.000000
A1 (Gain):	0.830255	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999931	Status:	OK.
Std Error of Est:	0.000199		
Predicted MDL:	0.000255		
Predicted MQL:	0.000850		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00006	.000	1
S1	.03000	.02949	-.001	-1.70	.02444	.000	1
S3	1.2500	1.2329	-.017	-1.37	1.0254	.001	1
S4	2.5000	2.4699	-.030	-1.21	2.0542	.004	1
S5	5.0000	5.0538	.054	1.08	4.2031	.005	1
S2	.40000	.39393	-.006	-1.52	.32769	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Cu 224.700 {450}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000707	Re-Slope:	1.000000
A1 (Gain):	0.724108	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999940	Status:	OK.
Std Error of Est:	0.000093		
Predicted MDL:	0.000424		
Predicted MQL:	0.001413		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	-.00071	.000	1
S1	.02000	.02243	.002	12.2	.01568	.000	1
S3	.62500	.63045	.005	.872	.45902	.001	1
S4	1.2500	1.2498	-.000	-.019	.91067	.001	1
S5	2.5000	2.4870	-.013	-.520	1.8130	.004	1
S2	.20000	.20536	.005	2.68	.14902	.001	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Fe 240.488 {140}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000041	Re-Slope:	1.000000
A1 (Gain):	0.004754	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.998368	Status:	OK.
Std Error of Est:	0.000014		
Predicted MDL:	0.004779		
Predicted MQL:	0.015930		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00004	.000	1
S1	.10000	.09654	-.003	-3.46	.00049	.000	1
S3	2.5000	2.4123	-.088	-3.51	.01141	.000	1
S4	5.0000	4.5940	-.406	-8.12	.02168	.000	1
S5	10.000	10.450	.450	4.50	.04932	.000	1
S2	.80000	.84684	.047	5.86	.00403	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Mn 257.610 {131}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000884	Re-Slope:	1.000000
A1 (Gain):	0.337187	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999827	Status:	OK.
Std Error of Est:	0.000104		
Predicted MDL:	0.000471		
Predicted MQL:	0.001571		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	.00088	.000	1
S1	.02000	.02151	.002	7.54	.00814	.000	1
S3	1.2500	1.2257	-.024	-1.94	.41426	.002	1
S4	2.5000	2.4417	-.058	-2.33	.82435	.004	1
S5	5.0000	5.0768	.077	1.54	1.7130	.011	1
S2	.40000	.40433	.004	1.08	.13725	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Mg 279.079 {121}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000275	Re-Slope:	1.000000
A1 (Gain):	0.010050	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999791	Status:	OK.
Std Error of Est:	0.000109		
Predicted MDL:	0.017684		
Predicted MQL:	0.058947		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00003	.000	.000	-.00027	.000	1
S2	4.0000	3.8932	-.107	-2.67	.03885	.000	1
S3	12.500	12.053	-.447	-3.57	.12086	.001	1
S4	25.000	24.686	-.314	-1.25	.24783	.001	1
S5	50.000	50.775	.775	1.55	.51002	.004	1
S1	2.0000	2.0926	.093	4.63	.02076	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Ni 231.604 {446}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000303	Re-Slope:	1.000000
A1 (Gain):	0.486980	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999970	Status:	OK.
Std Error of Est:	0.000089		
Predicted MDL:	0.000376		
Predicted MQL:	0.001254		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	-.00030	.000	1
S1	.04000	.03915	-.001	-2.11	.01876	.000	1
S3	1.2500	1.2424	-.008	-.610	.60471	.001	1
S4	2.5000	2.4771	-.023	-.916	1.2060	.003	1
S5	5.0000	5.0350	.035	.700	2.4516	.004	1
S2	.40000	.39638	-.004	-.905	.19273	.001	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Ag 328.068 {103}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.001342	Re-Slope:	1.000000
A1 (Gain):	0.215193	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999964	Status:	OK.
Std Error of Est:	0.000015		
Predicted MDL:	0.000408		
Predicted MQL:	0.001360		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	-.00134	.000	1
S1	.01000	.01026	.000	2.63	.00085	.000	1
S3	.62500	.61670	-.008	-1.33	.13083	.000	1
S4	1.2500	1.2431	-.007	-.551	.26510	.000	1
S5	2.5000	2.5098	.010	.391	.53661	.001	1
S2	.20000	.20515	.005	2.58	.04263	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Na 589.592 { 57}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.002642	Re-Slope:	1.000000
A1 (Gain):	0.009999	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.995280	Status:	OK.
Std Error of Est:	0.000516		
Predicted MDL:	0.018614		
Predicted MQL:	0.062045		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00039	.000	.000	.00265	.000	1
S2	4.0000	3.9779	-.022	-.552	.04242	.000	1
S3	12.500	11.339	-1.16	-9.29	.11603	.001	1
S4	25.000	21.895	-3.11	-12.4	.22157	.001	1
S5	50.000	54.405	4.40	8.81	.54664	.005	1
S1	2.0000	1.8833	-.117	-5.84	.02147	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




V 292.402 {115}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000109	Re-Slope:	1.000000
A1 (Gain):	0.126854	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999722	Status:	OK.
Std Error of Est:	0.000069		
Predicted MDL:	0.001647		
Predicted MQL:	0.005491		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	-.00011	.000	1
S1	.04000	.03989	-.000	-.273	.00476	.000	1
S3	1.2500	1.2091	-.041	-3.27	.15096	.000	1
S4	2.5000	2.4420	-.058	-2.32	.30504	.001	1
S5	5.0000	5.1047	.105	2.09	.63819	.003	1
S2	.40000	.39431	-.006	-1.42	.04917	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Zn 206.200 {464}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.001068	Re-Slope:	1.000000
A1 (Gain):	0.781147	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999895	Status:	OK.
Std Error of Est:	0.000266		
Predicted MDL:	0.000240		
Predicted MQL:	0.000799		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	.00107	.000	1
S1	.04000	.04233	.002	5.83	.03414	.000	1
S3	1.2500	1.2799	.030	2.39	1.0009	.002	1
S4	2.5000	2.5053	.005	.213	1.9581	.008	1
S5	5.0000	4.9479	-.052	-1.04	3.8661	.003	1
S2	.40000	.41451	.015	3.63	.32486	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Zn 213.856 {158}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.005668	Re-Slope:	1.000000
A1 (Gain):	2.597141	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999973	Status:	OK.
Std Error of Est:	0.000453		
Predicted MDL:	0.000350		
Predicted MQL:	0.001165		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	.00566	.001	1
S1	.04000	.04188	.002	4.69	.11516	.002	1
S3	1.2500	1.2447	-.005	-.425	3.2609	.011	1
S4	2.5000	2.4868	-.013	-.528	6.5094	.015	1
S5	5.0000	5.0053	.005	.106	13.095	.046	1
S2	.40000	.41133	.011	2.83	1.0812	.005	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




K 766.490 { 44}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000116	Re-Slope:	1.000000
A1 (Gain):	0.006901	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.996612	Status:	OK.
Std Error of Est:	0.000301		
Predicted MDL:	0.029480		
Predicted MQL:	0.098268		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00028	.000	.000	.00012	.000	1
S2	4.0000	4.0028	.003	.069	.02774	.000	1
S3	12.500	11.552	-.948	-7.58	.07983	.001	1
S4	25.000	22.312	-2.69	-10.8	.15409	.000	1
S5	50.000	53.698	3.70	7.40	.37068	.003	1
S1	2.0000	1.9350	-.065	-3.25	.01347	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




B 249.678 {135}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.001520	Re-Slope:	1.000000
A1 (Gain):	0.342479	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.998957	Status:	OK.
Std Error of Est:	0.000819		
Predicted MDL:	0.000724		
Predicted MQL:	0.002413		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	.00152	.000	1
S1	.10000	.10429	.004	4.29	.03706	.000	1
S3	2.5000	2.4885	-.012	-.462	.85123	.007	1
S4	5.0000	5.3617	.362	7.23	1.8327	.001	1
S5	10.000	9.6825	-.318	-3.18	3.3074	.037	1
S2	.80000	.76305	-.037	-4.62	.26204	.003	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Mo 202.030 {467}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000321	Re-Slope:	1.000000
A1 (Gain):	0.629285	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999970	Status:	OK.
Std Error of Est:	0.000363		
Predicted MDL:	0.000311		
Predicted MQL:	0.001038		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00002	-.000	.000	.00031	.000	1
S1	.20000	.21162	.012	5.81	.13349	.001	1
S3	2.5000	2.4999	-.000	-.005	1.5735	.003	1
S4	5.0000	5.0077	.008	.154	3.1516	.006	1
S5	10.000	9.9653	-.035	-.347	6.2713	.013	1
S2	.80000	.81549	.015	1.94	.51350	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Sn 189.989 {478}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000173	Re-Slope:	1.000000
A1 (Gain):	0.099825	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999964	Status:	OK.
Std Error of Est:	0.000028		
Predicted MDL:	0.000940		
Predicted MQL:	0.003134		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00017	.000	1
S1	.04000	.04080	.001	2.00	.00424	.000	1
S3	2.5000	2.4780	-.022	-.881	.24728	.000	1
S4	5.0000	4.9738	-.026	-.525	.49617	.002	1
S5	10.000	10.068	.068	.677	1.0042	.002	1
S2	.80000	.77972	-.020	-2.54	.07793	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Ti 336.121 {100}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.002450	Re-Slope:	1.000000
A1 (Gain):	0.361690	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999632	Status:	OK.
Std Error of Est:	0.000325		
Predicted MDL:	0.000774		
Predicted MQL:	0.002582		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00245	.000	1
S1	.04000	.03993	-.000	-.172	.01688	.000	1
S3	2.5000	2.4131	-.087	-3.48	.87492	.001	1
S4	5.0000	4.8503	-.150	-2.99	1.7561	.005	1
S5	10.000	10.243	.243	2.43	3.7061	.016	1
S2	.80000	.79331	-.007	-.836	.28928	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Si 288.158 {117}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000116	Re-Slope:	1.000000
A1 (Gain):	0.004963	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.997636	Status:	OK.
Std Error of Est:	0.000037		
Predicted MDL:	0.007692		
Predicted MQL:	0.025639		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00009	.000	.000	.00012	.000	1
S1	.40000	.33267	-.067	-16.8	.00177	.000	1
S3	2.5000	2.3524	-.148	-5.90	.01198	.000	1
S4	5.0000	4.5899	-.410	-8.20	.02327	.000	1
S5	10.000	10.612	.612	6.12	.05353	.000	1
S2	.80000	.81212	.012	1.51	.00421	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




P 177.495 {490}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	-0.000890	Re-Slope:	1.000000
A1 (Gain):	0.032330	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999858	Status:	OK.
Std Error of Est:	0.000013		
Predicted MDL:	0.003105		
Predicted MQL:	0.010350		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	-.00089	.000	1
S1	.02000	.01926	-.001	-3.70	-.00027	.000	1
S3	2.5000	2.4776	-.022	-.894	.07920	.000	1
S4	5.0000	4.9373	-.063	-1.25	.15871	.000	1
S5	10.000	10.130	.130	1.30	.32658	.000	1
S2	.80000	.75546	-.045	-5.57	.02353	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




S 182.034 {485}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000123	Re-Slope:	1.000000
A1 (Gain):	0.022743	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999490	Status:	OK.
Std Error of Est:	0.000017		
Predicted MDL:	0.003911		
Predicted MQL:	0.013038		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	-.00000	-.000	.000	.00012	.000	1
S1	.02000	.02251	.003	12.6	.00062	.000	1
S3	2.5000	2.4076	-.092	-3.70	.05473	.000	1
S4	5.0000	4.8905	-.110	-2.19	.11105	.000	1
S5	10.000	10.265	.265	2.65	.23299	.000	1
S2	.80000	.73419	-.066	-8.23	.01677	.000	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Li 670.784 { 50}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.004215	Re-Slope:	1.000000
A1 (Gain):	0.724353	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999307	Status:	OK.
Std Error of Est:	0.000632		
Predicted MDL:	0.001204		
Predicted MQL:	0.004015		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00422	.001	1
S5	10.000	10.329	.329	3.29	7.4900	.026	1
S4	5.0000	4.8547	-.145	-2.91	3.5225	.007	1
S3	2.5000	2.3520	-.148	-5.92	1.7088	.006	1
S1	.02000	.01937	-.001	-3.16	.01848	.001	1
S2	.80000	.76452	-.035	-4.44	.55828	.002	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Sr 407.771 { 83}

Date of Fit:	4/14/2025 13:39:04	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000910	Re-Slope:	1.000000
A1 (Gain):	7.097195	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.999594	Status:	OK.
Std Error of Est:	0.004739		
Predicted MDL:	0.000077		
Predicted MQL:	0.000258		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis
S0	.00000	.00000	.000	.000	.00091	.000	1
S1	.02000	.02023	.000	1.13	.14446	.001	1
S3	2.5000	2.4451	-.055	-2.20	17.354	.156	1
S4	5.0000	4.8027	-.197	-3.95	34.086	.175	1
S5	10.000	10.234	.234	2.34	72.630	.596	1
S2	.80000	.81848	.018	2.31	5.8098	.009	1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424




Y 224.306 {450}*

Date of Fit:	4/14/2025 11:19:38	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000000	Re-Slope:	1.000000
A1 (Gain):	0.000000	Y-int:	0.000000
A2 (Curvature):	0.000000		
n (Exponent):	1.000000		
Correlation:	0.000000	Status:	Warning Zero Gain
Std Error of Est:	0.000000		
Predicted MDL:	n/a		
Predicted MQL:	n/a		

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis



Y 360.073 { 94}*


Date of Fit:	<not fit>	Type of Fit:	Linear	Weighting:	1/Conc

A0 (Offset):	0.000000	Re-Slope:	1.000000
A1 (Gain):	0.000000	Y-int:	0.000000

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

A2 (Curvature):	0.000000					
n (Exponent):	1.000000					
Correlation:	0.000000		Status:	Warning	Zero Gain	
Std Error of Est:	0.000000					
Predicted MDL:	n/a					
Predicted MQL:	n/a					

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis




Y 371.030 { 91}*

Date of Fit:	<not fit>		Type of Fit:	Linear	Weighting:	1/Conc
A0 (Offset):		0.000000		Re-Slope:	1.000000	
A1 (Gain):		0.000000		Y-int:	0.000000	
A2 (Curvature):		0.000000				
n (Exponent):		1.000000				
Correlation:		0.000000		Status:	Warning	Zero Gain
Std Error of Est:		0.000000				
Predicted MDL:		n/a				
Predicted MQL:		n/a				

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis


Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424



Y 224.306 {150}*

Date of Fit:	<not fit>	Type of Fit:	Linear	Weighting:	1/Conc
A0 (Offset):	0.000000		Re-Slope:	1.000000	
A1 (Gain):	0.000000		Y-int:	0.000000	
A2 (Curvature):	0.000000				
n (Exponent):	1.000000				
Correlation:	0.000000		Status:	Warning	Zero Gain
Std Error of Est:	0.000000				
Predicted MDL:	n/a				
Predicted MQL:	n/a				

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis



In 230.606 {446}*

Date of Fit:	<not fit>	Type of Fit:	Linear	Weighting:	1/Conc
A0 (Offset):	0.000000		Re-Slope:	1.000000	
A1 (Gain):	0.000000		Y-int:	0.000000	

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

A2 (Curvature):		0.000000					
n (Exponent):		1.000000					
Correlation:		0.000000		Status:	Warning	Zero Gain	
Std Error of Est:		0.000000					
Predicted MDL:		n/a					
Predicted MQL:		n/a					

Std. Name	Stated Conc.	Found Conc.	Difference	% Diff.	(S)IR	Std Dev	Emphasis

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S0 Acquired: 4/14/2025 13:13:33 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00020	-.00007	-.00028	.00032	.00024	-.00014	.02630	-.00013
Stddev	.00012	.00013	.00018	.00014	.00006	.00027	.00250	.00007
%RSD	60.262	173.97	64.521	45.435	24.298	193.00	9.5024	49.889
#1	-.00029	-.00015	-.00046	.00027	.00030	.00008	.02535	-.00006
#2	-.00025	.00007	-.00028	.00048	.00020	-.00006	.02913	-.00020
#3	-.00006	-.00014	-.00010	.00021	.00021	-.00045	.02441	-.00014

Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00005	.00052	.00010	.00006	-.00071	.00004	.00088	-.00027
Stddev	.00016	.00014	.00002	.00007	.00019	.00001	.00006	.00012
%RSD	301.11	26.091	21.614	119.68	26.320	19.547	7.0244	45.481
#1	.00023	.00066	.00008	.00014	-.00052	.00004	.00093	-.00032
#2	-.00009	.00051	.00010	.00005	-.00089	.00004	.00091	-.00037
#3	.00002	.00039	.00012	-.00000	-.00072	.00005	.00081	-.00013

Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	-.00030	-.00134	.00265	-.00011	.00566	.00012	.00152	.00031
Stddev	.00006	.00004	.00008	.00017	.00062	.00007	.00005	.00016
%RSD	19.864	3.2870	3.1609	156.23	11.038	59.998	3.5055	50.922
#1	-.00023	-.00137	.00255	-.00030	.00533	.00020	.00146	.00013
#2	-.00034	-.00129	.00270	.00003	.00638	.00010	.00153	.00040
#3	-.00033	-.00137	.00269	-.00006	.00527	.00006	.00157	.00040

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00017	.00245	.00012	-.00089	.00012	.00422	.00091
Stddev	.00004	.00015	.00002	.00007	.00004	.00052	.00050
%RSD	22.352	6.1684	16.173	7.6124	30.231	12.289	54.521
#1	.00017	.00235	.00014	-.00081	.00012	.00422	.00061
#2	.00013	.00238	.00010	-.00094	.00009	.00370	.00064
#3	.00021	.00263	.00011	-.00092	.00016	.00473	.00148

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S0 Acquired: 4/14/2025 13:13:33 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2738.5	66672.	12366.	1781.5	4398.4
Stddev	12.3	193.	54.	11.8	17.7
%RSD	.44870	.29019	.43359	.66085	.40196
#1	2724.4	66884.	12398.	1771.7	4378.1
#2	2743.8	66504.	12304.	1778.3	4406.1
#3	2747.2	66628.	12396.	1794.6	4410.9

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S1 Acquired: 4/14/2025 13:17:56 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00094	.00227	.00155	.00105	.00538	.00808	.23107	.01896
Stddev	.00017	.00012	.00028	.00011	.00010	.00029	.00162	.00022
%RSD	18.364	5.1968	18.078	10.523	1.8488	3.5414	.70104	1.1386
#1	.00114	.00240	.00146	.00114	.00527	.00791	.23292	.01871
#2	.00083	.00225	.00186	.00093	.00546	.00791	.23037	.01907
#3	.00086	.00217	.00132	.00108	.00541	.00841	.22992	.01909

Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.01347	.10559	.00177	.02444	.01568	.00049	.00814	.02076
Stddev	.00026	.00009	.00007	.00010	.00009	.00001	.00003	.00019
%RSD	1.9527	.08173	3.9123	.39726	.58344	2.5606	.34854	.91200
#1	.01358	.10568	.00182	.02433	.01574	.00051	.00816	.02063
#2	.01317	.10551	.00178	.02447	.01557	.00049	.00811	.02097
#3	.01366	.10558	.00169	.02452	.01572	.00048	.00815	.02066

Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.01876	.00085	.02147	.00476	.11516	.01347	.03706	.13349
Stddev	.00002	.00007	.00034	.00009	.00155	.00014	.00040	.00051
%RSD	.08381	8.0474	1.5947	1.8218	1.3496	1.0128	1.0756	.38202
#1	.01878	.00078	.02186	.00471	.11469	.01362	.03726	.13401
#2	.01876	.00091	.02122	.00471	.11689	.01336	.03660	.13299
#3	.01875	.00087	.02134	.00486	.11389	.01343	.03732	.13348

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.00424	.01688	.00177	-.00027	.00062	.01848	.14446
Stddev	.00006	.00005	.00001	.00005	.00001	.00056	.00068
%RSD	1.3453	.29305	.66054	19.575	1.1077	3.0450	.46874
#1	.00422	.01683	.00178	-.00033	.00061	.01797	.14472
#2	.00420	.01690	.00176	-.00024	.00062	.01908	.14369
#3	.00431	.01692	.00178	-.00023	.00062	.01837	.14496

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S1 Acquired: 4/14/2025 13:17:56 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2787.1	66644.	13141.	1840.1	4420.1
Stddev	8.9	242.	16.	6.2	6.4
%RSD	.31760	.36246	.12084	.33440	.14426
#1	2777.4	66544.	13148.	1836.1	4412.7
#2	2794.7	66467.	13122.	1836.9	4424.0
#3	2789.2	66919.	13151.	1847.2	4423.5

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S2 Acquired: 4/14/2025 13:22:20 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.03723	.04538	.14697	.03207	.07496	.12376	3.4261	.12181
Stddev	.00017	.00017	.00049	.00027	.00034	.00014	.0032	.00053
%RSD	.45372	.38566	.33084	.83182	.44918	.10947	.09397	.43841
#1	.03704	.04522	.14697	.03215	.07499	.12362	3.4232	.12177
#2	.03737	.04534	.14745	.03228	.07528	.12389	3.4296	.12237
#3	.03727	.04557	.14648	.03177	.07461	.12379	3.4256	.12130

Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.85481	.21202	.02831	.32769	.14902	.00403	.13725	.03885
Stddev	.00162	.00043	.00003	.00020	.00058	.00004	.00036	.00005
%RSD	.18962	.20202	.11873	.06229	.38680	.90501	.26554	.13229
#1	.85663	.21157	.02833	.32778	.14848	.00400	.13688	.03879
#2	.85425	.21242	.02827	.32783	.14963	.00402	.13726	.03888
#3	.85354	.21207	.02833	.32745	.14896	.00408	.13760	.03888

Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.19273	.04263	.04242	.04917	1.0812	.02774	.26204	.51350
Stddev	.00051	.00014	.00013	.00025	.0051	.00025	.00289	.00014
%RSD	.26629	.33724	.30451	.51028	.47110	.89693	1.1027	.02634
#1	.19332	.04247	.04254	.04909	1.0771	.02799	.25877	.51334
#2	.19248	.04268	.04228	.04945	1.0795	.02773	.26424	.51355
#3	.19238	.04275	.04243	.04897	1.0869	.02749	.26312	.51359

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.07793	.28928	.00421	.02353	.01677	.55828	5.8098
Stddev	.00015	.00028	.00003	.00013	.00009	.00167	.0091
%RSD	.18751	.09779	.68203	.56086	.52553	.29893	.15693
#1	.07777	.28896	.00424	.02349	.01668	.55700	5.8010
#2	.07806	.28936	.00418	.02342	.01679	.56017	5.8192
#3	.07795	.28951	.00420	.02368	.01685	.55768	5.8094

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S2 Acquired: 4/14/2025 13:22:20 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2819.5	67175.	13823.	1846.2	4431.1
Stddev	3.6	219.	32.	9.0	8.5
%RSD	.12930	.32635	.23156	.48961	.19126
#1	2816.3	67070.	13857.	1844.2	4421.4
#2	2818.6	67427.	13794.	1856.0	4436.1
#3	2823.5	67028.	13816.	1838.3	4435.9

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S3 Acquired: 4/14/2025 13:26:29 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.11841	.14319	.46126	.10161	.23289	.38499	10.205	.39754
Stddev	.00031	.00104	.00138	.00018	.00065	.00019	.016	.00304
%RSD	.25988	.72373	.29954	.17487	.28051	.05024	.15524	.76489
#1	.11854	.14426	.46094	.10164	.23215	.38506	10.203	.39533
#2	.11806	.14310	.46008	.10143	.23313	.38514	10.221	.39628
#3	.11863	.14219	.46278	.10178	.23339	.38477	10.190	.40101

Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2.6904	.64518	.08626	1.0254	.45902	.01141	.41426	.12086
Stddev	.0050	.00243	.00016	.0014	.00091	.00003	.00159	.00094
%RSD	.18786	.37605	.18116	.13267	.19717	.25391	.38401	.77972
#1	2.6880	.64699	.08620	1.0252	.45821	.01142	.41272	.12086
#2	2.6870	.64243	.08615	1.0242	.45884	.01143	.41415	.11993
#3	2.6962	.64614	.08644	1.0269	.46000	.01138	.41590	.12181

Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.60471	.13083	.11603	.15096	3.2609	.07983	.85123	1.5735
Stddev	.00081	.00019	.00053	.00023	.0106	.00055	.00740	.0028
%RSD	.13371	.14547	.45520	.15179	.32429	.68543	.86910	.17693
#1	.60432	.13071	.11641	.15098	3.2593	.08021	.84727	1.5719
#2	.60417	.13074	.11624	.15072	3.2722	.08009	.84666	1.5718
#3	.60564	.13105	.11542	.15118	3.2512	.07921	.85977	1.5767

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.24728	.87492	.01198	.07920	.05473	1.7088	17.354
Stddev	.00020	.00108	.00005	.00013	.00007	.0059	.156
%RSD	.08211	.12336	.38431	.16271	.13602	.34335	.90104
#1	.24731	.87385	.01193	.07918	.05472	1.7131	17.462
#2	.24707	.87490	.01202	.07934	.05466	1.7112	17.175
#3	.24747	.87601	.01198	.07909	.05481	1.7021	17.425

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S3 Acquired: 4/14/2025 13:26:29 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2708.8	66416.	12797.	1792.6	4141.6
Stddev	5.5	192.	93.	3.0	3.7
%RSD	.20189	.28966	.72625	.16531	.09039
#1	2713.0	66441.	12818.	1793.3	4145.0
#2	2710.6	66594.	12878.	1789.3	4142.3
#3	2702.6	66212.	12696.	1795.1	4137.6

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S4 Acquired: 4/14/2025 13:30:39 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.23922	.28529	.92265	.20408	.47087	.78685	20.152	.85290
Stddev	.00063	.00181	.00229	.00073	.00030	.00097	.384	.00165
%RSD	.26145	.63354	.24856	.35964	.06295	.12391	1.9077	.19314
#1	.23849	.28321	.92013	.20329	.47108	.78580	19.779	.85249
#2	.23954	.28646	.92321	.20474	.47053	.78773	20.131	.85149
#3	.23961	.28620	.92462	.20422	.47101	.78700	20.547	.85471

Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	5.4035	1.2791	.17263	2.0542	.91067	.02168	.82435	.24783
Stddev	.0193	.0043	.00006	.0039	.00139	.00007	.00382	.00141
%RSD	.35702	.33386	.03763	.19146	.15212	.33827	.46345	.56949
#1	5.3842	1.2745	.17264	2.0513	.90907	.02161	.82168	.24722
#2	5.4034	1.2798	.17268	2.0527	.91153	.02167	.82264	.24683
#3	5.4228	1.2829	.17256	2.0587	.91141	.02176	.82872	.24944

Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	1.2060	.26510	.22157	.30504	6.5094	.15409	1.8327	3.1516
Stddev	.0032	.00033	.00053	.00052	.0148	.00044	.0009	.0065
%RSD	.26722	.12518	.24009	.16896	.22702	.28588	.05099	.20463
#1	1.2027	.26472	.22096	.30445	6.5001	.15360	1.8318	3.1442
#2	1.2062	.26535	.22194	.30538	6.5265	.15446	1.8327	3.1554
#3	1.2091	.26522	.22182	.30530	6.5017	.15421	1.8337	3.1552

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.49617	1.7561	.02327	.15871	.11105	3.5225	34.086
Stddev	.00151	.0050	.00002	.00040	.00038	.0068	.175
%RSD	.30485	.28482	.07968	.24921	.34203	.19406	.51458
#1	.49449	1.7518	.02325	.15864	.11072	3.5167	34.229
#2	.49659	1.7549	.02327	.15913	.11097	3.5208	33.890
#3	.49743	1.7616	.02329	.15835	.11146	3.5300	34.140

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S4 Acquired: 4/14/2025 13:30:39 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2659.5	64016.	11716.	1719.7	4025.8
Stddev	5.3	120.	34.	4.3	3.0
%RSD	.19746	.18727	.28953	.25065	.07515
#1	2655.4	64058.	11729.	1724.0	4022.3
#2	2657.8	64110.	11741.	1719.6	4027.7
#3	2665.4	63881.	11677.	1715.4	4027.3

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S5 Acquired: 4/14/2025 13:34:53 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934	Be2348
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	.48516	.56059	1.8616	.41228	.95791	1.6402	43.347	1.5269
Stddev	.00109	.00707	.0019	.00169	.00383	.0033	.555	.0161
%RSD	.22568	1.2606	.10441	.40917	.39998	.20080	1.2811	1.0527
#1	.48612	.56867	1.8616	.41423	.96218	1.6439	43.909	1.5454
#2	.48397	.55559	1.8635	.41132	.95478	1.6389	42.799	1.5170
#3	.48539	.55750	1.8596	.41130	.95677	1.6377	43.335	1.5182

Elem	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404	Mn2576	Mg2790
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	11.009	2.6898	.34108	4.2031	1.8130	.04932	1.7130	.51002
Stddev	.016	.0181	.00063	.0046	.0041	.00010	.0109	.00398
%RSD	.14725	.67434	.18420	.11073	.22739	.20467	.63873	.78035
#1	11.008	2.7105	.34070	4.2008	1.8177	.04921	1.7252	.51459
#2	11.026	2.6825	.34074	4.2084	1.8109	.04934	1.7040	.50726
#3	10.994	2.6766	.34180	4.2000	1.8103	.04941	1.7100	.50823

Elem	Ni2316	Ag3280	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2.4516	.53661	.54664	.63819	13.095	.37068	3.3074	6.2713
Stddev	.0042	.00070	.00533	.00274	.046	.00343	.0372	.0132
%RSD	.17121	.12993	.97556	.42877	.35037	.92482	1.1241	.21029
#1	2.4512	.53667	.54140	.64126	13.086	.36713	3.3501	6.2866
#2	2.4560	.53588	.54646	.63600	13.055	.37094	3.2816	6.2637
#3	2.4477	.53727	.55206	.63732	13.145	.37397	3.2907	6.2638

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707	Sr4077
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	1.0042	3.7061	.05353	.32658	.23299	7.4900	72.630
Stddev	.0019	.0156	.00041	.00041	.00046	.0259	.596
%RSD	.18543	.42163	.76833	.12679	.19625	.34593	.82031
#1	1.0055	3.7227	.05307	.32699	.23349	7.4936	73.296
#2	1.0050	3.6916	.05366	.32616	.23259	7.4624	72.148
#3	1.0020	3.7039	.05386	.32659	.23290	7.5139	72.447

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: S5 Acquired: 4/14/2025 13:34:53 Type: Cal
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: IR Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2580.5	62712.	12814.	1654.3	3804.9
Stddev	1.1	71.	136.	2.9	3.6
%RSD	.04452	.11391	1.0590	.17584	.09498
#1	2579.2	62728.	12657.	1657.2	3805.6
#2	2581.2	62774.	12889.	1654.3	3800.9
#3	2581.2	62634.	12895.	1651.4	3808.1

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICV01 Acquired: 4/14/2025 13:56:56 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.057501	1.033241	1.000260	1.049246	1.044857	2.359020
Stddev	.006374	.009677	.000990	.004158	.005366	.006183
%RSD	.6027784	.9365734	.0989945	.3963053	.5135640	.2620798
#1	1.064828	1.041615	.999594	1.053731	1.051051	2.357756
#2	1.054442	1.035461	1.001398	1.048488	1.041891	2.365737
#3	1.053232	1.022647	.999788	1.045519	1.041629	2.353567

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5337391	.4957363	.5069134	9.362105	.5073903	.4903304
Stddev	.0032763	.0011893	.0007934	.043412	.0014087	.0012222
%RSD	.6138471	.2399127	.1565100	.4636988	.2776399	.2492690
#1	.5300053	.4943736	.5063590	9.316887	.5086323	.4899676
#2	.5361337	.4965655	.5078222	9.365974	.5058596	.4916930
#3	.5350782	.4962699	.5065589	9.403452	.5076789	.4893307

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5127434	9.383237	.4829514	5.994581	.4938373	.2457877
Stddev	.0029749	.032489	.0039747	.047699	.0005068	.0010944
%RSD	.5801919	.3462404	.8230095	.7957089	.1026157	.4452708
#1	.5161616	9.346434	.4783785	5.940471	.4932659	.2458881
#2	.5107389	9.395343	.4848990	6.030542	.4940140	.2446466
#3	.5113299	9.407935	.4855768	6.012730	.4942321	.2468285

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.08781	.4742714	.9935412	9.741589	F -.009678	F -.000363
Stddev	.03358	.0032535	.0031673	.049355	.000859	.000132
%RSD	.3329041	.6859951	.3187904	.5066414	8.871460	36.28653
#1	10.04905	.4708516	.9971322	9.782832	-.009594	-.000427
#2	10.10839	.4746343	.9923463	9.686906	-.010576	-.000451
#3	10.10598	.4773281	.9911452	9.755030	-.008865	-.000212

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICV01 Acquired: 4/14/2025 13:56:56 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICV01 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	F -.001595	F -.001002	F -.001296	F .0053613	F .0016229	F .0019115
Stddev	.001296	.000563	.005290	.0017797	.0031990	.0002192
%RSD	81.25814	56.23780	408.2052	33.19552	197.1160	11.46817
#1	-.001765	-.001506	.004343	.0038666	.0040768	.0016755
#2	-.000222	-.001106	-.002081	.0073300	-.001995	.0021089
#3	-.002798	-.000394	-.006149	.0048872	.002787	.0019499

Elem	Sr4077
Units	ppm
Avg	F .0011184
Stddev	.0000302
%RSD	2.696014
#1	.0011507
#2	.0011133
#3	.0010911

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2718.615	65862.08	13031.76	1775.639	4258.600
Stddev	12.151	246.48	14.96	7.525	6.006
%RSD	.4469658	.3742432	.1147814	.4237920	.1410328
#1	2704.663	65683.26	13048.49	1769.232	4257.783
#2	2726.880	66143.25	13027.09	1783.926	4253.045
#3	2724.302	65759.73	13019.69	1773.760	4264.973

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: LLICV01 Acquired: 4/14/2025 14:01:08 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LLICV Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0227893	.0418343	.0123649	.0190461	.0532142	.0975031	.0960501
Stddev	.0015849	.0007695	.0005014	.0014662	.0018150	.0025698	.0007404
%RSD	6.954646	1.839480	4.054936	7.698244	3.410707	2.635587	.7708721
#1	.0223958	.0418524	.0127023	.0195539	.0514324	.0972468	.0952069
#2	.0214382	.0410558	.0117887	.0201909	.0550606	.0950710	.0963490
#3	.0245338	.0425946	.0126036	.0173935	.0531494	.1001914	.0965943

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0060014	.0061218	1.978376	.0098072	.0295510	.0226213	.0994245
Stddev	.0000963	.0000265	.005711	.0000368	.0001172	.0002042	.0045739
%RSD	1.604031	.4324787	.2886888	.3756752	.3964366	.9024496	4.600396
#1	.0058905	.0061445	1.973767	.0098164	.0295345	.0227871	.0941474
#2	.0060497	.0061281	1.976596	.0098386	.0294430	.0226836	.1022504
#3	.0060639	.0060927	1.984765	.0097666	.0296756	.0223933	.1018757

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0205692	2.080715	.0395081	.0100375	1.838124	.0404484	.0416406
Stddev	.0006205	.016312	.0001840	.0001132	.026267	.0006190	.0003608
%RSD	3.016518	.7839730	.4657026	1.127332	1.429030	1.530381	.8664781
#1	.0201527	2.074314	.0396748	.0101600	1.867350	.0406460	.0419939
#2	.0202726	2.068575	.0395389	.0100156	1.816487	.0409445	.0412727
#3	.0212823	2.099257	.0393107	.0099369	1.830535	.0397547	.0416553

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.921338	.1080123	.2116963	.0395785	.0397798	.3221741	.0218066
Stddev	.022532	.0010407	.0014531	.0007899	.0002400	.0065921	.0007453
%RSD	1.172709	.9634554	.6863906	1.995861	.6033634	2.046129	3.417654
#1	1.944608	.1068109	.2132731	.0404827	.0395349	.3250910	.0212511
#2	1.919782	.1085952	.2104111	.0390227	.0400146	.3268046	.0215152
#3	1.899625	.1086309	.2114048	.0392300	.0397899	.3146268	.0226536

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: LLICV01 Acquired: 4/14/2025 14:01:08 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: LLICV Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0195826	.0187333	.0200304
Stddev	.0010927	.0008088	.0000366
%RSD	5.580062	4.317229	.1826557
#1	.0203363	.0178097	.0200461
#2	.0200822	.0193150	.0199886
#3	.0183294	.0190751	.0200565

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2778.742	66985.72	13128.46	1834.829	4408.992
Stddev	9.135	215.68	53.63	9.817	5.945
%RSD	.3287416	.3219836	.4084725	.5350359	.1348435
#1	2769.650	66758.12	13188.37	1825.701	4402.419
#2	2778.655	67011.95	13084.95	1833.573	4413.994
#3	2787.920	67187.09	13112.05	1845.214	4410.562

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICB01 Acquired: 4/14/2025 14:05:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0009095	-.000535	.0002753	.0001565	-.000541	.0028645	.0000981
Stddev	.0009381	.001648	.0003458	.0018769	.001822	.0056359	.0003041
%RSD	103.1414	307.6805	125.5998	1199.442	336.8530	196.7513	310.0664
#1	.0015356	-.001274	.0000340	-.001506	.001561	.0031071	-.000205
#2	.0013620	.001352	.0001204	-.000216	-.001517	-.002889	.000404
#3	-.000169	-.001684	.0006714	.002192	-.001667	.008375	.000095

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000286	-.000125	-.015658	-.000119	-.000017	.0001345	-.000760
Stddev	.0000247	.000069	.001546	.000113	.000051	.0002971	.003334
%RSD	86.24025	55.13202	9.875477	94.59249	307.1495	220.8575	438.9243
#1	.0000570	-.000046	-.015450	.000001	-.000008	.0004201	.002895
#2	.0000122	-.000169	-.014226	-.000223	-.000071	.0001565	-.003635
#3	.0000167	-.000159	-.017298	-.000135	.000030	-.000173	-.001539

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0007962	.0051026	-.000013	-.000216	-.005808	.0017189	-.000342
Stddev	.0002033	.0134907	.000207	.000184	.010896	.0019767	.000123
%RSD	25.53490	264.3899	1617.616	85.14773	187.6121	115.0036	35.88194
#1	.0006459	.0093755	.000213	-.000349	-.012871	.0022768	-.000239
#2	.0007152	-.010007	-.000192	-.000006	-.011294	-.000477	-.000478
#3	.0010275	.015939	-.000059	-.000292	.006741	.003357	-.000309

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.026630	.0018003	-.000207	-.000421	-.000757	.0121277	-.000072
Stddev	.011795	.0000971	.000081	.000805	.000238	.0017364	.001522
%RSD	44.29062	5.394015	39.08526	191.2611	31.39717	14.31764	2126.021
#1	-.027151	.0019109	-.000115	-.000897	-.000566	.0137013	-.000127
#2	-.014584	.0017291	-.000265	-.000874	-.000681	.0124170	.001478
#3	-.038156	.0017609	-.000243	.000509	-.001023	.0102648	-.001566

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICB01 Acquired: 4/14/2025 14:05:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICB01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.001035	-.002146	-.000171
Stddev	.001747	.000404	.000043
%RSD	168.8088	18.81450	25.21411
#1	-.001796	-.002504	-.000205
#2	-.002273	-.002224	-.000187
#3	.000964	-.001708	-.000123

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2774.118	67685.07	13187.78	1851.767	4428.802
Stddev	5.871	144.30	87.13	6.252	7.696
%RSD	.2116224	.2131994	.6606580	.3376390	.1737613
#1	2769.439	67667.29	13217.76	1858.946	4426.215
#2	2780.706	67837.44	13089.63	1848.845	4437.458
#3	2772.210	67550.48	13255.96	1847.512	4422.734

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CRI01 Acquired: 4/14/2025 14:09:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CRI Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0223440	.0418003	.0122450	.0196346	.0517182	.0917469	.0956099
Stddev	.0006660	.0007114	.0006646	.0005770	.0021955	.0077840	.0009149
%RSD	2.980470	1.701963	5.427379	2.938500	4.245120	8.484176	.9568792
#1	.0230573	.0423138	.0116235	.0191081	.0493237	.0999648	.0965041
#2	.0217385	.0420988	.0121660	.0202514	.0536366	.0907906	.0946757
#3	.0222362	.0409883	.0129456	.0195444	.0521942	.0844852	.0956499

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0057582	.0060793	1.970634	.0096748	.0293443	.0226546	.1016313
Stddev	.0000623	.0000468	.006751	.0001391	.0002479	.0002872	.0046421
%RSD	1.081396	.7700938	.3425750	1.437363	.8446659	1.267657	4.567538
#1	.0057934	.0061039	1.975518	.0098143	.0295802	.0224279	.1042061
#2	.0056863	.0061088	1.962931	.0096739	.0290860	.0229775	.1044154
#3	.0057948	.0060253	1.973454	.0095362	.0293665	.0225583	.0962725

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0204159	2.058943	.0393922	.0098755	1.839906	.0407478	.0410169
Stddev	.0002783	.012017	.0003591	.0002946	.028182	.0003444	.0004100
%RSD	1.362908	.5836480	.9117026	2.983284	1.531698	.8452538	.9994606
#1	.0203228	2.071557	.0390678	.0101996	1.860565	.0410299	.0409819
#2	.0207288	2.047628	.0397781	.0098031	1.851351	.0408495	.0414432
#3	.0201962	2.057644	.0393305	.0096239	1.807802	.0403640	.0406255

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.932960	.1005690	.2134214	.0399294	.0401463	.3405009	.0206699
Stddev	.031462	.0009768	.0001174	.0005473	.0003875	.0075690	.0029763
%RSD	1.627655	.9713120	.0550188	1.370679	.9651880	2.222912	14.39938
#1	1.908096	.1011101	.2132967	.0393011	.0397029	.3484475	.0175778
#2	1.968331	.0994413	.2134376	.0403027	.0404202	.3333765	.0235151
#3	1.922453	.1011554	.2135298	.0401844	.0403157	.3396787	.0209167

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CRI01 Acquired: 4/14/2025 14:09:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CRI Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0201602	.0187081	.0200434
Stddev	.0057891	.0006850	.0000878
%RSD	28.71576	3.661694	.4379598
#1	.0135414	.0194869	.0201240
#2	.0226586	.0181989	.0199499
#3	.0242805	.0184385	.0200565

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2777.124	67546.73	13662.85	1825.250	4436.871
Stddev	2.092	129.66	39.14	3.300	7.093
%RSD	.0753157	.1919593	.2865068	.1807805	.1598751
#1	2778.279	67610.34	13623.69	1824.740	4440.905
#2	2778.383	67397.55	13701.98	1822.234	4441.028
#3	2774.709	67632.30	13662.87	1828.775	4428.681

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSA01 Acquired: 4/14/2025 14:14:07 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSA Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0107698	.0054923	.0050291	-.000723	.0013839	235.8746
Stddev	.0015933	.0007631	.0029832	.005372	.0016963	4.0153
%RSD	14.79396	13.89463	59.31844	743.1900	122.5750	1.702305
#1	.0101949	.0051087	.0028753	-.006731	.0008762	235.7283
#2	.0125707	.0063711	.0084342	.000946	-.000001	239.9611
#3	.0095437	.0049970	.0037780	.003617	.003276	231.9345

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0046882	.0013175	-.001943	226.3098	.0551878	.0017709
Stddev	.0004501	.0000285	.000127	.6132	.0006032	.0002353
%RSD	9.600306	2.162489	6.511892	.2709351	1.093013	13.28796
#1	.0050399	.0013132	-.001854	226.1325	.0549448	.0017786
#2	.0048438	.0012914	-.001887	226.9921	.0558746	.0015318
#3	.0041810	.0013479	-.002088	225.8048	.0547439	.0020022

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0092615	99.02089	-.000134	242.4424	.0012000	-.003742
Stddev	.0003791	.63602	.000190	.9961	.0004278	.000103
%RSD	4.093701	.6423135	141.9187	.4108678	35.65096	2.739669
#1	.0093991	98.42049	-.000279	242.6579	.0016498	-.003727
#2	.0095526	98.95482	.000082	243.3132	.0011522	-.003648
#3	.0088328	99.68738	-.000205	241.3562	.0007981	-.003851

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0814294	.0037803	.0041033	.0118367	-.090423	-.000029
Stddev	.0045592	.0010517	.0006489	.0247439	.002310	.000436
%RSD	5.598921	27.82074	15.81333	209.0442	2.554862	1508.872
#1	.0794157	.0027500	.0048296	.0139640	-.091405	.000226
#2	.0866487	.0048522	.0035808	-.013902	-.092080	.000219
#3	.0782237	.0037387	.0038996	.035448	-.087784	-.000533

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSA01 Acquired: 4/14/2025 14:14:07 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSA Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005979	-.001346	.0196425	.0025661	-.014142	.0038594
Stddev	.001361	.000291	.0034961	.0036469	.006563	.0008416
%RSD	22.76577	21.58686	17.79855	142.1221	46.41138	21.80718
#1	-.007100	-.001195	.0231331	.0065394	-.019426	.0033321
#2	-.006373	-.001681	.0161409	.0017875	-.006795	.0048300
#3	-.004464	-.001162	.0196535	-.000629	-.016204	.0034161

Elem	Sr4077
Units	ppm
Avg	F .0951038
Stddev	.0002469
%RSD	.2595768
#1	.0948239
#2	.0952905
#3	.0951971

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2456.379	58835.46	13170.88	1581.638	3562.561
Stddev	5.546	151.96	75.26	.834	7.799
%RSD	.2257797	.2582793	.5714185	.0527429	.2189193
#1	2452.344	59010.93	13152.96	1580.732	3565.663
#2	2462.703	58748.45	13106.19	1582.375	3568.333
#3	2454.090	58747.02	13253.48	1581.807	3553.689

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSAB01 Acquired: 4/14/2025 14:18:32 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSAB Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1138412	.1032843	.0538474	.0470558	.6462207	236.4107
Stddev	.0053064	.0031155	.0016875	.0015543	.0044182	1.3978
%RSD	4.661206	3.016485	3.133945	3.303148	.6837038	.5912665
#1	.1162706	.1068074	.0553787	.0454051	.6495870	238.0226
#2	.1077551	.1021529	.0520381	.0472711	.6412176	235.6768
#3	.1174980	.1008924	.0541253	.0484913	.6478574	235.5327

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4787595	.4932019	1.042878	226.1740	.5525692	.5070907
Stddev	.0015257	.0017049	.001882	.3493	.0018313	.0011848
%RSD	.3186798	.3456716	.1804490	.1544258	.3314111	.2336391
#1	.4804703	.4923329	1.040718	226.2682	.5505840	.5061930
#2	.4782685	.4921066	1.044167	225.7873	.5529312	.5066456
#3	.4775398	.4951662	1.043747	226.4666	.5541925	.5084336

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5063698	95.22607	.4705768	242.9648	.9999994	.1793076
Stddev	.0015019	.04718	.0003346	.5371	.0018794	.0002930
%RSD	.2966045	.0495471	.0711097	.2210533	.1879442	.1634177
#1	.5073053	95.17272	.4703371	243.3512	.9987756	.1790992
#2	.5046373	95.24321	.4704343	242.3515	.9990593	.1791810
#3	.5071667	95.26229	.4709591	243.1917	1.002163	.1796426

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0665623	.4730783	1.039448	-.012325	F -.110759	F -.000417
Stddev	.0061096	.0028366	.006139	.007811	.001709	.000490
%RSD	9.178758	.5996024	.5906102	63.37931	1.542993	117.5905
#1	.0660365	.4762247	1.033579	-.003863	-.111213	-.000730
#2	.0729178	.4722935	1.038938	-.019261	-.108868	.000148
#3	.0607326	.4707168	1.045826	-.013851	-.112194	-.000669

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSAB01 Acquired: 4/14/2025 14:18:32 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSAB Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	F -.004811	F -.002715	F .0119298	F .0028129	F -.009537	F .0014784
Stddev	.000571	.000454	.0020671	.0021506	.008513	.0010637
%RSD	11.86408	16.73289	17.32730	76.45530	89.26457	71.94955
#1	-.004951	-.003222	.0106683	.0003812	-.019171	.0004567
#2	-.005299	-.002346	.0108057	.0035924	-.003031	.0025797
#3	-.004183	-.002576	.0143154	.0044650	-.006408	.0013988

Elem	Sr4077
Units	ppm
Avg	F .0954914
Stddev	.0004858
%RSD	.5086865
#1	.0960513
#2	.0952389
#3	.0951838

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2447.426	59645.68	12692.71	1610.678	3541.487
Stddev	2.335	96.32	34.21	4.518	1.642
%RSD	.0953870	.1614838	.2695515	.2805207	.0463710
#1	2444.885	59746.50	12703.95	1615.868	3543.063
#2	2449.476	59635.94	12719.89	1607.615	3539.785
#3	2447.918	59554.61	12654.29	1608.553	3541.613

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSADLX20 Acquired: 4/14/2025 14:22:47 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSADLX20 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0020450	-.000729	.0005994	-.001710	-.000070	11.60726
Stddev	.0032550	.000187	.0006533	.000550	.000735	.03043
%RSD	159.1651	25.64271	108.9988	32.17951	1056.772	.2621330
#1	.0029896	-.000513	-.000042	-.002026	.000474	11.61762
#2	-.001578	-.000824	.001264	-.002028	.000224	11.63116
#3	.004723	-.000848	.000576	-.001074	-.000906	11.57301

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001168	.0001106	-.000136	11.50165	.0025300	-.000034
Stddev	.000367	.0000705	.000048	.01534	.0003901	.000114
%RSD	31.43750	63.72421	35.20607	.1334053	15.41683	332.3748
#1	-.001541	.0000330	-.000081	11.48435	.0023648	.000012
#2	-.001156	.0001282	-.000166	11.51363	.0022498	.000049
#3	-.000807	.0001706	-.000160	11.50697	.0029755	-.000165

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0006675	F 4.246804	.0003854	11.92901	-.000175	-.000298
Stddev	.0001695	.019268	.0005746	.01099	.000182	.000236
%RSD	25.39102	.4536986	149.1016	.0921196	103.6912	79.36423
#1	.0005620	4.266220	-.000210	11.91717	-.000002	-.000542
#2	.0005775	4.227688	.000430	11.93099	-.000160	-.000070
#3	.0008630	4.246505	.000936	11.93888	-.000364	-.000281

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.050530	.0012037	-.000180	-.036655	-.008794	-.000100
Stddev	.008417	.0009095	.000088	.017400	.000675	.000215
%RSD	16.65763	75.55907	49.17170	47.47012	7.673818	214.7116
#1	-.054412	.0011104	-.000280	-.049186	-.008342	.000139
#2	-.056306	.0021563	-.000149	-.043992	-.008469	-.000278
#3	-.040872	.0003445	-.000111	-.016788	-.009570	-.000161

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSADLX20 Acquired: 4/14/2025 14:22:47 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSADLX20 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001486	-.000599	.0058004	.0013857	.0010042	-.001254
Stddev	.000876	.000626	.0008703	.0019162	.0034118	.000269
%RSD	58.99304	104.4197	15.00433	138.2842	339.7668	21.45351
#1	-.000627	-.000053	.0056760	-.000820	.0037437	-.001514
#2	-.002379	-.000462	.0067263	.002644	-.002817	-.000976
#3	-.001451	-.001282	.0049990	.002333	.002086	-.001271

Elem	Sr4077
Units	ppm
Avg	.0046682
Stddev	.0000383
%RSD	.8202797
#1	.0047012
#2	.0046772
#3	.0046262

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2770.707	67067.76	11782.25	1827.213	4319.386
Stddev	7.588	288.55	29.67	7.977	6.338
%RSD	.2738611	.4302390	.2518127	.4365535	.1467347
#1	2763.325	66894.91	11806.60	1822.282	4314.545
#2	2778.485	67400.87	11749.20	1836.416	4326.560
#3	2770.313	66907.50	11790.94	1822.940	4317.054

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSABDLX20 Acquired: 4/14/2025 14:27:04 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSABDLX20 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0100480	.0051612	.0033170	.0005228	.0318619	11.49939	.0250976
Stddev	.0023004	.0030984	.0017315	.0041753	.0009733	.02421	.0002310
%RSD	22.89432	60.03280	52.20018	798.6092	3.054716	.2105240	.9202444
#1	.0112479	.0030072	.0052444	.0041412	.0307553	11.49068	.0248531
#2	.0073957	.0037642	.0018931	.0014730	.0322452	11.48073	.0253121
#3	.0115005	.0087121	.0028135	-.004046	.0325851	11.52674	.0251274

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0249502	.0509936	11.63855	.0277591	.0242464	.0260972	4.663872
Stddev	.0002731	.0000693	.05251	.0000648	.0001994	.0003586	.021955
%RSD	1.094671	.1358722	.4511869	.2332564	.8222763	1.373897	.4707461
#1	.0246371	.0509855	11.58053	.0278286	.0244732	.0261222	4.672897
#2	.0251395	.0509288	11.68283	.0277481	.0241670	.0257268	4.679877
#3	.0250740	.0510666	11.65229	.0277005	.0240989	.0264426	4.638843

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0250007	11.81450	.0492001	.0081455	-.018578	.0243027	.0503069
Stddev	.0005571	.08343	.0001991	.0003008	.004802	.0006825	.0002994
%RSD	2.228239	.7061809	.4046141	3.693380	25.84705	2.808346	.5952407
#1	.0245341	11.71880	.0490683	.0079650	-.022195	.0237804	.0499620
#2	.0256175	11.85271	.0491029	.0084927	-.020410	.0250750	.0504577
#3	.0248507	11.87198	.0494291	.0079786	-.013130	.0240529	.0505009

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.089602	-.007070	-.000055	-.001786	-.000456	.0080257	.0004681
Stddev	.007036	.000338	.000260	.000219	.000608	.0019976	.0016775
%RSD	7.852746	4.785149	469.3809	12.28094	133.3230	24.89016	358.3760
#1	-.096234	-.006696	-.000274	-.001730	-.001088	.0071059	.0019027
#2	-.082221	-.007161	-.000124	-.002027	-.000404	.0103175	-.001376
#3	-.090351	-.007354	.000232	-.001600	.000124	.0066536	.000878

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: ICSABDLX20 Acquired: 4/14/2025 14:27:04 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: ICSABDLX20 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0031549	-.000742	.0047736
Stddev	.0018412	.000510	.0000321
%RSD	58.36020	68.75959	.6717526
#1	.0052245	-.001223	.0047369
#2	.0025412	-.000795	.0047877
#3	.0016989	-.000207	.0047963

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2742.309	68029.49	13300.55	1850.099	4279.235
Stddev	2.899	53.04	67.50	6.944	5.944
%RSD	.1056966	.0779668	.5075306	.3753150	.1389019
#1	2739.394	67968.60	13376.47	1857.453	4275.177
#2	2745.190	68065.65	13277.89	1843.656	4286.058
#3	2742.343	68054.22	13247.29	1849.189	4276.470

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV01 Acquired: 4/14/2025 14:31:20 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.907529	5.047399	4.937839	4.925506	4.923125	9.747603	9.640581
Stddev	.012662	.035068	.016657	.013711	.010959	.005053	.056457
%RSD	.2580169	.6947716	.3373249	.2783700	.2225931	.0518389	.5856228
#1	4.896389	5.007155	4.919749	4.922761	4.913598	9.744679	9.623694
#2	4.904897	5.063639	4.941226	4.913374	4.920675	9.744692	9.703555
#3	4.921300	5.071403	4.952541	4.940382	4.935101	9.753438	9.594494

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2557222	2.462789	24.39178	1.001308	2.462000	1.243287	4.829014
Stddev	.0007898	.007938	.08045	.001783	.006749	.003474	.014301
%RSD	.3088677	.3222976	.3298404	.1780382	.2741312	.2794186	.2961479
#1	.2566254	2.455163	24.42090	.999271	2.455472	1.240606	4.823668
#2	.2551608	2.462198	24.30082	1.002073	2.461578	1.242043	4.818156
#3	.2553804	2.471005	24.45361	1.002581	2.468950	1.247211	4.845218

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.440414	24.36680	2.461376	1.246640	23.81924	2.444548	2.512587
Stddev	.007227	.13520	.007500	.001895	.05383	.006234	.011877
%RSD	.2961338	.5548335	.3047008	.1520430	.2259742	.2550004	.4727177
#1	2.446009	24.29602	2.455470	1.246323	23.84630	2.451347	2.499450
#2	2.432255	24.28169	2.458844	1.248674	23.85417	2.439101	2.522567
#3	2.442978	24.52269	2.469815	1.244923	23.75725	2.443198	2.515745

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.80082	5.094817	4.999308	4.955782	4.854846	4.767152	4.936648
Stddev	.06759	.016847	.012778	.025349	.007224	.024712	.014304
%RSD	.2839616	.3306617	.2555879	.5115044	.1487987	.5183803	.2897573
#1	23.79959	5.114130	4.988712	4.933909	4.863078	4.748808	4.934097
#2	23.86901	5.087174	4.995713	4.949872	4.851896	4.757394	4.923792
#3	23.73386	5.083146	5.013498	4.983563	4.849565	4.795253	4.952057

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV01 Acquired: 4/14/2025 14:31:20 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.865845	4.868245	4.894648
Stddev	.019477	.010174	.036500
%RSD	.4002781	.2089890	.7457221
#1	4.845352	4.877773	4.896636
#2	4.884115	4.869432	4.857194
#3	4.868069	4.857529	4.930114

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2689.929	64107.09	12420.37	1724.308	4063.001
Stddev	6.257	101.10	21.25	9.442	11.179
%RSD	.2325992	.1576990	.1710573	.5475759	.2751536
#1	2692.136	64222.33	12405.25	1734.557	4070.537
#2	2694.783	64033.35	12444.66	1715.964	4068.311
#3	2682.868	64065.58	12411.19	1722.404	4050.157

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB01 Acquired: 4/14/2025 14:35:31 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB01 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0035805	.0000334	.0006423	-.002423	.0010170	-.000434	-.000714
Stddev	.0005409	.0004532	.0012852	.001588	.0008246	.000808	.000638
%RSD	15.10593	1357.608	200.1000	65.53085	81.07985	186.0715	89.27533
#1	.0037790	-.000145	.0009802	-.000603	.0008180	.000147	-.000051
#2	.0039941	-.000303	.0017247	-.003523	.0003101	-.001357	-.001322
#3	.0029684	.000549	-.000778	-.003144	.0019228	-.000093	-.000770

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000244	-.000077	-.002142	-.000314	.0000913	-.000080	-.005489
Stddev	.0000350	.000044	.005670	.000333	.0002458	.000350	.002676
%RSD	143.7194	57.22717	264.7624	106.1983	269.1606	436.9808	48.74614
#1	.0000475	-.000026	.004062	.000018	-.000133	.000323	-.002899
#2	.0000416	-.000105	-.007057	-.000312	.000354	-.000260	-.008243
#3	-.000016	-.000099	-.003429	-.000648	.000053	-.000302	-.005326

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002985	.0047269	-.000310	.0000119	-.038744	.0006306	-.000621
Stddev	.0004126	.0060725	.000084	.0003222	.009156	.0004525	.000259
%RSD	138.2565	128.4677	27.08627	2711.198	23.63346	71.76463	41.63253
#1	.0000940	-.000027	-.000399	.0001184	-.048818	.0003116	-.000542
#2	.0007734	.002640	-.000232	-.000350	-.030928	.0004317	-.000910
#3	.0000280	.011568	-.000298	.000267	-.036485	.0011485	-.000411

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.063751	.0056929	-.000007	-.000436	.0004699	.0125556	.0037255
Stddev	.007608	.0002540	.000201	.000114	.0004811	.0032444	.0029090
%RSD	11.93398	4.461015	2730.671	26.14283	102.3980	25.84065	78.08381
#1	-.055148	.0056359	.000201	-.000409	.0003158	.0139473	.0003978
#2	-.066511	.0054723	-.000200	-.000339	.0010092	.0148721	.0057857
#3	-.069594	.0059705	-.000023	-.000562	.0000846	.0088475	.0049930

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB01 Acquired: 4/14/2025 14:35:31 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB01 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0014328	-.000946	-.000093
Stddev	.0017527	.000195	.000025
%RSD	122.3331	20.67007	27.27219
#1	.0011088	-.000765	-.000109
#2	.0033248	-.000918	-.000064
#3	-.000135	-.001153	-.000106

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2763.827	66588.13	13242.46	1780.894	4488.543
Stddev	2.016	56.83	46.05	10.592	1.072
%RSD	.0729527	.0853445	.3477168	.5947648	.0238759
#1	2762.189	66628.17	13293.52	1780.060	4487.677
#2	2763.214	66523.09	13229.76	1770.744	4489.742
#3	2766.079	66613.14	13204.09	1791.879	4488.211

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04 Acquired: 4/14/2025 14:39:52 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003548	-.008588	.4441389	.0055056	.0022213	.0123606	.4942526
Stddev	.000755	.002184	.0008166	.0009914	.0021374	.0050057	.0011643
%RSD	21.27746	25.43711	.1838553	18.00788	96.22119	40.49677	.2355658
#1	-.004237	-.006323	.4431978	.0047693	.0011244	.0117758	.4929436
#2	-.002741	-.010682	.4445584	.0066329	.0046844	.0176330	.4951724
#3	-.003666	-.008758	.4446604	.0051145	.0008551	.0076731	.4946418

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000010	.0009836	33.98492	.0011321	.0353183	.0268232	.3619080
Stddev	.000037	.0000417	.12921	.0002301	.0001960	.0005607	.0034559
%RSD	365.9858	4.244087	.3801839	20.32064	.5549504	2.090293	.9549129
#1	-.000052	.0010059	33.83705	.0009979	.0350931	.0270098	.3625620
#2	.000012	.0009355	34.07600	.0010006	.0354115	.0261930	.3581719
#3	.000010	.0010095	34.04171	.0013977	.0354503	.0272667	.3649903

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8588559	8.580820	.0107680	-.000189	403.3876	.0009913	.4235103
Stddev	.0053332	.078637	.0003724	.000168	3.7800	.0006335	.0011137
%RSD	.6209634	.9164283	3.458863	88.49589	.9370736	63.89993	.2629737
#1	.8527078	8.490520	.0105131	-.000118	407.6990	.0017122	.4227052
#2	.8622357	8.617710	.0105955	-.000069	400.6422	.0005236	.4247813
#3	.8616243	8.634230	.0111954	-.000381	401.8217	.0007382	.4230444

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7957800	.0387096	.0000773	-.002036	-.001616	.6991795	.0121218
Stddev	.0371264	.0002520	.0002175	.000390	.000289	.0097185	.0028448
%RSD	4.665406	.6510479	281.4533	19.15638	17.86733	1.389991	23.46884
#1	.8011991	.0385046	.0003127	-.001987	-.001932	.7065787	.0152754
#2	.8298989	.0386333	.0000354	-.002449	-.001550	.6881732	.0097486
#3	.7562418	.0389910	-.000116	-.001673	-.001366	.7027868	.0113414

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04 Acquired: 4/14/2025 14:39:52 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.5652993	-.008076	.1002221
Stddev	.0036252	.000249	.0002603
%RSD	.6412871	3.079948	.2597535
#1	.5659906	-.007924	.0999323
#2	.5685291	-.008363	.1004363
#3	.5613783	-.007941	.1002977

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2518.020	61613.70	13767.70	1652.327	3722.652
Stddev	5.323	107.45	32.40	3.073	2.576
%RSD	.2113841	.1743858	.2353378	.1859749	.0691923
#1	2523.240	61489.72	13784.53	1649.139	3722.243
#2	2512.600	61671.78	13730.34	1652.572	3720.305
#3	2518.219	61679.61	13788.21	1655.270	3725.408

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04DUP Acquired: 4/14/2025 14:44:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002966	-.006614	.4436653	.0010381	.0034838	.0103903	.4887903
Stddev	.002295	.001790	.0006488	.0005315	.0007730	.0070961	.0008231
%RSD	77.36715	27.06823	.1462334	51.19835	22.18960	68.29569	.1683928
#1	-.005392	-.007969	.4438738	.0006903	.0027339	.0048033	.4893506
#2	-.002675	-.007288	.4429380	.0016500	.0042781	.0183746	.4891750
#3	-.000831	-.004584	.4441843	.0007742	.0034394	.0079930	.4878453

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000019	.0010014	33.96056	.0028478	.0352941	.0266595	.3284949
Stddev	.000044	.0000742	.03227	.0004901	.0004337	.0001369	.0046570
%RSD	234.0315	7.408778	.0950089	17.21067	1.228673	.5135840	1.417672
#1	-.000070	.0009976	33.99008	.0029913	.0348685	.0268108	.3242536
#2	.000012	.0010775	33.92611	.0032501	.0352783	.0265441	.3277526
#3	.000001	.0009292	33.96548	.0023019	.0357354	.0266237	.3334784

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8693811	8.655594	.0108451	-.000378	376.9959	-.000142	.4236942
Stddev	.0011958	.045009	.0002758	.000052	1.6711	.000441	.0010150
%RSD	.1375484	.5199951	2.543025	13.75299	.4432564	311.1223	.2395677
#1	.8700466	8.610603	.0106979	-.000432	378.5663	.000293	.4247426
#2	.8680005	8.700620	.0111632	-.000375	375.2397	-.000130	.4236239
#3	.8700960	8.655558	.0106740	-.000328	377.1816	-.000588	.4227162

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7664532	.0395938	.0000590	-.002144	-.001646	.6668056	.0101990
Stddev	.0301629	.0003293	.0002014	.000405	.000502	.0142247	.0013285
%RSD	3.935385	.8315948	341.6260	18.87296	30.47183	2.133263	13.02595
#1	.7817005	.0399342	.0002115	-.001754	-.001123	.6772921	.0103138
#2	.7859485	.0395701	.0001347	-.002118	-.002123	.6725109	.0114663
#3	.7317106	.0392770	-.000169	-.002562	-.001691	.6506140	.0088168

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04DUP Acquired: 4/14/2025 14:44:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.5589736	-.009023	.0995039
Stddev	.0028528	.000257	.0001514
%RSD	.5103644	2.850695	.1521445
#1	.5603408	-.009319	.0993940
#2	.5556946	-.008890	.0996766
#3	.5608856	-.008859	.0994410

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2535.646	62018.64	13039.06	1677.320	3744.912
Stddev	5.238	68.12	40.59	2.155	9.850
%RSD	.2065928	.1098385	.3113106	.1284790	.2630213
#1	2530.692	62079.74	13019.41	1678.683	3739.541
#2	2541.129	62031.00	13085.74	1674.836	3756.280
#3	2535.119	61945.19	13012.04	1678.442	3738.915

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04LX5 Acquired: 4/14/2025 14:48:42 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000636	-.002183	.0930652	.0008707	.0003870	.0045174	.1001412
Stddev	.001221	.000471	.0010760	.0027154	.0012523	.0018585	.0006729
%RSD	192.0898	21.56982	1.156149	311.8502	323.6261	41.14084	.6719621
#1	.000316	-.002496	.0939020	.0034932	-.000746	.0025920	.1001372
#2	-.000211	-.001642	.0918515	-.001929	.001732	.0046593	.0994703
#3	-.002013	-.002412	.0934421	.001048	.000176	.0063009	.1008161

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000405	.0002328	7.077299	.0015865	.0072167	.0054696	.0775978
Stddev	.0000178	.0000810	.005015	.0002715	.0001025	.0003264	.0040018
%RSD	44.01014	34.80940	.0708645	17.11221	1.420729	5.968265	5.157138
#1	.0000212	.0001459	7.082190	.0012753	.0071368	.0057348	.0766892
#2	.0000439	.0002462	7.072168	.0017094	.0073323	.0051050	.0741283
#3	.0000564	.0003062	7.077538	.0017749	.0071811	.0055689	.0819758

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1786379	1.809542	.0021783	-.000189	74.81085	.0012219	.0839971
Stddev	.0012009	.021118	.0001238	.000511	1.00858	.0017522	.0008373
%RSD	.6722658	1.167025	5.682750	270.6859	1.348168	143.3926	.9968205
#1	.1777689	1.798184	.0022847	-.000674	74.41331	.0018754	.0838113
#2	.1781367	1.833908	.0020425	.000344	74.06162	-.000763	.0849116
#3	.1800083	1.796534	.0022078	-.000236	75.95762	.002553	.0832682

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1191489	.0084093	-.000135	-.000415	-.001016	.1307528	.0054433
Stddev	.0229542	.0003515	.000128	.000688	.000679	.0057251	.0014185
%RSD	19.26511	4.179918	94.82769	165.9945	66.76404	4.378575	26.05898
#1	.0950951	.0086599	-.000254	-.000430	-.001798	.1352546	.0059124
#2	.1215346	.0085605	.000001	.000281	-.000673	.1243094	.0065679
#3	.1408171	.0080075	-.000153	-.001096	-.000579	.1326945	.0038497

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04LX5 Acquired: 4/14/2025 14:48:42 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1137265	.0009472	.0205899
Stddev	.0058850	.0006093	.0000615
%RSD	5.174733	64.32452	.2985458
#1	.1128847	.0016503	.0205947
#2	.1199871	.0006157	.0205262
#3	.1083077	.0005755	.0206488

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2704.952	67040.19	13580.88	1798.625	4139.630
Stddev	8.859	167.68	134.24	11.534	3.017
%RSD	.3275120	.2501217	.9884840	.6412430	.0728878
#1	2714.974	66852.23	13516.59	1799.211	4142.140
#2	2698.166	67093.93	13490.87	1786.809	4140.467
#3	2701.716	67174.42	13735.18	1809.854	4136.282

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04MS Acquired: 4/14/2025 14:52:59 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6784911	1.597581	1.208720	1.663722	.5421964	1.632810	.6245073
Stddev	.0025800	.005751	.004798	.004148	.0026532	.007864	.0005718
%RSD	.3802618	.3599866	.3969329	.2493173	.4893370	.4815990	.0915532
#1	.6767201	1.604220	1.212971	1.668494	.5429244	1.624932	.6238646
#2	.6814513	1.594128	1.209670	1.660980	.5392552	1.640659	.6249595
#3	.6773019	1.594394	1.203518	1.661693	.5444096	1.632837	.6246978

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1577322	.1729414	32.77956	.3363853	.1994939	.2642100	2.860022
Stddev	.0002431	.0006058	.03776	.0007398	.0001479	.0001877	.014252
%RSD	.1541144	.3503131	.1151967	.2199366	.0741200	.0710508	.4983334
#1	.1575242	.1734077	32.74509	.3357557	.1996598	.2642365	2.858895
#2	.1579994	.1731599	32.77367	.3372001	.1993759	.2643831	2.874804
#3	.1576729	.1722566	32.81992	.3362000	.1994461	.2640105	2.846366

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9024473	9.647821	.4199280	.0620860	356.8955	.2484378	.5566870
Stddev	.0007001	.071640	.0009304	.0004447	2.5057	.0019286	.0019002
%RSD	.0775794	.7425512	.2215504	.7162149	.7020749	.7762941	.3413403
#1	.9026757	9.587295	.4209018	.0623042	358.6866	.2465716	.5582769
#2	.9030048	9.726918	.4198338	.0615744	357.9678	.2504233	.5545825
#3	.9016616	9.629250	.4190483	.0623795	354.0321	.2483184	.5572018

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.737415	.2471468	.2833884	.4660358	.1302330	1.091256	5.235722
Stddev	.030928	.0006433	.0008894	.0019681	.0010249	.002805	.017795
%RSD	.3176236	.2602912	.3138370	.4223158	.7869439	.2570502	.3398860
#1	9.746517	.2464363	.2835710	.4683072	.1305202	1.094450	5.255911
#2	9.762772	.2476896	.2824219	.4648352	.1310837	1.090124	5.228940
#3	9.702958	.2473146	.2841723	.4649650	.1290952	1.089193	5.222314

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04MS Acquired: 4/14/2025 14:52:59 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4815071	.1683752	.2625031
Stddev	.0026153	.0001767	.0000233
%RSD	.5431466	.1049228	.0088939
#1	.4806381	.1681784	.2625056
#2	.4794370	.1685202	.2625250
#3	.4844463	.1684268	.2624786

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2608.639	63417.88	13189.04	1695.204	3857.169
Stddev	3.838	136.38	9.30	4.451	8.367
%RSD	.1471183	.2150519	.0704978	.2625793	.2169213
#1	2604.467	63321.85	13191.84	1691.644	3847.526
#2	2612.020	63357.82	13196.61	1700.195	3862.503
#3	2609.430	63573.99	13178.66	1693.773	3861.479

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04MSD Acquired: 4/14/2025 14:57:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6999154	1.602388	1.221002	1.707219	.5510655	1.634244	.6032259
Stddev	.0064046	.008062	.001202	.007048	.0019052	.001095	.0020526
%RSD	.9150481	.5030972	.0984543	.4128296	.3457272	.0670185	.3402674
#1	.6935292	1.598057	1.220517	1.701569	.5490398	1.633164	.6050156
#2	.7063382	1.611689	1.220117	1.704970	.5528215	1.635354	.6036766
#3	.6998789	1.597417	1.222370	1.715117	.5513352	1.634214	.6009854

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1652836	.1744944	32.35618	.3399983	.2003505	.2687518	2.750142
Stddev	.0008269	.0005065	.06734	.0002967	.0003518	.0005096	.020262
%RSD	.5002921	.2902771	.2081169	.0872519	.1755716	.1896147	.7367689
#1	.1643434	.1745187	32.28006	.3396648	.2004280	.2681846	2.759603
#2	.1658982	.1739761	32.40797	.3400974	.1999665	.2688997	2.726879
#3	.1656090	.1749883	32.38051	.3402327	.2006571	.2691711	2.763942

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8895325	9.683790	.4240027	.0627369	333.4032	.2431084	.5649456
Stddev	.0011815	.056874	.0008634	.0002105	4.6219	.0005568	.0027581
%RSD	.1328260	.5873074	.2036336	.3354679	1.386268	.2290241	.4881997
#1	.8884493	9.624046	.4240529	.0628118	335.9063	.2437511	.5676584
#2	.8893558	9.737276	.4231153	.0624992	336.2338	.2427705	.5621444
#3	.8907924	9.690049	.4248399	.0628997	328.0697	.2428037	.5650338

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.342518	.2570815	.2862987	.4708933	.1289902	1.079365	5.279580
Stddev	.061035	.0018946	.0003715	.0005079	.0004872	.004793	.007688
%RSD	.6533032	.7369493	.1297446	.1078632	.3777148	.4440953	.1456083
#1	9.412865	.2565264	.2863122	.4703639	.1288734	1.084118	5.271712
#2	9.303631	.2591917	.2859206	.4713766	.1295252	1.079445	5.279956
#3	9.311059	.2555266	.2866632	.4709394	.1285720	1.074532	5.287074

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04MSD Acquired: 4/14/2025 14:57:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4902248	.1662569	.2556448
Stddev	.0036723	.0012577	.0003720
%RSD	.7491020	.7564745	.1455243
#1	.4944644	.1675652	.2560734
#2	.4881767	.1661489	.2554562
#3	.4880333	.1650567	.2554049

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2562.816	62284.80	12616.12	1649.500	3821.083
Stddev	4.335	128.92	55.32	5.422	7.407
%RSD	.1691432	.2069833	.4384734	.3286925	.1938403
#1	2566.499	62231.92	12679.82	1646.078	3823.864
#2	2563.910	62431.75	12588.45	1655.751	3826.696
#3	2558.039	62190.72	12580.11	1646.672	3812.688

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04A Acquired: 4/14/2025 15:01:23 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8145957	1.823109	1.364191	1.990299	.8176444	1.900190	.6491657
Stddev	.0026436	.020412	.003292	.003180	.0030633	.014740	.0019799
%RSD	.3245316	1.119619	.2413459	.1597948	.3746468	.7757296	.3049945
#1	.8173576	1.806107	1.365230	1.989799	.8171960	1.905833	.6484737
#2	.8143407	1.817473	1.360505	1.987398	.8209071	1.911275	.6513988
#3	.8120889	1.845747	1.366839	1.993700	.8148300	1.883462	.6476248

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1822858	.2024685	33.15771	.3952465	.2275994	.3067308	3.297763
Stddev	.0011952	.0003494	.06473	.0011331	.0011685	.0008565	.014438
%RSD	.6557033	.1725601	.1952175	.2866832	.5134060	.2792527	.4378075
#1	.1833811	.2023308	33.21388	.3959062	.2269866	.3072601	3.281284
#2	.1810109	.2022090	33.17232	.3939381	.2268647	.3057426	3.303809
#3	.1824654	.2028658	33.08692	.3958952	.2289468	.3071897	3.308194

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9570906	10.06897	.4915438	.0727147	361.0422	.2838844	.5997186
Stddev	.0042017	.04163	.0014838	.0005241	4.2822	.0028736	.0035822
%RSD	.4390079	.4134393	.3018725	.7208169	1.186057	1.012238	.5973091
#1	.9593680	10.11673	.4913450	.0728759	365.4837	.2805663	.6037668
#2	.9596619	10.04034	.4901694	.0721290	360.7032	.2855376	.5969587
#3	.9522419	10.04984	.4931171	.0731394	356.9396	.2855494	.5984304

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.31684	.2810158	.4232115	.6990068	.1944385	1.370756	6.131620
Stddev	.06656	.0021324	.0011488	.0009821	.0008455	.007142	.027362
%RSD	.5881424	.7588271	.2714377	.1405046	.4348315	.5209899	.4462499
#1	11.26336	.2825699	.4225426	.6980730	.1936627	1.363616	6.144116
#2	11.39138	.2785847	.4245379	.6989163	.1943133	1.377899	6.100241
#3	11.29579	.2818927	.4225539	.7000310	.1953397	1.370754	6.150504

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1743-04A Acquired: 4/14/2025 15:01:23 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.5313741	.2008440	.2917745
Stddev	.0023823	.0010257	.0008211
%RSD	.4483210	.5106904	.2814163
#1	.5332583	.1996763	.2914410
#2	.5286964	.2012563	.2927099
#3	.5321677	.2015994	.2911726

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2556.806	62177.04	13192.01	1644.691	3794.430
Stddev	1.488	347.94	74.51	9.966	7.750
%RSD	.0582140	.5595962	.5647845	.6059646	.2042389
#1	2555.186	61833.26	13107.28	1636.365	3792.530
#2	2557.120	62168.88	13221.46	1641.975	3802.953
#3	2558.113	62528.99	13247.29	1655.734	3787.808

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02 Acquired: 4/14/2025 15:05:34 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0184295	-.006315	.0444089	.0073609	.0007832	19.99912
Stddev	.0043531	.001532	.0015882	.0045787	.0022323	.09954
%RSD	23.62051	24.25479	3.576368	62.20330	285.0389	.4976998
#1	.0214032	-.006146	.0436147	.0022765	-.000473	19.91836
#2	.0204522	-.004875	.0462375	.0111586	.003361	19.96867
#3	.0134330	-.007924	.0433743	.0086475	-.000538	20.11032

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1894156	.0028824	-.000562	22.28257	.0748547	.0174161
Stddev	.0004871	.0000481	.000050	.05236	.0003532	.0000399
%RSD	.2571409	1.667919	8.890311	.2349852	.4719100	.2292783
#1	.1889735	.0028546	-.000558	22.34236	.0745211	.0174007
#2	.1899377	.0028546	-.000514	22.26043	.0752248	.0173861
#3	.1893356	.0029379	-.000613	22.24492	.0748182	.0174614

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0854809	19.70543	.4740484	7.250707	.0362855	-.001051
Stddev	.0011298	.06557	.0003926	.022207	.0002590	.000264
%RSD	1.321666	.3327467	.0828204	.3062788	.7137849	25.17312
#1	.0866735	19.65909	.4745015	7.240632	.0365680	-.000914
#2	.0853425	19.78045	.4738321	7.235323	.0360593	-.001356
#3	.0844267	19.67675	.4738114	7.276166	.0362292	-.000882

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	122.8683	.0449227	.0911566	156.9577	.0453548	.0410395
Stddev	.6534	.0005778	.0009726	.8393	.0004863	.0001992
%RSD	.5318169	1.286260	1.066963	.5347414	1.072157	.4853149
#1	122.7100	.0445842	.0908934	156.8135	.0457495	.0409237
#2	123.5863	.0445940	.0922337	157.8598	.0455033	.0412695
#3	122.3085	.0455899	.0903426	156.1999	.0448116	.0409253

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02 Acquired: 4/14/2025 15:05:34 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000656	.1070685	F 38.05231	1.991299	20.54173	.0233489
Stddev	.0005407	.0005567	.18342	.009927	.06371	.0007549
%RSD	824.4703	.5199902	.4820276	.4985351	.3101329	3.232933
#1	.0003331	.1064659	37.85211	1.980752	20.58872	.0226020
#2	-.000557	.1075638	38.21228	1.992684	20.46922	.0241115
#3	.000420	.1071757	38.09254	2.000461	20.56725	.0233330

Elem	Sr4077
Units	ppm
Avg	.3299288
Stddev	.0006270
%RSD	.1900262
#1	.3306104
#2	.3293768
#3	.3297990

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2730.949	66965.70	14835.69	1795.421	3883.112
Stddev	6.384	197.90	42.67	8.405	3.706
%RSD	.2337622	.2955310	.2876075	.4681173	.0954330
#1	2725.939	67028.45	14818.63	1801.010	3881.782
#2	2728.772	66744.03	14884.24	1785.755	3880.255
#3	2738.137	67124.63	14804.18	1799.497	3887.300

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-03 Acquired: 4/14/2025 15:09:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0186187	-.007818	.0731554	-.003786	-.002836	56.93776
Stddev	.0029569	.000967	.0007481	.002444	.002223	.00855
%RSD	15.88121	12.36696	1.022588	64.55549	78.37508	.0150133
#1	.0220169	-.008925	.0730762	-.002041	-.005315	56.93151
#2	.0166323	-.007392	.0724501	-.006579	-.001020	56.94750
#3	.0172069	-.007138	.0739399	-.002738	-.002174	56.93426

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2430301	.0033470	-.000346	21.00815	.1019319	.0288000
Stddev	.0002531	.0000379	.000058	.05223	.0001218	.0001400
%RSD	.1041504	1.132148	16.70096	.2486338	.1194975	.4859889
#1	.2431598	.0033356	-.000369	21.06842	.1020714	.0289591
#2	.2431920	.0033892	-.000389	20.97991	.1018466	.0286957
#3	.2427384	.0033161	-.000280	20.97611	.1018777	.0287452

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0710989	40.39458	.9177732	12.13693	.0491336	-.002156
Stddev	.0003305	.26057	.0036234	.06462	.0001926	.000255
%RSD	.4648917	.6450717	.3948005	.5324359	.3920983	11.85155
#1	.0707692	40.69137	.9219405	12.21132	.0490047	-.001928
#2	.0714303	40.28903	.9153675	12.10490	.0493550	-.002432
#3	.0710972	40.20333	.9160114	12.09460	.0490410	-.002106

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	66.12134	.1099330	.1239617	5.776767	.0228056	.0119381
Stddev	.37252	.0007181	.0007118	.025693	.0009205	.0003569
%RSD	.5633854	.6532590	.5742284	.4447592	4.036295	2.989229
#1	66.53201	.1094879	.1233203	5.806432	.0236005	.0115398
#2	65.80518	.1107615	.1238373	5.762248	.0217971	.0120458
#3	66.02683	.1095497	.1247276	5.761621	.0230192	.0122287

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-03 Acquired: 4/14/2025 15:09:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001238	.1588008	F 81.14736	.6506696	12.21439	.0316561
Stddev	.0008438	.0007973	.25750	.0021135	.00031	.0007080
%RSD	681.8205	.5020733	.3173219	.3248216	.0025714	2.236549
#1	-.000100	.1592411	81.41414	.6487568	12.21466	.0320243
#2	.001057	.1578805	80.90027	.6503134	12.21448	.0321042
#3	-.000586	.1592809	81.12768	.6529386	12.21405	.0308399

Elem	Sr4077
Units	ppm
Avg	.3518406
Stddev	.0014324
%RSD	.4071193
#1	.3534941
#2	.3509801
#3	.3510474

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2879.535	71076.24	15065.36	1918.263	3994.760
Stddev	4.214	146.44	20.83	6.304	7.305
%RSD	.1463480	.2060352	.1382520	.3286516	.1828536
#1	2882.364	70913.96	15058.34	1911.793	4000.553
#2	2874.692	71116.24	15048.95	1918.608	3986.554
#3	2881.549	71198.53	15088.79	1924.388	3997.172

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-04 Acquired: 4/14/2025 15:14:01 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0149154	-.003699	.0598089	.0008355	-.002578	33.26656
Stddev	.0004746	.000624	.0003252	.0044930	.001994	.03508
%RSD	3.182039	16.85739	.5437641	537.7524	77.32430	.1054478
#1	.0144373	-.004316	.0599436	.0016276	-.002336	33.27964
#2	.0149225	-.003069	.0600451	-.004001	-.004682	33.29323
#3	.0153864	-.003713	.0594380	.004880	-.000717	33.22682

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2045875	.0032950	-.000521	25.72016	.0771598	.0188807
Stddev	.0010323	.0000211	.000085	.04621	.0003160	.0001690
%RSD	.5045548	.6393517	16.35358	.1796744	.4095830	.8950375
#1	.2057310	.0032707	-.000568	25.77091	.0771885	.0187206
#2	.2037245	.0033075	-.000572	25.68051	.0768304	.0188640
#3	.2043069	.0033069	-.000422	25.70907	.0774606	.0190574

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0611448	28.23116	1.035410	9.097831	.0455025	-.002048
Stddev	.0001705	.06293	.001928	.015035	.0004195	.000082
%RSD	.2787864	.2229105	.1862174	.1652636	.9220189	3.999891
#1	.0611444	28.30280	1.036073	9.115061	.0455045	-.001965
#2	.0613155	28.18483	1.033238	9.087374	.0450820	-.002129
#3	.0609746	28.20584	1.036919	9.091057	.0459211	-.002051

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	50.07892	.0389745	.0985781	4.567895	.0129848	.0243315
Stddev	.23652	.0013389	.0007710	.016305	.0005472	.0000803
%RSD	.4722935	3.435341	.7821050	.3569381	4.214434	.3300268
#1	50.34949	.0402247	.0979399	4.569080	.0135762	.0242661
#2	49.91146	.0391372	.0983598	4.583574	.0124963	.0244211
#3	49.97582	.0375617	.0994348	4.551030	.0128818	.0243072

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-04 Acquired: 4/14/2025 15:14:01 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001735	.1154226	F 53.84866	.4492844	13.20580	.0263209
Stddev	.000263	.0022613	.09818	.0029749	.05353	.0001604
%RSD	15.15394	1.959177	.1823270	.6621403	.4053583	.6095375
#1	-.001824	.1178557	53.96062	.4526040	13.24936	.0264676
#2	-.001440	.1150269	53.77729	.4468597	13.14604	.0263455
#3	-.001943	.1133853	53.80806	.4483893	13.22199	.0261496

Elem	Sr4077
Units	ppm
Avg	.3578802
Stddev	.0008679
%RSD	.2425187
#1	.3588796
#2	.3574457
#3	.3573153

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2877.342	69214.09	14107.59	1882.038	4185.102
Stddev	1.795	69.14	6.21	5.435	3.404
%RSD	.0623876	.0998901	.0440157	.2888075	.0813250
#1	2875.271	69141.26	14113.30	1886.110	4182.041
#2	2878.304	69222.18	14100.98	1884.138	4188.767
#3	2878.451	69278.83	14108.49	1875.866	4184.498

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02DUP Acquired: 4/14/2025 15:18:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0167756	-.005641	.0435002	.0002718	-.000098	23.41599
Stddev	.0028140	.000451	.0007502	.0037458	.001892	.12583
%RSD	16.77405	7.991801	1.724542	1378.115	1935.043	.5373855
#1	.0159690	-.006161	.0426487	.0013897	-.002179	23.36494
#2	.0144531	-.005405	.0440637	.0033314	.001518	23.32369
#3	.0199048	-.005357	.0437881	-.003906	.000367	23.55932

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1890559	.0029673	-.000573	21.25367	.0713653	.0169879
Stddev	.0003583	.0000562	.000084	.08335	.0003396	.0003877
%RSD	.1895070	1.893826	14.70455	.3921641	.4758207	2.282175
#1	.1887237	.0029597	-.000551	21.22201	.0717212	.0173500
#2	.1894356	.0029153	-.000667	21.19079	.0710448	.0170350
#3	.1890085	.0030270	-.000502	21.34821	.0713298	.0165789

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0803910	19.54951	.4658029	7.483393	.0328686	-.001126
Stddev	.0003508	.05022	.0009588	.081797	.0002497	.000066
%RSD	.4363999	.2568802	.2058392	1.093044	.7597699	5.819370
#1	.0799919	19.59090	.4665181	7.423592	.0328508	-.001190
#2	.0806508	19.56398	.4647134	7.449980	.0326282	-.001130
#3	.0805303	19.49364	.4661771	7.576607	.0331267	-.001059

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	114.6957	.0444776	.0819570	147.1840	.0439477	.0405016
Stddev	1.3639	.0021918	.0002702	1.1688	.0005248	.0003184
%RSD	1.189176	4.927826	.3297174	.7940963	1.194149	.7862157
#1	115.8407	.0419621	.0818227	148.1001	.0445528	.0407731
#2	115.0596	.0454941	.0822680	147.5843	.0436732	.0405806
#3	113.1867	.0459766	.0817801	145.8677	.0436172	.0401511

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02DUP Acquired: 4/14/2025 15:18:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001144	.1085924	F 41.81251	1.974102	20.20855	.0249533
Stddev	.000839	.0010587	.09938	.007687	.02955	.0005359
%RSD	73.33031	.9749416	.2376899	.3893867	.1462312	2.147779
#1	-.001540	.1076939	41.84235	1.965432	20.24241	.0248716
#2	-.000180	.1083237	41.89355	1.976792	20.19529	.0255255
#3	-.001712	.1097595	41.70162	1.980082	20.18795	.0244630

Elem	Sr4077
Units	ppm
Avg	.3228250
Stddev	.0015790
%RSD	.4891064
#1	.3246298
#2	.3221463
#3	.3216988

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2744.224	68528.97	14531.94	1829.538	3897.668
Stddev	4.681	26.41	103.20	2.637	2.017
%RSD	.1705767	.0385350	.7101316	.1441324	.0517495
#1	2748.679	68506.69	14582.78	1832.474	3895.358
#2	2739.346	68558.14	14599.86	1827.372	3899.081
#3	2744.648	68522.10	14413.19	1828.768	3898.564

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV02 Acquired: 4/14/2025 15:22:30 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV02 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.928553	4.981892	4.926857	4.968631	4.953050	9.731206	9.584896
Stddev	.011871	.018403	.005947	.010112	.010557	.015788	.053899
%RSD	.2408570	.3694022	.1207064	.2035262	.2131333	.1622377	.5623317
#1	4.917593	4.980110	4.927023	4.964800	4.942906	9.728256	9.523498
#2	4.926903	5.001122	4.920829	4.980100	4.952271	9.717101	9.606778
#3	4.941162	4.964445	4.932720	4.960995	4.963976	9.748261	9.624413

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2455040	2.460829	24.06740	.9951296	2.460359	1.246820	4.878266
Stddev	.0012433	.005496	.07972	.0044887	.003134	.001688	.014927
%RSD	.5064099	.2233571	.3312158	.4510620	.1273661	.1353631	.3059984
#1	.2459934	2.458081	24.08572	.9899475	2.459136	1.246347	4.862278
#2	.2440906	2.457249	23.98013	.9976341	2.458022	1.245420	4.891838
#3	.2464282	2.467158	24.13637	.9978071	2.463920	1.248694	4.880683

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.405642	23.98460	2.461324	1.231538	24.44105	2.420330	2.480259
Stddev	.012511	.11502	.003607	.000443	.04943	.003017	.006662
%RSD	.5200667	.4795470	.1465597	.0359675	.2022545	.1246708	.2686045
#1	2.412028	23.92593	2.460427	1.231033	24.49812	2.423390	2.483483
#2	2.391227	23.91075	2.458251	1.231860	24.41163	2.417357	2.472598
#3	2.413672	24.11712	2.465296	1.231722	24.41341	2.420242	2.484696

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.34892	4.876882	4.992122	4.933397	4.819645	4.985446	4.951902
Stddev	.08382	.032800	.007277	.009489	.016153	.016215	.013558
%RSD	.3442469	.6725634	.1457666	.1923419	.3351561	.3252551	.2737844
#1	24.28047	4.887660	4.986020	4.929459	4.829532	4.974913	4.963972
#2	24.44241	4.840049	4.990171	4.926512	4.801004	5.004119	4.937233
#3	24.32390	4.902937	5.000176	4.944222	4.828399	4.977306	4.954500

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV02 Acquired: 4/14/2025 15:22:30 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV02 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.893043	4.848806	4.924039
Stddev	.010521	.012967	.055866
%RSD	.2150247	.2674271	1.134557
#1	4.887751	4.862533	4.905042
#2	4.886217	4.836763	4.880149
#3	4.905159	4.847124	4.986926

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2669.206	64670.17	12866.23	1720.070	4036.528
Stddev	5.331	170.41	37.63	3.429	10.440
%RSD	.1997036	.2635119	.2925054	.1993336	.2586353
#1	2668.939	64750.04	12834.33	1716.783	4034.388
#2	2674.665	64474.49	12907.74	1719.801	4047.872
#3	2664.014	64785.98	12856.63	1723.625	4027.324

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB02 Acquired: 4/14/2025 15:26:40 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB02 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0018043	-.000043	.0011588	-.003569	.0009209	-.000026	.0004340
Stddev	.0012629	.000945	.0006920	.002652	.0028955	.004675	.0004635
%RSD	69.99496	2200.332	59.71886	74.32335	314.4211	18113.28	106.8051
#1	.0009965	-.000052	.0019521	-.001035	-.001539	-.004377	.0008441
#2	.0032597	-.000983	.0006792	-.006325	.004112	.004917	.0005267
#3	.0011568	.000906	.0008451	-.003346	.000190	-.000618	-.000069

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000195	.0001423	-.005658	.0000663	.0002970	.0001127	.0028516
Stddev	.0000391	.0000843	.005447	.0003201	.0000311	.0002568	.0037248
%RSD	200.5815	59.25697	96.26720	482.7045	10.48147	227.9163	130.6226
#1	.0000119	.0000533	-.011671	.0000325	.0003311	.0002280	-.001411
#2	.0000618	.0001528	-.001056	.0004020	.0002899	.0002916	.004487
#3	-.000015	.0002210	-.004246	-.000236	.0002701	-.000182	.005478

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0004486	.0049079	.0001438	-.000135	.1003759	-.000532	-.000109
Stddev	.0001958	.0041281	.0004659	.000507	.0215459	.001166	.000262
%RSD	43.63548	84.11066	323.9354	374.6823	21.46522	219.3690	239.9144
#1	.0003383	.0095505	.0006599	.000074	.0850303	.000804	-.000390
#2	.0006746	.0035224	.0000173	.000234	.0910897	-.001049	.000129
#3	.0003329	.0016508	-.000246	-.000713	.1250078	-.001350	-.000066

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.025240	.0048223	.0005627	-.000116	.0007010	.0158721	.0015200
Stddev	.006418	.0001785	.0002844	.000451	.0002405	.0051030	.0024191
%RSD	25.42948	3.700782	50.54551	389.4361	34.30439	32.15057	159.1454
#1	-.021581	.0049927	.0008707	-.000472	.0009547	.0213356	.0015492
#2	-.021488	.0048374	.0005073	-.000267	.0006717	.0150515	.0039244
#3	-.032651	.0046367	.0003100	.000392	.0004765	.0112292	-.000913

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB02 Acquired: 4/14/2025 15:26:40 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB02 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.000375	.0032981	.0003053
Stddev	.002912	.0012610	.0000679
%RSD	776.7138	38.23412	22.22264
#1	-.003130	.0047283	.0002313
#2	.002673	.0023466	.0003645
#3	-.000668	.0028194	.0003203

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2770.536	66818.32	13629.66	1806.045	4445.340
Stddev	13.344	267.69	14.02	11.499	15.892
%RSD	.4816419	.4006301	.1028498	.6366957	.3575028
#1	2756.575	66509.23	13625.69	1793.513	4427.879
#2	2771.868	66971.18	13645.23	1816.111	4449.183
#3	2783.164	66974.57	13618.05	1808.510	4458.958

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02LX5 Acquired: 4/14/2025 15:31:00 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0047555	-.000187	.0095340	-.001028	-.000874	5.213312	.0377439
Stddev	.0024811	.000586	.0010741	.002015	.001144	.016416	.0005277
%RSD	52.17291	313.2844	11.26559	195.9843	130.7785	.3148820	1.398167
#1	.0055212	-.000847	.0107332	.000725	-.001641	5.209243	.0376972
#2	.0067634	.000016	.0092085	-.003229	.000440	5.231380	.0382934
#3	.0019818	.000270	.0086604	-.000580	-.001423	5.199314	.0372411

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0006892	-.000178	4.455111	.0150392	.0033530	.0176790	3.904740
Stddev	.0000874	.000044	.020811	.0002228	.0001982	.0002027	.014241
%RSD	12.68497	24.63572	.4671288	1.481616	5.912732	1.146389	.3647060
#1	.0005886	-.000131	4.433774	.0149725	.0035658	.0178898	3.920661
#2	.0007320	-.000184	4.475353	.0152877	.0033197	.0174856	3.893215
#3	.0007470	-.000218	4.456205	.0148573	.0031735	.0176615	3.900345

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0986670	1.629021	.0062988	-.000400	20.89682	.0096419	.0170274
Stddev	.0005620	.000471	.0002561	.000526	.03878	.0014595	.0000837
%RSD	.5696020	.0289363	4.066095	131.5428	.1855661	15.13739	.4917495
#1	.0980422	1.629037	.0060031	-.000658	20.91975	.0107802	.0170530
#2	.0991313	1.628542	.0064504	-.000748	20.91865	.0079964	.0169339
#3	.0988274	1.629484	.0064428	.000205	20.85204	.0101491	.0170954

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	27.25925	.0120409	.0082100	-.000386	.0228026	8.516625	.3937483
Stddev	.04831	.0003122	.0001618	.001108	.0004572	.032273	.0060165
%RSD	.1772235	2.592404	1.970141	286.9609	2.005248	.3789449	1.528017
#1	27.31430	.0123594	.0080281	-.001447	.0222922	8.552137	.4002658
#2	27.23958	.0117355	.0082646	.000765	.0229407	8.489084	.3884062
#3	27.22389	.0120279	.0083374	-.000477	.0231748	8.508653	.3925729

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02LX5 Acquired: 4/14/2025 15:31:00 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.050875	.0063229	.0657512
Stddev	.008654	.0005760	.0002795
%RSD	.2136440	9.109341	.4250273
#1	4.058030	.0064214	.0654425
#2	4.041256	.0068433	.0659870
#3	4.053339	.0057040	.0658240

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2752.500	67879.32	13288.25	1837.400	4206.906
Stddev	3.617	123.43	72.87	10.465	1.752
%RSD	.1314095	.1818419	.5483659	.5695452	.0416483
#1	2754.612	67760.60	13369.66	1833.147	4205.628
#2	2748.324	68006.98	13229.14	1849.321	4206.188
#3	2754.566	67870.40	13265.94	1829.731	4208.903

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02MS Acquired: 4/14/2025 15:35:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7564038	1.870041	.9579840	1.799978	.7597251	19.01753
Stddev	.0016454	.002146	.0005286	.003092	.0010089	.06955
%RSD	.2175286	.1147814	.0551776	.1717758	.1327950	.3657362
#1	.7553838	1.871903	.9585895	1.799049	.7602848	19.07281
#2	.7555255	1.867693	.9576147	1.803428	.7603300	18.93944
#3	.7583019	1.870528	.9577476	1.797457	.7585604	19.04036

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2738195	.1882277	.1943016	11.48619	.4104493	.1970493
Stddev	.0011783	.0010486	.0005948	.01275	.0013105	.0002940
%RSD	.4303219	.5570868	.3061215	.1110185	.3192876	.1491968
#1	.2748998	.1870453	.1949825	11.47869	.4091474	.1969381
#2	.2725630	.1885928	.1938830	11.47897	.4117683	.1968272
#3	.2739956	.1890449	.1940394	11.50091	.4104323	.1973827

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3169885	12.26244	.4137841	5.639522	.4878435	.0674967
Stddev	.0006304	.05462	.0007445	.029318	.0005294	.0001061
%RSD	.1988826	.4454642	.1799254	.5198617	.1085228	.1572594
#1	.3165328	12.32078	.4145851	5.607155	.4880130	.0673742
#2	.3177080	12.25403	.4131132	5.647113	.4872501	.0675613
#3	.3167247	12.21251	.4136541	5.664298	.4882674	.0675546

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	54.33205	.2965882	.2443916	76.24330	.2795541	.4123103
Stddev	.39986	.0015348	.0009857	.38039	.0017800	.0004914
%RSD	.7359558	.5175027	.4033100	.4989195	.6367333	.1191919
#1	54.78865	.2979519	.2432540	76.66729	.2779987	.4119046
#2	54.04437	.2968868	.2449906	75.93194	.2791683	.4128568
#3	54.16313	.2949260	.2449302	76.13068	.2814954	.4121694

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02MS Acquired: 4/14/2025 15:35:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6800320	.4915290	F 27.39237	6.549181	9.531737	.2080453
Stddev	.0036782	.0032850	.08012	.012328	.025012	.0010039
%RSD	.5408900	.6683331	.2924891	.1882322	.2624073	.4825493
#1	.6842045	.4921206	27.48105	6.551444	9.554754	.2084359
#2	.6772586	.4944780	27.32520	6.535878	9.505120	.2069048
#3	.6786329	.4879883	27.37086	6.560220	9.535336	.2087953

Elem	Sr4077
Units	ppm
Avg	.3420331
Stddev	.0013554
%RSD	.3962693
#1	.3431598
#2	.3405291
#3	.3424105

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2821.127	67792.32	13407.92	1848.661	4169.026
Stddev	3.871	88.75	51.97	6.490	4.241
%RSD	.1372013	.1309138	.3875729	.3510441	.1017180
#1	2823.071	67817.19	13457.84	1855.589	4171.321
#2	2816.669	67865.99	13411.78	1847.671	4171.625
#3	2823.640	67693.79	13354.13	1842.723	4164.133

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02MSD Acquired: 4/14/2025 15:39:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7498257	1.856408	.9460005	1.781537	.7540564	18.72369
Stddev	.0049029	.026467	.0040614	.001569	.0007735	.01234
%RSD	.6538787	1.425720	.4293252	.0880890	.1025825	.0659180
#1	.7494100	1.876630	.9445788	1.780780	.7532058	18.71155
#2	.7451438	1.866142	.9428410	1.780489	.7542460	18.73622
#3	.7549232	1.826453	.9505816	1.783341	.7547176	18.72330

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2802622	.1901250	.1921074	12.68281	.4071937	.1962905
Stddev	.0005413	.0004044	.0005008	.03215	.0007417	.0003894
%RSD	.1931481	.2127307	.2606633	.2535099	.1821446	.1983991
#1	.2796965	.1905722	.1919451	12.67667	.4071908	.1964115
#2	.2803148	.1897847	.1926692	12.65417	.4064535	.1966050
#3	.2807753	.1900182	.1917079	12.71759	.4079368	.1958549

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3165317	12.96778	.4396722	6.006802	.4829221	.0671651
Stddev	.0006404	.03012	.0016553	.058088	.0009277	.0002867
%RSD	.2023181	.2322693	.3764902	.9670363	.1920940	.4268258
#1	.3169552	12.93536	.4379715	5.973638	.4836188	.0669872
#2	.3168448	12.97309	.4397671	5.972893	.4832784	.0674958
#3	.3157949	12.99489	.4412780	6.073875	.4818691	.0670123

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	59.60721	.2947597	.2392745	82.78228	.2834663	.4116979
Stddev	.16774	.0021082	.0005052	.25111	.0009363	.0007679
%RSD	.2814130	.7152247	.2111241	.3033422	.3302942	.1865105
#1	59.46935	.2924273	.2395628	82.60455	.2834986	.4124619
#2	59.79397	.2965296	.2395696	83.06956	.2843861	.4117056
#3	59.55833	.2953222	.2386912	82.67274	.2825144	.4109262

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02MSD Acquired: 4/14/2025 15:39:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6693240	.4111063	F 26.99159	6.619986	10.56325	.2070533
Stddev	.0001079	.0025877	.02630	.019862	.02978	.0004587
%RSD	.0161227	.6294500	.0974481	.3000245	.2819313	.2215542
#1	.6694430	.4092806	26.96122	6.630081	10.58872	.2074385
#2	.6692324	.4099707	27.00665	6.632773	10.57052	.2071755
#3	.6692966	.4140677	27.00691	6.597105	10.53051	.2065458

Elem	Sr4077
Units	ppm
Avg	.3598636
Stddev	.0008011
%RSD	.2226079
#1	.3589612
#2	.3604910
#3	.3601385

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2814.105	67824.07	13114.99	1856.185	4147.577
Stddev	1.952	114.01	46.09	4.603	6.390
%RSD	.0693768	.1680928	.3514625	.2479896	.1540713
#1	2816.079	67832.15	13124.89	1857.587	4151.183
#2	2812.174	67933.83	13155.33	1859.925	4140.199
#3	2814.063	67706.24	13064.74	1851.044	4151.349

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02A Acquired: 4/14/2025 15:43:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7362663	1.787098	.9423693	1.716720	.7365552	11.97889
Stddev	.0015219	.002608	.0008428	.012227	.0021422	.02668
%RSD	.2066990	.1459146	.0894374	.7122499	.2908462	.2227293
#1	.7378777	1.784188	.9414004	1.719334	.7357952	11.99194
#2	.7348534	1.789222	.9429333	1.727430	.7389738	11.94819
#3	.7360678	1.787884	.9427742	1.703398	.7348965	11.99653

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3267536	.1847610	.1921135	20.65111	.4167528	.2028990
Stddev	.0009145	.0005987	.0002772	.05662	.0007590	.0004919
%RSD	.2798809	.3240490	.1443038	.2741960	.1821274	.2424323
#1	.3268941	.1847820	.1917959	20.62722	.4175774	.2023311
#2	.3257769	.1841521	.1922374	20.61034	.4165978	.2031938
#3	.3275897	.1853489	.1923072	20.71576	.4160833	.2031721

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3365422	16.62962	.6124685	7.726978	.4902852	.0638915
Stddev	.0005661	.05409	.0034942	.063132	.0007159	.0004845
%RSD	.1682023	.3252689	.5705169	.8170347	.1460180	.7583271
#1	.3361968	16.69205	.6115280	7.701463	.4896046	.0643823
#2	.3371955	16.59670	.6095407	7.680597	.4902192	.0638786
#3	.3362344	16.60011	.6163367	7.798875	.4910319	.0634136

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	100.5582	.2986283	.2562427	134.6536	.2823900	.4249156
Stddev	.4620	.0022276	.0013048	.4298	.0015709	.0002604
%RSD	.4594188	.7459391	.5091879	.3191778	.5563018	.0612878
#1	101.0634	.3007848	.2556198	135.0817	.2814169	.4246986
#2	100.4540	.2963358	.2553661	134.6570	.2815508	.4248439
#3	100.1572	.2987644	.2577422	134.2221	.2842023	.4252044

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1774-02A Acquired: 4/14/2025 15:43:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6673356	.2745184	F 19.67428	7.335330	18.14004	.2072876
Stddev	.0028413	.0012696	.04281	.011878	.03546	.0012564
%RSD	.4257700	.4624743	.2175966	.1619247	.1954955	.6060999
#1	.6642363	.2742251	19.72090	7.326325	18.14220	.2079230
#2	.6679530	.2734211	19.66520	7.330875	18.10355	.2058404
#3	.6698174	.2759089	19.63674	7.348792	18.17438	.2080994

Elem	Sr4077
Units	ppm
Avg	.4728624
Stddev	.0010182
%RSD	.2153183
#1	.4736860
#2	.4717241
#3	.4731772

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2781.040	67309.45	13022.72	1822.705	3993.401
Stddev	5.573	106.24	67.70	9.990	5.130
%RSD	.2003950	.1578354	.5198740	.5481029	.1284695
#1	2774.693	67280.89	13054.80	1822.814	3990.896
#2	2783.294	67427.05	13068.42	1832.640	3999.303
#3	2785.132	67220.41	12944.94	1812.661	3990.005

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1705-04 Acquired: 4/14/2025 15:47:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005179	-.010665	.0014406	-.000748	.0077934	.0230405	.4758964
Stddev	.000599	.002103	.0006540	.003453	.0022985	.0063044	.0023451
%RSD	11.57486	19.71502	45.39913	461.4370	29.49311	27.36219	.4927816
#1	-.005780	-.011020	.0006864	-.001728	.0104475	.0299647	.4785429
#2	-.005176	-.008407	.0017834	-.003606	.0064814	.0215241	.4750700
#3	-.004581	-.012567	.0018519	.003089	.0064514	.0176325	.4740764

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000190	-.000181	335.6952	.0104724	.0007346	.0017599	.1953139
Stddev	.000045	.000114	1.5256	.0004392	.0001470	.0001411	.0101373
%RSD	23.66149	62.82748	.4544643	4.194131	20.01000	8.020188	5.190235
#1	-.000163	-.000309	336.8474	.0101282	.0005696	.0016002	.2065916
#2	-.000165	-.000091	336.2731	.0109671	.0007828	.0018682	.1869597
#3	-.000242	-.000144	333.9650	.0103219	.0008515	.0018111	.1923902

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0024601	.0078785	-.000240	-.000538	479.6802	.0015305	.0424883
Stddev	.0002251	.0132074	.000137	.000187	5.0301	.0009066	.0009138
%RSD	9.148510	167.6389	57.09152	34.70285	1.048637	59.23519	2.150650
#1	.0023698	.0176864	-.000254	-.000335	477.6562	.0024552	.0415480
#2	.0022942	.0130882	-.000097	-.000577	485.4070	.0006431	.0433731
#3	.0027163	-.007139	-.000369	-.000702	475.9773	.0014933	.0425438

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	22.81906	.0097571	.0023326	-.004762	-.007378	.1191411	.0089386
Stddev	.10266	.0004011	.0002679	.001156	.000924	.0052006	.0026612
%RSD	.4498724	4.110596	11.48651	24.26765	12.52740	4.365097	29.77248
#1	22.89330	.0092993	.0022309	-.006032	-.006457	.1159978	.0102826
#2	22.86197	.0099254	.0021304	-.003773	-.007372	.1162814	.0106598
#3	22.70191	.0100465	.0026365	-.004481	-.008305	.1251440	.0058734

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1705-04 Acquired: 4/14/2025 15:47:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.296773	-.035670	5.872508
Stddev	.003989	.000575	.031213
%RSD	.3075950	1.612927	.5315137
#1	1.295749	-.035797	5.878620
#2	1.301174	-.036172	5.838691
#3	1.293396	-.035042	5.900213

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2397.667	60045.48	12823.57	1581.406	3508.030
Stddev	6.634	103.16	18.31	1.213	6.074
%RSD	.2766674	.1718097	.1428153	.0766866	.1731528
#1	2405.208	60069.71	12802.79	1581.850	3512.389
#2	2392.733	59932.35	12837.35	1580.034	3501.092
#3	2395.061	60134.37	12830.57	1582.335	3510.610

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1705-05 Acquired: 4/14/2025 15:52:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002507	-.011168	.0021382	-.008048	.0073979	-.030309	.6815630
Stddev	.000056	.002677	.0009058	.004798	.0006273	.004248	.0030429
%RSD	2.252400	23.97054	42.36278	59.62083	8.479169	14.01418	.4464586
#1	-.002457	-.014099	.0027691	-.011180	.0067986	-.029362	.6785637
#2	-.002568	-.008852	.0011003	-.002524	.0073452	-.034951	.6814776
#3	-.002496	-.010553	.0025452	-.010440	.0080498	-.026616	.6846477

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000219	-.000124	334.6351	.0138730	.0022844	.0011657	.0699532
Stddev	.000085	.000119	1.7338	.0001265	.0002824	.0001163	.0018732
%RSD	38.86848	95.68771	.5181114	.9116290	12.36382	9.977151	2.677741
#1	-.000121	-.000225	332.8107	.0138439	.0020160	.0010619	.0697310
#2	-.000274	-.000155	336.2612	.0137637	.0025791	.0012914	.0682010
#3	-.000262	.000007	334.8334	.0140115	.0022580	.0011437	.0719275

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001148	.0105453	-.000569	-.000313	492.0308	.0009561	.0508566
Stddev	.000424	.0076174	.000143	.000269	7.7289	.0007498	.0007426
%RSD	36.91658	72.23498	25.14649	86.01503	1.570818	78.42525	1.460249
#1	-.001505	.0183408	-.000536	-.000597	488.4505	.0018164	.0502247
#2	-.000680	.0101757	-.000445	-.000282	486.7412	.0006102	.0516746
#3	-.001261	.0031195	-.000725	-.000061	500.9006	.0004416	.0506704

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	53.60315	.0122260	.0022894	-.003915	-.007327	.1234397	.0095765
Stddev	.77470	.0002998	.0003463	.000683	.000184	.0063514	.0053126
%RSD	1.445247	2.451936	15.12614	17.43864	2.505812	5.145331	55.47530
#1	52.77110	.0121960	.0020540	-.003228	-.007346	.1161456	.0049251
#2	53.73471	.0125396	.0021272	-.003924	-.007501	.1277483	.0084385
#3	54.30365	.0119423	.0026871	-.004594	-.007136	.1264251	.0153659

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1705-05 Acquired: 4/14/2025 15:52:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.808944	-.026138	10.58002
Stddev	.004051	.000966	.09094
%RSD	.2239373	3.694926	.8595684
#1	1.804267	-.026396	10.62012
#2	1.811236	-.026949	10.47592
#3	1.811329	-.025070	10.64402

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2353.676	58049.78	12142.36	1525.147	3441.917
Stddev	5.085	297.16	61.79	13.313	4.101
%RSD	.2160354	.5119021	.5088726	.8729277	.1191569
#1	2348.342	58386.78	12083.07	1538.973	3438.544
#2	2354.218	57825.34	12137.62	1512.414	3440.724
#3	2358.468	57937.23	12206.38	1524.052	3446.482

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167533BL Acquired: 4/14/2025 15:56:46 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0024009	-.000260	.0001106	.0007768	.0004451	.0023080	-.000404
Stddev	.0007239	.001612	.0009191	.0001705	.0017854	.0036136	.001011
%RSD	30.15319	619.6479	831.3806	21.94764	401.1082	156.5666	250.3399
#1	.0021379	.001583	-.000697	.0006445	-.000126	-.000999	-.000037
#2	.0032195	-.001404	.001111	.0009692	-.000985	.001758	-.001547
#3	.0018451	-.000960	-.000082	.0007167	.002446	.006165	.000373

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000024	.0000019	-.003432	-.000145	-.000072	.0059668	-.001344
Stddev	.000035	.0000382	.006667	.000211	.000110	.0002569	.000806
%RSD	148.4623	2031.661	194.2297	145.8639	153.2399	4.305032	60.01157
#1	-.000032	.0000042	-.007812	-.000083	.000053	.0062060	-.001397
#2	.000015	-.000037	-.006725	-.000380	-.000116	.0056953	-.000512
#3	-.000055	.000039	.004240	.000029	-.000153	.0059990	-.002122

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002710	.0119200	.0004866	-.000260	.3269882	-.000035	.0001764
Stddev	.0004674	.0178628	.0001191	.000048	.0075035	.000760	.0003259
%RSD	172.4335	149.8559	24.46708	18.35481	2.294742	2149.891	184.7929
#1	.0005421	-.004951	.0004347	-.000313	.3355389	-.000598	.0004512
#2	.0005396	.030632	.0004024	-.000245	.3239242	.000830	-.000184
#3	-.000269	.010079	.0006229	-.000221	.3215015	-.000338	.000262

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1178066	-.001070	-.000023	-.000522	-.000260	.0047525	.0027674
Stddev	.0322250	.000495	.000186	.000532	.000355	.0028171	.0018405
%RSD	27.35412	46.20374	825.0474	101.9793	136.7429	59.27575	66.50578
#1	.0807355	-.000541	-.000040	-.001127	-.000490	.0076740	.0048453
#2	.1391257	-.001521	-.000200	-.000314	.000149	.0020530	.0021144
#3	.1335587	-.001149	.000172	-.000125	-.000439	.0045305	.0013425

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167533BL Acquired: 4/14/2025 15:56:46 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0012110	.0088726	.0000824
Stddev	.0022123	.0007889	.0000342
%RSD	182.6914	8.891866	41.47084
#1	.0033819	.0097730	.0000436
#2	.0012915	.0085426	.0000957
#3	-.001041	.0083023	.0001080

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2793.061	68356.76	12882.60	1849.464	4476.408
Stddev	8.867	207.26	48.65	9.620	9.421
%RSD	.3174493	.3032047	.3776058	.5201678	.2104672
#1	2788.410	68140.37	12826.99	1843.607	4472.921
#2	2787.487	68553.49	12917.29	1860.567	4469.227
#3	2803.285	68376.42	12903.52	1844.217	4487.076

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167533BS Acquired: 4/14/2025 16:01:07 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8159887	2.056020	1.009260	2.048776	.8212044	1.917307
Stddev	.0009664	.011277	.002335	.000999	.0023097	.006837
%RSD	.1184299	.5484689	.2313596	.0487369	.2812551	.3566192
#1	.8170620	2.067648	1.009463	2.047854	.8216364	1.924658
#2	.8157165	2.055282	1.006831	2.049837	.8232677	1.916127
#3	.8151876	2.045131	1.011487	2.048636	.8187093	1.911136

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1935461	.1950760	.2048770	1.000355	.4012435	.1984969
Stddev	.0016281	.0006293	.0001602	.005769	.0009486	.0000992
%RSD	.8411686	.3225825	.0781876	.5766641	.2364170	.0499918
#1	.1947464	.1952477	.2050005	.993921	.4023318	.1986093
#2	.1941990	.1956017	.2046960	1.002077	.4008062	.1984600
#3	.1916930	.1943787	.2049345	1.005065	.4005924	.1984214

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3101804	3.025496	.1989749	1.900971	.4968422	.0743582
Stddev	.0002625	.017142	.0009710	.004422	.0003393	.0002796
%RSD	.0846223	.5665884	.4879937	.2326406	.0682898	.3760355
#1	.3101091	3.045284	.2000592	1.896128	.4966352	.0743394
#2	.3104712	3.015177	.1986797	1.904795	.4966577	.0740885
#3	.3099610	3.016027	.1981857	1.901991	.4972338	.0746468

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.999620	.2924887	.2021113	9.695306	.2841417	.4114842
Stddev	.017749	.0009626	.0005190	.036473	.0007419	.0012855
%RSD	.5917075	.3290985	.2567790	.3761975	.2611035	.3124091
#1	2.987918	.2927754	.2026401	9.727698	.2848271	.4127520
#2	2.990899	.2914154	.2016027	9.655799	.2833539	.4101817
#3	3.020042	.2932754	.2020910	9.702420	.2842439	.4115188

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167533BS Acquired: 4/14/2025 16:01:07 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7035654	.1975947	F .6945906	5.995569	F -.003115	.2095688
Stddev	.0008370	.0005721	.0093578	.000823	.003755	.0007670
%RSD	.1189668	.2895054	1.347242	.0137287	120.5597	.3659793
#1	.7039996	.1976705	.6968241	5.995567	-.003141	.2098186
#2	.7026005	.1969885	.6843181	5.996394	.000653	.2101797
#3	.7040960	.1981250	.7026295	5.994747	-.006857	.2087080

Elem	Sr4077
Units	ppm
Avg	.2030801
Stddev	.0003725
%RSD	.1834234
#1	.2035085
#2	.2028995
#3	.2028323

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2766.343	67205.05	13544.90	1855.833	4314.741
Stddev	7.930	78.50	37.59	3.476	9.262
%RSD	.2866432	.1168074	.2774912	.1873026	.2146601
#1	2762.431	67163.75	13556.55	1856.927	4310.608
#2	2761.130	67295.57	13502.87	1858.630	4308.265
#3	2775.468	67155.82	13575.28	1851.941	4325.350

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-04 Acquired: 4/14/2025 16:05:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002352	-.007647	-.000021	.0039831	.0002165	.1268165	.3388255
Stddev	.002905	.001679	.001484	.0023441	.0014107	.0007197	.0002179
%RSD	123.5359	21.95264	6990.198	58.85057	651.6982	.5675278	.0643132
#1	-.001471	-.006929	-.001501	.0017918	-.000527	.1271635	.3386150
#2	-.005595	-.009565	-.000029	.0064548	.001843	.1272969	.3390501
#3	.000011	-.006446	.001467	.0037028	-.000667	.1259890	.3388114

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000936	.0001920	3.723620	.0001583	.0031213	.0160125	.0035978
Stddev	.0000364	.0000285	.010553	.0003783	.0000787	.0001238	.0065003
%RSD	38.85898	14.84528	.2833977	238.8833	2.520573	.7729572	180.6713
#1	.0001172	.0002164	3.716594	-.000010	.0031000	.0161259	.0024131
#2	.0000517	.0001607	3.718511	.000592	.0032084	.0158805	.0106090
#3	.0001119	.0001990	3.735755	-.000107	.0030554	.0160310	-.002229

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3812545	1.490385	.0027483	-.000628	357.9920	.0013552	.2238255
Stddev	.0002969	.009603	.0004018	.000349	4.5210	.0006507	.0006342
%RSD	.0778692	.6443157	14.61980	55.55322	1.262879	48.01362	.2833326
#1	.3812153	1.497040	.0031804	-.000699	357.3498	.0020618	.2231192
#2	.3809792	1.479377	.0026783	-.000249	353.8264	.0012235	.2243461
#3	.3815690	1.494739	.0023860	-.000936	362.7997	.0007805	.2240111

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6824296	.0291893	-.000361	-.000887	-.000915	.4074514	.0119928
Stddev	.0193522	.0000239	.000178	.000495	.000317	.0037761	.0042842
%RSD	2.835775	.0819838	49.36275	55.78022	34.65455	.9267555	35.72304
#1	.7037107	.0291802	-.000564	-.001352	-.000967	.4034152	.0115138
#2	.6776917	.0291713	-.000284	-.000940	-.001203	.4080410	.0079683
#3	.6658863	.0292165	-.000234	-.000367	-.000575	.4108980	.0164964

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-04 Acquired: 4/14/2025 16:05:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4266255	-.002651	.0337850
Stddev	.0062149	.000357	.0001457
%RSD	1.456756	13.44925	.4311877
#1	.4201461	-.003059	.0336176
#2	.4325369	-.002398	.0338831
#3	.4271934	-.002496	.0338542

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2641.446	64994.58	13019.18	1756.166	3898.935
Stddev	3.471	217.74	70.52	9.426	7.915
%RSD	.1313931	.3350074	.5416445	.5367156	.2029930
#1	2638.452	64754.26	12942.95	1746.474	3896.886
#2	2645.250	65178.74	13082.08	1765.300	3907.673
#3	2640.634	65050.73	13032.51	1756.723	3892.247

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-08 Acquired: 4/14/2025 16:09:35 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0011340	-.007072	.0088729	-.002263	.0036431	.0439026	.2502245
Stddev	.0031633	.001293	.0003287	.004686	.0012149	.0023266	.0011625
%RSD	278.9390	18.28928	3.704771	207.0850	33.34759	5.299451	.4645741
#1	.0047081	-.008280	.0092206	-.003978	.0035013	.0424988	.2491356
#2	-.000000	-.007229	.0088308	.003039	.0049226	.0426209	.2514487
#3	-.001306	-.005707	.0085672	-.005849	.0025053	.0465882	.2500893

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000181	.0001652	10.19380	-.000122	.0066659	.0136622	.0119959
Stddev	.000037	.0000867	.04149	.000343	.0000863	.0002211	.0019916
%RSD	20.49540	52.50152	.4069694	282.2325	1.294333	1.618252	16.60221
#1	-.000224	.0000666	10.18104	-.000423	.0067398	.0139149	.0096972
#2	-.000156	.0002298	10.24016	-.000194	.0065711	.0135043	.0130875
#3	-.000165	.0001992	10.16019	.000252	.0066868	.0135674	.0132029

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.372803	3.391618	.0071593	.0002595	375.7451	.0001141	.0635324
Stddev	.008789	.009279	.0001936	.0002987	4.7053	.0016193	.0003194
%RSD	.3704117	.2735921	2.704379	115.0834	1.252252	1419.478	.5027114
#1	2.374091	3.401010	.0071544	.0005811	377.8506	-.001742	.0631636
#2	2.380878	3.391388	.0069682	-.000009	379.0299	.001235	.0637132
#3	2.363442	3.382456	.0073553	.000207	370.3547	.000850	.0637204

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.147102	.0285738	-.000345	.0003571	-.000400	.5850195	.0196060
Stddev	.003806	.0009964	.000361	.0008476	.000633	.0049395	.0018882
%RSD	.3317583	3.487048	104.6138	237.3405	158.1368	.8443258	9.630513
#1	1.146480	.0280230	-.000173	.0008038	.000323	.5880958	.0217042
#2	1.143645	.0297240	-.000759	-.000620	-.000674	.5876408	.0190700
#3	1.151180	.0279744	-.000102	.000888	-.000850	.5793220	.0180437

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-08 Acquired: 4/14/2025 16:09:35 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2739794	-.001221	.0538869
Stddev	.0042832	.000590	.0001907
%RSD	1.563328	48.28059	.3539169
#1	.2707731	-.001713	.0537562
#2	.2723215	-.000568	.0541057
#3	.2788438	-.001384	.0537987

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2568.294	63335.39	12888.91	1721.133	3810.792
Stddev	8.358	164.91	90.30	1.443	19.663
%RSD	.3254125	.2603683	.7006094	.0838597	.5159804
#1	2576.500	63204.40	12850.62	1719.515	3830.877
#2	2568.590	63281.18	12824.06	1721.598	3809.917
#3	2559.793	63520.57	12992.04	1722.287	3791.581

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV03 Acquired: 4/14/2025 16:28:40 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV03 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.886876	4.869625	4.931722	4.902912	4.914872	9.757213	9.873915
Stddev	.013240	.051761	.016966	.011144	.013114	.014714	.117677
%RSD	.2709294	1.062939	.3440221	.2272994	.2668132	.1507990	1.191801
#1	4.875764	4.812880	4.939415	4.890329	4.918155	9.772768	9.869280
#2	4.883340	4.881743	4.912272	4.906869	4.900428	9.743518	9.758624
#3	4.901525	4.914252	4.943478	4.911537	4.926031	9.755353	9.993842

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2484420	2.472973	24.42673	.9833581	2.476052	1.246382	4.971120
Stddev	.0015434	.008271	.12422	.0013258	.006283	.003439	.011998
%RSD	.6212207	.3344497	.5085426	.1348250	.2537505	.2759244	.2413523
#1	.2485103	2.476821	24.38299	.9818793	2.479401	1.244925	4.957338
#2	.2468657	2.463479	24.33030	.9837546	2.468804	1.243911	4.976794
#3	.2499502	2.478618	24.56691	.9844405	2.479951	1.250310	4.979229

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.461418	24.20106	2.471467	1.234428	26.48218	2.448925	2.471957
Stddev	.009967	.12661	.005940	.001176	.14124	.008560	.004391
%RSD	.4049304	.5231687	.2403454	.0952281	.5333574	.3495302	.1776461
#1	2.454432	24.12598	2.473988	1.233465	26.38009	2.445593	2.470131
#2	2.456990	24.12996	2.464682	1.234080	26.64338	2.442533	2.476966
#3	2.472831	24.34724	2.475731	1.235738	26.42309	2.458650	2.468772

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	26.07955	4.973866	4.946534	4.950649	4.906966	4.867039	5.063554
Stddev	.15317	.035019	.008300	.017054	.008637	.033029	.014737
%RSD	.5873090	.7040538	.1677931	.3444855	.1760074	.6786209	.2910313
#1	25.98766	4.976548	4.945290	4.950880	4.904919	4.847196	5.054817
#2	26.25637	4.937584	4.938926	4.933481	4.899537	4.905167	5.055277
#3	25.99463	5.007467	4.955386	4.967587	4.916443	4.848755	5.080568

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV03 Acquired: 4/14/2025 16:28:40 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV03 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.937239	4.931351	4.972798
Stddev	.003048	.003590	.044961
%RSD	.0617364	.0727994	.9041473
#1	4.937832	4.928851	4.949951
#2	4.933938	4.935465	4.943848
#3	4.939947	4.929738	5.024596

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2695.468	64918.40	12790.59	1776.210	4029.428
Stddev	6.378	189.57	85.44	6.754	10.678
%RSD	.2366265	.2920149	.6679764	.3802638	.2650119
#1	2689.531	65131.75	12809.49	1783.125	4020.293
#2	2702.211	64854.10	12864.99	1769.629	4041.168
#3	2694.663	64769.34	12697.28	1775.876	4026.824

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB03 Acquired: 4/14/2025 16:32:51 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB03 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0015495	-.000101	-.000564	-.001236	.0024498	.0030914	.0002361
Stddev	.0013001	.000993	.000947	.003544	.0011233	.0011149	.0003333
%RSD	83.90787	985.5765	167.8956	286.7461	45.85339	36.06439	141.1362
#1	.0029899	.000080	-.001106	.002361	.0033959	.0025889	-.000148
#2	.0011957	.000789	-.001115	-.001343	.0027453	.0023163	.000417
#3	.0004629	-.001172	.000529	-.004725	.0012083	.0043691	.000440

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000312	.0000710	-.001042	-.000166	.0002150	.0003891	-.003192
Stddev	.0000191	.0000155	.011626	.000118	.0001468	.0000243	.001191
%RSD	61.36632	21.86912	1115.506	71.04416	68.26843	6.248536	37.32196
#1	.0000091	.0000650	.002468	-.000039	.0003769	.0003612	-.003975
#2	.0000428	.0000886	.008425	-.000272	.0001773	.0004051	-.001821
#3	.0000417	.0000594	-.014019	-.000187	.0000907	.0004012	-.003780

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0008344	.0092190	-.000239	-.000021	.0388314	.0006395	-.000132
Stddev	.0003827	.0143963	.000112	.000369	.0110502	.0008990	.000271
%RSD	45.86580	156.1580	46.82644	1766.052	28.45701	140.5725	204.8723
#1	.0005586	-.005840	-.000123	.000281	.0260756	.0004739	.000177
#2	.0006732	.010652	-.000249	.000089	.0449327	-.000165	-.000247
#3	.0012713	.022845	-.000347	-.000433	.0454858	.001610	-.000327

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.054859	.0098828	.0002340	-.000027	-.000718	.0185497	.0039960
Stddev	.009749	.0003853	.0001716	.000343	.000944	.0027494	.0009690
%RSD	17.77058	3.898858	73.33120	1260.544	131.3943	14.82205	24.24879
#1	-.044195	.0102603	.0002431	.000368	-.001735	.0208824	.0046983
#2	-.063314	.0098979	.0000580	-.000214	.000129	.0192482	.0043992
#3	-.057067	.0094901	.0004008	-.000236	-.000549	.0155183	.0028905

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB03 Acquired: 4/14/2025 16:32:51 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB03 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.002356	.0017227	.0001745
Stddev	.002663	.0004114	.0000304
%RSD	113.0377	23.88076	17.43244
#1	-.004862	.0013200	.0001724
#2	-.002646	.0017059	.0001453
#3	.000440	.0021423	.0002060

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2787.498	67668.71	13199.62	1861.177	4438.036
Stddev	2.400	92.03	29.42	2.100	6.451
%RSD	.0861148	.1360064	.2229062	.1128504	.1453533
#1	2788.225	67585.01	13231.10	1858.962	4436.968
#2	2789.451	67653.84	13194.92	1861.427	4444.954
#3	2784.818	67767.27	13172.82	1863.141	4432.185

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-01 Acquired: 4/14/2025 16:37:11 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0446263	.0053076	.1234240	.0012678	-.006766	116.3110	.5519395
Stddev	.0013343	.0009925	.0018161	.0084917	.003694	.1284	.0021444
%RSD	2.989969	18.69995	1.471419	669.8033	54.59395	.1103899	.3885180
#1	.0434020	.0047259	.1222796	.0108576	-.005741	116.4584	.5526551
#2	.0444284	.0047433	.1255180	-.005298	-.010864	116.2239	.5495288
#3	.0460485	.0064536	.1224745	-.001756	-.003693	116.2506	.5536346

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0108032	.0000429	12.14235	.2008933	.1229991	.3853844	238.8693
Stddev	.0001791	.0002928	.02661	.0003763	.0005378	.0008661	1.4173
%RSD	1.657863	682.9229	.2191503	.1873065	.4372452	.2247393	.5933507
#1	.0106386	-.000254	12.16199	.2005288	.1233704	.3854437	240.4502
#2	.0107772	.000332	12.11207	.2012803	.1223823	.3844902	237.7121
#3	.0109939	.000051	12.15300	.2008708	.1232445	.3862194	238.4457

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.865392	43.18579	.2353525	-.010919	1.192165	.3083714	.6544134
Stddev	.019279	.15751	.0003096	.000097	.015737	.0011727	.0029665
%RSD	.3286849	.3647201	.1315465	.8849249	1.320075	.3802772	.4533006
#1	5.871392	43.09054	.2350602	-.010906	1.208679	.3070581	.6577976
#2	5.843826	43.09924	.2353203	-.011022	1.190477	.3093135	.6531798
#3	5.880956	43.36759	.2356769	-.010830	1.177340	.3087426	.6522628

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.70700	-.302121	.0042453	-.002687	4.193295	6.547040	6.823449
Stddev	.11667	.007508	.0002439	.001108	.005642	.037569	.023489
%RSD	.9966256	2.485031	5.745989	41.23754	.1345556	.5738393	.3442365
#1	11.84095	-.294339	.0044891	-.001408	4.197064	6.587429	6.842413
#2	11.65255	-.302702	.0040012	-.003358	4.186808	6.540557	6.797174
#3	11.62751	-.309321	.0042455	-.003295	4.196013	6.513134	6.830761

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-01 Acquired: 4/14/2025 16:37:11 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4547761	.2939697	.0738999
Stddev	.0081517	.0010640	.0002678
%RSD	1.792468	.3619525	.3624119
#1	.4537626	.2941336	.0741792
#2	.4471785	.2928332	.0736453
#3	.4633872	.2949423	.0738751

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3092.463	74043.64	14243.54	2027.863	4028.875
Stddev	3.581	226.42	54.09	16.361	7.344
%RSD	.1158030	.3057904	.3797492	.8068339	.1822804
#1	3089.493	73794.98	14303.69	2009.301	4020.937
#2	3096.440	74098.03	14228.04	2040.192	4035.427
#3	3091.457	74237.91	14198.89	2034.097	4030.261

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-05 Acquired: 4/14/2025 16:41:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0682958	.0145125	.1980848	.0050138	-.013901	132.8121	.9698961
Stddev	.0024807	.0015955	.0018960	.0023535	.002187	.1708	.0004398
%RSD	3.632207	10.99388	.9571435	46.94082	15.72951	.1286263	.0453416
#1	.0705011	.0137738	.1959167	.0077098	-.016151	132.6926	.9699889
#2	.0687763	.0134203	.1994317	.0039611	-.013770	132.7359	.9702820
#3	.0656101	.0163435	.1989059	.0033703	-.011783	133.0077	.9694173

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0112406	-.005089	23.54524	.2682996	.1312069	.2304373	313.3733
Stddev	.0000248	.000101	.07251	.0002483	.0003935	.0006566	.7042
%RSD	.2205497	1.986088	.3079731	.0925603	.2999323	.2849506	.2247107
#1	.0112562	-.005001	23.62799	.2684037	.1308066	.2300467	312.5672
#2	.0112120	-.005066	23.49278	.2684789	.1315933	.2300698	313.8687
#3	.0112537	-.005199	23.51495	.2680161	.1312206	.2311954	313.6839

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.828061	59.03980	.2884429	-.009843	1.346632	.3606539	.6452732
Stddev	.023078	.22928	.0002349	.000120	.013553	.0006168	.0016390
%RSD	.3379874	.3883415	.0814350	1.219592	1.006402	.1710239	.2540034
#1	6.854682	59.29328	.2882044	-.009772	1.352609	.3613546	.6452432
#2	6.813718	58.84688	.2884503	-.009775	1.356169	.3601930	.6436494
#3	6.815781	58.97926	.2886740	-.009982	1.331119	.3604141	.6469270

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	16.21543	-.245996	.0065397	.0040348	2.806998	4.802849	6.830051
Stddev	.10338	.012462	.0003522	.0003577	.002118	.036636	.016233
%RSD	.6375666	5.065769	5.385853	8.865258	.0754608	.7627968	.2376696
#1	16.09607	-.259050	.0063893	.0041758	2.809356	4.761135	6.812481
#2	16.27367	-.234226	.0062878	.0043005	2.805257	4.829802	6.833184
#3	16.27657	-.244713	.0069422	.0036281	2.806382	4.817611	6.844490

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1753-05 Acquired: 4/14/2025 16:41:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.3765299	.4602594	.1471540
Stddev	.0020971	.0022437	.0002363
%RSD	.5569419	.4874801	.1605996
#1	.3750575	.4580252	.1474195
#2	.3756012	.4625124	.1469667
#3	.3789309	.4602405	.1470759

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2989.547	72214.94	15205.97	1971.041	3943.227
Stddev	4.116	11.80	90.69	4.516	5.469
%RSD	.1376774	.0163349	.5964146	.2291351	.1386827
#1	2985.670	72203.84	15101.77	1965.904	3939.754
#2	2989.105	72213.66	15267.08	1974.390	3940.397
#3	2993.866	72227.33	15249.07	1972.828	3949.531

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1768-01 Acquired: 4/14/2025 16:45:25 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0789032	-.013776	6.930351	.0025048	.0593756	137.7112
Stddev	.0059775	.001202	.022438	.0035260	.0030218	.1123
%RSD	7.575738	8.726690	.3237601	140.7743	5.089367	.0815799
#1	.0730155	-.012565	6.905862	.0051830	.0562909	137.6299
#2	.0787274	-.013793	6.935269	.0038213	.0595055	137.6644
#3	.0849666	-.014970	6.949921	-.001490	.0623304	137.8394

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.206752	.0074232	.0171688	112.8602	.7239206	.1022468
Stddev	.002444	.0000375	.0002413	.4029	.0005262	.0003571
%RSD	.2025523	.5045880	1.405367	.3569775	.0726893	.3492118
#1	1.209405	.0073804	.0170502	112.8174	.7243269	.1020791
#2	1.206261	.0074501	.0170099	112.4804	.7241086	.1020043
#3	1.204590	.0074390	.0174465	113.2828	.7233261	.1026568

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.866396	233.1036	3.293061	59.23645	.4329229	.1381583
Stddev	.003988	.4740	.010631	.27690	.0012247	.0000936
%RSD	.0819529	.2033233	.3228339	.4674463	.2828930	.0677509
#1	4.864747	233.5080	3.300753	59.25331	.4324532	.1381916
#2	4.863498	233.2208	3.280930	58.95151	.4320026	.1380526
#3	4.870945	232.5821	3.297502	59.50454	.4343130	.1382307

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.954182	.4884083	F 33.17195	9.633512	.1281286	.0359389
Stddev	.019977	.0012432	.42783	.012961	.0059071	.0003443
%RSD	.3355180	.2545449	1.289724	.1345429	4.610316	.9581584
#1	5.944888	.4882035	33.66595	9.640321	.1283201	.0362749
#2	5.977113	.4897413	32.92786	9.641650	.1339376	.0355868
#3	5.940545	.4872803	32.92204	9.618566	.1221280	.0359550

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1768-01 Acquired: 4/14/2025 16:45:25 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.053063	8.353458	7.372045	11.40936	20.56043	.1595028
Stddev	.006450	.007052	.005005	.03173	.07958	.0001222
%RSD	.6124745	.0844173	.0678976	.2780661	.3870517	.0766165
#1	1.050130	8.353918	7.376830	11.39789	20.47369	.1593777
#2	1.048600	8.346187	7.372460	11.38497	20.57755	.1595089
#3	1.060458	8.360268	7.366845	11.44523	20.63007	.1596218

Elem	Sr4077
Units	ppm
Avg	.4462584
Stddev	.0008378
%RSD	.1877434
#1	.4472128
#2	.4459180
#3	.4456443

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2780.409	68880.81	14057.99	1815.974	3733.882
Stddev	.549	39.84	73.26	2.895	4.839
%RSD	.0197283	.0578395	.5211563	.1594161	.1295981
#1	2780.789	68882.97	14071.61	1816.449	3738.768
#2	2780.657	68919.52	14123.48	1818.602	3733.786
#3	2779.780	68839.93	13978.87	1812.870	3729.092

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1756-01 Acquired: 4/14/2025 16:49:36 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1073409	.0021619	3.767615	.0010098	-.012812	81.00566	1.708718
Stddev	.0022866	.0031222	.011635	.0009345	.001865	.20487	.004026
%RSD	2.130221	144.4197	.3088040	92.55163	14.55526	.2529088	.2355973
#1	.1074648	-.001422	3.754850	.0014026	-.011102	81.18977	1.710872
#2	.1049948	.004290	3.770371	.0016838	-.014801	81.04225	1.711209
#3	.1095630	.003618	3.777624	-.000057	-.012534	80.78496	1.704074

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0083769	.0056124	32.97787	.2227192	.0998359	.5855842	186.3260
Stddev	.0000555	.0001158	.14072	.0019288	.0002557	.0000394	.8026
%RSD	.6626135	2.063494	.4267196	.8660404	.2561511	.0067288	.4307714
#1	.0083972	.0055705	32.96029	.2248178	.0996501	.5856216	187.2299
#2	.0084195	.0055234	33.12656	.2223162	.1001276	.5855880	186.0518
#3	.0083142	.0057433	32.84677	.2210238	.0997300	.5855431	185.6965

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.668379	20.45657	.1713201	-.007608	.9267450	.2777222	1.117824
Stddev	.018765	.09210	.0005832	.000261	.0038482	.0006584	.006403
%RSD	.4019619	.4502326	.3404023	3.429994	.4152424	.2370818	.5727653
#1	4.668325	20.42128	.1710117	-.007831	.9301556	.2784626	1.120927
#2	4.687171	20.56110	.1719928	-.007321	.9275064	.2772023	1.122082
#3	4.649640	20.38733	.1709560	-.007671	.9225729	.2775018	1.110461

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.381347	-.285098	.0019758	.7156269	1.928400	9.974318	9.481103
Stddev	.025533	.004242	.0001067	.0036600	.008422	.048711	.008530
%RSD	.4001208	1.488022	5.400509	.5114431	.4367103	.4883689	.0899674
#1	6.388154	-.282706	.0020531	.7114195	1.932750	10.03015	9.484618
#2	6.353100	-.289996	.0020203	.7173850	1.933756	9.95230	9.487314
#3	6.402787	-.282591	.0018541	.7180760	1.918693	9.94050	9.471377

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1756-01 Acquired: 4/14/2025 16:49:36 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.954879	.1753629	.1765079
Stddev	.005834	.0003334	.0008362
%RSD	.2984468	.1901188	.4737675
#1	1.949262	.1749786	.1767529
#2	1.960909	.1755751	.1771943
#3	1.954468	.1755351	.1755766

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3168.177	77411.64	14821.90	2085.667	3986.524
Stddev	4.509	478.91	83.63	10.261	7.625
%RSD	.1423152	.6186586	.5642187	.4919649	.1912609
#1	3168.237	76883.96	14779.29	2075.647	3994.310
#2	3172.656	77532.22	14768.16	2085.200	3986.190
#3	3163.639	77818.74	14918.25	2096.153	3979.072

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1760-01 Acquired: 4/14/2025 16:53:41 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0283195	.0048338	.1453588	-.000528	-.008306	72.38275	.8222500
Stddev	.0046572	.0019749	.0018490	.001788	.001072	.19702	.0008541
%RSD	16.44524	40.85710	1.272046	338.7718	12.91073	.2721976	.1038751
#1	.0231663	.0025945	.1474321	-.001046	-.009460	72.18327	.8212958
#2	.0295647	.0055796	.1438807	.001462	-.008119	72.38775	.8229432
#3	.0322276	.0063272	.1447635	-.001999	-.007340	72.57722	.8225108

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0084934	.0005286	24.20377	.1586009	.0689486	.2049707	168.4185
Stddev	.0000448	.0000303	.14892	.0003688	.0004964	.0002840	.7423
%RSD	.5279185	5.731514	.6152633	.2325574	.7199831	.1385806	.4407209
#1	.0085065	.0005319	24.11272	.1590158	.0684082	.2052775	168.9938
#2	.0084434	.0004967	24.12298	.1583100	.0693844	.2047168	168.6809
#3	.0085302	.0005570	24.37563	.1584770	.0690532	.2049178	167.5806

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.628488	23.58934	.1700323	-.007483	2.611827	.1967051	.3894316
Stddev	.015242	.22777	.0000720	.000122	.031580	.0010300	.0010586
%RSD	.5798753	.9655578	.0423518	1.635821	1.209113	.5236442	.2718423
#1	2.616122	23.38938	.1700082	-.007618	2.608763	.1958879	.3891449
#2	2.623826	23.54135	.1699754	-.007379	2.644827	.1978621	.3885459
#3	2.645517	23.83727	.1701132	-.007453	2.581891	.1963655	.3906041

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.843014	-.206058	.0005810	-.000345	2.303144	9.664653	6.156264
Stddev	.062967	.013380	.0003262	.000469	.003205	.078567	.021808
%RSD	.9201615	6.493117	56.14450	135.8065	.1391566	.8129323	.3542430
#1	6.886937	-.196362	.0002048	.000196	2.301934	9.684501	6.173636
#2	6.871232	-.200489	.0007858	-.000628	2.300721	9.731392	6.131790
#3	6.770874	-.221322	.0007523	-.000604	2.306778	9.578065	6.163366

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1760-01 Acquired: 4/14/2025 16:53:41 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1294042	.1692021	.1030227
Stddev	.0044801	.0004506	.0000899
%RSD	3.462055	.2663193	.0872978
#1	.1248816	.1696267	.1030672
#2	.1338404	.1692502	.1030818
#3	.1294908	.1687293	.1029192

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3197.461	78675.28	15306.99	2102.361	4109.845
Stddev	2.974	137.35	151.05	5.528	3.635
%RSD	.0930150	.1745803	.9867964	.2629487	.0884379
#1	3195.526	78579.13	15412.05	2102.841	4107.292
#2	3195.971	78614.13	15375.03	2096.608	4108.237
#3	3200.886	78832.59	15133.89	2107.633	4114.007

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1760-05 Acquired: 4/14/2025 16:57:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0373045	.0035613	.1341518	.0002654	-.005586	64.64569	.7973723
Stddev	.0011692	.0034437	.0014795	.0029230	.002597	.10943	.0024443
%RSD	3.134214	96.69977	1.102829	1101.468	46.49914	.1692743	.3065469
#1	.0363047	-.000236	.1357358	.0004037	-.008578	64.52383	.7955536
#2	.0370188	.004437	.1328058	-.002724	-.003912	64.67769	.7964124
#3	.0385901	.006483	.1339140	.003117	-.004267	64.73555	.8001509

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0083996	.0006973	18.23349	.1339269	.0877350	.2488908	163.1776
Stddev	.0000883	.0000334	.08299	.0005263	.0003892	.0004227	.3580
%RSD	1.050958	4.789224	.4551663	.3929373	.4435648	.1698449	.2193672
#1	.0084039	.0007219	18.17908	.1336045	.0877766	.2493788	163.5660
#2	.0083093	.0006593	18.19239	.1336420	.0873267	.2486548	163.1060
#3	.0084856	.0007107	18.32902	.1345341	.0881017	.2486387	162.8609

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.700569	21.13116	.1921897	-.006971	3.366709	.1749640	.3843463
Stddev	.017514	.07735	.0005523	.000027	.008966	.0009058	.0009193
%RSD	.2274319	.3660374	.2873902	.3897654	.2663075	.5177250	.2391955
#1	7.688637	21.08995	.1918929	-.006943	3.376683	.1745832	.3849358
#2	7.692396	21.08314	.1918492	-.006975	3.364127	.1759981	.3832870
#3	7.720675	21.22038	.1928270	-.006997	3.359318	.1743108	.3848161

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.773436	-.189119	.0002156	-.000250	2.047277	9.066517	5.763237
Stddev	.015799	.002865	.0001228	.000167	.003632	.028747	.018930
%RSD	.2332471	1.515157	56.96638	66.60491	.1773975	.3170642	.3284573
#1	6.778582	-.189932	.0002301	-.000414	2.043476	9.089985	5.779903
#2	6.786021	-.185935	.0000861	-.000257	2.047640	9.075114	5.742656
#3	6.755706	-.191490	.0003304	-.000081	2.050713	9.034453	5.767151

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1760-05 Acquired: 4/14/2025 16:57:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.189700	.1657646	.0865092
Stddev	.006491	.0004957	.0001755
%RSD	.5455826	.2990475	.2029042
#1	1.196544	.1654392	.0863581
#2	1.188925	.1655195	.0864679
#3	1.183632	.1663351	.0867017

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3193.281	78453.16	15326.76	2121.903	4051.282
Stddev	7.267	134.14	78.14	9.039	7.666
%RSD	.2275760	.1709838	.5098468	.4259987	.1892178
#1	3184.940	78325.21	15359.15	2111.671	4044.505
#2	3196.655	78592.74	15383.50	2125.235	4059.602
#3	3198.247	78441.53	15237.63	2128.803	4049.738

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-01 Acquired: 4/14/2025 17:01:54 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0308188	.0031283	.2352597	-.001545	-.009045	94.60611	.5499426
Stddev	.0012403	.0019617	.0004576	.004002	.001756	.19433	.0028854
%RSD	4.024580	62.70831	.1945149	259.0223	19.41544	.2054096	.5246684
#1	.0322453	.0053922	.2354492	-.000369	-.010311	94.63014	.5520765
#2	.0299943	.0020618	.2347378	-.006004	-.009784	94.40088	.5510917
#3	.0302169	.0019309	.2355922	.001737	-.007040	94.78731	.5466598

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0099751	.0012182	21.67053	.1619439	.1017321	.2827402	181.8219
Stddev	.0000656	.0000681	.02995	.0016175	.0001690	.0008582	.3101
%RSD	.6574457	5.593840	.1382140	.9988240	.1661616	.3035330	.1705288
#1	.0099004	.0011663	21.69096	.1625900	.1015807	.2836582	181.6349
#2	.0100234	.0011929	21.68448	.1601032	.1017010	.2826046	181.6509
#3	.0100014	.0012954	21.63615	.1631385	.1019145	.2819579	182.1798

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.262944	28.14155	.1701844	-.009895	10.16577	.2158875	.4917541
Stddev	.008693	.04548	.0004941	.000162	.04077	.0009342	.0003961
%RSD	.1651738	.1616209	.2903578	1.638869	.4010878	.4327484	.0805428
#1	5.270635	28.12762	.1696327	-.009987	10.12208	.2153963	.4913617
#2	5.264686	28.10465	.1705863	-.009991	10.20281	.2169648	.4917468
#3	5.253513	28.19236	.1703342	-.009708	10.17243	.2153013	.4921538

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.846713	-.269739	.0016908	.0037864	2.694344	2.150192	4.118628
Stddev	.048490	.004775	.0002666	.0005571	.003039	.003324	.009422
%RSD	.5481184	1.770060	15.76578	14.71286	.1127936	.1545813	.2287763
#1	8.813023	-.271134	.0015968	.0043687	2.697021	2.146460	4.107764
#2	8.824828	-.273661	.0019916	.0032585	2.691041	2.152833	4.124572
#3	8.902289	-.264423	.0014839	.0037321	2.694970	2.151282	4.123548

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-01 Acquired: 4/14/2025 17:01:54 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.3447047	.1930096	.1287018
Stddev	.0039028	.0011436	.0004052
%RSD	1.132216	.5925134	.3148628
#1	.3456965	.1934039	.1290674
#2	.3480159	.1917210	.1287720
#3	.3404017	.1939039	.1282661

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3124.053	75395.85	13989.81	2070.983	4044.691
Stddev	1.305	199.87	19.40	2.559	2.755
%RSD	.0417746	.2650952	.1386438	.1235409	.0681168
#1	3122.927	75491.28	13967.43	2073.188	4046.254
#2	3123.750	75530.13	14001.75	2071.582	4046.309
#3	3125.483	75166.16	14000.25	2068.178	4041.510

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05 Acquired: 4/14/2025 17:06:01 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0518907	.0026497	1.013839	.0085805	-.009339	201.1944	.9292444
Stddev	.0026990	.0005447	.003070	.0056434	.001559	1.5986	.0018240
%RSD	5.201395	20.55490	.3027783	65.77036	16.69499	.7945790	.1962892
#1	.0517679	.0030265	1.015023	.0059274	-.009741	199.4366	.9290966
#2	.0546490	.0020253	1.016141	.0047525	-.010658	201.5853	.9311378
#3	.0492551	.0028973	1.010354	.0150616	-.007618	202.5614	.9274988

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0090483	-.001308	23.22121	.2004994	.0871305	.2080848	172.7339
Stddev	.0000673	.000056	.07363	.0011675	.0005510	.0006546	.6756
%RSD	.7434936	4.280529	.3170594	.5823073	.6323723	.3145677	.3911432
#1	.0090894	-.001370	23.15892	.2007135	.0873206	.2086864	173.5048
#2	.0089706	-.001292	23.20225	.1992396	.0865096	.2081802	172.2449
#3	.0090847	-.001261	23.30246	.2015450	.0875612	.2073877	172.4521

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.752313	25.02455	.1994628	-.005812	19.59830	.2853181	.5062448
Stddev	.001325	.06999	.0008358	.000416	.10876	.0013214	.0022679
%RSD	.0756349	.2796925	.4190032	7.164107	.5549215	.4631409	.4479822
#1	1.753674	24.96916	.1999492	-.006047	19.69319	.2863067	.5083419
#2	1.751026	25.00128	.1984978	-.006057	19.62209	.2838172	.5065547
#3	1.752239	25.10321	.1999415	-.005331	19.47962	.2858304	.5038380

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.440873	-.162237	.0027212	.0268244	1.859534	7.279510	6.808386
Stddev	.030155	.003841	.0004394	.0018610	.001985	.024989	.007984
%RSD	.4052635	2.367757	16.14917	6.937819	.1067437	.3432852	.1172637
#1	7.452289	-.157966	.0031073	.0271013	1.860253	7.296620	6.816905
#2	7.463654	-.165408	.0028132	.0248404	1.857290	7.291077	6.807178
#3	7.406677	-.163339	.0022430	.0285314	1.861059	7.250832	6.801075

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05 Acquired: 4/14/2025 17:06:01 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.546807	.2006989	.1840462
Stddev	.012521	.0006721	.0001406
%RSD	.3530223	.3348818	.0764104
#1	3.534078	.2000329	.1839604
#2	3.547235	.2013770	.1842085
#3	3.559109	.2006868	.1839697

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3074.168	74348.45	15236.45	2030.088	3980.930
Stddev	5.908	201.12	30.52	10.632	8.943
%RSD	.1921807	.2705139	.2003029	.5237289	.2246347
#1	3067.725	74117.25	15259.98	2020.838	3971.106
#2	3079.332	74445.06	15247.39	2027.723	3988.596
#3	3075.446	74483.03	15201.96	2041.704	3983.087

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05DUP Acquired: 4/14/2025 17:10:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0500731	.0070665	.9334315	.0115459	-.009620	207.0213	.9393809
Stddev	.0019406	.0007300	.0015057	.0045294	.002443	2.5552	.0041756
%RSD	3.875618	10.33020	.1613023	39.22970	25.38929	1.234259	.4445083
#1	.0500930	.0062250	.9317014	.0105465	-.009610	206.5059	.9392045
#2	.0481226	.0075287	.9341489	.0164916	-.007183	209.7949	.9352962
#3	.0520037	.0074459	.9344444	.0075997	-.012068	204.7631	.9436419

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0092190	-.001841	21.75842	.2085723	.0888304	.2119574	181.8903
Stddev	.0000303	.000210	.05425	.0000865	.0000855	.0009681	.4077
%RSD	.3281381	11.41822	.2493419	.0414843	.0962380	.4567224	.2241358
#1	.0091951	-.001699	21.79440	.2084913	.0888361	.2127308	181.5492
#2	.0092530	-.001742	21.78486	.2085620	.0889128	.2108718	181.7799
#3	.0092089	-.002083	21.69602	.2086635	.0887421	.2122697	182.3418

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.793926	25.61605	.2044371	-.005892	19.63807	.2995624	.5189852
Stddev	.002273	.11191	.0004997	.000072	.13451	.0005977	.0020103
%RSD	.1267093	.4368726	.2444377	1.226481	.6849361	.1995207	.3873581
#1	1.795729	25.66036	.2042724	-.005848	19.57039	.2995309	.5171364
#2	1.794676	25.69901	.2040405	-.005976	19.55083	.3001752	.5186940
#3	1.791372	25.48877	.2049984	-.005853	19.79297	.2989811	.5211253

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	7.671997	-.160667	.0032475	.0214871	1.894240	8.010454	6.767482
Stddev	.079496	.003538	.0002796	.0007531	.002606	.033097	.032961
%RSD	1.036180	2.202265	8.609572	3.504792	.1375900	.4131684	.4870468
#1	7.609656	-.162743	.0030271	.0222835	1.895380	7.997876	6.737509
#2	7.644817	-.162675	.0031534	.0213913	1.891258	7.985491	6.762156
#3	7.761518	-.156581	.0035620	.0207865	1.896083	8.047996	6.802782

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05DUP Acquired: 4/14/2025 17:10:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.500079	.2089898	.1682993
Stddev	.016504	.0017626	.0005278
%RSD	.4715192	.8434121	.3136379
#1	3.489423	.2079326	.1683321
#2	3.491725	.2080121	.1677559
#3	3.519089	.2110246	.1688100

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3070.309	73612.76	15231.87	2017.870	3980.233
Stddev	4.081	122.82	73.01	7.683	6.731
%RSD	.1329177	.1668454	.4793156	.3807703	.1691192
#1	3065.892	73656.39	15206.02	2026.693	3973.749
#2	3073.940	73474.09	15175.31	2012.655	3987.187
#3	3071.095	73707.82	15314.29	2014.261	3979.764

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05LX5 Acquired: 4/14/2025 17:14:30 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0119427	-.000005	.2177487	-.000106	-.002460	44.70288	.2046552
Stddev	.0035938	.001317	.0010840	.003443	.001510	.24070	.0011360
%RSD	30.09221	25254.07	.4978062	3237.543	61.37791	.5384470	.5550786
#1	.0160796	.000891	.2168084	.003005	-.004169	44.51997	.2034851
#2	.0101581	.000611	.2175035	.000480	-.001304	44.61310	.2047267
#3	.0095905	-.001518	.2189343	-.003805	-.001908	44.97557	.2057538

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0021490	-.001478	5.338921	.0466110	.0177996	.0503797	38.97434
Stddev	.0000319	.000041	.041206	.0002975	.0000829	.0004092	.09916
%RSD	1.484953	2.800651	.7718113	.6381866	.4658750	.8122333	.2544330
#1	.0021285	-.001440	5.291374	.0463624	.0178585	.0501931	38.92763
#2	.0021858	-.001474	5.361137	.0465301	.0177048	.0500969	38.90716
#3	.0021328	-.001522	5.364251	.0469406	.0178356	.0508489	39.08823

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4016676	5.686783	.0411896	-.001867	4.028658	.0656314	.1129956
Stddev	.0008750	.036345	.0001915	.000143	.008658	.0012565	.0000976
%RSD	.2178316	.6391138	.4648288	7.661566	.2149097	1.914402	.0863828
#1	.4006706	5.655900	.0413253	-.002029	4.036852	.0667708	.1128830
#2	.4020246	5.677616	.0409706	-.001757	4.029521	.0658394	.1130547
#3	.4023076	5.726835	.0412729	-.001815	4.019601	.0642839	.1130492

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.533579	-.038601	.0006440	.0048594	.4157560	1.621136	1.424686
Stddev	.024419	.000268	.0000838	.0005569	.0032718	.008584	.005063
%RSD	1.592271	.6935987	13.00931	11.46034	.7869488	.5294842	.3553627
#1	1.505488	-.038707	.0005509	.0046981	.4124344	1.617567	1.427611
#2	1.545518	-.038296	.0007133	.0044010	.4158580	1.614913	1.418840
#3	1.549731	-.038799	.0006678	.0054792	.4189756	1.630929	1.427607

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05LX5 Acquired: 4/14/2025 17:14:30 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.7394139	.0448593	.0411709
Stddev	.0065918	.0007080	.0000684
%RSD	.8914946	1.578186	.1661909
#1	.7467738	.0448517	.0411408
#2	.7340528	.0455710	.0411226
#3	.7374151	.0441551	.0412492

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2844.168	68920.31	13957.63	1894.879	4231.285
Stddev	3.199	155.59	88.10	7.976	.840
%RSD	.1124729	.2257552	.6311976	.4209131	.0198440
#1	2843.720	69090.05	14056.70	1902.740	4232.255
#2	2847.568	68886.42	13928.08	1895.105	4230.801
#3	2841.217	68784.46	13888.10	1886.793	4230.799

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV04 Acquired: 4/14/2025 17:18:46 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV04 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.920990	4.960166	4.940568	4.953243	4.931211	9.705842	9.579208
Stddev	.013571	.014451	.004545	.004478	.013014	.015151	.042126
%RSD	.2757863	.2913328	.0919934	.0904086	.2639037	.1561069	.4397687
#1	4.922369	4.944891	4.944581	4.952171	4.930036	9.705537	9.578372
#2	4.906782	4.961985	4.935633	4.949397	4.918826	9.721144	9.621746
#3	4.933820	4.973620	4.941490	4.958159	4.944773	9.690845	9.537506

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2483045	2.480333	24.20714	1.001924	2.478494	1.247357	4.933402
Stddev	.0021015	.002557	.10071	.002818	.004538	.002958	.041354
%RSD	.8463572	.1030990	.4160528	.2812667	.1831075	.2371632	.8382422
#1	.2483525	2.481404	24.28109	1.000573	2.481110	1.245696	4.925812
#2	.2461793	2.477414	24.09244	1.005163	2.473253	1.245602	4.978025
#3	.2503816	2.482180	24.24790	1.000036	2.481117	1.250772	4.896368

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.408554	24.08819	2.474353	1.241500	25.88454	2.423715	2.445218
Stddev	.009240	.12295	.002584	.001830	.33682	.001818	.007660
%RSD	.3836144	.5104306	.1044318	.1473968	1.301240	.0750047	.3132515
#1	2.417434	24.08952	2.475979	1.240011	25.93089	2.425346	2.438127
#2	2.398992	23.96457	2.471373	1.243543	26.19578	2.421755	2.453341
#3	2.409236	24.21047	2.475707	1.240946	25.52694	2.424044	2.444185

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.97536	4.916645	4.986014	4.973954	4.818007	4.946407	4.997020
Stddev	.31659	.052959	.006791	.003163	.009512	.034956	.009300
%RSD	1.218817	1.077138	.1361995	.0635944	.1974307	.7066884	.1861149
#1	25.90550	4.934996	4.982004	4.970363	4.827175	4.918128	5.004338
#2	26.32105	4.856951	4.982182	4.975172	4.818662	4.985488	5.000167
#3	25.69953	4.957988	4.993854	4.976327	4.808184	4.935603	4.986555

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV04 Acquired: 4/14/2025 17:18:46 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV04 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.930739	4.817941	4.880087
Stddev	.016303	.023883	.069687
%RSD	.3306499	.4957156	1.427987
#1	4.931831	4.832029	4.867377
#2	4.913917	4.831429	4.817630
#3	4.946469	4.790365	4.955254

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2680.516	63958.53	12777.59	1726.139	4023.068
Stddev	2.985	253.24	92.29	8.800	4.246
%RSD	.1113573	.3959369	.7222780	.5097799	.1055402
#1	2682.287	64024.69	12751.89	1728.800	4022.042
#2	2682.190	63678.78	12880.00	1716.317	4027.732
#3	2677.069	64172.12	12700.87	1733.302	4019.428

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB04 Acquired: 4/14/2025 17:22:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB04 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0026295	-.000121	.0018166	-.001295	.0004517	-.000992	-.000207
Stddev	.0007858	.001535	.0013859	.000923	.0001349	.001370	.000733
%RSD	29.88383	1272.570	76.28776	71.33657	29.87467	138.1295	353.3587
#1	.0021474	.001556	.0030081	-.000583	.0004985	-.001094	.000612
#2	.0022047	-.000461	.0002957	-.000962	.0002995	-.002308	-.000432
#3	.0035362	-.001457	.0021461	-.002338	.0005569	.000426	-.000801

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000676	.0001701	-.007459	-.000068	.0001628	.0002954	.0027233
Stddev	.0000300	.0000789	.006423	.000150	.0001270	.0000700	.0024148
%RSD	44.34426	46.39001	86.10162	220.3498	78.03511	23.70737	88.67072
#1	.0001019	.0001210	-.000177	-.000047	.0000186	.0003196	.0041929
#2	.0000553	.0001283	-.012317	-.000227	.0002114	.0003501	.0040407
#3	.0000458	.0002611	-.009884	.000070	.0002583	.0002165	-.000064

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0005461	.0079812	.0002177	-.000318	-.018047	.0011910	-.000285
Stddev	.0003202	.0037137	.0001774	.000201	.008100	.0009934	.000255
%RSD	58.62686	46.53036	81.49746	63.20160	44.88402	83.40203	89.39504
#1	.0002011	.0113503	.0000453	-.000131	-.018295	.0012479	-.000192
#2	.0006036	.0039992	.0002081	-.000294	-.026020	.0021548	-.000090
#3	.0008336	.0085941	.0003997	-.000531	-.009826	.0001705	-.000574

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.018695	.0051475	.0004108	.0005473	.0001750	.0132923	.0026192
Stddev	.007886	.0001272	.0001045	.0002797	.0005129	.0032937	.0005458
%RSD	42.18387	2.471176	25.43867	51.11141	293.1054	24.77918	20.84061
#1	-.027789	.0051165	.0005179	.0005477	.0002129	.0150382	.0031506
#2	-.013740	.0050387	.0004054	.0002673	.0006678	.0153454	.0026470
#3	-.014556	.0052874	.0003091	.0008267	-.000356	.0094932	.0020599

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB04 Acquired: 4/14/2025 17:22:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB04 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.002644	.0002089	.0003150
Stddev	.001600	.0010231	.0000294
%RSD	60.50533	489.8142	9.335057
#1	-.001657	-.000506	.0003385
#2	-.001786	-.000248	.0002820
#3	-.004490	.001381	.0003245

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2789.266	66930.56	13210.79	1808.085	4446.369
Stddev	1.704	154.74	42.75	3.641	4.483
%RSD	.0610887	.2311938	.3236041	.2013836	.1008299
#1	2789.342	66825.41	13172.20	1804.548	4442.493
#2	2787.526	67108.24	13256.74	1811.822	4451.279
#3	2790.931	66858.03	13203.42	1807.885	4445.334

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05MS Acquired: 4/14/2025 17:27:18 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6970862	1.777190	1.868591	1.589419	.6565911	204.1748	1.111819
Stddev	.0037752	.017082	.001798	.003380	.0025607	1.4542	.003449
%RSD	.5415718	.9611710	.0962461	.2126600	.3899985	.7122085	.3101723
#1	.6939809	1.771005	1.870595	1.585516	.6537262	204.8709	1.108743
#2	.6959892	1.764061	1.868062	1.591403	.6573903	205.1500	1.111168
#3	.7012884	1.796502	1.867117	1.591338	.6586569	202.5034	1.115547

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1576247	.1855184	23.46650	.5239198	.2716600	.4393148	184.4475
Stddev	.0008484	.0001472	.02912	.0031826	.0002183	.0010330	1.4127
%RSD	.5382557	.0793646	.1241128	.6074560	.0803451	.2351334	.7658875
#1	.1570964	.1855874	23.44078	.5217464	.2716026	.4381514	183.9624
#2	.1586033	.1853494	23.49813	.5224402	.2714762	.4401244	183.3413
#3	.1571744	.1856185	23.46060	.5275728	.2719013	.4396686	186.0388

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.914050	26.68596	.6545166	.0567658	23.08111	.5283497	.6664047
Stddev	.003624	.13895	.0004691	.0005338	.25545	.0007583	.0018761
%RSD	.1893256	.5206960	.0716734	.9403415	1.106730	.1435243	.2815265
#1	1.909880	26.61542	.6545442	.0564380	23.05174	.5286604	.6658795
#2	1.915830	26.84603	.6540343	.0564777	22.84162	.5289034	.6648473
#3	1.916439	26.59642	.6549714	.0573818	23.34997	.5274854	.6684875

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	16.57608	.0832254	.3441199	.6788694	2.068479	9.598062	12.07117
Stddev	.15489	.0037244	.0008676	.0022399	.002751	.062414	.03502
%RSD	.9344149	4.475017	.2521066	.3299504	.1330132	.6502771	.2900949
#1	16.55537	.0805463	.3434969	.6805826	2.065844	9.605101	12.04973
#2	16.43259	.0816515	.3437520	.6763347	2.071334	9.532427	12.05220
#3	16.74028	.0874783	.3451107	.6796909	2.068259	9.656659	12.11158

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05MS Acquired: 4/14/2025 17:27:18 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.483711	.3777844	.3478066
Stddev	.021280	.0011166	.0005686
%RSD	.6108478	.2955729	.1634779
#1	3.471332	.3775173	.3472814
#2	3.471518	.3768255	.3477281
#3	3.508283	.3790103	.3484104

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3048.767	73777.42	15761.63	2002.032	3948.963
Stddev	3.213	476.58	31.73	11.879	5.962
%RSD	.1053828	.6459706	.2013406	.5933485	.1509675
#1	3049.756	73849.98	15781.25	2003.043	3948.998
#2	3051.369	74213.55	15725.02	2013.374	3954.907
#3	3045.176	73268.71	15778.62	1989.680	3942.984

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05MSD Acquired: 4/14/2025 17:31:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6924295	1.772297	1.851103	1.572655	.6510839	202.2443	1.116811
Stddev	.0047880	.007317	.002678	.005031	.0038789	1.1345	.004921
%RSD	.6914772	.4128554	.1446835	.3198799	.5957526	.5609781	.4406458
#1	.6895595	1.766992	1.850434	1.570644	.6537612	201.0801	1.121457
#2	.6897723	1.769255	1.848822	1.568941	.6528547	202.3060	1.117321
#3	.6979569	1.780645	1.854052	1.578380	.6466356	203.3467	1.111655

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1608727	.1846561	23.54524	.5233030	.2706752	.4358347	183.7501
Stddev	.0004025	.0004277	.02491	.0034747	.0006887	.0009497	1.3960
%RSD	.2501687	.2316311	.1057970	.6639926	.2544463	.2179145	.7597449
#1	.1608835	.1842821	23.56644	.5209289	.2704917	.4353462	183.1153
#2	.1612697	.1851224	23.55147	.5216890	.2700969	.4352287	182.7842
#3	.1604650	.1845637	23.51781	.5272912	.2714372	.4369293	185.3507

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.935720	26.81233	.6509402	.0571371	23.06061	.5306999	.6668853
Stddev	.002824	.05938	.0015706	.0002630	.14684	.0015172	.0029524
%RSD	.1459009	.2214704	.2412857	.4602512	.6367388	.2858801	.4427190
#1	1.936673	26.74399	.6491405	.0569893	23.03118	.5289916	.6638561
#2	1.937944	26.84159	.6516465	.0569812	22.93071	.5312177	.6670456
#3	1.932542	26.85139	.6520338	.0574407	23.21992	.5318904	.6697544

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	16.49505	.0777577	.3413773	.6691907	2.075935	9.553636	11.96198
Stddev	.11055	.0052737	.0002811	.0018917	.006026	.091033	.01572
%RSD	.6702045	6.782155	.0823584	.2826834	.2902903	.9528601	.1314400
#1	16.44930	.0758793	.3413490	.6671686	2.080986	9.505183	11.94720
#2	16.41471	.0736804	.3411114	.6694862	2.077555	9.497077	11.96023
#3	16.62113	.0837134	.3416716	.6709172	2.069264	9.658647	11.97850

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05MSD Acquired: 4/14/2025 17:31:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.433298	.3807644	.3495240
Stddev	.005574	.0015628	.0010518
%RSD	.1623613	.4104267	.3009354
#1	3.426865	.3814410	.3504843
#2	3.436325	.3818748	.3496879
#3	3.436704	.3789773	.3483999

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3068.517	73516.71	15496.26	2020.533	3976.657
Stddev	2.158	574.35	40.35	17.024	4.929
%RSD	.0703110	.7812471	.2604130	.8425732	.1239426
#1	3070.327	73977.74	15519.93	2039.722	3980.917
#2	3069.095	73699.06	15449.66	2014.635	3977.795
#3	3066.130	72873.32	15519.18	2007.242	3971.259

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05A Acquired: 4/14/2025 17:35:37 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6984176	1.804090	1.872730	1.591420	.6419573	205.7501	1.071232
Stddev	.0043593	.013408	.008796	.011995	.0017077	1.2533	.001597
%RSD	.6241654	.7431959	.4697038	.7537445	.2660203	.6091406	.1490692
#1	.6934220	1.806348	1.864851	1.583233	.6424418	206.3033	1.069476
#2	.7003803	1.789697	1.871120	1.585838	.6400597	206.6315	1.072598
#3	.7014506	1.816227	1.882221	1.605189	.6433705	204.3153	1.071620

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1805649	.1900652	23.33979	.5245808	.2727991	.4457812	166.2514
Stddev	.0008663	.0003835	.09005	.0035327	.0007031	.0011609	.3824
%RSD	.4797470	.2017754	.3858325	.6734328	.2577219	.2604114	.2299886
#1	.1796298	.1898714	23.28317	.5235754	.2726635	.4457654	166.5471
#2	.1813399	.1898173	23.44364	.5285072	.2721737	.4446283	166.3876
#3	.1807251	.1905069	23.29257	.5216598	.2735601	.4469499	165.8196

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.926853	27.04163	.6571932	.0548881	20.09945	.5294517	.6706243
Stddev	.004733	.17541	.0006231	.0004149	.09088	.0032137	.0009368
%RSD	.2456542	.6486631	.0948073	.7559357	.4521750	.6069935	.1396969
#1	1.921428	26.91758	.6569231	.0548047	20.18063	.5258394	.6698118
#2	1.928991	27.24232	.6567507	.0553384	20.00126	.5305216	.6716491
#3	1.930140	26.96500	.6579057	.0545213	20.11648	.5319940	.6704121

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	14.78901	.0014239	.3365001	.6663029	2.057495	8.933615	12.26286
Stddev	.03079	.0048565	.0012071	.0021284	.006939	.013673	.06402
%RSD	.2081641	341.0723	.3587107	.3194313	.3372726	.1530469	.5220624
#1	14.82411	.0069987	.3355494	.6686989	2.050810	8.944739	12.21971
#2	14.76661	-.000838	.3360927	.6655784	2.064664	8.937754	12.23245
#3	14.77630	-.001890	.3378581	.6646313	2.057011	8.918351	12.33641

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1779-05A Acquired: 4/14/2025 17:35:37 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.497177	.3736327	.3389489
Stddev	.018356	.0003831	.0007008
%RSD	.5248933	.1025298	.2067664
#1	3.476049	.3736951	.3381460
#2	3.506263	.3732222	.3392627
#3	3.509217	.3739808	.3394380

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3044.344	73257.88	13927.79	2013.323	3943.377
Stddev	4.190	142.46	64.54	6.263	5.688
%RSD	.1376467	.1944659	.4633631	.3110771	.1442363
#1	3049.177	73222.36	13982.79	2013.594	3948.812
#2	3042.113	73136.54	13856.75	2006.929	3943.851
#3	3041.741	73414.74	13943.84	2019.446	3937.466

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1781-01 Acquired: 4/14/2025 17:39:44 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1160743	.0300095	.2073279	.0029180	-.019106	71.23554	.2593553
Stddev	.0020277	.0011686	.0006555	.0020615	.001790	.21230	.0006235
%RSD	1.746905	3.894063	.3161783	70.64765	9.366916	.2980229	.2403952
#1	.1149076	.0313422	.2078032	.0008454	-.017277	71.23522	.2588040
#2	.1184157	.0291602	.2076004	.0029404	-.019186	71.44801	.2600320
#3	.1148997	.0295260	.2065801	.0049681	-.020854	71.02341	.2592300

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0108430	-.000588	5.956141	.2757917	.0226185	.3458565	380.0570
Stddev	.0001072	.000389	.030301	.0011247	.0002438	.0008087	1.2441
%RSD	.9885376	66.15695	.5087415	.4078202	1.078052	.2338152	.3273410
#1	.0108718	-.000467	5.971249	.2765021	.0225030	.3460089	379.2348
#2	.0109329	-.001024	5.975918	.2763780	.0224538	.3449825	381.4882
#3	.0107244	-.000275	5.921256	.2744949	.0228986	.3465781	379.4478

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1317863	2.424067	.0297437	-.017372	3.035554	.2872882	.2675266
Stddev	.0009371	.018986	.0003362	.000182	.013688	.0011066	.0014327
%RSD	.7111095	.7832112	1.130254	1.047099	.4509203	.3851871	.5355418
#1	.1327475	2.403929	.0295699	-.017534	3.044151	.2885338	.2690436
#2	.1308753	2.441639	.0295300	-.017407	3.042741	.2869122	.2673398
#3	.1317360	2.426633	.0301312	-.017175	3.019769	.2864186	.2661965

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.308196	-.458040	-.000758	.0115539	.2460064	2.452050	.5093109
Stddev	.021106	.003235	.000539	.0004106	.0022791	.022270	.0046993
%RSD	.3976064	.7062886	71.03556	3.554019	.9264521	.9082108	.9226793
#1	5.294410	-.461617	-.001373	.0111097	.2461725	2.440922	.5146178
#2	5.332494	-.455321	-.000370	.0119195	.2481980	2.477691	.5076378
#3	5.297685	-.457181	-.000531	.0116325	.2436488	2.437538	.5056771

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1781-01 Acquired: 4/14/2025 17:39:44 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	2.653063	.1942699	.0600018
Stddev	.003954	.0015728	.0003553
%RSD	.1490255	.8096181	.5921791
#1	2.651470	.1941669	.0600645
#2	2.650154	.1958917	.0603216
#3	2.657564	.1927511	.0596193

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3251.825	79062.95	15813.03	2177.248	4083.989
Stddev	3.617	234.39	60.81	10.046	8.276
%RSD	.1112452	.2964596	.3845447	.4614108	.2026386
#1	3255.961	78989.15	15758.57	2177.741	4077.942
#2	3249.250	78874.34	15801.88	2166.964	4080.604
#3	3250.264	79325.36	15878.64	2187.038	4093.420

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1781-05 Acquired: 4/14/2025 17:43:54 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0232618	.0028316	.0671987	.0027033	-.002461	16.01387	.0415333
Stddev	.0004614	.0022029	.0014185	.0032971	.001429	.02098	.0001356
%RSD	1.983641	77.79845	2.110881	121.9629	58.05755	.1310318	.3265216
#1	.0231881	.0047247	.0670977	.0004593	-.002588	15.99464	.0413776
#2	.0237556	.0004136	.0686649	.0011619	-.003822	16.01071	.0416258
#3	.0228416	.0033564	.0658334	.0064887	-.000973	16.03625	.0415965

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0030953	-.003008	2.028263	.0900941	.0121125	.0866663	95.38931
Stddev	.0000732	.000192	.005897	.0002001	.0001520	.0007576	.38044
%RSD	2.365118	6.398249	.2907409	.2220675	1.255227	.8741604	.3988274
#1	.0031756	-.002974	2.022295	.0898852	.0120246	.0875075	95.29793
#2	.0030323	-.003216	2.028409	.0902840	.0120249	.0860378	95.80711
#3	.0030779	-.002836	2.034086	.0901132	.0122881	.0864534	95.06288

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1615752	1.632581	.0225310	-.004399	.3328784	.1400304	.1523040
Stddev	.0007991	.024494	.0004661	.000107	.0011828	.0014060	.0011796
%RSD	.4945488	1.500304	2.068557	2.440411	.3553111	1.004036	.7745304
#1	.1606543	1.631800	.0222715	-.004375	.3315550	.1394006	.1531651
#2	.1620852	1.608488	.0230691	-.004517	.3338320	.1390495	.1527876
#3	.1619862	1.657456	.0222524	-.004306	.3332483	.1416412	.1509595

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6306807	-.123907	.0008896	.0018175	.6808325	2.726789	1.202069
Stddev	.0111657	.002642	.0001602	.0007933	.0014909	.022565	.004416
%RSD	1.770413	2.132605	18.01256	43.64729	.2189807	.8275296	.3673959
#1	.6204549	-.123968	.0007752	.0018935	.6795095	2.717004	1.207165
#2	.6425941	-.121234	.0010727	.0025701	.6824479	2.752595	1.199704
#3	.6289933	-.126518	.0008209	.0009889	.6805401	2.710768	1.199340

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1781-05 Acquired: 4/14/2025 17:43:54 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1374152	.0449111	.0107743
Stddev	.0017271	.0006527	.0000783
%RSD	1.256836	1.453309	.7270480
#1	.1394092	.0442139	.0107902
#2	.1363921	.0455076	.0106892
#3	.1364443	.0450116	.0108434

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2843.628	68906.16	13418.65	1885.793	4354.998
Stddev	5.457	127.86	61.19	13.549	8.872
%RSD	.1919016	.1855626	.4560020	.7185018	.2037191
#1	2840.654	68813.34	13390.72	1877.962	4349.211
#2	2849.926	68853.14	13488.82	1877.977	4365.212
#3	2840.303	69052.01	13376.40	1901.438	4350.570

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1781-09 Acquired: 4/14/2025 17:48:09 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0376292	.0032776	.1022142	.0050601	-.004575	30.92623	.1171516
Stddev	.0008096	.0015614	.0020423	.0008597	.002120	.05026	.0012977
%RSD	2.151435	47.63770	1.998087	16.98955	46.32776	.1625058	1.107685
#1	.0380922	.0049719	.1024249	.0040956	-.002704	30.92659	.1168736
#2	.0366944	.0018966	.1000746	.0057458	-.006877	30.87580	.1185657
#3	.0381010	.0029643	.1041430	.0053388	-.004144	30.97631	.1160154

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0043813	-.005357	2.800578	.1729528	.0248434	.1069382	152.0739
Stddev	.0000962	.000048	.007785	.0006180	.0001632	.0000162	.4299
%RSD	2.195824	.8957261	.2779660	.3572913	.6570941	.0151347	.2826804
#1	.0042902	-.005302	2.795402	.1731613	.0246592	.1069500	151.5775
#2	.0043717	-.005374	2.809531	.1722576	.0249010	.1069448	152.3254
#3	.0044819	-.005394	2.796803	.1734395	.0249701	.1069197	152.3187

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3153295	1.622921	.0285649	-.004307	.9073239	.3262006	.1447582
Stddev	.0003440	.004726	.0001071	.000351	.0158275	.0001900	.0002191
%RSD	.1090812	.2912295	.3749690	8.137997	1.744412	.0582376	.1513850
#1	.3149352	1.628325	.0286600	-.004109	.9135757	.3259824	.1449554
#2	.3154857	1.620881	.0284489	-.004100	.8893254	.3262902	.1445223
#3	.3155677	1.619557	.0285859	-.004712	.9190706	.3263293	.1447969

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.024260	-.129234	.0037434	.0044415	.7864612	5.186041	1.540248
Stddev	.007220	.000926	.0001503	.0002546	.0007046	.021816	.006456
%RSD	.3566832	.7167431	4.015866	5.732346	.0895954	.4206608	.4191734
#1	2.022726	-.129382	.0035803	.0044958	.7871846	5.161014	1.547602
#2	2.017930	-.128242	.0038765	.0046646	.7857769	5.201033	1.535509
#3	2.032124	-.130077	.0037734	.0041641	.7864222	5.196077	1.537633

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1781-09 Acquired: 4/14/2025 17:48:09 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.009400	.0782555	.0279677
Stddev	.006844	.0006487	.0000351
%RSD	.6780365	.8290063	.1256588
#1	1.013100	.0787580	.0279272
#2	1.013599	.0784855	.0279853
#3	1.001503	.0775231	.0279906

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2896.348	70789.45	14794.25	1905.602	4218.680
Stddev	6.375	104.68	37.81	9.266	5.400
%RSD	.2201035	.1478816	.2555693	.4862335	.1280133
#1	2901.918	70793.94	14778.23	1907.656	4213.050
#2	2889.395	70891.82	14837.44	1913.668	4219.175
#3	2897.730	70682.59	14767.10	1895.482	4223.816

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167567BL Acquired: 4/14/2025 17:52:21 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0006128	-.000795	.0008128	-.001426	.0012979	.0031289	-.000284
Stddev	.0022127	.001126	.0007609	.003176	.0008568	.0031183	.000615
%RSD	361.0825	141.5162	93.61560	222.7260	66.01610	99.66125	216.5942
#1	.0025919	.000318	.0016797	-.000045	.0011420	.0065068	-.000246
#2	.0010228	-.001933	.0002552	.000826	.0005297	.0003600	-.000916
#3	-.001776	-.000771	.0005036	-.005059	.0022220	.0025199	.000311

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000016	-.000030	-.002766	-.000136	-.000027	.0062404	.0048343
Stddev	.000025	.000065	.002632	.000090	.000173	.0005728	.0031070
%RSD	155.9577	213.7102	95.17934	66.39622	647.5807	9.178136	64.27081
#1	-.000034	-.000104	.000222	-.000164	-.000205	.0067534	.0041731
#2	.000013	-.000006	-.003776	-.000208	-.000016	.0056224	.0082187
#3	-.000027	.000019	-.004743	-.000035	.000141	.0063453	.0021111

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002309	.0001100	.0007074	-.000186	-.020243	.0001051	.0001231
Stddev	.0004770	.0057205	.0002275	.000177	.004816	.0007144	.0002540
%RSD	206.5633	5202.883	32.15580	95.19255	23.79256	679.4283	206.2456
#1	.0003289	.0066564	.0007430	-.000196	-.022541	-.000179	-.000135
#2	-.000287	-.002401	.0004642	-.000357	-.014708	-.000423	.000373
#3	.000651	-.003926	.0009149	-.000004	-.023481	.000918	.000131

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.037249	-.001709	-.000379	-.000439	-.000771	.0082188	.0023317
Stddev	.031571	.000419	.000063	.000830	.000424	.0027500	.0027950
%RSD	84.75554	24.51476	16.58795	189.0337	54.96323	33.46000	119.8699
#1	-.073684	-.002193	-.000422	.000455	-.000808	.0051563	.0052315
#2	-.020074	-.001465	-.000307	-.001186	-.000331	.0104769	-.000345
#3	-.017990	-.001471	-.000408	-.000586	-.001176	.0090232	.002109

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167567BL Acquired: 4/14/2025 17:52:21 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.003120	-.000379	.0000173
Stddev	.003222	.000358	.0000456
%RSD	103.2538	94.36737	263.1456
#1	-.006734	-.000452	-.000019
#2	-.002080	-.000695	.000002
#3	-.000547	.000009	.000068

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2856.039	69298.20	14105.44	1850.132	4612.057
Stddev	3.870	162.13	52.83	4.122	3.648
%RSD	.1355060	.2339529	.3745636	.2228065	.0790959
#1	2856.923	69485.39	14114.11	1852.390	4608.625
#2	2851.804	69206.26	14153.40	1845.374	4611.657
#3	2859.392	69202.94	14048.81	1852.632	4615.888

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167567BS Acquired: 4/14/2025 17:56:41 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8011289	2.050231	.9990937	2.017653	.8097910	1.895105
Stddev	.0037721	.009483	.0013354	.005775	.0037397	.002376
%RSD	.4708482	.4625101	.1336630	.2862137	.4618090	.1253723
#1	.7994718	2.049429	.9984671	2.015193	.8061237	1.894909
#2	.7984691	2.041175	.9981868	2.013515	.8135991	1.892833
#3	.8054460	2.060089	1.000627	2.024250	.8096501	1.897573

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1931598	.1904702	.2024777	1.007211	.3988164	.1965210
Stddev	.0012323	.0007112	.0007047	.003214	.0005990	.0008925
%RSD	.6379618	.3733845	.3480505	.3191427	.1501926	.4541685
#1	.1922881	.1898219	.2017452	1.005696	.3991861	.1955419
#2	.1926216	.1912309	.2025372	1.010903	.3991378	.1967317
#3	.1945696	.1903579	.2031509	1.005034	.3981253	.1972893

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3079142	3.067182	.1981752	1.885200	.4923222	.0731426
Stddev	.0001143	.011768	.0004816	.004835	.0009421	.0004994
%RSD	.0371273	.3836906	.2430197	.2564775	.1913659	.6827576
#1	.3079847	3.079963	.1983136	1.888013	.4914663	.0733192
#2	.3079755	3.064789	.1985725	1.887970	.4921686	.0725789
#3	.3077823	3.056794	.1976396	1.879617	.4933317	.0735297

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.851609	.2894795	.1981865	9.789940	.2759728	.4102154
Stddev	.006625	.0017998	.0010145	.009825	.0004722	.0002508
%RSD	.2323277	.6217396	.5118959	.1003566	.1711131	.0611399
#1	2.849030	.2878577	.1992738	9.790258	.2757635	.4100360
#2	2.846661	.2891648	.1980204	9.799602	.2765135	.4101083
#3	2.859136	.2914158	.1972652	9.779960	.2756414	.4105020

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167567BS Acquired: 4/14/2025 17:56:41 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6971908	.1960911	F .7025236	5.863297	F -.005166	.2026153
Stddev	.0021246	.0001967	.0023811	.014891	.000565	.0010403
%RSD	.3047371	.1003241	.3389325	.2539646	10.94433	.5134303
#1	.6967367	.1963123	.7000623	5.855910	-.004588	.2035358
#2	.6953300	.1960252	.7026929	5.853543	-.005718	.2028234
#3	.6995057	.1959358	.7048154	5.880436	-.005192	.2014867

Elem	Sr4077
Units	ppm
Avg	.2019851
Stddev	.0000850
%RSD	.0420727
#1	.2018881
#2	.2020466
#3	.2020205

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2808.672	67423.21	13840.40	1865.369	4390.104
Stddev	4.220	104.46	24.27	9.381	2.882
%RSD	.1502537	.1549294	.1753725	.5028944	.0656588
#1	2803.939	67329.43	13837.97	1854.893	4390.578
#2	2810.032	67535.79	13817.44	1872.992	4392.720
#3	2812.044	67404.39	13865.80	1868.222	4387.014

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167482BL Acquired: 4/14/2025 18:00:44 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000142	-.001113	.0001563	-.001438	.0004857	.0048740	.0001166
Stddev	.001796	.000313	.0005490	.002706	.0013633	.0071777	.0012614
%RSD	1267.699	28.14021	351.3787	188.1678	280.7128	147.2647	1081.680
#1	.001523	-.001427	.0007518	-.002830	.0016917	.0012834	.0014695
#2	.000097	-.001110	.0000468	-.003166	-.000994	.0131386	-.001027
#3	-.002045	-.000801	-.000330	.001681	.000759	.0002002	-.000092

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000028	-.000027	-.010804	-.000143	.0000798	.0002060	.0016201
Stddev	.000017	.000024	.006989	.000211	.0000037	.0006318	.0019699
%RSD	59.64297	91.87102	64.68680	147.8206	4.669788	306.6239	121.5880
#1	-.000045	-.000055	-.012621	-.000386	.0000766	-.000442	-.000342
#2	-.000029	-.000015	-.016706	-.000023	.0000789	.000239	.003597
#3	-.000011	-.000010	-.003086	-.000019	.0000839	.000821	.001605

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0004176	.0101358	-.000386	-.000152	-.013462	-.000108	-.000447
Stddev	.0002770	.0069774	.000607	.000489	.003625	.000575	.000261
%RSD	66.32538	68.83890	157.3385	320.7667	26.92825	532.2116	58.45629
#1	.0001723	.0150553	-.000599	.000411	-.010517	-.000405	-.000446
#2	.0007180	.0021504	-.000858	-.000463	-.012358	-.000474	-.000186
#3	.0003627	.0132018	.000299	-.000405	-.017511	.000554	-.000708

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0011095	-.001282	-.000420	-.000175	-.000382	.0034758	.0007310
Stddev	.0228033	.000570	.000137	.000588	.000534	.0065366	.0016199
%RSD	2055.280	44.49392	32.59888	336.0584	139.5842	188.0574	221.5984
#1	-.001250	-.001641	-.000308	-.000149	-.000782	.0034436	.0003523
#2	.025001	-.000624	-.000573	-.000776	-.000588	.0100285	-.000666
#3	-.020422	-.001581	-.000380	.000400	.000224	-.003045	.002507

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167482BL Acquired: 4/14/2025 18:00:44 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0004091	-.000562	-.000056
Stddev	.0021665	.001188	.000071
%RSD	529.5281	211.2704	127.1029
#1	-.000088	-.001008	.000024
#2	-.001466	-.001464	-.000078
#3	.002781	.000784	-.000113

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2835.162	68217.02	12657.84	1900.611	4514.448
Stddev	1.662	219.62	32.24	6.216	9.643
%RSD	.0586377	.3219451	.2546711	.3270769	.2135959
#1	2835.884	67963.84	12674.83	1894.858	4521.145
#2	2833.260	68356.11	12678.04	1899.771	4518.802
#3	2836.341	68331.13	12620.67	1907.205	4503.395

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167482BS Acquired: 4/14/2025 18:12:42 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7492761	1.907872	.9213846	1.881776	.7515473	1.721706
Stddev	.0067418	.008080	.0059220	.000415	.0047405	.007314
%RSD	.8997820	.4234918	.6427292	.0220562	.6307627	.4247900
#1	.7505061	1.916399	.9183280	1.881912	.7461467	1.723592
#2	.7420039	1.906889	.9176154	1.881310	.7534753	1.713635
#3	.7553183	1.900330	.9282103	1.882106	.7550201	1.727893

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1764244	.1709897	.1871711	.9006899	.3659587	.1808740
Stddev	.0011259	.0008420	.0005915	.0039118	.0009276	.0004583
%RSD	.6381898	.4924284	.3160326	.4343150	.2534605	.2533671
#1	.1776032	.1719492	.1865640	.9049352	.3652664	.1808882
#2	.1753601	.1703741	.1872036	.8972310	.3670126	.1804088
#3	.1763100	.1706458	.1877457	.8999036	.3655971	.1813250

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2849515	2.819140	.1790917	1.714660	.4538674	.0674023
Stddev	.0008652	.011830	.0009709	.016426	.0017096	.0003714
%RSD	.3036264	.4196279	.5421033	.9579871	.3766709	.5509395
#1	.2853992	2.816406	.1790094	1.713552	.4522254	.0677125
#2	.2839542	2.808917	.1781646	1.731612	.4537394	.0675035
#3	.2855010	2.832098	.1801011	1.698815	.4556374	.0669908

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.618559	.2649775	.1826942	8.982324	.2474965	.3774112
Stddev	.012218	.0001524	.0010715	.007081	.0018333	.0010490
%RSD	.4666009	.0575005	.5865105	.0788292	.7407274	.2779355
#1	2.604997	.2651515	.1828096	8.981205	.2494292	.3778065
#2	2.621972	.2648681	.1815697	8.975868	.2457822	.3762221
#3	2.628708	.2649128	.1837034	8.989897	.2472780	.3782051

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167482BS Acquired: 4/14/2025 18:12:42 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6445381	.1774623	F .6403500	5.474642	F -.008173	.1834610
Stddev	.0034616	.0005257	.0075357	.012675	.001458	.0011771
%RSD	.5370608	.2962371	1.176812	.2315294	17.83478	.6415892
#1	.6421943	.1773490	.6362703	5.460367	-.007726	.1848188
#2	.6429060	.1770025	.6357338	5.478982	-.006991	.1827289
#3	.6485140	.1780355	.6490460	5.484578	-.009801	.1828355

Elem	Sr4077
Units	ppm
Avg	.1836178
Stddev	.0000280
%RSD	.0152380
#1	.1836342
#2	.1835855
#3	.1836338

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2764.453	67442.83	14048.68	1842.415	4323.577
Stddev	1.961	31.01	75.34	6.321	4.336
%RSD	.0709528	.0459849	.5362944	.3430706	.1002944
#1	2766.398	67457.68	13962.08	1837.558	4327.403
#2	2762.475	67463.63	14099.16	1849.562	4324.462
#3	2764.486	67407.18	14084.81	1840.126	4318.867

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV05 Acquired: 4/14/2025 18:16:45 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV05 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.864772	4.914821	4.915565	4.905767	4.909998	9.697176	9.569751
Stddev	.003837	.015369	.006833	.004385	.004251	.024199	.064656
%RSD	.0788659	.3127050	.1390128	.0893759	.0865689	.2495520	.6756318
#1	4.860415	4.903093	4.907675	4.910822	4.905152	9.687563	9.581576
#2	4.866257	4.909149	4.919459	4.902983	4.913094	9.724705	9.499999
#3	4.867644	4.932219	4.919562	4.903497	4.911747	9.679260	9.627679

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2556805	2.465797	24.25488	.9858008	2.468968	1.239911	4.765951
Stddev	.0008721	.005201	.05104	.0029379	.006860	.003045	.026833
%RSD	.3410873	.2109272	.2104242	.2980173	.2778508	.2455577	.5630115
#1	.2566506	2.460345	24.19998	.9881681	2.462412	1.237524	4.780944
#2	.2549614	2.466343	24.30089	.9867215	2.468395	1.238869	4.781937
#3	.2554296	2.470704	24.26376	.9825129	2.476096	1.243340	4.734973

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.429754	24.24687	2.459210	1.231649	23.42835	2.435418	2.455876
Stddev	.006740	.03954	.005678	.002042	.13186	.006119	.003439
%RSD	.2773816	.1630539	.2308677	.1657566	.5628266	.2512674	.1400252
#1	2.435939	24.23305	2.455553	1.233198	23.44455	2.436394	2.456612
#2	2.430754	24.29145	2.456327	1.232413	23.55137	2.440990	2.452129
#3	2.422571	24.21609	2.465751	1.229335	23.28914	2.428869	2.458888

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.62174	5.112362	4.951649	4.937896	4.836136	4.730812	4.913697
Stddev	.16168	.013466	.010279	.009881	.012143	.020460	.010261
%RSD	.6844537	.2634023	.2075948	.2001115	.2510958	.4324933	.2088150
#1	23.65025	5.125435	4.950118	4.926644	4.841720	4.708896	4.903377
#2	23.76727	5.098535	4.942221	4.941884	4.844483	4.749413	4.923897
#3	23.44770	5.113116	4.962608	4.945161	4.822205	4.734127	4.913817

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV05 Acquired: 4/14/2025 18:16:45 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV05 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.894461	4.849522	4.865926
Stddev	.007986	.007582	.024561
%RSD	.1631694	.1563417	.5047500
#1	4.885577	4.850316	4.837735
#2	4.901045	4.856676	4.882700
#3	4.896760	4.841575	4.877344

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2718.395	64869.60	12391.47	1761.521	4070.670
Stddev	5.459	240.21	23.05	5.305	6.306
%RSD	.2008065	.3702897	.1860291	.3011653	.1549159
#1	2717.025	65016.59	12417.88	1767.410	4075.497
#2	2724.408	64592.40	12375.38	1757.115	4072.978
#3	2713.752	64999.81	12381.14	1760.037	4063.535

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB05 Acquired: 4/14/2025 18:20:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB05 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0016676	.0002459	-.001034	-.001155	.0003601	-.000769	.0002335
Stddev	.0009542	.0010016	.000698	.001014	.0020276	.003578	.0007033
%RSD	57.21939	407.2436	67.50875	87.82028	563.1388	465.0765	301.2506
#1	.0016428	-.000498	-.001835	-.002287	-.001838	.000276	-.000566
#2	.0026340	.001385	-.000552	-.000848	.000762	.002170	.000758
#3	.0007261	-.000149	-.000716	-.000329	.002157	-.004754	.000508

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000131	-.000028	-.007488	.0002037	.0000701	.0001546	.0006599
Stddev	.0000690	.000063	.005846	.0001525	.0000553	.0000982	.0014004
%RSD	528.1886	222.8569	78.07253	74.89518	78.79560	63.52014	212.2159
#1	-.000067	.000014	-.005829	.0002989	.0001297	.0000666	.0019191
#2	.000055	.000002	-.013985	.0002843	.0000601	.0002605	-.000848
#3	.000051	-.000101	-.002651	.0000277	.0000206	.0001366	.000909

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0006038	-.002284	-.000104	-.000188	-.012036	.0011443	-.000151
Stddev	.0001172	.018638	.000503	.000109	.014670	.0023336	.000159
%RSD	19.40503	816.1631	484.5468	58.01910	121.8823	203.9361	105.2794
#1	.0006392	-.000182	-.000171	-.000095	-.011730	-.001478	-.000177
#2	.0006992	.015215	.000429	-.000308	-.026858	.002994	.000019
#3	.0004730	-.021883	-.000571	-.000161	.002478	.001917	-.000296

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.030449	.0045736	-.000128	-.000487	-.000563	.0161672	.0030858
Stddev	.012268	.0001191	.000171	.000607	.000529	.0079909	.0004215
%RSD	40.29014	2.603344	133.1906	124.6634	93.95149	49.42663	13.65768
#1	-.039732	.0044603	.000046	-.000334	-.000013	.0169730	.0028062
#2	-.035076	.0046977	-.000136	.000029	-.000608	.0237247	.0035706
#3	-.016541	.0045628	-.000295	-.001155	-.001067	.0078039	.0028807

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB05 Acquired: 4/14/2025 18:20:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB05 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0010768	-.000974	-.000065
Stddev	.0012486	.000148	.000062
%RSD	115.9546	15.15998	96.57314
#1	.0018537	-.001061	.000004
#2	-.000363	-.001056	-.000080
#3	.001740	-.000803	-.000118

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2864.257	68281.01	13504.33	1881.861	4570.267
Stddev	4.670	107.37	56.02	4.232	7.494
%RSD	.1630296	.1572409	.4147976	.2248679	.1639745
#1	2866.735	68304.99	13488.40	1885.537	4576.134
#2	2858.870	68163.68	13458.00	1877.235	4561.825
#3	2867.164	68374.36	13566.58	1882.811	4572.842

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167530BL Acquired: 4/14/2025 18:25:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0006381	-.000252	.0020164	-.002154	-.000800	-.001627	.0005366
Stddev	.0018902	.001527	.0007542	.002202	.001199	.002672	.0010999
%RSD	296.1966	606.5297	37.40583	102.2094	149.9072	164.2126	204.9730
#1	.0006639	-.000201	.0012623	-.000022	-.001702	-.003720	.0018066
#2	-.001265	.001249	.0027708	-.004419	-.001258	-.002545	-.000089
#3	.002515	-.001804	.0020161	-.002020	.000560	.001383	-.000108

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000152	-.000066	-.005095	.0001037	-.000107	.0000994	-.001111
Stddev	.0000419	.000055	.006141	.0003620	.000114	.0003235	.001560
%RSD	274.8723	83.46603	120.5182	349.0636	106.8159	325.6234	140.3804
#1	-.000022	-.000128	.001980	.0003533	-.000228	.0004181	.000688
#2	.000008	-.000044	-.008232	-.000311	-.000001	-.000229	-.001945
#3	.000060	-.000025	-.009034	.000269	-.000091	.000109	-.002077

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003580	.0045169	-.000197	-.000640	-.026427	.0001291	-.000578
Stddev	.0001127	.0063190	.000061	.000277	.008834	.0006524	.000317
%RSD	31.49360	139.8960	30.65295	43.28101	33.42991	505.2174	54.89566
#1	.0004497	.0082092	-.000134	-.000348	-.033193	-.000436	-.000938
#2	.0003922	-.002779	-.000204	-.000898	-.016432	-.000020	-.000453
#3	.0002321	.008121	-.000254	-.000673	-.029655	.000843	-.000342

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.059374	.0009473	-.000200	-.000874	-.000520	.0026381	.0038376
Stddev	.012875	.0006354	.000178	.000553	.000430	.0057417	.0009404
%RSD	21.68436	67.07287	89.23097	63.31937	82.79102	217.6463	24.50517
#1	-.067369	.0016776	-.000018	-.000947	-.000991	-.002719	.0035103
#2	-.066232	.0006427	-.000374	-.001386	-.000146	.001934	.0031046
#3	-.044522	.0005216	-.000207	-.000287	-.000423	.008699	.0048980

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167530BL Acquired: 4/14/2025 18:25:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.002852	-.001008	-.000076
Stddev	.003482	.000769	.000038
%RSD	122.0802	76.36000	50.31828
#1	.000615	-.001889	-.000035
#2	-.006348	-.000662	-.000111
#3	-.002822	-.000471	-.000081

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2894.700	69673.78	13643.23	1919.841	4643.475
Stddev	5.516	79.58	37.55	3.756	5.117
%RSD	.1905399	.1142158	.2752257	.1956541	.1102024
#1	2900.443	69763.17	13604.05	1915.507	4644.320
#2	2894.212	69647.51	13646.75	1922.144	4648.117
#3	2889.445	69610.65	13678.90	1921.874	4637.988

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167530BS Acquired: 4/14/2025 18:29:36 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7530660	1.950345	.9459290	1.890373	.7824124	1.811730	.1829782
Stddev	.0042584	.011919	.0007729	.002483	.0024735	.007749	.0007642
%RSD	.5654771	.6111292	.0817035	.1313370	.3161417	.4277285	.4176226
#1	.7531403	1.939929	.9450366	1.889463	.7816184	1.816312	.1825218
#2	.7487709	1.947761	.9463801	1.888474	.7851854	1.802782	.1825524
#3	.7572868	1.963344	.9463703	1.893182	.7804334	1.816094	.1838604

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1952309	.1919163	.9537957	.3762129	.1865542	.2912398	2.701586
Stddev	.0016206	.0005305	.0029856	.0005114	.0005694	.0007675	.006194
%RSD	.8300978	.2763955	.3130235	.1359360	.3052463	.2635133	.2292905
#1	.1938642	.1913099	.9507922	.3757460	.1859019	.2904019	2.699083
#2	.1948071	.1922941	.9567631	.3767595	.1869520	.2914091	2.708641
#3	.1970212	.1921450	.9538318	.3761331	.1868087	.2919085	2.697035

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1902608	1.819968	.4658832	.0699022	2.460068	.2763463	.1885956
Stddev	.0008933	.014896	.0017328	.0003799	.010538	.0017423	.0005982
%RSD	.4695195	.8184822	.3719320	.5435118	.4283462	.6304694	.3171940
#1	.1894545	1.802856	.4638830	.0699477	2.469920	.2743430	.1892746
#2	.1912211	1.830031	.4668411	.0695016	2.448958	.2771880	.1883663
#3	.1901069	1.827017	.4669256	.0702574	2.461326	.2775080	.1881461

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.512258	.2859593	.3986263	.6743269	.1907969	.6190111	5.532053
Stddev	.057244	.0018393	.0002101	.0028716	.0003063	.0051838	.008521
%RSD	.6724887	.6432116	.0526973	.4258544	.1605658	.8374270	.1540381
#1	8.564621	.2846186	.3986913	.6710645	.1908349	.6184882	5.522966
#2	8.521011	.2852031	.3983914	.6764721	.1910824	.6244365	5.533326
#3	8.451141	.2880561	.3987962	.6754440	.1904733	.6141086	5.539866

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167530BS Acquired: 4/14/2025 18:29:36 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.006586	.1958663	.1900099
Stddev	.002267	.0004677	.0000905
%RSD	34.42824	.2388068	.0476373
#1	-.008686	.1960784	.1900350
#2	-.006890	.1953301	.1899095
#3	-.004182	.1961905	.1900853

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2856.834	68995.69	12862.07	1907.495	4469.912
Stddev	4.203	49.28	87.46	2.137	2.040
%RSD	.1471042	.0714297	.6800091	.1120142	.0456345
#1	2852.102	68972.51	12946.59	1907.437	4470.578
#2	2860.131	69052.29	12867.68	1905.388	4471.536
#3	2858.268	68962.27	12771.93	1909.661	4467.623

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167548BL Acquired: 4/14/2025 18:33:40 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0017288	-.001131	-.000575	-.002318	-.000823	-.000257	.0006457
Stddev	.0015436	.000792	.001146	.002473	.002608	.000773	.0004811
%RSD	89.28496	70.01460	199.3121	106.7276	316.8267	300.6796	74.50571
#1	.0032944	-.000304	-.001585	-.004184	.001824	-.000001	.0005594
#2	.0016839	-.001208	.000670	-.003257	-.000903	-.001126	.0011641
#3	.0002082	-.001882	-.000809	.000488	-.003391	.000355	.0002136

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000007	.0000292	-.009531	-.000009	.0000068	.0001369	-.004211
Stddev	.000018	.0001084	.001504	.000232	.0002907	.0003802	.003418
%RSD	236.5357	371.5121	15.77505	2686.653	4302.477	277.7275	81.17120
#1	.000011	.0000076	-.011008	-.000187	-.000194	-.000032	-.001351
#2	-.000009	-.000067	-.008003	-.000093	.000340	.000572	-.003286
#3	-.000024	.000147	-.009583	.000254	-.000126	-.000130	-.007997

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0004013	.0195846	-.000113	-.000433	-.050901	.0010714	-.000469
Stddev	.0002582	.0167731	.000133	.000208	.016362	.0003820	.000258
%RSD	64.34548	85.64470	117.8208	48.00554	32.14475	35.65877	54.97691
#1	.0005481	.0010830	-.000044	-.000194	-.058432	.0015009	-.000483
#2	.0001031	.0337960	-.000029	-.000532	-.062142	.0007694	-.000205
#3	.0005527	.0238746	-.000266	-.000573	-.032130	.0009438	-.000720

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.019980	-.000199	-.000227	-.000705	-.000743	.0020738	.0041374
Stddev	.001982	.000933	.000016	.000512	.000214	.0055131	.0032271
%RSD	9.921556	469.8635	7.102804	72.66589	28.81749	265.8436	77.99732
#1	-.021457	-.001214	-.000212	-.000634	-.000966	.0061936	.0014345
#2	-.017727	-.000000	-.000225	-.000232	-.000539	-.004189	.0077103
#3	-.020756	.000619	-.000244	-.001248	-.000725	.004217	.0032674

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167548BL Acquired: 4/14/2025 18:33:40 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0006031	-.001067	-.000101
Stddev	.0037225	.000476	.000036
%RSD	617.2382	44.63913	35.12478
#1	-.003691	-.001187	-.000060
#2	.002576	-.001472	-.000122
#3	.002923	-.000542	-.000121

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2864.992	68119.58	12756.44	1869.339	4590.360
Stddev	6.107	244.44	8.69	3.209	7.375
%RSD	.2131659	.3588331	.0681294	.1716858	.1606630
#1	2862.443	68396.76	12749.31	1867.741	4586.170
#2	2871.961	68027.14	12753.88	1873.034	4598.876
#3	2860.573	67934.85	12766.12	1867.244	4586.035

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167548BS Acquired: 4/14/2025 18:38:00 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8014982	2.027321	.9895762	2.033606	.8445587	1.864350	.1841658
Stddev	.0031902	.016046	.0041367	.013321	.0068821	.003929	.0012993
%RSD	.3980295	.7915049	.4180320	.6550584	.8148725	.2107562	.7054961
#1	.8046253	2.010978	.9849553	2.021343	.8436150	1.868607	.1844744
#2	.8016210	2.027931	.9908385	2.031696	.8381971	1.860862	.1827401
#3	.7982484	2.043053	.9929347	2.047780	.8518639	1.863581	.1852831

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1901085	.2012008	.9688220	.3952078	.1943663	.3058459	2.940483
Stddev	.0012480	.0004590	.0069736	.0018112	.0005988	.0012284	.005109
%RSD	.6564587	.2281122	.7198031	.4582915	.3080512	.4016246	.1737319
#1	.1912600	.2006800	.9714315	.3968015	.1938727	.3050735	2.945361
#2	.1887824	.2013762	.9741145	.3932381	.1941938	.3052020	2.940917
#3	.1902829	.2015462	.9609199	.3955837	.1950323	.3072624	2.935171

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1900865	1.842888	.4872265	.0727050	2.637386	.2814951	.1970543
Stddev	.0005662	.020373	.0016919	.0003946	.011277	.0012190	.0003521
%RSD	.2978690	1.105490	.3472412	.5426671	.4275717	.4330460	.1786864
#1	.1905831	1.863046	.4856526	.0729017	2.635721	.2827934	.1967536
#2	.1894699	1.822307	.4870114	.0722508	2.649402	.2803751	.1969676
#3	.1902065	1.843313	.4890157	.0729627	2.627034	.2813168	.1974416

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.357218	.2761966	.4229905	.7210683	.1972244	.7059467	5.817852
Stddev	.040079	.0021973	.0024517	.0020002	.0006217	.0020679	.006277
%RSD	.4283221	.7955657	.5796188	.2774013	.3152407	.2929280	.1078876
#1	9.369909	.2783348	.4210149	.7190473	.1973956	.7061511	5.810635
#2	9.389414	.2739446	.4222224	.7211104	.1977426	.7079047	5.820887
#3	9.312329	.2763104	.4257344	.7230471	.1965350	.7037841	5.822035

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167548BS Acquired: 4/14/2025 18:38:00 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.007511	.1991249	.1938878
Stddev	.002104	.0008900	.0004422
%RSD	28.00853	.4469736	.2280581
#1	-.009419	.1989908	.1941757
#2	-.007858	.1983095	.1941091
#3	-.005255	.2000744	.1933787

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2767.137	66953.67	13573.37	1830.337	4325.720
Stddev	5.816	133.27	87.39	6.109	8.262
%RSD	.2101937	.1990502	.6438550	.3337615	.1910029
#1	2768.644	66805.89	13492.59	1832.508	4332.848
#2	2772.052	66990.36	13666.14	1823.439	4327.649
#3	2760.716	67064.75	13561.37	1835.063	4316.665

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167566BL Acquired: 4/14/2025 18:42:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0025666	-.000660	.0008417	-.001441	-.000298	-.000086	.0007453
Stddev	.0030430	.001202	.0011692	.000851	.000853	.001740	.0000673
%RSD	118.5619	182.0557	138.9101	59.05151	285.8987	2025.869	9.027408
#1	.0030474	-.001266	.0017466	-.002217	-.001251	-.000097	.0008023
#2	.0053407	-.001438	.0012571	-.000531	-.000038	-.001821	.0007626
#3	-.000688	.000724	-.000478	-.001574	.000394	.001660	.0006711

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000273	-.000053	-.003171	-.000237	-.000163	-.000030	-.003052
Stddev	.0000213	.000053	.005830	.000190	.000299	.000113	.003037
%RSD	78.18068	99.10347	183.8580	80.13017	183.5991	374.8532	99.52131
#1	.0000476	-.000019	.000629	-.000409	-.000394	.000069	-.001545
#2	.0000051	-.000114	-.000258	-.000269	-.000269	-.000007	-.006548
#3	.0000292	-.000027	-.009884	-.000033	.000175	-.000153	-.001063

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003995	.0060005	-.000342	-.000251	-.043017	.0003815	-.000293
Stddev	.0003192	.0037501	.000131	.000124	.015463	.0015342	.000168
%RSD	79.91043	62.49618	38.38859	49.26949	35.94616	402.0922	57.22623
#1	.0006451	.0103044	-.000231	-.000321	-.045527	-.001350	-.000451
#2	.0000386	.0034363	-.000309	-.000323	-.057071	.001571	-.000310
#3	.0005147	.0042607	-.000487	-.000108	-.026452	.000924	-.000117

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.042494	-.000524	-.000215	-.000721	-.000537	.0095572	.0025073
Stddev	.011028	.000616	.000368	.000622	.000614	.0049324	.0012292
%RSD	25.95274	117.4655	170.8792	86.24297	114.3019	51.60902	49.02383
#1	-.055228	-.001103	.000146	-.001433	-.000757	.0117322	.0029384
#2	-.036173	-.000593	-.000589	-.000278	.000156	.0039112	.0011207
#3	-.036081	.000123	-.000202	-.000453	-.001011	.0130283	.0034630

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167566BL Acquired: 4/14/2025 18:42:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.001048	-.000695	-.000110
Stddev	.000413	.000575	.000023
%RSD	39.39709	82.65391	20.99537
#1	-.000604	-.001159	-.000109
#2	-.001420	-.000053	-.000087
#3	-.001119	-.000873	-.000134

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2835.703	69182.40	13291.76	1879.064	4519.039
Stddev	5.366	37.21	75.79	1.552	4.030
%RSD	.1892251	.0537908	.5701871	.0826006	.0891827
#1	2830.149	69148.05	13211.33	1879.016	4515.984
#2	2836.102	69221.93	13361.83	1877.537	4517.526
#3	2840.858	69177.21	13302.13	1880.640	4523.607

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167566BS Acquired: 4/14/2025 18:46:23 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7840658	2.022242	.9827029	1.977305	.8085271	1.882071	.1924269
Stddev	.0014570	.008724	.0019806	.004175	.0002881	.009656	.0011236
%RSD	.1858296	.4314091	.2015501	.2111686	.0356388	.5130288	.5838908
#1	.7824724	2.020993	.9806863	1.981697	.8086399	1.879163	.1912484
#2	.7853303	2.031523	.9827770	1.973386	.8081996	1.874204	.1925464
#3	.7843945	2.014209	.9846455	1.976834	.8087417	1.892846	.1934860

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1911110	.2000966	.9874138	.3942992	.1941891	.3033968	2.993974
Stddev	.0010922	.0002516	.0096326	.0003204	.0005233	.0005353	.013862
%RSD	.5714953	.1257185	.9755335	.0812443	.2694889	.1764365	.4629946
#1	.1919390	.2003534	.9772421	.3946666	.1936481	.3032654	2.989180
#2	.1915209	.1998507	.9963968	.3941522	.1946927	.3029394	2.983146
#3	.1898732	.2000857	.9886025	.3940787	.1942266	.3039855	3.009597

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1944232	1.877207	.4842068	.0729906	2.764219	.2895448	.1992832
Stddev	.0010698	.017266	.0004076	.0001868	.039073	.0007872	.0011236
%RSD	.5502349	.9197572	.0841696	.2559948	1.413522	.2718678	.5638424
#1	.1936569	1.883420	.4837388	.0729136	2.735078	.2901645	.1998993
#2	.1939673	1.890506	.4843985	.0728545	2.748959	.2886591	.1999639
#3	.1956454	1.857694	.4844832	.0732036	2.808618	.2898109	.1979862

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.518978	.2795571	.4111434	.6943064	.1955963	.6902303	5.734305
Stddev	.069448	.0033340	.0006125	.0032984	.0006881	.0150586	.003578
%RSD	.7295791	1.192606	.1489778	.4750597	.3518065	2.181684	.0623952
#1	9.447915	.2812528	.4114322	.6927648	.1948298	.6846347	5.730783
#2	9.522328	.2817024	.4104399	.6920611	.1957982	.6787705	5.737936
#3	9.586690	.2757161	.4115582	.6980933	.1961609	.7072857	5.734195

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167566BS Acquired: 4/14/2025 18:46:23 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.004485	.2014430	.1990662
Stddev	.001952	.0029882	.0010520
%RSD	43.51386	1.483396	.5284905
#1	-.002931	.1980728	.1979028
#2	-.006676	.2024870	.1993449
#3	-.003848	.2037690	.1999508

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2838.655	67859.22	13695.35	1877.083	4439.742
Stddev	5.860	109.71	66.97	2.466	8.055
%RSD	.2064269	.1616776	.4889680	.1313755	.1814281
#1	2837.721	67958.07	13649.77	1875.685	4446.091
#2	2844.925	67878.42	13664.05	1875.633	4442.454
#3	2833.318	67741.17	13772.23	1879.930	4430.681

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167500BL Acquired: 4/14/2025 18:50:26 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0014596	-.001679	.0001360	-.000374	.0022611	.0044255	.0016657
Stddev	.0007311	.001742	.0011853	.001183	.0011907	.0021388	.0007389
%RSD	50.08863	103.7357	871.4525	316.0893	52.65952	48.32825	44.36005
#1	.0023038	-.003611	.0014502	.000616	.0013628	.0061968	.0008448
#2	.0010281	-.000229	-.000852	-.000054	.0018089	.0050302	.0022776
#3	.0010470	-.001197	-.000190	-.001684	.0036116	.0020495	.0018747

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000041	-.000025	-.001746	-.000018	.0000598	.0002414	-.001399
Stddev	.000017	.000042	.007271	.000065	.0002465	.0000464	.002448
%RSD	42.39218	168.6822	416.5341	357.1674	412.6380	19.20081	174.9571
#1	-.000049	-.000056	.003885	.000034	.0000366	.0001933	-.001811
#2	-.000052	.000023	-.009954	-.000090	-.000174	.0002451	.001229
#3	-.000021	-.000041	.000833	.000002	.000317	.0002858	-.003614

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003796	.0154708	-.000135	-.000573	-.042966	.0013480	-.000283
Stddev	.0001193	.0111416	.000151	.000263	.015787	.0005511	.000151
%RSD	31.41745	72.01694	111.1809	45.92974	36.74421	40.88413	53.23926
#1	.0004861	.0072127	.000038	-.000699	-.060505	.0019811	-.000452
#2	.0004021	.0281432	-.000230	-.000270	-.038501	.0009753	-.000237
#3	.0002507	.0110566	-.000215	-.000749	-.029891	.0010877	-.000161

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.033990	-.001362	-.000421	-.000851	-.000337	.0092224	.0015613
Stddev	.027136	.000441	.000298	.001054	.000465	.0042848	.0019005
%RSD	79.83714	32.33843	70.67537	123.7638	137.8760	46.46140	121.7225
#1	-.039621	-.001002	-.000186	-.000473	.000111	.0082149	.0002810
#2	-.004480	-.001231	-.000756	-.002042	-.000306	.0055311	.0037450
#3	-.057869	-.001854	-.000322	-.000039	-.000817	.0139212	.0006580

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167500BL Acquired: 4/14/2025 18:50:26 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0010160	-.001118	-.000093
Stddev	.0017145	.001202	.000052
%RSD	168.7502	107.4814	55.44535
#1	.0022414	-.000246	-.000063
#2	.0017500	-.002488	-.000064
#3	-.000943	-.000620	-.000153

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2829.484	68824.13	12858.10	1906.405	4464.923
Stddev	5.857	156.59	73.72	7.265	15.571
%RSD	.2069890	.2275291	.5733110	.3810919	.3487325
#1	2834.900	68668.01	12808.36	1912.759	4468.123
#2	2830.282	68823.16	12823.15	1898.485	4478.645
#3	2823.269	68981.20	12942.79	1907.972	4448.001

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167500BS Acquired: 4/14/2025 18:54:46 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7851373	2.021904	.9823079	1.981558	.8087941	1.855676	.1874936
Stddev	.0006551	.012800	.0048251	.013152	.0053587	.001240	.0002936
%RSD	.0834405	.6330774	.4912026	.6637276	.6625564	.0668298	.1565972
#1	.7847614	2.019676	.9805939	1.967001	.8082958	1.856914	.1877180
#2	.7847567	2.010364	.9785739	1.985088	.8037019	1.855680	.1871613
#3	.7858937	2.035672	.9877561	1.992585	.8143845	1.854434	.1876014

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1994525	.2000750	.9779706	.3866620	.1935100	.3019970	2.784522
Stddev	.0013381	.0008462	.0105644	.0011098	.0007534	.0010196	.021922
%RSD	.6709033	.4229247	1.080237	.2870324	.3893137	.3376265	.7872814
#1	.2009115	.1994298	.9887175	.3854031	.1929476	.3013216	2.760544
#2	.1991635	.1997621	.9775957	.3870838	.1932165	.3014995	2.803537
#3	.1982825	.2010330	.9675987	.3874992	.1943659	.3031699	2.789485

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1948427	1.868785	.4835977	.0707209	2.500607	.2845951	.1930884
Stddev	.0005385	.032597	.0018388	.0007912	.035365	.0006980	.0010044
%RSD	.2763945	1.744296	.3802316	1.118815	1.414269	.2452745	.5201495
#1	.1951182	1.899145	.4818416	.0709315	2.460008	.2840675	.1922448
#2	.1951877	1.834336	.4834420	.0713854	2.517095	.2843312	.1928210
#3	.1942222	1.872875	.4855093	.0698456	2.524718	.2853867	.1941994

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	8.738662	.2888749	.4084444	.7006690	.1936271	.6361710	5.864244
Stddev	.047173	.0033806	.0013626	.0032980	.0010790	.0114494	.028008
%RSD	.5398219	1.170269	.3335972	.4706888	.5572341	1.799738	.4776023
#1	8.689177	.2927396	.4073034	.6986809	.1948378	.6257365	5.852809
#2	8.783121	.2874181	.4080768	.6988502	.1927671	.6343576	5.843763
#3	8.743688	.2864668	.4099531	.7044759	.1932764	.6484189	5.896160

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: PB167500BS Acquired: 4/14/2025 18:54:46 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.009122	.1985467	.1944742
Stddev	.001332	.0022036	.0005191
%RSD	14.59763	1.109843	.2669027
#1	-.007664	.1986455	.1948790
#2	-.010274	.2006991	.1946547
#3	-.009429	.1962954	.1938891

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2821.940	69171.22	12970.84	1914.328	4384.001
Stddev	4.666	173.67	79.01	5.670	9.853
%RSD	.1653634	.2510681	.6091207	.2961845	.2247418
#1	2822.537	69340.97	12895.74	1920.842	4386.820
#2	2826.279	69178.81	12963.54	1910.501	4392.137
#3	2817.003	68993.88	13053.24	1911.641	4373.046

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1768-01DLX5 Acquired: 4/14/2025 18:58:49 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0160036	-.003163	1.438271	-.002781	.0175304	29.06432	.2590533
Stddev	.0013172	.001550	.001907	.003737	.0019455	.04400	.0014500
%RSD	8.230566	48.99959	.1325592	134.3600	11.09787	.1513920	.5597140
#1	.0145352	-.004499	1.437332	-.003693	.0196106	29.08420	.2573942
#2	.0170811	-.003524	1.437015	-.005978	.0157558	29.01388	.2600777
#3	.0163945	-.001464	1.440464	.001327	.0172246	29.09487	.2596879

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0016342	.0014055	24.84217	.1604423	.0204197	1.105517	53.11160
Stddev	.0000498	.0000408	.07088	.0005862	.0001855	.002458	.26793
%RSD	3.047589	2.899153	.2853242	.3653620	.9083109	.2223801	.5044747
#1	.0016401	.0014525	24.76048	.1610888	.0202862	1.106166	53.19691
#2	.0016808	.0013803	24.88737	.1602925	.0206315	1.102800	53.32650
#3	.0015817	.0013837	24.87866	.1599455	.0203414	1.107586	52.81140

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7343019	12.69258	.0864558	.0292048	1.283140	.1066464	17.87407
Stddev	.0015421	.06267	.0005024	.0002146	.011961	.0012963	.04453
%RSD	.2100125	.4937501	.5811518	.7346820	.9321498	1.215542	.2491278
#1	.7330000	12.64443	.0860199	.0292223	1.285593	.1081365	17.85448
#2	.7360050	12.66986	.0863421	.0294101	1.293685	.1057785	17.92503
#3	.7339009	12.76344	.0870053	.0289820	1.270143	.1060241	17.84269

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.030823	.0438747	.0061478	.2115560	1.815929	1.604669	2.213690
Stddev	.018067	.0014067	.0000951	.0012796	.004045	.007952	.008351
%RSD	.8896614	3.206106	1.546745	.6048678	.2227250	.4955616	.3772619
#1	2.023874	.0451445	.0060479	.2128473	1.813763	1.605371	2.219999
#2	2.051334	.0441171	.0061581	.2115324	1.820595	1.612248	2.216853
#3	2.017262	.0423626	.0062373	.2102883	1.813428	1.596390	2.204219

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1768-01DLX5 Acquired: 4/14/2025 18:58:49 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.051252	.0341313	.0956536
Stddev	.015460	.0003196	.0001651
%RSD	.3816166	.9364607	.1725568
#1	4.045416	.0344394	.0954943
#2	4.039559	.0341532	.0958239
#3	4.068780	.0338013	.0956426

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2799.422	67870.95	14255.46	1848.297	4234.524
Stddev	2.330	198.09	36.93	3.140	.938
%RSD	.0832207	.2918688	.2590645	.1699036	.0221581
#1	2801.787	67678.19	14261.39	1848.988	4233.456
#2	2799.348	67860.68	14289.07	1851.034	4235.214
#3	2797.130	68073.98	14215.92	1844.869	4234.904

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-01 Acquired: 4/14/2025 19:02:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0607600	-.041539	.0531535	.0009574	-.010790	160.8614
Stddev	.0033426	.001990	.0029305	.0024507	.004356	.0529
%RSD	5.501393	4.791764	5.513314	255.9665	40.36798	.0328610
#1	.0582974	-.040425	.0505830	.0004034	-.007280	160.8540
#2	.0594174	-.043837	.0563446	.0036377	-.015664	160.8126
#3	.0645652	-.040356	.0525330	-.001169	-.009426	160.9176

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0958520	.0060909	.0077170	123.9354	.0484767	.3032662
Stddev	.0005721	.0000083	.0007359	.2879	.0005493	.0005770
%RSD	.5968495	.1361347	9.535547	.2323315	1.133214	.1902783
#1	.0963434	.0060902	.0072069	123.9282	.0488680	.3029211
#2	.0952240	.0060995	.0073835	123.6512	.0487135	.3029453
#3	.0959886	.0060829	.0085605	124.2269	.0478487	.3039324

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8702669	386.7843	2.548810	95.08767	.2242968	-.017298
Stddev	.0032095	1.8042	.006046	.34802	.0007093	.000095
%RSD	.3688000	.4664513	.2372104	.3659960	.3162182	.5510643
#1	.8692733	387.8773	2.553379	95.28145	.2236507	-.017408
#2	.8676717	387.7738	2.541954	94.68590	.2241839	-.017243
#3	.8738558	384.7019	2.551097	95.29566	.2250557	-.017244

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	28.48095	1.349783	.4687583	2.357907	-.051845	.0047013
Stddev	.21789	.001542	.0021993	.023064	.014357	.0003598
%RSD	.7650204	.1142041	.4691687	.9781368	27.69227	7.653983
#1	28.44195	1.350911	.4673747	2.349376	-.040997	.0051168
#2	28.71570	1.348027	.4676059	2.384021	-.046412	.0044945
#3	28.28519	1.350412	.4712943	2.340325	-.068125	.0044926

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-01 Acquired: 4/14/2025 19:02:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.018439	10.72988	5.852805	10.49002	F 24.11539	.2505761
Stddev	.001299	.00688	.026195	.03866	.13061	.0011651
%RSD	7.046365	.0641448	.4475630	.3685301	.5416134	.4649840
#1	-.018425	10.72978	5.866306	10.45630	24.01637	.2506846
#2	-.017146	10.72304	5.869495	10.48154	24.06637	.2516831
#3	-.019745	10.73681	5.822614	10.53221	24.26342	.2493604

Elem	Sr4077
Units	ppm
Avg	.3434987
Stddev	.0001060
%RSD	.0308545
#1	.3434618
#2	.3434162
#3	.3436182

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3114.603	75462.21	15618.27	2041.120	3684.372
Stddev	8.358	287.76	42.77	11.314	8.420
%RSD	.2683563	.3813342	.2738522	.5542931	.2285211
#1	3108.688	75427.10	15638.86	2054.159	3684.647
#2	3124.165	75193.62	15646.85	2035.295	3692.651
#3	3110.957	75765.92	15569.10	2033.905	3675.819

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV06 Acquired: 4/14/2025 19:07:02 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV06 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.781009	4.874640	4.872736	4.816666	4.841706	9.634277
Stddev	.007147	.027064	.009996	.005796	.006205	.017384
%RSD	.1494899	.5552093	.2051453	.1203260	.1281567	.1804403
#1	4.774212	4.876479	4.864867	4.822766	4.836229	9.649887
#2	4.780354	4.900738	4.869358	4.811233	4.840444	9.637403
#3	4.788461	4.846703	4.883984	4.815998	4.848445	9.615542

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.739365	.2518866	2.456291	24.24888	.9566589	2.464227
Stddev	.045760	.0011632	.003908	.03411	.0024574	.002921
%RSD	.4698428	.4617862	.1591175	.1406719	.2568745	.1185164
#1	9.708562	.2507376	2.452184	24.25043	.9540712	2.462192
#2	9.791946	.2518588	2.456724	24.28218	.9569444	2.462915
#3	9.717587	.2530635	2.459965	24.21401	.9589611	2.467573

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.226113	4.558559	2.437671	23.97896	2.445523	1.187535
Stddev	.002711	.039685	.012516	.05790	.003332	.000771
%RSD	.2211316	.8705711	.5134559	.2414519	.1362464	.0649316
#1	1.226117	4.590508	2.440139	23.91610	2.442222	1.186653
#2	1.223400	4.571034	2.448769	24.03010	2.445462	1.188080
#3	1.228823	4.514135	2.424104	23.99067	2.448885	1.187872

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.23765	2.427793	2.354704	24.29932	5.090388	4.888587
Stddev	.15866	.012560	.007701	.13123	.021243	.002341
%RSD	.6545895	.5173577	.3270383	.5400510	.4173069	.0478948
#1	24.37000	2.440324	2.353628	24.40586	5.065922	4.888036
#2	24.28117	2.427850	2.362886	24.33937	5.104139	4.886570
#3	24.06177	2.415204	2.347598	24.15273	5.101104	4.891155

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV06 Acquired: 4/14/2025 19:07:02 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV06 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.911512	4.826003	F 4.454571	4.947218	4.882133	4.839908
Stddev	.008625	.013021	.014270	.006776	.004496	.020906
%RSD	.1755994	.2698039	.3203472	.1369601	.0920953	.4319542
#1	4.901648	4.835655	4.438094	4.949524	4.878111	4.862325
#2	4.917634	4.831162	4.462675	4.952540	4.886987	4.836458
#3	4.915254	4.811194	4.462944	4.939590	4.881300	4.820942

Elem	Sr4077
Units	ppm
Avg	4.937864
Stddev	.065304
%RSD	1.322510
#1	4.931927
#2	4.875732
#3	5.005934

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2759.669	68573.98	12484.43	1855.296	4093.486
Stddev	4.102	150.24	55.11	4.723	1.835
%RSD	.1486485	.2190911	.4414037	.2545520	.0448349
#1	2755.498	68740.19	12547.57	1854.927	4093.910
#2	2763.699	68447.82	12459.66	1850.769	4095.073
#3	2759.809	68533.94	12446.06	1860.193	4091.476

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB06 Acquired: 4/14/2025 19:11:12 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB06 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0025893	.0007629	.0004223	-.000961	-.000829	-.003381	.0015529
Stddev	.0039253	.0016702	.0008579	.003570	.002686	.003645	.0004742
%RSD	151.5952	218.9268	203.1261	371.6895	324.1960	107.8103	30.53558
#1	-.001142	.0026643	.0013200	-.001792	.002161	-.004101	.0016573
#2	.006683	.0000912	.0003363	.002952	-.003040	-.006611	.0019663
#3	.002227	-.000467	-.000389	-.004042	-.001607	.000571	.0010352

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000021	-.000045	-.011557	.0001379	.0000816	-.000207	.0006353
Stddev	.000053	.000024	.003828	.0004486	.0001057	.000151	.0016205
%RSD	250.5631	53.01679	33.12493	325.2989	129.6517	72.79402	255.0668
#1	-.000082	-.000052	-.007200	-.000286	-.000040	-.000373	.0012853
#2	.000011	-.000064	-.014385	.000091	.000154	-.000078	.0018299
#3	.000008	-.000018	-.013085	.000608	.000130	-.000171	-.001209

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003218	.0074148	-.000014	-.000758	-.050292	.0009499	-.000497
Stddev	.0002816	.0055039	.000111	.000257	.010269	.0019501	.000118
%RSD	87.50759	74.22760	777.8972	33.93850	20.41981	205.3014	23.82157
#1	.0001907	.0046438	-.000069	-.001017	-.057833	.0000657	-.000623
#2	.0001297	.0038472	.000113	-.000755	-.054446	-.000402	-.000389
#3	.0006451	.0137535	-.000087	-.000502	-.038596	.003185	-.000478

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.062589	.0048548	-.000017	-.000477	-.000449	.0087799	.0040357
Stddev	.018684	.0002806	.000236	.000844	.000115	.0046716	.0013441
%RSD	29.85106	5.779991	1357.794	176.7482	25.48267	53.20737	33.30495
#1	-.071877	.0051490	.000233	-.000496	-.000580	.0052215	.0033398
#2	-.074809	.0048255	-.000050	-.001312	-.000400	.0070482	.0031823
#3	-.041082	.0045900	-.000236	.000376	-.000367	.0140701	.0055850

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB06 Acquired: 4/14/2025 19:11:12 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB06 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0021154	-.000953	-.000057
Stddev	.0015155	.000678	.000027
%RSD	71.64115	71.09289	47.68735
#1	.0023650	-.000201	-.000064
#2	.0004906	-.001516	-.000079
#3	.0034906	-.001144	-.000027

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2862.887	68809.90	13891.26	1919.181	4548.564
Stddev	2.097	233.66	39.36	5.489	3.733
%RSD	.0732602	.3395712	.2833366	.2860019	.0820709
#1	2860.901	68583.10	13873.00	1912.918	4544.381
#2	2862.679	69049.87	13936.43	1923.154	4549.756
#3	2865.080	68796.73	13864.35	1921.471	4551.556

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-03 Acquired: 4/14/2025 19:15:33 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0322289	-.029928	.0479942	-.003912	-.012573	139.9590	.1260594
Stddev	.0009830	.001081	.0005930	.002473	.002244	.1919	.0007994
%RSD	3.049914	3.610544	1.235566	63.21752	17.84933	.1370908	.6341308
#1	.0316955	-.030437	.0475682	-.006522	-.014355	140.0261	.1263925
#2	.0316279	-.030659	.0477431	-.003611	-.013312	139.7426	.1266383
#3	.0333632	-.028687	.0486715	-.001603	-.010053	140.1083	.1251473

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0059692	.0043495	119.3991	.0462131	.2912791	.7680775	376.9264
Stddev	.0001858	.0001468	.2249	.0007998	.0010750	.0026050	1.0749
%RSD	3.112679	3.376268	.1883962	1.730767	.3690435	.3391577	.2851679
#1	.0061321	.0041897	119.1632	.0461727	.2909420	.7656188	375.8709
#2	.0060088	.0043802	119.6111	.0454343	.2904132	.7678061	376.8888
#3	.0057668	.0044785	119.4231	.0470324	.2924823	.7708075	378.0196

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.047616	95.77868	.2077761	-.016668	24.19938	1.306992	.4415113
Stddev	.008746	.19031	.0009808	.000315	.01528	.002236	.0001132
%RSD	.2869703	.1987015	.4720641	1.890723	.0631345	.1710694	.0256269
#1	3.040297	95.55962	.2084405	-.017011	24.18220	1.309261	.4415004
#2	3.057301	95.87308	.2066496	-.016603	24.20448	1.306924	.4416295
#3	3.045248	95.90335	.2082383	-.016391	24.21145	1.304791	.4414040

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.065967	.1758544	.0042011	-.015926	9.592979	5.359541	9.480283
Stddev	.009239	.0023463	.0003913	.001533	.006922	.028055	.027236
%RSD	.4472194	1.334234	9.313526	9.622755	.0721619	.5234557	.2872923
#1	2.055388	.1737043	.0039298	-.015910	9.596002	5.345311	9.464436
#2	2.070061	.1755020	.0046496	-.014402	9.597875	5.341453	9.464681
#3	2.072452	.1783570	.0040238	-.017467	9.585059	5.391859	9.511732

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-03 Acquired: 4/14/2025 19:15:33 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.958562	.2432392	.3140265
Stddev	.011082	.0008523	.0004915
%RSD	.1592627	.3504104	.1565004
#1	6.960571	.2429831	.3141598
#2	6.946613	.2441902	.3144375
#3	6.968503	.2425442	.3134821

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3090.328	75995.32	15682.39	2066.466	3732.464
Stddev	12.575	149.00	27.46	3.110	17.967
%RSD	.4069081	.1960589	.1751266	.1504978	.4813809
#1	3101.840	76073.08	15689.32	2067.688	3747.933
#2	3092.236	76089.35	15652.12	2068.780	3736.704
#3	3076.908	75823.53	15705.72	2062.930	3712.756

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-05 Acquired: 4/14/2025 19:19:37 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0309279	-.041596	.0602354	-.005751	-.011464	152.6278	.1088156
Stddev	.0025134	.004642	.0023792	.002876	.003200	.1690	.0002893
%RSD	8.126490	11.16033	3.949761	50.01571	27.91066	.1107566	.2658942
#1	.0318463	-.045617	.0628452	-.005363	-.009538	152.6488	.1085611
#2	.0280845	-.036516	.0581875	-.008802	-.015157	152.7854	.1091303
#3	.0328529	-.042657	.0596735	-.003089	-.009696	152.4493	.1087553

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0066639	.0112192	124.2671	.0470354	.3130956	.8637401	397.8504
Stddev	.0000483	.0005239	.1656	.0001599	.0008604	.0026570	1.5540
%RSD	.7253574	4.669545	.1332954	.3400187	.2747943	.3076178	.3905967
#1	.0066506	.0106149	124.3485	.0468593	.3133361	.8619024	399.2252
#2	.0067175	.0115442	124.3762	.0470753	.3121406	.8625314	396.1643
#3	.0066236	.0114985	124.0765	.0471717	.3138102	.8667866	398.1616

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.861384	95.99570	.2087322	-.020064	26.51011	1.376252	.5566725
Stddev	.005355	.24069	.0008598	.000344	.04323	.002294	.0023660
%RSD	.1871520	.2507322	.4119036	1.716488	.1630586	.1667016	.4250207
#1	2.866625	96.04704	.2077683	-.019778	26.53603	1.375369	.5591721
#2	2.861606	96.20659	.2090083	-.020446	26.53410	1.378856	.5563774
#3	2.855922	95.73348	.2094200	-.019968	26.46021	1.374530	.5544679

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.173377	-.179210	.0045115	-.020942	11.31454	6.138182	10.52504
Stddev	.020578	.002615	.0002265	.000666	.02640	.016523	.03009
%RSD	.9468084	1.459366	5.019469	3.178668	.2333299	.2691879	.2858795
#1	2.149844	-.178723	.0043382	-.020173	11.33951	6.152393	10.50332
#2	2.182299	-.182034	.0047677	-.021329	11.31720	6.142102	10.51243
#3	2.187987	-.176872	.0044286	-.021324	11.28691	6.120051	10.55939

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-05 Acquired: 4/14/2025 19:19:37 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	12.04767	.2631205	.3301999
Stddev	.04587	.0013398	.0005473
%RSD	.3807038	.5092002	.1657451
#1	12.02235	.2633775	.3306817
#2	12.02004	.2616708	.3303131
#3	12.10061	.2643132	.3296049

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3135.825	76716.21	15610.97	2062.292	3682.370
Stddev	7.967	84.88	22.62	.617	5.801
%RSD	.2540565	.1106428	.1448708	.0299169	.1575417
#1	3143.680	76692.70	15586.31	2062.875	3688.575
#2	3136.043	76645.57	15615.83	2061.646	3681.454
#3	3127.751	76810.38	15630.75	2062.355	3677.082

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-07 Acquired: 4/14/2025 19:23:44 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0305022	-.013057	.0550524	-.002875	-.017006	137.1885	.2127084
Stddev	.0003597	.004216	.0011865	.005275	.001499	.2009	.0012462
%RSD	1.179318	32.28971	2.155233	183.4887	8.812858	.1464552	.5858531
#1	.0305993	-.013325	.0563515	-.004767	-.015410	137.0359	.2115495
#2	.0308033	-.008713	.0547798	.003085	-.017226	137.4161	.2140265
#3	.0301038	-.017132	.0540259	-.006943	-.018383	137.1134	.2125492

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0070318	.0089456	127.7683	.0259965	.3036942	.6546046	471.8101
Stddev	.0001533	.0002978	.2559	.0005978	.0005270	.0031071	1.1319
%RSD	2.180184	3.329262	.2002942	2.299417	.1735439	.4746553	.2399088
#1	.0069362	.0088815	127.7412	.0265830	.3034400	.6518848	472.4818
#2	.0072086	.0086850	128.0367	.0260182	.3033424	.6539382	472.4453
#3	.0069506	.0092702	127.5271	.0253881	.3043001	.6579909	470.5033

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.465301	117.3385	.1701830	-.020219	24.47492	1.172307	.4928984
Stddev	.011021	.4856	.0005091	.000058	.34513	.001816	.0009792
%RSD	.3180450	.4138684	.2991663	.2876106	1.410126	.1549401	.1986584
#1	3.457062	117.7537	.1697865	-.020218	24.07653	1.173234	.4928602
#2	3.477821	117.4574	.1700054	-.020277	24.68305	1.173473	.4938961
#3	3.461022	116.8045	.1707572	-.020161	24.66517	1.170214	.4919389

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.777309	1.080916	.0008106	-.010465	7.247486	6.033932	8.664563
Stddev	.016831	.006010	.0002007	.000659	.021632	.043328	.012126
%RSD	.9469810	.5560146	24.75907	6.297942	.2984790	.7180691	.1399467
#1	1.760577	1.087162	.0008117	-.009844	7.225438	5.984620	8.678532
#2	1.794237	1.075173	.0010108	-.010394	7.268677	6.051270	8.656746
#3	1.777115	1.080412	.0006094	-.011157	7.248343	6.065905	8.658413

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-07 Acquired: 4/14/2025 19:23:44 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.576221	.2879270	.3395290
Stddev	.025582	.0013598	.0015063
%RSD	.5590171	.4722717	.4436448
#1	4.574724	.2873233	.3377903
#2	4.551420	.2894842	.3403591
#3	4.602518	.2869736	.3404377

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3037.004	76601.37	16298.20	2032.973	3627.942
Stddev	2.813	283.35	88.03	5.569	6.188
%RSD	.0926333	.3699022	.5401239	.2739459	.1705601
#1	3039.814	76790.63	16228.30	2031.147	3630.568
#2	3034.188	76275.60	16269.24	2028.545	3632.384
#3	3037.011	76737.86	16397.06	2039.226	3620.874

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-09 Acquired: 4/14/2025 19:27:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0480413	-.020500	.0541350	.0024564	-.016241	146.9027	.1907222
Stddev	.0008177	.006615	.0023706	.0013463	.001734	.1720	.0002375
%RSD	1.702063	32.26933	4.379011	54.80805	10.67540	.1170636	.1245165
#1	.0471670	-.013089	.0535725	.0017526	-.016167	147.0219	.1909255
#2	.0481698	-.022601	.0567363	.0040087	-.014545	146.7056	.1904612
#3	.0487872	-.025809	.0520964	.0016079	-.018011	146.9807	.1907799

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0069791	.0043334	149.8670	.0293539	.3055957	.6995776	478.7953
Stddev	.0001102	.0008067	.1529	.0003702	.0003358	.0017967	3.0824
%RSD	1.578832	18.61524	.1020303	1.260997	.1098859	.2568327	.6437731
#1	.0069965	.0035429	149.6915	.0289382	.3056014	.6976038	482.1573
#2	.0068613	.0043019	149.9375	.0296477	.3052571	.7000107	478.1262
#3	.0070796	.0051553	149.9719	.0294759	.3059287	.7011181	476.1025

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.501450	117.0859	.1805249	-.019681	30.15718	1.273400	.4994479
Stddev	.001647	.0473	.0007161	.000509	.08164	.002295	.0008003
%RSD	.0470376	.0404370	.3966744	2.584707	.2707073	.1802341	.1602362
#1	3.500943	117.0896	.1797014	-.019205	30.07030	1.273647	.4992613
#2	3.503291	117.0368	.1808726	-.019621	30.16893	1.270991	.5003250
#3	3.500117	117.1312	.1810008	-.020217	30.23230	1.275561	.4987574

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.065247	1.989985	.0017757	-.011092	8.303004	6.121004	9.141822
Stddev	.028609	.009971	.0004502	.001748	.006193	.018548	.026794
%RSD	1.385246	.5010622	25.35564	15.75793	.0745902	.3030289	.2930887
#1	2.084578	1.999097	.0013223	-.009375	8.296632	6.140500	9.110907
#2	2.032382	1.991523	.0022227	-.011032	8.303377	6.103577	9.156226
#3	2.078780	1.979334	.0017820	-.012870	8.309002	6.118936	9.158332

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-09 Acquired: 4/14/2025 19:27:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	14.49495	.2788409	.3985865
Stddev	.03237	.0014693	.0006008
%RSD	.2233443	.5269283	.1507297
#1	14.46714	.2804186	.3981585
#2	14.48724	.2785922	.3983278
#3	14.53049	.2775118	.3992734

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3003.332	74265.31	16108.57	2020.911	3600.492
Stddev	8.395	91.52	14.22	6.502	6.715
%RSD	.2795210	.1232307	.0882788	.3217578	.1864933
#1	2994.003	74369.65	16123.52	2027.445	3597.043
#2	3010.276	74227.62	16095.21	2014.440	3608.230
#3	3005.718	74198.65	16106.99	2020.848	3596.203

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-11 Acquired: 4/14/2025 19:32:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0390712	-.019692	.0529350	-.001692	-.015742	160.0218	.1621267
Stddev	.0021483	.002341	.0025133	.000938	.003693	.1684	.0010623
%RSD	5.498469	11.88707	4.747876	55.44437	23.45716	.1052652	.6552287
#1	.0392544	-.021187	.0503732	-.000610	-.011512	160.1566	.1619066
#2	.0411221	-.016994	.0553968	-.002283	-.017391	159.8329	.1632818
#3	.0368372	-.020894	.0530349	-.002181	-.018323	160.0758	.1611916

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0074899	.0073598	164.4207	.0351085	.3090582	.7033986	475.0515
Stddev	.0001059	.0001178	.5930	.0001304	.0004341	.0006910	1.2292
%RSD	1.413984	1.600405	.3606723	.3714733	.1404592	.0982318	.2587471
#1	.0074015	.0072257	163.7688	.0352463	.3091235	.7032550	475.6729
#2	.0074610	.0074463	164.9282	.0350920	.3094560	.7027908	475.8460
#3	.0076073	.0074075	164.5650	.0349871	.3085952	.7041501	473.6357

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.339569	130.6497	.1989175	-.022181	32.60122	1.267055	.4942253
Stddev	.015840	.3528	.0004899	.000248	.27126	.002015	.0013862
%RSD	.4743072	.2700085	.2462857	1.117678	.8320496	.1590032	.2804709
#1	3.329497	130.2488	.1994294	-.022159	32.79819	1.268006	.4956973
#2	3.357827	130.9126	.1984530	-.022439	32.71365	1.264741	.4940337
#3	3.331384	130.7877	.1988702	-.021944	32.29183	1.268419	.4929449

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.508546	1.568529	.0023852	-.014169	8.655052	5.170261	8.910456
Stddev	.030314	.005086	.0006434	.001699	.013396	.028201	.003395
%RSD	1.208426	.3242401	26.97551	11.99377	.1547750	.5454530	.0380980
#1	2.543153	1.565551	.0027820	-.015855	8.651963	5.202176	8.912280
#2	2.495786	1.574402	.0027308	-.014195	8.669722	5.148700	8.912548
#3	2.486698	1.565635	.0016429	-.012457	8.643470	5.159907	8.906539

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-11 Acquired: 4/14/2025 19:32:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	8.086553	.2940735	.4068820
Stddev	.025898	.0003427	.0010321
%RSD	.3202628	.1165303	.2536692
#1	8.114503	.2937859	.4072707
#2	8.081788	.2944527	.4076634
#3	8.063368	.2939820	.4057120

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3004.273	74199.02	15718.16	2030.707	3599.093
Stddev	3.359	184.69	52.30	16.249	4.523
%RSD	.1117951	.2489107	.3327163	.8001887	.1256700
#1	3006.611	74020.15	15778.49	2013.523	3596.633
#2	3000.424	74187.88	15690.28	2045.823	3596.333
#3	3005.784	74389.02	15685.71	2032.776	3604.313

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-13 Acquired: 4/14/2025 19:36:23 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0333237	-.012598	.0467438	.0016711	-.020614	137.1254	.1584017
Stddev	.0032910	.003321	.0010102	.0031975	.001449	.0443	.0006132
%RSD	9.875839	26.35783	2.161190	191.3332	7.028383	.0323066	.3870939
#1	.0310047	-.013814	.0465301	.0007785	-.022221	137.0742	.1585207
#2	.0370903	-.008841	.0478438	.0052201	-.020214	137.1504	.1589467
#3	.0318760	-.015139	.0458575	-.000985	-.019407	137.1515	.1577378

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0066766	.0046127	138.7813	.0317463	.2947094	.7279079	463.1816
Stddev	.0000369	.0006179	.1937	.0002149	.0006723	.0019738	1.1953
%RSD	.5528276	13.39637	.1395733	.6768520	.2281087	.2711552	.2580533
#1	.0066344	.0046907	138.9823	.0316972	.2939706	.7262717	462.7080
#2	.0067028	.0039595	138.5959	.0315603	.2948724	.7273519	464.5411
#3	.0066925	.0051879	138.7657	.0319815	.2952851	.7301000	462.2957

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.227759	121.6733	.1819959	-.019037	29.11095	1.153077	.4629229
Stddev	.011086	.1652	.0001774	.000378	.31625	.002291	.0012051
%RSD	.3434456	.1357873	.0974458	1.986738	1.086354	.1987183	.2603215
#1	3.239028	121.8536	.1821481	-.019388	29.17119	1.151776	.4633094
#2	3.227384	121.5292	.1820385	-.018636	29.39274	1.151732	.4615719
#3	3.216866	121.6370	.1818011	-.019087	28.76891	1.155722	.4638873

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.873073	.9874104	.0027657	-.009879	6.399447	1.771369	8.977585
Stddev	.015821	.0044730	.0003575	.000299	.013793	.014712	.013114
%RSD	.8446404	.4530032	12.92729	3.027518	.2155389	.8305333	.1460751
#1	1.874077	.9889364	.0024519	-.009921	6.410693	1.780888	8.973059
#2	1.888367	.9823741	.0031550	-.010155	6.403590	1.778794	8.967333
#3	1.856774	.9909208	.0026903	-.009561	6.384057	1.754424	8.992362

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-13 Acquired: 4/14/2025 19:36:23 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.629716	.2755084	.3941721
Stddev	.016248	.0010439	.0011737
%RSD	.2886083	.3788853	.2977517
#1	5.645370	.2761911	.3949116
#2	5.612934	.2760273	.3947859
#3	5.630843	.2743067	.3928188

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3017.110	75541.51	16455.49	2037.350	3611.890
Stddev	5.807	84.58	83.17	4.784	7.693
%RSD	.1924799	.1119606	.5054094	.2348085	.2130017
#1	3021.908	75632.63	16466.20	2039.898	3611.486
#2	3018.769	75465.51	16532.79	2040.320	3619.777
#3	3010.654	75526.39	16367.49	2031.831	3604.406

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-15 Acquired: 4/14/2025 19:40:35 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0329093	-.018477	.0455543	-.001518	-.014372	155.7294	.1950071
Stddev	.0034764	.001354	.0038413	.003846	.004280	.1419	.0006654
%RSD	10.56366	7.325189	8.432322	253.3233	29.77952	.0911276	.3412131
#1	.0329111	-.017100	.0459180	.002777	-.010741	155.8169	.1957379
#2	.0363849	-.019806	.0415441	-.002689	-.013284	155.5657	.1948471
#3	.0294320	-.018526	.0492008	-.004642	-.019091	155.8056	.1944363

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0066739	.0041801	174.3030	.0376958	.2978910	.6901223	485.2543
Stddev	.0001683	.0005874	.7177	.0003616	.0011223	.0019471	1.3900
%RSD	2.521821	14.05300	.4117733	.9591873	.3767336	.2821382	.2864555
#1	.0068677	.0036275	174.8191	.0373114	.2974517	.6878867	486.4359
#2	.0065649	.0041158	174.6064	.0377467	.2970549	.6910335	485.6042
#3	.0065890	.0047971	173.4834	.0380292	.2991665	.6914467	483.7227

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.190478	122.2350	.1915317	-.018009	34.57621	1.258926	.4965192
Stddev	.012880	.6100	.0005551	.000605	.24409	.003172	.0019094
%RSD	.4036957	.4990452	.2898297	3.362188	.7059551	.2519404	.3845661
#1	3.203267	122.7331	.1911436	-.017674	34.66874	1.260702	.4982705
#2	3.190659	122.4172	.1921676	-.017644	34.29938	1.260811	.4944835
#3	3.177509	121.5547	.1912841	-.018708	34.76051	1.255264	.4968037

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.255519	1.256586	.0020498	-.012805	8.115955	5.626051	9.059845
Stddev	.015032	.006801	.0001502	.002616	.014763	.040780	.009020
%RSD	.6664403	.5411941	7.329208	20.42977	.1819019	.7248376	.0995567
#1	2.238180	1.264166	.0019118	-.015566	8.132311	5.609027	9.052491
#2	2.264878	1.254569	.0020277	-.012485	8.111936	5.596541	9.057135
#3	2.263499	1.251021	.0022098	-.010364	8.103617	5.672584	9.069909

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-15 Acquired: 4/14/2025 19:40:35 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.818940	.2888084	.3948791
Stddev	.019080	.0007442	.0008693
%RSD	.3278999	.2576714	.2201429
#1	5.798607	.2884773	.3958521
#2	5.821760	.2882873	.3941791
#3	5.836453	.2896607	.3946060

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2941.396	72621.98	16296.09	1943.359	3550.087
Stddev	4.547	102.14	86.46	8.621	6.586
%RSD	.1545998	.1406465	.5305808	.4436257	.1855291
#1	2946.568	72656.73	16271.57	1951.346	3557.578
#2	2939.594	72702.21	16224.54	1944.511	3547.483
#3	2938.026	72507.00	16392.17	1934.219	3545.201

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-17 Acquired: 4/14/2025 19:44:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0437427	-.017035	.0565504	-.004895	-.019784	176.9772	.1230659
Stddev	.0026707	.002924	.0021833	.003199	.002199	.0263	.0008834
%RSD	6.105404	17.16667	3.860769	65.35601	11.11647	.0148418	.7178130
#1	.0467181	-.013831	.0540548	-.004008	-.017900	176.9924	.1220797
#2	.0429567	-.019561	.0581075	-.002233	-.022201	176.9923	.1233334
#3	.0415532	-.017712	.0574890	-.008445	-.019251	176.9469	.1237847

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0077705	.0120604	180.1882	.0440167	.3334801	.8156185	492.1047
Stddev	.0001255	.0016720	.3606	.0001686	.0033519	.0073775	4.7609
%RSD	1.615543	13.86320	.2001391	.3831089	1.005130	.9045327	.9674483
#1	.0076343	.0102018	179.8842	.0438234	.3302402	.8087930	495.7027
#2	.0077956	.0134422	180.0937	.0441340	.3369338	.8234457	493.9052
#3	.0078816	.0125373	180.5866	.0440926	.3332662	.8146167	486.7062

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.135931	145.7706	.2377664	-.025434	38.72173	1.335215	.4976899
Stddev	.010997	.1070	.0017239	.000801	.16416	.001515	.0030226
%RSD	.3506662	.0734050	.7250513	3.151024	.4239459	.1134379	.6073162
#1	3.123745	145.6613	.2367394	-.024584	38.67962	1.333977	.5009241
#2	3.138934	145.8751	.2397567	-.025542	38.90284	1.336904	.4949366
#3	3.145114	145.7754	.2368032	-.026176	38.58272	1.334764	.4972090

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.743636	1.801350	.0044953	-.013418	8.480717	4.497588	9.575370
Stddev	.012080	.012966	.0001653	.001236	.013210	.020623	.107601
%RSD	.4402877	.7198054	3.677913	9.208505	.1557623	.4585450	1.123729
#1	2.729690	1.813487	.0043107	-.013349	8.466487	4.496497	9.495769
#2	2.750818	1.802874	.0046298	-.014686	8.483076	4.518736	9.697789
#3	2.750401	1.787689	.0045453	-.012218	8.492589	4.477532	9.532552

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-17 Acquired: 4/14/2025 19:44:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	11.15629	.3133121	.4831548
Stddev	.12804	.0019625	.0011322
%RSD	1.147707	.6263646	.2343243
#1	11.08386	.3143970	.4818636
#2	11.30413	.3144926	.4836234
#3	11.08088	.3110467	.4839774

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2911.354	72908.17	15328.09	1971.244	3474.089
Stddev	22.974	234.68	35.42	13.562	37.039
%RSD	.7891296	.3218872	.2310654	.6879877	1.066155
#1	2929.904	72725.03	15328.37	1955.682	3507.579
#2	2885.655	72826.78	15363.37	1980.540	3434.307
#3	2918.503	73172.72	15292.53	1977.511	3480.380

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-19 Acquired: 4/14/2025 19:49:01 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0682494	-.014648	.0738163	-.008990	-.024351	195.0446	.2819750
Stddev	.0008355	.008546	.0012560	.002312	.001080	2.3000	.0002360
%RSD	1.224197	58.34485	1.701507	25.71401	4.434953	1.179226	.0836795
#1	.0686730	-.017974	.0751694	-.010156	-.023112	195.4823	.2821660
#2	.0672869	-.004938	.0735918	-.010487	-.025092	192.5572	.2820477
#3	.0687882	-.021030	.0726877	-.006328	-.024849	197.0944	.2817112

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0096703	.0204692	200.7648	.0549085	.4118991	.8000882	593.5573
Stddev	.0000921	.0004147	.4596	.0000327	.0017467	.0021042	3.4470
%RSD	.9520627	2.025729	.2289479	.0596045	.4240575	.2629944	.5807307
#1	.0097445	.0207937	200.9997	.0548882	.4105713	.7982647	590.8561
#2	.0096992	.0206118	201.0595	.0549463	.4112483	.7996093	592.3763
#3	.0095673	.0200020	200.2351	.0548910	.4138778	.8023905	597.4396

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.840230	181.0750	.2634401	-.035202	27.25232	1.536464	.5590858
Stddev	.025226	.4007	.0001323	.001331	.02553	.001023	.0015428
%RSD	.4319288	.2213160	.0502228	3.780186	.0936954	.0665896	.2759574
#1	5.855096	181.2829	.2635815	-.036082	27.25951	1.536319	.5579248
#2	5.854491	181.3291	.2633193	-.035852	27.27349	1.537552	.5608365
#3	5.811104	180.6130	.2634197	-.033671	27.22396	1.535521	.5584961

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.365584	.9601175	.0015934	-.011200	8.124681	4.830954	10.17357
Stddev	.015090	.0065805	.0004238	.000521	.022328	.015620	.03181
%RSD	.6379008	.6853835	26.59924	4.647539	.2748178	.3233278	.3126393
#1	2.357864	.9548858	.0019595	-.011751	8.138936	4.842408	10.14568
#2	2.355915	.9579609	.0016917	-.011133	8.136158	4.813161	10.16683
#3	2.382972	.9675056	.0011291	-.010717	8.098949	4.837294	10.20821

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1730-19 Acquired: 4/14/2025 19:49:01 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	18.59054	.3414349	.5091869
Stddev	.06079	.0016145	.0010105
%RSD	.3269805	.4728603	.1984572
#1	18.53488	.3408573	.5094954
#2	18.58135	.3401887	.5100072
#3	18.65540	.3432588	.5080581

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3065.530	75147.17	15600.57	2048.131	3510.557
Stddev	7.470	102.45	34.71	7.515	10.538
%RSD	.2436704	.1363367	.2224612	.3668982	.3001799
#1	3074.048	75254.82	15588.16	2045.611	3521.720
#2	3062.449	75050.86	15573.78	2056.582	3509.168
#3	3060.094	75135.82	15639.77	2042.200	3500.782

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1736-01 Acquired: 4/14/2025 19:53:22 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5214984	.0160103	3.233274	.0090663	.0434427	78.00938	1.238149
Stddev	.0016629	.0027456	.005727	.0025170	.0037888	.04593	.001019
%RSD	.3188612	17.14914	.1771121	27.76209	8.721340	.0588722	.0822824
#1	.5211991	.0188818	3.227318	.0090124	.0430564	78.00214	1.237183
#2	.5232906	.0157381	3.238740	.0065767	.0474098	78.05849	1.238050
#3	.5200055	.0134109	3.233765	.0116099	.0398618	77.96750	1.239213

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0106080	.0037934	39.16954	.1741463	.0977459	3.375954	198.9380
Stddev	.0001074	.0003116	.16619	.0009277	.0003392	.004885	.1597
%RSD	1.012728	8.213355	.4242755	.5327387	.3469905	.1447125	.0802727
#1	.0104841	.0037931	38.99072	.1731560	.0981340	3.372521	199.0199
#2	.0106757	.0041051	39.31924	.1749954	.0975976	3.373792	198.7539
#3	.0106642	.0034820	39.19866	.1742873	.0975062	3.381547	199.0400

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.291876	19.02304	.9399311	-.003383	5.727703	.4029194	1.734250
Stddev	.006720	.08734	.0006314	.000289	.027829	.0012919	.007435
%RSD	.5201572	.4591389	.0671695	8.532766	.4858629	.3206346	.4287246
#1	1.286679	18.93086	.9396987	-.003052	5.729603	.4027041	1.730797
#2	1.299465	19.10457	.9394489	-.003513	5.698973	.4017486	1.729169
#3	1.289484	19.03367	.9406457	-.003583	5.754534	.4043054	1.742784

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.109698	-.157772	.0216530	.1615731	4.586878	8.971607	4.519486
Stddev	.050289	.002485	.0004486	.0007478	.011671	.026616	.015666
%RSD	.5520335	1.575034	2.071683	.4628294	.2544477	.2966685	.3466297
#1	9.159713	-.155244	.0214338	.1615899	4.574790	8.983260	4.501434
#2	9.059140	-.160211	.0221691	.1608170	4.598082	8.941152	4.527512
#3	9.110241	-.157860	.0213562	.1623123	4.587761	8.990410	4.529512

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1736-01 Acquired: 4/14/2025 19:53:22 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.698146	.2214785	.3456523
Stddev	.014942	.0008786	.0003380
%RSD	.2230700	.3966959	.0977779
#1	6.691929	.2206975	.3455140
#2	6.687318	.2213083	.3460375
#3	6.715193	.2224298	.3454054

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3174.502	78377.75	15650.10	2146.025	4101.766
Stddev	2.728	149.89	90.03	14.959	3.723
%RSD	.0859488	.1912464	.5752399	.6970723	.0907739
#1	3177.520	78439.35	15751.00	2145.202	4104.083
#2	3172.211	78487.03	15577.98	2161.379	4097.472
#3	3173.774	78206.87	15621.34	2131.494	4103.745

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV07 Acquired: 4/14/2025 19:57:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV07 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.739969	4.851607	4.817307	4.770278	4.812637	9.537342	9.614462
Stddev	.012952	.011829	.006478	.015340	.012967	.014382	.118876
%RSD	.2732442	.2438157	.1344637	.3215738	.2694263	.1507932	1.236431
#1	4.725033	4.839743	4.814985	4.752565	4.798207	9.551798	9.687342
#2	4.748096	4.851677	4.812311	4.779166	4.823310	9.537193	9.477285
#3	4.746779	4.863401	4.824626	4.779102	4.816395	9.523036	9.678758

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2395969	2.432195	24.00203	.9739638	2.442577	1.219351	4.830539
Stddev	.0008582	.001095	.07836	.0022779	.001436	.001746	.023805
%RSD	.3581814	.0450348	.3264527	.2338764	.0587935	.1431963	.4928018
#1	.2402729	2.432763	23.92445	.9754634	2.441930	1.217654	4.804940
#2	.2398863	2.430932	24.08114	.9713426	2.441579	1.219256	4.834668
#3	.2386314	2.432890	24.00049	.9750853	2.444223	1.221143	4.852009

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.384481	23.71329	2.420012	1.202730	25.44156	2.397176	2.397697
Stddev	.009861	.09879	.001231	.003038	.11167	.003665	.015451
%RSD	.4135395	.4165846	.0508801	.2525653	.4389157	.1528831	.6444180
#1	2.373812	23.62839	2.420164	1.206150	25.40575	2.393653	2.380291
#2	2.386371	23.82171	2.418712	1.201693	25.35219	2.400968	2.409791
#3	2.393260	23.68977	2.421160	1.200346	25.56674	2.396907	2.403010

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.32863	4.783555	4.893457	4.861328	4.759175	4.762692	4.868732
Stddev	.07458	.016258	.006538	.009895	.009550	.022140	.003133
%RSD	.2944320	.3398744	.1336162	.2035515	.2006559	.4648586	.0643516
#1	25.27123	4.795835	4.887401	4.852797	4.750393	4.741530	4.868109
#2	25.30175	4.789712	4.892581	4.859010	4.757791	4.760851	4.865958
#3	25.41292	4.765118	4.900390	4.872176	4.769341	4.785695	4.872130

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV07 Acquired: 4/14/2025 19:57:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV07 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.793343	4.732766	4.846313
Stddev	.003484	.013242	.042312
%RSD	.0726889	.2797978	.8730843
#1	4.797268	4.736010	4.894760
#2	4.790616	4.718203	4.816611
#3	4.792145	4.744085	4.827569

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2762.343	66677.15	13164.13	1800.767	4129.906
Stddev	6.038	107.71	29.86	9.815	6.504
%RSD	.2185697	.1615416	.2268033	.5450520	.1574952
#1	2767.074	66569.75	13133.28	1812.101	4131.760
#2	2764.412	66785.17	13166.24	1795.160	4135.282
#3	2755.543	66676.54	13192.88	1795.041	4122.676

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB07 Acquired: 4/14/2025 20:01:38 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB07 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0034976	-.000877	-.000099	-.000474	-.000194	-.002874	-.000010
Stddev	.0018325	.000470	.001643	.003618	.001427	.004075	.000769
%RSD	52.39216	53.55152	1664.319	763.2556	735.1405	141.7986	7440.236
#1	.0015575	-.001189	-.001807	.003160	.000574	-.003727	-.000795
#2	.0037363	-.001106	.000040	-.000507	-.001841	-.006455	.000742
#3	.0051990	-.000337	.001471	-.004075	.000685	.001560	.000021

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000009	-.000080	-.008078	.0000355	-.000075	.0000701	-.004624
Stddev	.000006	.000096	.005795	.0003502	.000102	.0003942	.003230
%RSD	69.17331	120.6310	71.74348	986.3185	135.7124	562.5124	69.86392
#1	-.000011	-.000168	-.011840	.0004104	-.000071	.0001516	-.001076
#2	-.000002	.000023	-.010990	-.000021	-.000179	.0004172	-.007396
#3	-.000014	-.000094	-.001404	-.000283	.000025	-.000359	-.005400

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0004551	.0096551	-.000117	-.000072	-.057637	.0012183	-.000626
Stddev	.0002614	.0012051	.000090	.000163	.012062	.0012599	.000042
%RSD	57.44111	12.48196	77.32787	226.1988	20.92703	103.4153	6.765566
#1	.0002516	.0106106	-.000030	.000115	-.071525	.0014381	-.000578
#2	.0007499	.0100535	-.000111	-.000187	-.049786	-.000137	-.000644
#3	.0003638	.0083012	-.000210	-.000145	-.051600	.002354	-.000657

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.064363	.0084429	.0001129	-.000653	-.000019	.0198370	.0037768
Stddev	.023160	.0007068	.0000593	.001041	.000170	.0036743	.0005009
%RSD	35.98289	8.370908	52.48870	159.4550	881.2716	18.52222	13.26134
#1	-.039799	.0090125	.0001703	-.000761	-.000002	.0229910	.0032165
#2	-.067488	.0076520	.0000519	.000438	.000141	.0207174	.0041811
#3	-.085801	.0086642	.0001166	-.001635	-.000198	.0158025	.0039328

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB07 Acquired: 4/14/2025 20:01:38 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB07 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	-.000292	-.000115	-.000073
Stddev	.001375	.000322	.000024
%RSD	470.2419	278.4372	33.20981
#1	-.000383	.000096	-.000086
#2	-.001620	-.000485	-.000045
#3	.001126	.000043	-.000087

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2853.386	68878.07	13484.87	1857.166	4589.144
Stddev	7.260	265.51	34.10	12.116	11.020
%RSD	.2544343	.3854757	.2528572	.6523837	.2401387
#1	2854.296	68575.82	13452.67	1844.086	4593.716
#2	2860.148	68984.72	13481.35	1859.406	4597.141
#3	2845.713	69073.67	13520.60	1868.005	4576.573

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1736-02 Acquired: 4/14/2025 20:05:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0357268	.0033194	.1266165	-.000634	-.008107	68.21739	.7304124
Stddev	.0022668	.0034425	.0009790	.002099	.000822	.21705	.0020928
%RSD	6.344837	103.7092	.7732352	330.8471	10.14155	.3181670	.2865294
#1	.0339780	.0051569	.1259609	.000828	-.007162	68.46763	.7325588
#2	.0382878	.0054532	.1261467	.000308	-.008499	68.10421	.7303010
#3	.0349146	-.000652	.1277419	-.003039	-.008659	68.08033	.7283776

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0077168	.0026171	22.84581	.1620819	.1011475	.1902507	186.4165
Stddev	.0002132	.0000878	.07145	.0003945	.0006556	.0008964	.6853
%RSD	2.762568	3.356719	.3127638	.2433885	.6481305	.4711534	.3676070
#1	.0079533	.0027157	22.85773	.1616266	.1017653	.1909373	185.8823
#2	.0075396	.0025473	22.76915	.1622970	.1004598	.1905781	187.1892
#3	.0076574	.0025883	22.91056	.1623221	.1012174	.1892366	186.1781

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.363019	37.32232	.2014873	-.008782	4.104690	.2517842	.3984490
Stddev	.006768	.21542	.0002246	.000548	.045592	.0001290	.0015680
%RSD	.2863981	.5771932	.1114769	6.242061	1.110724	.0512525	.3935263
#1	2.365545	37.32720	.2016155	-.009368	4.095463	.2518889	.3970015
#2	2.355351	37.10449	.2016185	-.008281	4.154189	.2518237	.3982307
#3	2.368160	37.53525	.2012280	-.008698	4.064417	.2516401	.4001147

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.24179	-.177345	.0026996	.0019470	2.396567	7.850844	8.579291
Stddev	.09839	.003678	.0003927	.0001065	.004101	.047407	.003669
%RSD	.8751795	2.073648	14.54541	5.471358	.1711115	.6038409	.0427625
#1	11.22701	-.178210	.0031301	.0018458	2.400600	7.816713	8.580710
#2	11.34674	-.173312	.0023611	.0020581	2.392402	7.904973	8.575124
#3	11.15164	-.180513	.0026077	.0019372	2.396700	7.830846	8.582038

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1736-02 Acquired: 4/14/2025 20:05:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0803317	.2404559	.0958163
Stddev	.0043565	.0010237	.0003861
%RSD	5.423167	.4257317	.4029271
#1	.0765696	.2412392	.0961856
#2	.0793206	.2408310	.0958479
#3	.0851048	.2392976	.0954154

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3297.059	82384.39	16091.40	2176.096	4120.030
Stddev	7.469	88.76	109.24	3.084	3.763
%RSD	.2265442	.1077398	.6788433	.1417127	.0913355
#1	3288.697	82472.32	16057.66	2179.633	4115.689
#2	3299.409	82294.82	16213.52	2174.691	4122.364
#3	3303.071	82386.02	16003.01	2173.966	4122.037

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01 Acquired: 4/14/2025 20:10:04 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0360174	-.030433	.1613473	-.004993	-.010014	131.7801	.3688018
Stddev	.0025180	.002305	.0008490	.004112	.004745	.0611	.0014111
%RSD	6.990970	7.574603	.5261877	82.36737	47.38478	.0464015	.3826063
#1	.0341167	-.033021	.1604142	-.003694	-.014263	131.7848	.3693389
#2	.0388732	-.029675	.1615532	-.001687	-.010887	131.8388	.3698655
#3	.0350624	-.028602	.1620743	-.009598	-.004893	131.7168	.3672011

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0074997	.0073285	98.62922	.2428619	.1964992	.5686092	275.3257
Stddev	.0001076	.0003515	.33448	.0009331	.0011572	.0017045	1.2531
%RSD	1.434001	4.796841	.3391252	.3842206	.5889013	.2997655	.4551256
#1	.0073874	.0073296	98.59303	.2437870	.1976511	.5672869	276.4666
#2	.0075099	.0069764	98.98033	.2428778	.1953368	.5680079	275.5259
#3	.0076018	.0076795	98.31432	.2419210	.1965099	.5705329	273.9845

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.383421	73.46481	.2687797	-.015645	11.43344	.6379595	.4897779
Stddev	.017104	.32300	.0008014	.000213	.06952	.0018394	.0016573
%RSD	.5055103	.4396651	.2981826	1.359703	.6080422	.2883213	.3383844
#1	3.385850	73.38732	.2693487	-.015410	11.50058	.6372972	.4881849
#2	3.399181	73.81951	.2678632	-.015701	11.43799	.6400383	.4896559
#3	3.365233	73.18761	.2691273	-.015824	11.36176	.6365430	.4914929

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	13.75290	-.193696	.0166848	-.015268	9.463373	12.93143	10.44561
Stddev	.06519	.007724	.0002183	.000463	.021584	.06776	.01082
%RSD	.4739760	3.987693	1.308160	3.030824	.2280818	.5239885	.1036162
#1	13.82710	-.187152	.0169232	-.014759	9.470672	13.00893	10.45102
#2	13.72676	-.202216	.0166363	-.015381	9.480361	12.90201	10.45267
#3	13.70484	-.191720	.0164948	-.015663	9.439085	12.88336	10.43315

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01 Acquired: 4/14/2025 20:10:04 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.362333	.2228156	.1859806
Stddev	.022286	.0008188	.0006567
%RSD	.3502810	.3674544	.3530940
#1	6.387230	.2237311	.1864232
#2	6.344247	.2225623	.1862925
#3	6.355522	.2221535	.1852261

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3112.497	77812.95	15115.67	2119.040	3734.850
Stddev	.602	336.97	49.34	4.125	7.631
%RSD	.0193415	.4330551	.3264136	.1946447	.2043176
#1	3112.683	77439.42	15099.37	2115.069	3726.058
#2	3112.984	77905.31	15076.54	2123.303	3738.736
#3	3111.824	78094.10	15171.09	2118.747	3739.756

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01DUP Acquired: 4/14/2025 20:14:39 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0377596	-.021498	.1653425	.0020306	-.009083	125.4605	.4059838
Stddev	.0004658	.001164	.0017978	.0013231	.002477	.1625	.0002363
%RSD	1.233687	5.416376	1.087287	65.15589	27.27020	.1294978	.0582153
#1	.0373299	-.021529	.1655575	.0020218	-.011906	125.4863	.4057620
#2	.0382547	-.020318	.1634469	.0007120	-.007272	125.2866	.4062324
#3	.0376942	-.022647	.1670231	.0033581	-.008071	125.6085	.4059569

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0070163	.0007870	65.16445	.2484508	.1746184	.5226065	289.8540
Stddev	.0000967	.0002749	.04691	.0006654	.0002334	.0012199	1.3115
%RSD	1.377805	34.92545	.0719826	.2678068	.1336475	.2334296	.4524540
#1	.0070961	.0004759	65.13237	.2481191	.1745077	.5217822	289.7167
#2	.0070440	.0009971	65.14270	.2480165	.1744609	.5220293	288.6167
#3	.0069088	.0008880	65.21829	.2492168	.1748865	.5240079	291.2288

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.566977	62.30928	.2480445	-.010106	11.20642	.6176051	.4659920
Stddev	.003187	.02451	.0012828	.000273	.02710	.0028699	.0021938
%RSD	.0893591	.0393315	.5171769	2.697260	.2418028	.4646833	.4707699
#1	3.566765	62.31901	.2480975	-.010199	11.20100	.6180066	.4637064
#2	3.570265	62.32743	.2467360	-.010321	11.18243	.6145556	.4680806
#3	3.563900	62.28140	.2493001	-.009799	11.23581	.6202531	.4661889

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.05769	-.114256	.0090724	-.011648	8.884143	7.530538	9.525528
Stddev	.05514	.006374	.0002572	.000483	.007778	.024955	.011760
%RSD	.3232401	5.578988	2.835493	4.149512	.0875529	.3313867	.1234533
#1	17.05669	-.114438	.0091069	-.011209	8.889483	7.522557	9.517043
#2	17.00306	-.120537	.0087997	-.011571	8.875218	7.510549	9.520590
#3	17.11332	-.107793	.0093107	-.012166	8.887727	7.558507	9.538952

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01DUP Acquired: 4/14/2025 20:14:39 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.674901	.2312016	.1565534
Stddev	.036538	.0012206	.0001230
%RSD	.6438459	.5279555	.0785686
#1	5.649370	.2309301	.1565614
#2	5.658577	.2301395	.1564266
#3	5.716754	.2325351	.1566722

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3245.284	78094.45	16700.11	2130.019	3932.337
Stddev	7.026	354.07	36.67	22.956	7.147
%RSD	.2165106	.4533922	.2195650	1.077754	.1817565
#1	3248.961	78320.98	16741.97	2143.238	3939.726
#2	3249.709	78275.94	16673.71	2143.307	3931.828
#3	3237.182	77686.43	16684.63	2103.512	3925.459

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01LX5 Acquired: 4/14/2025 20:18:43 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0080601	-.001875	.0331434	-.002342	-.000260	28.23629	.0836195
Stddev	.0009915	.003084	.0022956	.002562	.000867	.05465	.0016065
%RSD	12.30163	164.5018	6.926240	109.3903	333.0250	.1935528	1.921228
#1	.0082678	.000701	.0326139	.000602	-.001225	28.17334	.0826775
#2	.0069812	-.001033	.0356575	-.004065	.000452	28.26400	.0827064
#3	.0089313	-.005292	.0311589	-.003564	-.000008	28.27155	.0854744

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0018183	-.001595	22.44786	.0565253	.0375425	.1321693	63.70329
Stddev	.0000593	.000091	.03158	.0004814	.0001384	.0002452	.16335
%RSD	3.259324	5.729200	.1406763	.8515920	.3685056	.1855465	.2564258
#1	.0018661	-.001670	22.41296	.0568894	.0374669	.1320981	63.63657
#2	.0017520	-.001621	22.45616	.0567069	.0374583	.1324422	63.88944
#3	.0018367	-.001493	22.47446	.0559795	.0377021	.1319675	63.58386

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7911783	16.43836	.0524326	-.003558	2.297930	.1468084	.1139265
Stddev	.0021963	.03389	.0003335	.000262	.015515	.0021339	.0008470
%RSD	.2776001	.2061610	.6361404	7.356300	.6751720	1.453518	.7434865
#1	.7887099	16.45716	.0527695	-.003716	2.289780	.1464946	.1131026
#2	.7919082	16.45869	.0521025	-.003703	2.315822	.1448488	.1147949
#3	.7929167	16.39924	.0524257	-.003256	2.288189	.1490818	.1138822

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.965028	-.034799	.0036199	-.004730	2.091074	2.330873	2.021800
Stddev	.027709	.000740	.0001456	.000880	.005594	.009280	.003241
%RSD	.9345380	2.125204	4.022422	18.61160	.2675358	.3981331	.1603013
#1	2.936518	-.034008	.0034828	-.005385	2.084760	2.321721	2.024125
#2	2.966707	-.035473	.0037728	-.003729	2.095413	2.340275	2.018098
#3	2.991860	-.034917	.0036042	-.005074	2.093050	2.330622	2.023178

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01LX5 Acquired: 4/14/2025 20:18:43 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.194691	.0503516	.0410925
Stddev	.009590	.0012301	.0001212
%RSD	.8027303	2.443053	.2950328
#1	1.195206	.0489429	.0409633
#2	1.184854	.0508989	.0411105
#3	1.204013	.0512131	.0412037

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2894.953	70049.02	13723.36	1899.372	4231.590
Stddev	2.092	302.69	41.12	9.788	4.583
%RSD	.0722770	.4321051	.2996108	.5153183	.1082965
#1	2892.539	70092.78	13744.30	1904.767	4226.369
#2	2896.244	69726.84	13675.99	1888.074	4234.950
#3	2896.076	70327.45	13749.80	1905.276	4233.450

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01MS Acquired: 4/14/2025 20:22:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6749462	1.796249	1.087420	1.553261	.6452989	126.9699	.5290358
Stddev	.0050053	.007366	.002596	.006826	.0029252	.3647	.0012088
%RSD	.7415873	.4100791	.2387074	.4394545	.4533154	.2872683	.2284854
#1	.6782801	1.788092	1.090377	1.550193	.6419235	126.8527	.5300836
#2	.6691907	1.802414	1.085515	1.548508	.6470969	127.3788	.5293105
#3	.6773680	1.798240	1.086368	1.561083	.6468762	126.6781	.5277133

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1550456	.1966260	82.16361	.5501916	.3694032	.7609441	284.0950
Stddev	.0006741	.0002495	.05683	.0002961	.0003945	.0007051	1.4690
%RSD	.4348089	.1268805	.0691660	.0538156	.1067993	.0926636	.5170785
#1	.1542678	.1964711	82.09799	.5503816	.3697584	.7617580	285.7679
#2	.1554085	.1969138	82.19602	.5503427	.3689786	.7605186	283.0154
#3	.1554606	.1964931	82.19682	.5498504	.3694726	.7605557	283.5018

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.527241	68.34452	.7179644	.0496860	13.75952	.8403848	.6292928
Stddev	.009215	.06449	.0025866	.0007199	.09174	.0008213	.0017281
%RSD	.2612535	.0943673	.3602714	1.448810	.6667295	.0977303	.2746047
#1	3.535717	68.27239	.7195889	.0505062	13.86452	.8398214	.6301012
#2	3.517432	68.36454	.7149816	.0493931	13.71914	.8400058	.6304684
#3	3.528573	68.39662	.7193228	.0491588	13.69490	.8413271	.6273087

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.73348	.0653341	.3408835	.6613144	9.091101	10.51487	15.42587
Stddev	.11992	.0029992	.0007367	.0011948	.019544	.04354	.02620
%RSD	.5052977	4.590618	.2161254	.1806661	.2149812	.4141170	.1698215
#1	23.86056	.0687233	.3414589	.6616834	9.101895	10.56502	15.43705
#2	23.71759	.0630228	.3400532	.6599786	9.102867	10.48668	15.44461
#3	23.62229	.0642561	.3411384	.6622811	9.068540	10.49290	15.39593

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01MS Acquired: 4/14/2025 20:22:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.939832	.3917036	.3277139
Stddev	.009716	.0007400	.0009896
%RSD	.1635742	.1889210	.3019861
#1	5.940158	.3917672	.3284213
#2	5.929957	.3924098	.3281375
#3	5.949381	.3909339	.3265830

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3106.352	76155.68	16011.43	2035.869	3785.832
Stddev	5.234	79.19	82.56	.942	5.460
%RSD	.1684795	.1039788	.5156029	.0462523	.1442339
#1	3111.532	76162.92	16099.53	2035.775	3789.941
#2	3106.458	76231.00	15998.92	2034.978	3787.918
#3	3101.066	76073.13	15935.85	2036.854	3779.636

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01MSD Acquired: 4/14/2025 20:26:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6848106	1.813439	1.101157	1.576060	.6438916	129.1230	.5353973
Stddev	.0022923	.015409	.004637	.003419	.0023339	.4253	.0006937
%RSD	.3347371	.8496893	.4210920	.2169172	.3624676	.3293677	.1295692
#1	.6871929	1.827271	1.098711	1.576068	.6431980	129.4735	.5351065
#2	.6846186	1.796831	1.098255	1.572637	.6464937	129.2456	.5348964
#3	.6826203	1.816214	1.106505	1.579475	.6419832	128.6499	.5361891

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1662680	.2030547	77.26593	.5490344	.3746029	.7782700	269.5797
Stddev	.0004914	.0003992	.03055	.0003980	.0015073	.0010707	.6251
%RSD	.2955353	.1966104	.0395435	.0724862	.4023641	.1375724	.2318879
#1	.1667772	.2033514	77.25629	.5494474	.3749532	.7776633	268.9334
#2	.1662302	.2026008	77.30014	.5486534	.3729514	.7776404	269.6245
#3	.1657966	.2032118	77.24136	.5490023	.3759043	.7795062	270.1812

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.606018	67.53249	.7285509	.0464979	12.86239	.8472740	.6314330
Stddev	.000897	.15286	.0017375	.0006802	.04950	.0035818	.0008476
%RSD	.0248699	.2263504	.2384833	1.462837	.3848275	.4227391	.1342298
#1	3.605878	67.69454	.7280170	.0466374	12.81523	.8511653	.6323298
#2	3.605199	67.51205	.7271431	.0470975	12.85801	.8465417	.6306452
#3	3.606976	67.39088	.7304927	.0457588	12.91393	.8441150	.6313240

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	22.78379	-.005733	.3355967	.6583411	9.182357	9.932246	15.63832
Stddev	.05760	.008764	.0003713	.0017180	.010548	.014260	.05433
%RSD	.2527983	152.8900	.1106414	.2609522	.1148713	.1435740	.3474449
#1	22.71731	-.012740	.3360183	.6578006	9.192836	9.916246	15.64731
#2	22.81554	-.008553	.3353186	.6602643	9.182494	9.943616	15.58005
#3	22.81853	.004095	.3354530	.6569584	9.171741	9.936875	15.68759

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01MSD Acquired: 4/14/2025 20:26:57 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.063655	.3929438	.3247760
Stddev	.022055	.0010704	.0002877
%RSD	.3637165	.2724115	.0885955
#1	6.059642	.3922517	.3249970
#2	6.043882	.3924030	.3248804
#3	6.087440	.3941767	.3244507

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3092.344	76876.50	15072.36	2061.096	3742.018
Stddev	1.124	101.51	43.39	2.239	6.363
%RSD	.0363595	.1320485	.2878690	.1086215	.1700493
#1	3091.058	76953.66	15046.68	2061.028	3742.934
#2	3093.142	76761.50	15047.93	2063.368	3747.873
#3	3092.831	76914.33	15122.45	2058.892	3735.246

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01A Acquired: 4/14/2025 20:30:56 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6737455	1.798329	1.085629	1.545951	.6324874	128.2800	.5434386
Stddev	.0021351	.001750	.002132	.006603	.0012037	.4813	.0034224
%RSD	.3169019	.0973092	.1963868	.4271035	.1903101	.3752087	.6297644
#1	.6718396	1.798883	1.088074	1.547883	.6313851	127.8009	.5394868
#2	.6733440	1.799736	1.084158	1.538598	.6323055	128.2756	.5453917
#3	.6760528	1.796370	1.084654	1.551373	.6337717	128.7635	.5454372

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1567544	.1972968	84.46039	.5412666	.3742955	.7704559	285.3847
Stddev	.0009459	.0001600	.47000	.0024947	.0005918	.0015537	.3450
%RSD	.6034214	.0810698	.5564741	.4609065	.1581151	.2016545	.1209024
#1	.1567288	.1974627	84.35027	.5419996	.3749611	.7691727	285.5032
#2	.1558216	.1971435	84.05523	.5384875	.3738285	.7700117	285.6549
#3	.1577128	.1972843	84.97567	.5433128	.3740969	.7721832	284.9960

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.597614	68.91071	.7241513	.0482868	14.11144	.8511441	.6260279
Stddev	.015319	.52350	.0016086	.0003706	.14775	.0060452	.0022907
%RSD	.4258040	.7596761	.2221312	.7675338	1.046994	.7102413	.3659021
#1	3.589571	68.87328	.7249940	.0484905	14.01849	.8475008	.6268550
#2	3.587992	68.40694	.7222964	.0478590	14.28180	.8478093	.6234385
#3	3.615279	69.45193	.7251633	.0485108	14.03401	.8581222	.6277900

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.66546	.0882419	.3337254	.6528534	9.282276	11.24841	15.72056
Stddev	.18665	.0036483	.0012636	.0018392	.031576	.01861	.02255
%RSD	.7887223	4.134411	.3786475	.2817191	.3401721	.1654785	.1434292
#1	23.54554	.0887009	.3330990	.6549273	9.247602	11.24423	15.72911
#2	23.88052	.0916389	.3328974	.6514203	9.289850	11.26876	15.69499
#3	23.57034	.0843858	.3351799	.6522126	9.309375	11.23225	15.73758

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1738-01A Acquired: 4/14/2025 20:30:56 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	6.064254	.3967302	.3356905
Stddev	.007869	.0019199	.0015967
%RSD	.1297611	.4839218	.4756450
#1	6.070815	.3945134	.3339041
#2	6.055530	.3978221	.3369787
#3	6.066418	.3978550	.3361886

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3128.035	77412.78	15941.86	2113.521	3764.197
Stddev	3.523	95.64	127.16	6.120	3.435
%RSD	.1126330	.1235418	.7976790	.2895600	.0912533
#1	3131.698	77387.75	15957.18	2110.844	3763.842
#2	3127.735	77518.45	16060.67	2120.524	3767.795
#3	3124.671	77332.15	15807.73	2109.196	3760.953

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-02 Acquired: 4/14/2025 20:34:54 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002712	-.006704	.0231923	.0062399	.0024254	.0186220	.1903767
Stddev	.001502	.001146	.0014914	.0016062	.0024011	.0019256	.0002551
%RSD	55.40580	17.08990	6.430385	25.74019	98.99920	10.34065	.1340159
#1	-.000989	-.006019	.0244933	.0044287	-.000248	.0164230	.1906684
#2	-.003753	-.008027	.0215647	.0067996	.004398	.0194359	.1901954
#3	-.003393	-.006067	.0235189	.0074913	.003126	.0200070	.1902662

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000148	.0004403	22.92700	-.000348	.0096162	.0234209	.0088665
Stddev	.000019	.0000060	.10196	.000395	.0000787	.0002477	.0041136
%RSD	13.03064	1.361954	.4447041	113.4768	.8181029	1.057773	46.39451
#1	-.000161	.0004452	22.99785	-.000435	.0096988	.0232408	.0123253
#2	-.000157	.0004336	22.97299	-.000693	.0096077	.0233186	.0099565
#3	-.000126	.0004421	22.81014	.000083	.0095421	.0237035	.0043177

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3476248	1.446247	.0048341	-.000610	293.6313	.0009166	.1304586
Stddev	.0007862	.010518	.0001289	.000136	4.4714	.0005510	.0007897
%RSD	.2261705	.7272553	2.666431	22.27585	1.522796	60.11362	.6053002
#1	.3471668	1.443630	.0046857	-.000728	289.5303	.0009507	.1304304
#2	.3485326	1.457827	.0049179	-.000640	292.9652	.0003493	.1296835
#3	.3471749	1.437286	.0048987	-.000461	298.3984	.0014498	.1312620

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.155767	.0259404	-.000080	-.001774	-.000643	.4055697	.0120605
Stddev	.005261	.0004285	.000416	.000745	.000174	.0084666	.0002472
%RSD	.4551914	1.651999	519.5060	42.01530	27.08862	2.087586	2.049891
#1	1.150992	.0263148	.000356	-.001680	-.000574	.4124892	.0121325
#2	1.154903	.0254730	-.000473	-.001080	-.000514	.3961288	.0122638
#3	1.161407	.0260333	-.000123	-.002562	-.000841	.4080911	.0117853

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-02 Acquired: 4/14/2025 20:34:54 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2323246	-.005026	.0767031
Stddev	.0017515	.000508	.0002288
%RSD	.7538858	10.10706	.2983006
#1	.2303677	-.005582	.0768354
#2	.2328608	-.004907	.0764389
#3	.2337453	-.004587	.0768349

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2659.908	64633.65	13253.00	1768.648	3951.158
Stddev	8.762	122.21	95.75	6.082	10.640
%RSD	.3294238	.1890867	.7224675	.3438984	.2692785
#1	2663.801	64501.30	13156.21	1763.010	3956.715
#2	2666.049	64742.23	13255.10	1775.094	3957.869
#3	2649.873	64657.41	13347.68	1767.839	3938.891

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-04 Acquired: 4/14/2025 20:39:21 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000871	-.006989	.0051315	.0038715	.0016842	.0842722	.0873023
Stddev	.003501	.002975	.0008358	.0028142	.0019331	.0031409	.0006166
%RSD	401.8471	42.56924	16.28777	72.68964	114.7816	3.727124	.7062260
#1	.001393	-.006870	.0043107	.0068500	.0024852	.0832531	.0870429
#2	-.004904	-.010021	.0059816	.0035074	-.000521	.0877961	.0880061
#3	.000897	-.004075	.0051022	.0012571	.003088	.0817674	.0868578

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000050	-.000145	2.599758	.0016181	.0002056	.0099001	.1181476
Stddev	.000050	.000111	.006932	.0001841	.0000477	.0002194	.0031216
%RSD	100.5513	76.78947	.2666243	11.37834	23.21552	2.215684	2.642084
#1	-.000055	-.000238	2.604582	.0017167	.0002323	.0098033	.1197116
#2	.000003	-.000176	2.602877	.0017320	.0001505	.0097458	.1201781
#3	-.000097	-.000021	2.591815	.0014057	.0002340	.0101512	.1145532

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0507781	1.645856	.0022014	-.000438	286.0465	.0020258	.0385684
Stddev	.0003936	.006381	.0002315	.000081	1.6225	.0006519	.0005244
%RSD	.7752169	.3876737	10.51432	18.60476	.5672019	32.17914	1.359660
#1	.0505296	1.641304	.0019706	-.000466	284.4964	.0012901	.0380253
#2	.0505727	1.643116	.0024335	-.000346	287.7328	.0022557	.0390718
#3	.0512319	1.653149	.0022002	-.000501	285.9104	.0025315	.0386083

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.542602	.0355685	.0002455	-.000095	-.000241	.4509572	.0169862
Stddev	.015484	.0003709	.0001569	.000399	.000199	.0063085	.0007718
%RSD	.4370716	1.042801	63.91107	419.0754	82.66469	1.398914	4.543914
#1	3.546225	.0359123	.0003831	-.000307	-.000427	.4574233	.0168305
#2	3.525628	.0356180	.0002788	-.000343	-.000265	.4448190	.0178240
#3	3.555952	.0351754	.0000746	.000365	-.000031	.4506294	.0163041

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-04 Acquired: 4/14/2025 20:39:21 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.296292	-.002674	.0311079
Stddev	.006641	.000348	.0000856
%RSD	.5122756	12.99981	.2752241
#1	1.290034	-.002405	.0310756
#2	1.295583	-.003067	.0310431
#3	1.303258	-.002552	.0312049

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2639.446	64737.29	13069.76	1732.216	3971.180
Stddev	5.995	62.29	50.16	6.441	1.810
%RSD	.2271328	.0962162	.3837607	.3718337	.0455692
#1	2644.148	64800.50	13126.07	1733.619	3972.889
#2	2641.495	64735.39	13029.89	1737.841	3969.284
#3	2632.695	64675.97	13053.31	1725.190	3971.365

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1749-04 Acquired: 4/14/2025 20:43:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001575	-.007013	.7401223	.0057888	.0007826	.1247785	.4887302
Stddev	.001304	.001866	.0012005	.0044189	.0006480	.0027973	.0010496
%RSD	82.76040	26.61170	.1622042	76.33577	82.80264	2.241838	.2147544
#1	-.002637	-.009160	.7388189	.0063435	.0006026	.1239725	.4894611
#2	-.001969	-.005780	.7411828	.0011187	.0002437	.1224726	.4875275
#3	-.000120	-.006099	.7403651	.0099043	.0015017	.1278903	.4892021

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000707	.0012724	6.490445	-.000663	.0087666	.0582287	.3781450
Stddev	.0000456	.0000706	.010047	.000368	.0000973	.0004188	.0039885
%RSD	64.43064	5.547991	.1548006	55.55749	1.109719	.7192228	1.054746
#1	.0001042	.0011986	6.492718	-.000602	.0086644	.0583858	.3736085
#2	.0000188	.0012793	6.479456	-.001058	.0088581	.0577541	.3797252
#3	.0000892	.0013392	6.499161	-.000329	.0087774	.0585463	.3811012

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2178185	.8440260	.0052095	-.000395	358.0805	.0006319	.3584130
Stddev	.0004228	.0145646	.0003593	.000161	2.5035	.0014062	.0011851
%RSD	.1941183	1.725609	6.897858	40.79451	.6991433	222.5263	.3306504
#1	.2174286	.8608050	.0048692	-.000343	360.9509	-.000656	.3580329
#2	.2182680	.8366236	.0051741	-.000576	356.9419	.002132	.3574645
#3	.2177590	.8346492	.0055853	-.000266	356.3486	.000419	.3597415

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7856789	.0848468	-.000298	.0003418	.0013900	.6241779	.0186854
Stddev	.0310257	.0000809	.000240	.0000851	.0003429	.0143979	.0018553
%RSD	3.948908	.0952848	80.48008	24.89678	24.66926	2.306693	9.929368
#1	.7726827	.0848173	-.000382	.0004301	.0010110	.6392732	.0165475
#2	.7632646	.0847849	-.000483	.0003348	.0016788	.6226634	.0198743
#3	.8210892	.0849383	-.000027	.0002604	.0014803	.6105972	.0196344

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1749-04 Acquired: 4/14/2025 20:43:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.6364992	-.003663	.0420685
Stddev	.0072302	.000527	.0000939
%RSD	1.135933	14.39838	.2230964
#1	.6325327	-.003489	.0421571
#2	.6321203	-.004255	.0419702
#3	.6448445	-.003244	.0420780

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2602.631	63283.19	14147.40	1701.865	3883.718
Stddev	9.433	81.36	17.81	7.426	9.658
%RSD	.3624218	.1285683	.1258637	.4363298	.2486899
#1	2612.889	63196.78	14126.88	1694.057	3894.840
#2	2600.675	63294.46	14158.77	1708.837	3878.874
#3	2594.330	63358.33	14156.54	1702.702	3877.441

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV08 Acquired: 4/14/2025 20:48:13 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV08 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.809971	4.808672	4.850616	4.860363	4.866736	9.595146	9.825123
Stddev	.014069	.014313	.007706	.013416	.020167	.013575	.104085
%RSD	.2925038	.2976424	.1588659	.2760278	.4143798	.1414763	1.059376
#1	4.814429	4.807566	4.856438	4.874979	4.889745	9.581728	9.944952
#2	4.794213	4.823505	4.841877	4.848609	4.852125	9.608873	9.773235
#3	4.821272	4.794944	4.853532	4.857501	4.858339	9.594837	9.757182

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2422426	2.444913	24.08490	.9548701	2.455259	1.232014	4.750123
Stddev	.0006737	.003864	.11101	.0003799	.003828	.004320	.034392
%RSD	.2781107	.1580499	.4609139	.0397879	.1558944	.3506469	.7240140
#1	.2416382	2.446155	23.98808	.9547690	2.457528	1.236952	4.730056
#2	.2429689	2.440581	24.06056	.9545510	2.450840	1.228938	4.730479
#3	.2421207	2.448004	24.20606	.9552903	2.457410	1.230150	4.789834

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.421158	23.60275	2.439996	1.193816	24.01013	2.418098	2.388280
Stddev	.014360	.10878	.002572	.001796	.25223	.005841	.012626
%RSD	.5930983	.4608725	.1054183	.1504375	1.050535	.2415694	.5286469
#1	2.416285	23.48524	2.441158	1.194355	24.06129	2.416229	2.396282
#2	2.409869	23.62310	2.437047	1.191812	23.73624	2.413421	2.373726
#3	2.437320	23.69992	2.441782	1.195281	24.23287	2.424646	2.394833

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	23.80401	4.892620	4.881787	4.873786	4.835932	4.674634	4.900935
Stddev	.18825	.005001	.008219	.012316	.019138	.031505	.008262
%RSD	.7908293	.1022100	.1683679	.2527037	.3957377	.6739499	.1685854
#1	23.80463	4.888591	4.890608	4.865436	4.830387	4.642071	4.895281
#2	23.61546	4.898216	4.874343	4.867991	4.820180	4.676870	4.897106
#3	23.99195	4.891051	4.880410	4.887931	4.857231	4.704961	4.910417

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV08 Acquired: 4/14/2025 20:48:13 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV08 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.887681	4.838095	4.984137
Stddev	.002215	.017147	.005853
%RSD	.0453079	.3544162	.1174394
#1	4.889191	4.844261	4.979436
#2	4.885139	4.818718	4.990693
#3	4.888713	4.851307	4.982281

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2752.340	68412.70	13136.24	1850.679	4100.365
Stddev	5.665	146.10	38.09	7.666	7.629
%RSD	.2058086	.2135576	.2899892	.4142004	.1860542
#1	2747.068	68483.95	13174.27	1849.905	4094.058
#2	2758.329	68509.51	13098.09	1858.702	4108.845
#3	2751.623	68244.65	13136.37	1843.430	4098.193

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB08 Acquired: 4/14/2025 20:52:24 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB08 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0025357	-.000507	.0005442	-.000802	-.000846	-.001181	.0004368
Stddev	.0014699	.000155	.0010656	.003172	.001510	.003506	.0005657
%RSD	57.96727	30.57713	195.8101	395.3369	178.3849	297.0201	129.4924
#1	.0035299	-.000556	.0016614	-.004329	-.000570	-.004733	-.000165
#2	.0008473	-.000632	-.000461	.000103	-.002475	.002278	.000958
#3	.0032300	-.000334	.000432	.001819	.000506	-.001088	.000517

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000278	-.000021	-.003160	.0001083	-.000086	.0001265	-.002938
Stddev	.0000075	.000044	.001518	.0001263	.000221	.0003196	.001191
%RSD	27.11528	209.6359	48.02175	116.6240	258.3054	252.5443	40.53440
#1	.0000198	-.000065	-.001589	.0002534	.000143	-.000234	-.001715
#2	.0000347	.000024	-.004617	.0000229	-.000102	.000241	-.003004
#3	.0000291	-.000022	-.003275	.0000486	-.000298	.000373	-.004094

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002364	.0039872	-.000193	-.000558	-.000666	.0013749	-.000626
Stddev	.0003308	.0134727	.000245	.000489	.004634	.0011312	.000142
%RSD	139.9196	337.8969	127.1436	87.67476	695.7537	82.27197	22.60664
#1	-.000052	-.009573	.000087	-.000379	-.004334	.0000870	-.000697
#2	.000163	.017370	-.000297	-.001111	.004542	.0018304	-.000463
#3	.000598	.004165	-.000368	-.000183	-.002207	.0022074	-.000719

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.006289	.0052588	.0000849	-.000683	-.000519	.0131706	.0038200
Stddev	.025379	.0006750	.0001137	.000470	.000438	.0036433	.0029231
%RSD	403.5681	12.83593	133.8013	68.90817	84.32510	27.66234	76.52170
#1	-.016528	.0056383	-.000045	-.000398	-.000065	.0091789	.0004509
#2	-.024948	.0044795	.000135	-.000424	-.000553	.0163167	.0053266
#3	.022610	.0056587	.000165	-.001226	-.000939	.0140164	.0056826

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB08 Acquired: 4/14/2025 20:52:24 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB08 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0013820	.0017337	-.000024
Stddev	.0012322	.0004150	.000075
%RSD	89.16049	23.93862	312.7553
#1	.0004536	.0015008	-.000004
#2	.0027799	.0022128	.000039
#3	.0009124	.0014873	-.000107

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2862.156	69652.52	13667.55	1925.942	4526.285
Stddev	5.634	289.73	30.96	3.518	7.748
%RSD	.1968457	.4159632	.2265052	.1826599	.1711828
#1	2867.457	69748.50	13641.26	1925.542	4535.231
#2	2856.240	69882.08	13659.73	1929.643	4521.893
#3	2862.772	69326.98	13701.67	1922.641	4521.730

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-05 Acquired: 4/14/2025 20:56:43 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0284783	-.003596	.1581714	.0023841	-.000347	75.45145
Stddev	.0034800	.003598	.0017246	.0035456	.002294	.16317
%RSD	12.21986	100.0502	1.090332	148.7194	660.9120	.2162612
#1	.0320166	-.007353	.1601310	.0010022	-.002268	75.27644
#2	.0250597	-.003255	.1568847	.0064125	-.000966	75.59940
#3	.0283585	-.000181	.1574986	-.000262	.002193	75.47851

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.5324785	.0053890	-.000376	80.68545	.1578587	.0398858
Stddev	.0041366	.0000453	.000117	.07247	.0002653	.0000179
%RSD	.7768642	.8411409	31.16731	.0898122	.1680595	.0449506
#1	.5280804	.0054396	-.000261	80.76059	.1580593	.0398699
#2	.5362913	.0053751	-.000496	80.61599	.1575579	.0398824
#3	.5330636	.0053522	-.000371	80.67977	.1579589	.0399052

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2127280	97.23189	2.420815	30.39765	.0926892	-.004065
Stddev	.0005049	.28292	.004479	.03890	.0004424	.000287
%RSD	.2373430	.2909777	.1850097	.1279582	.4772660	7.069839
#1	.2132880	96.97370	2.415767	30.44211	.0929279	-.004357
#2	.2125882	97.53433	2.424313	30.36991	.0921788	-.004054
#3	.2123077	97.18763	2.422364	30.38093	.0929610	-.003783

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	149.6081	.1991481	.4459549	18.01223	.0794547	.0129870
Stddev	1.4493	.0011090	.0012680	.14409	.0008518	.0004800
%RSD	.9687429	.5568761	.2843446	.7999614	1.072021	3.695753
#1	148.1412	.1994963	.4444913	17.85725	.0785500	.0127824
#2	151.0392	.2000412	.4466490	18.14214	.0802412	.0126432
#3	149.6439	.1979068	.4467242	18.03731	.0795728	.0135354

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-05 Acquired: 4/14/2025 20:56:43 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.004069	1.034391	F 49.00616	7.261182	F 48.25829	.0996645
Stddev	.000586	.003110	.21203	.012284	.08203	.0007363
%RSD	14.38988	.3006755	.4326541	.1691688	.1699875	.7387979
#1	-.004274	1.032053	48.76210	7.248052	48.16733	.0988276
#2	-.003408	1.037921	49.14497	7.272393	48.28089	.1002130
#3	-.004524	1.033200	49.11141	7.263102	48.32666	.0999528

Elem	Sr4077
Units	ppm
Avg	.4567405
Stddev	.0024211
%RSD	.5300867
#1	.4541054
#2	.4588667
#3	.4572495

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2885.983	70743.33	14918.03	1921.348	3812.545
Stddev	3.611	43.23	33.74	10.343	5.386
%RSD	.1251380	.0611049	.2261987	.5383303	.1412679
#1	2888.221	70788.26	14893.63	1933.172	3813.278
#2	2887.911	70739.70	14956.54	1913.976	3817.526
#3	2881.817	70702.04	14903.92	1916.896	3806.829

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06 Acquired: 4/14/2025 21:00:52 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1066247	-.008259	.1792577	.0046240	-.004257	154.6593
Stddev	.0012960	.002115	.0020438	.0014331	.001005	.3027
%RSD	1.215441	25.61162	1.140155	30.99361	23.60662	.1957496
#1	.1077925	-.008950	.1816173	.0061529	-.005411	154.6176
#2	.1068510	-.005884	.1781127	.0033112	-.003573	154.3796
#3	.1052304	-.009941	.1780430	.0044078	-.003787	154.9808

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2876042	.0098326	-.001839	73.92304	.4078651	.1121337
Stddev	.0008214	.0000955	.000257	.31455	.0005341	.0006808
%RSD	.2855866	.9712338	13.95664	.4255089	.1309389	.6071127
#1	.2880519	.0099287	-.001706	73.71508	.4084480	.1113487
#2	.2866563	.0097377	-.002134	73.76913	.4077482	.1124902
#3	.2881044	.0098312	-.001675	74.28491	.4073992	.1125623

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7645195	261.0223	1.513689	77.21482	.2853115	-.007315
Stddev	.0004460	.6152	.006385	.14505	.0008795	.000237
%RSD	.0583354	.2356737	.4218195	.1878539	.3082734	3.237120
#1	.7643272	260.3478	1.508891	77.09546	.2845839	-.007497
#2	.7650294	261.5524	1.511241	77.17275	.2850618	-.007047
#3	.7642020	261.1667	1.520936	77.37626	.2862889	-.007400

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	286.3135	.3955442	1.117617	72.86968	.8551068	.0453757
Stddev	1.0185	.0028605	.003239	.07191	.0037609	.0003453
%RSD	.3557421	.7231852	.2897896	.0986825	.4398204	.7609865
#1	286.3480	.3955770	1.118669	72.84398	.8534319	.0457508
#2	287.3143	.3926674	1.120199	72.95091	.8594143	.0453052
#3	285.2781	.3983881	1.113983	72.81416	.8524744	.0450711

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06 Acquired: 4/14/2025 21:00:52 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.005239	4.593436	F 81.24608	12.93084	F 162.5907	.2844751
Stddev	.001315	.017029	.12565	.02936	.2813	.0000305
%RSD	25.10327	.3707205	.1546484	.2270496	.1730128	.0107292
#1	-.006200	4.582030	81.11237	12.89811	162.3305	.2844413
#2	-.003740	4.585267	81.36170	12.93952	162.5524	.2844835
#3	-.005777	4.613010	81.26417	12.95487	162.8892	.2845006

Elem	Sr4077
Units	ppm
Avg	.5518327
Stddev	.0020074
%RSD	.3637718
#1	.5503292
#2	.5510566
#3	.5541123

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2858.690	68967.68	15397.80	1853.734	3627.253
Stddev	2.540	149.34	30.09	4.660	1.659
%RSD	.0888552	.2165399	.1954494	.2513916	.0457446
#1	2855.776	68903.25	15392.69	1850.974	3625.351
#2	2860.435	68861.36	15430.13	1851.113	3628.405
#3	2859.859	69138.42	15370.59	1859.114	3628.003

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06DUP Acquired: 4/14/2025 21:05:04 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1055165	-.005929	.1797321	.0053336	-.003424	155.4792
Stddev	.0011469	.001858	.0018019	.0059266	.002460	.3146
%RSD	1.086970	31.33120	1.002523	111.1201	71.83755	.2023153
#1	.1068407	-.005250	.1785883	.0059544	-.006012	155.6552
#2	.1048327	-.008031	.1818091	-.000879	-.003147	155.6663
#3	.1048762	-.004506	.1787988	.010925	-.001115	155.1160

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2869861	.0100578	.0003009	73.89705	.4076985	.1125263
Stddev	.0011865	.0000776	.0002926	.19910	.0017200	.0006096
%RSD	.4134269	.7718294	97.26425	.2694351	.4218717	.5417703
#1	.2873317	.0099939	.0005215	74.12563	.4065655	.1119715
#2	.2879614	.0101442	-.000031	73.80415	.4096777	.1124284
#3	.2856652	.0100352	.000412	73.76138	.4068524	.1131790

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7737063	253.4104	1.520437	77.66289	.2873264	-.008576
Stddev	.0011021	.9636	.003240	.31802	.0013866	.000427
%RSD	.1424393	.3802699	.2131044	.4094834	.4825810	4.983263
#1	.7739572	252.4868	1.524069	78.02877	.2870039	-.008184
#2	.7725004	254.4096	1.519396	77.50701	.2861294	-.009032
#3	.7746612	253.3348	1.517845	77.45289	.2888458	-.008513

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	279.8352	.3976042	1.119985	70.74420	.8384030	.0456942
Stddev	5.6997	.0003210	.004532	.64139	.0026737	.0005921
%RSD	2.036789	.0807315	.4046704	.9066311	.3189003	1.295836
#1	273.3066	.3979668	1.124299	70.09279	.8369815	.0460256
#2	283.8200	.3974894	1.120394	71.37507	.8414871	.0450105
#3	282.3791	.3973564	1.115262	70.76475	.8367404	.0460463

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06DUP Acquired: 4/14/2025 21:05:04 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003125	4.606227	F 79.07972	12.93888	F 164.0507	.2837283
Stddev	.001079	.008039	.38882	.02128	.5718	.0011225
%RSD	34.53826	.1745209	.4916793	.1644897	.3485541	.3956369
#1	-.004371	4.610847	78.65549	12.91813	163.8277	.2832448
#2	-.002510	4.610889	79.41912	12.93785	163.6239	.2850116
#3	-.002493	4.596944	79.16454	12.96065	164.7003	.2829285

Elem	Sr4077
Units	ppm
Avg	.5514862
Stddev	.0010530
%RSD	.1909404
#1	.5504995
#2	.5525949
#3	.5513642

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2841.428	69552.08	15007.39	1860.170	3603.215
Stddev	3.739	249.91	51.06	9.708	2.611
%RSD	.1315793	.3593109	.3402523	.5218859	.0724764
#1	2843.867	69792.21	14949.13	1850.464	3605.773
#2	2837.124	69293.43	15044.37	1860.165	3600.553
#3	2843.294	69570.62	15028.68	1869.880	3603.320

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06LX5 Acquired: 4/14/2025 21:09:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0238354	-.001843	.0389573	.0004488	-.003531	33.77016
Stddev	.0015457	.002353	.0003480	.0013786	.002603	.08125
%RSD	6.484755	127.7213	.8933318	307.1861	73.72933	.2405880
#1	.0225564	-.003000	.0386580	-.001123	-.006201	33.86196
#2	.0255530	-.003393	.0393392	.001018	-.001000	33.70752
#3	.0233969	.000865	.0388747	.001451	-.003393	33.74101

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0647954	.0023640	-.002014	17.03746	.0916352	.0225908
Stddev	.0007548	.0000486	.000043	.05325	.0003339	.0000676
%RSD	1.164873	2.054403	2.156196	.3125526	.3643882	.2992521
#1	.0644515	.0024199	-.002041	17.04937	.0913189	.0226605
#2	.0642738	.0023328	-.001964	16.97926	.0916025	.0225866
#3	.0656609	.0023391	-.002038	17.08375	.0919843	.0225255

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1811246	56.01169	.3509860	17.32764	.0584383	-.002663
Stddev	.0006932	.07539	.0024088	.12692	.0000697	.000363
%RSD	.3827134	.1346003	.6862906	.7324915	.1193224	13.63097
#1	.1808269	55.96788	.3522023	17.42501	.0584013	-.003075
#2	.1819168	55.96845	.3482115	17.18409	.0583948	-.002391
#3	.1806299	56.09874	.3525440	17.37382	.0585187	-.002523

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	59.19226	.0901974	.2475831	14.45436	.2174924	.0098897
Stddev	.28199	.0008013	.0005508	.03365	.0010909	.0001284
%RSD	.4763992	.8883996	.2224493	.2327898	.5015571	1.297813
#1	59.13748	.0894323	.2469525	14.49282	.2178069	.0097453
#2	59.49763	.0910306	.2478272	14.43991	.2162788	.0099328
#3	58.94168	.0901294	.2479696	14.43035	.2183914	.0099909

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06LX5 Acquired: 4/14/2025 21:09:17 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002377	1.035419	F 16.86427	2.582742	F 32.67543	.0649257
Stddev	.000551	.002224	.03386	.010706	.14019	.0003881
%RSD	23.19563	.2148184	.2007923	.4145189	.4290422	.5977732
#1	-.001787	1.036308	16.83637	2.595013	32.75542	.0644986
#2	-.002879	1.032888	16.85450	2.575305	32.75732	.0650216
#3	-.002464	1.037062	16.90195	2.577909	32.51355	.0652568

Elem	Sr4077
Units	ppm
Avg	.1219029
Stddev	.0003829
%RSD	.3140678
#1	.1223222
#2	.1215718
#3	.1218148

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2874.839	68553.64	14156.22	1878.618	4168.770
Stddev	9.493	116.05	45.20	4.736	18.742
%RSD	.3302086	.1692818	.3193061	.2521173	.4495744
#1	2866.881	68562.32	14115.80	1876.457	4150.770
#2	2872.290	68433.49	14205.03	1884.050	4167.363
#3	2885.346	68665.10	14147.84	1875.348	4188.175

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06MS Acquired: 4/14/2025 21:13:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7913822	1.658658	1.101922	1.589394	.6488981	189.8737
Stddev	.0025187	.005927	.003817	.004254	.0033489	.9204
%RSD	.3182621	.3573364	.3463761	.2676462	.5160946	.4847695
#1	.7938742	1.656331	1.101729	1.584486	.6458687	190.2520
#2	.7888376	1.665396	1.105831	1.592018	.6483315	188.8244
#3	.7914347	1.654248	1.098205	1.591679	.6524942	190.5447

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.4931775	.1637218	.1871659	75.83054	.7966997	.3313567
Stddev	.0021232	.0000164	.0010845	.20510	.0026886	.0005288
%RSD	.4305130	.0099849	.5794551	.2704726	.3374702	.1595861
#1	.4908665	.1637047	.1876833	75.70678	.7951505	.3315214
#2	.4936242	.1637236	.1878948	75.71755	.7951443	.3317836
#3	.4950418	.1637372	.1859195	76.06729	.7998042	.3307652

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.239950	335.6314	2.049711	93.20315	.8062192	.0443870
Stddev	.001680	3.0138	.011211	.21354	.0016948	.0007782
%RSD	.1354680	.8979447	.5469610	.2291158	.2102162	1.753200
#1	1.241197	333.3920	2.039428	92.97316	.8051931	.0439542
#2	1.240613	334.4443	2.048041	93.24115	.8081754	.0439213
#3	1.238040	339.0580	2.061663	93.39515	.8052891	.0452853

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	288.1939	.6890883	1.452881	82.16261	1.013436	.3856460
Stddev	1.2987	.0024287	.005457	.69540	.008048	.0008099
%RSD	.4506376	.3524511	.3755786	.8463742	.7941536	.2100158
#1	286.6982	.6890440	1.447264	81.47398	1.005646	.3848704
#2	288.8488	.6866821	1.453219	82.14926	1.012944	.3864863
#3	289.0349	.6915389	1.458161	82.86460	1.021719	.3855813

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06MS Acquired: 4/14/2025 21:13:27 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6407233	6.287822	F 94.35393	F 20.13159	F 221.3902	.5498434
Stddev	.0038347	.008473	.60152	.07469	.5907	.0035422
%RSD	.5984906	.1347603	.6375163	.3710291	.2668128	.6442151
#1	.6427309	6.278094	93.77171	20.06406	221.4128	.5458817
#2	.6431374	6.291775	94.31703	20.21182	221.9692	.5509436
#3	.6363017	6.293596	94.97305	20.11888	220.7885	.5527049

Elem	Sr4077
Units	ppm
Avg	.7303602
Stddev	.0022787
%RSD	.3119989
#1	.7279271
#2	.7307094
#3	.7324442

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2854.284	70196.70	14827.68	1925.812	3537.333
Stddev	7.296	289.29	8.43	11.139	7.662
%RSD	.2556304	.4121093	.0568333	.5784047	.2166081
#1	2846.797	70420.98	14820.66	1937.909	3528.558
#2	2861.374	70298.94	14825.34	1923.549	3540.742
#3	2854.682	69870.17	14837.03	1915.978	3542.698

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06MSD Acquired: 4/14/2025 21:17:38 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.8230138	1.804736	1.085146	1.770967	.7206136	124.5842
Stddev	.0059831	.006154	.001415	.002547	.0012119	.2165
%RSD	.7269793	.3409818	.1303668	.1437926	.1681707	.1737620
#1	.8250205	1.810216	1.084048	1.773437	.7212222	124.3573
#2	.8162853	1.805915	1.084647	1.771113	.7214007	124.6067
#3	.8277357	1.798078	1.086742	1.768351	.7192181	124.7885

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3742681	.1796246	.1949954	47.09345	.6724085	.2859226
Stddev	.0005090	.0006120	.0006542	.01924	.0163513	.0002904
%RSD	.1359999	.3407183	.3355011	.0408539	2.431752	.1015693
#1	.3745569	.1789241	.1955594	47.11511	.6628125	.2856721
#2	.3745670	.1798937	.1951488	47.08692	.6631246	.2862409
#3	.3736803	.1800559	.1942782	47.07833	.6912886	.2858547

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.9588680	218.8714	1.406156	61.23679	.7000128	.0519524
Stddev	.0014225	3.7951	.005605	.13571	.0009631	.0004182
%RSD	.1483490	1.733929	.3985687	.2216165	.1375860	.8049130
#1	.9592958	216.8303	1.412620	61.13687	.7002862	.0514703
#2	.9600275	216.5338	1.403183	61.18222	.6989425	.0521706
#3	.9572808	223.2503	1.402664	61.39130	.7008097	.0522164

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	166.3833	.5483930	1.035169	52.00733	.7115035	.4015814
Stddev	2.5088	.0013584	.021308	.83937	.0080069	.0009805
%RSD	1.507866	.2477053	2.058424	1.613941	1.125354	.2441542
#1	164.8703	.5495314	1.023866	51.43127	.7066166	.4004500
#2	165.0002	.5468893	1.021894	51.62033	.7071499	.4021833
#3	169.2793	.5487582	1.059747	52.97038	.7207440	.4021109

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06MSD Acquired: 4/14/2025 21:17:38 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6792957	4.218167	F 61.17822	14.53316	F 140.4901	.4290690
Stddev	.0019407	.001703	1.13610	.03594	.1852	.0003418
%RSD	.2856903	.0403761	1.857035	.2473024	.1318117	.0796620
#1	.6772253	4.217254	60.50028	14.56660	140.7021	.4287973
#2	.6795884	4.217114	60.54454	14.53774	140.4077	.4289568
#3	.6810734	4.220131	62.48982	14.49516	140.3603	.4294527

Elem	Sr4077
Units	ppm
Avg	.5171674
Stddev	.0003974
%RSD	.0768498
#1	.5176261
#2	.5169523
#3	.5169239

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2806.152	69023.95	14152.04	1870.849	3748.462
Stddev	8.437	1395.58	44.75	40.857	6.567
%RSD	.3006611	2.021874	.3161910	2.183894	.1751789
#1	2814.756	69928.81	14183.06	1893.569	3755.101
#2	2805.806	69726.32	14172.30	1895.296	3748.314
#3	2797.893	67416.73	14100.74	1823.681	3741.971

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06A Acquired: 4/14/2025 21:21:39 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7771546	1.788204	1.018046	1.747223	.7280908	100.4846
Stddev	.0055295	.011093	.000413	.011930	.0036653	.0527
%RSD	.7115010	.6203473	.0405191	.6827827	.5034197	.0524910
#1	.7708616	1.798207	1.017933	1.735991	.7244137	100.5071
#2	.7812358	1.776273	1.018504	1.745933	.7317443	100.4243
#3	.7793664	1.790131	1.017703	1.759746	.7281144	100.5224

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3545431	.1747935	.1947969	54.99409	.6012278	.2522590
Stddev	.0003242	.0004894	.0003510	.07743	.0022503	.0003497
%RSD	.0914465	.2799651	.1801763	.1407900	.3742846	.1386207
#1	.3545645	.1753088	.1945042	54.95313	.6034503	.2526333
#2	.3542087	.1743350	.1947006	54.94575	.5989507	.2519407
#3	.3548560	.1747368	.1951860	55.08340	.6012824	.2522030

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.7132582	145.6816	1.124999	53.51885	.6377787	.0583635
Stddev	.0032864	.2212	.002264	.11909	.0015962	.0001900
%RSD	.4607575	.1518493	.2012122	.2225204	.2502793	.3255430
#1	.7096225	145.4585	1.124318	53.40866	.6377157	.0582406
#2	.7141343	145.6854	1.123155	53.50269	.6362150	.0585823
#3	.7160177	145.9009	1.127526	53.64519	.6394056	.0582676

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	201.2335	.5181260	.9039945	57.90760	.9093811	.3977763
Stddev	1.8417	.0018812	.0008307	.03642	.0010727	.0018302
%RSD	.9151984	.3630677	.0918899	.0628878	.1179617	.4601018
#1	203.1432	.5200220	.9040606	57.88459	.9105954	.3961414
#2	201.0889	.5180959	.9031328	57.94958	.9089856	.3974341
#3	199.4683	.5162601	.9047902	57.88863	.9085623	.3997535

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-06A Acquired: 4/14/2025 21:21:39 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6789435	2.920596	F 51.61466	14.67323	F 91.93340	.3436087
Stddev	.0004776	.000989	.10138	.00960	.22906	.0007664
%RSD	.0703404	.0338551	.1964076	.0654128	.2491583	.2230328
#1	.6790812	2.920969	51.55417	14.67478	91.84336	.3427496
#2	.6793371	2.921345	51.55811	14.66295	91.76305	.3442219
#3	.6784122	2.919475	51.73170	14.68196	92.19380	.3438545

Elem	Sr4077
Units	ppm
Avg	.5783442
Stddev	.0012240
%RSD	.2116409
#1	.5791230
#2	.5789763
#3	.5769334

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2795.661	68058.12	14136.25	1836.005	3737.502
Stddev	15.357	172.59	34.77	1.412	12.813
%RSD	.5493004	.2535919	.2459349	.0769025	.3428212
#1	2812.212	67996.73	14112.31	1837.629	3749.098
#2	2792.894	68253.01	14176.13	1835.069	3739.661
#3	2781.875	67924.61	14120.31	1835.317	3723.746

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-07 Acquired: 4/14/2025 21:25:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001206	-.005954	.0003218	.0003874	-.000236	.0098727	-.001026
Stddev	.001277	.000593	.0023208	.0021747	.001411	.0039549	.000693
%RSD	105.8076	9.963130	721.0736	561.3655	597.3843	40.05916	67.56807
#1	-.000603	-.005434	-.001452	-.001787	-.001820	.0063248	-.001561
#2	-.002673	-.005828	.002948	.002563	.000887	.0141367	-.001274
#3	-.000344	-.006600	-.000531	.000386	.000224	.0091563	-.000243

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000185	-.000184	.0268366	-.000322	-.000332	.0007139	.0084299
Stddev	.000077	.000052	.0062967	.000160	.000155	.0001116	.0022320
%RSD	41.47645	28.21226	23.46323	49.84384	46.83222	15.63585	26.47696
#1	-.000114	-.000140	.0316355	-.000370	-.000448	.0006256	.0104979
#2	-.000176	-.000241	.0291676	-.000452	-.000392	.0008394	.0060639
#3	-.000266	-.000170	.0197067	-.000143	-.000155	.0006766	.0087279

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0069254	.0194363	-.000469	-.000373	-.156195	-.000137	.0012575
Stddev	.0001142	.0123541	.000085	.000099	.012139	.000948	.0000841
%RSD	1.649360	63.56212	18.12750	26.47408	7.771792	690.9283	6.690961
#1	.0069942	.0264777	-.000384	-.000352	-.167107	.000793	.0012069
#2	.0069884	.0266598	-.000468	-.000287	-.143119	-.001102	.0012109
#3	.0067935	.0051714	-.000554	-.000481	-.158358	-.000103	.0013546

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.151892	.0003316	-.000056	-.000564	-.000051	.0180142	.0075757
Stddev	.038473	.0001880	.000232	.001304	.000322	.0047501	.0025551
%RSD	25.32919	56.69499	411.3027	231.0789	625.2419	26.36841	33.72735
#1	-.191073	.0001219	-.000216	.000475	-.000056	.0142979	.0055873
#2	-.150435	.0004850	.000210	-.000140	-.000371	.0163790	.0104576
#3	-.114168	.0003879	-.000163	-.002027	.000273	.0233659	.0066823

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1746-07 Acquired: 4/14/2025 21:25:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0355142	-.003573	-.000033
Stddev	.0027308	.000146	.000012
%RSD	7.689322	4.092078	36.73624
#1	.0328077	-.003458	-.000047
#2	.0354660	-.003523	-.000024
#3	.0382687	-.003737	-.000028

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2814.238	69326.29	13929.74	1850.212	4557.139
Stddev	8.821	134.94	49.47	8.714	8.046
%RSD	.3134443	.1946425	.3551215	.4709732	.1765688
#1	2816.439	69439.45	13923.28	1854.525	4556.478
#2	2821.751	69362.46	13982.12	1840.182	4565.495
#3	2804.525	69176.95	13883.82	1855.928	4549.443

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-01 Acquired: 4/14/2025 21:30:08 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0618805	.0018637	1.708485	.0010782	.0035766	103.0125	1.011183
Stddev	.0008820	.0026752	.001332	.0026340	.0024071	.1731	.004667
%RSD	1.425392	143.5421	.0779637	244.2923	67.29974	.1680040	.4614934
#1	.0618965	.0043825	1.707006	.0040197	.0048764	103.0282	1.015916
#2	.0609906	.0021530	1.709589	.0002770	.0007991	103.1771	1.011046
#3	.0627545	-.000944	1.708859	-.001062	.0050543	102.8321	1.006586

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0077210	.0015705	82.17585	.2170584	.2217009	.7483010	227.3803
Stddev	.0000762	.0004371	.22093	.0010055	.0001923	.0037865	1.8129
%RSD	.9870404	27.83415	.2688524	.4632510	.0867558	.5060168	.7972886
#1	.0077186	.0011297	82.35920	.2176808	.2215895	.7439438	229.4463
#2	.0076460	.0015779	82.23780	.2175961	.2215902	.7501655	226.6395
#3	.0077984	.0020039	81.93056	.2158984	.2219230	.7507937	226.0552

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.534615	38.77142	.3203347	-.005217	7.893452	.3397298	1.650970
Stddev	.012621	.09164	.0001659	.000920	.096332	.0022757	.003033
%RSD	.4979448	.2363494	.0517839	17.63068	1.220410	.6698510	.1837345
#1	2.546637	38.70386	.3204706	-.004471	8.004349	.3415847	1.653386
#2	2.535740	38.87573	.3203836	-.004935	7.830499	.3404142	1.647566
#3	2.521470	38.73468	.3201498	-.006244	7.845507	.3371904	1.651959

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.75780	.0086642	.0066103	.1912633	3.319459	8.264523	6.708689
Stddev	.07209	.0041966	.0002716	.0015708	.011488	.051591	.007863
%RSD	.6701158	48.43578	4.108447	.8212495	.3460880	.6242504	.1172017
#1	10.84070	.0132795	.0065149	.1905839	3.328740	8.319539	6.704741
#2	10.70984	.0050779	.0063993	.1901466	3.323026	8.256805	6.703583
#3	10.72285	.0076351	.0069167	.1930594	3.306610	8.217226	6.717743

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-01 Acquired: 4/14/2025 21:30:08 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	5.694101	.2405570	.4575383
Stddev	.016145	.0012840	.0025398
%RSD	.2835382	.5337394	.5550955
#1	5.680503	.2418692	.4597888
#2	5.711944	.2404985	.4580416
#3	5.689855	.2393033	.4547846

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2929.476	72297.38	15683.71	1971.562	3887.025
Stddev	8.448	246.79	25.81	6.713	10.572
%RSD	.2883691	.3413560	.1645458	.3404797	.2719768
#1	2938.216	72018.29	15712.45	1972.223	3894.216
#2	2928.856	72486.79	15662.52	1977.920	3891.972
#3	2921.355	72387.06	15676.15	1964.544	3874.886

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-05 Acquired: 4/14/2025 21:34:11 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0583665	-.043463	2.367047	.0024102	.0258996	150.7694	.7840794
Stddev	.0038409	.003866	.002152	.0055190	.0023231	.2751	.0020458
%RSD	6.580677	8.893908	.0909306	228.9808	8.969443	.1824520	.2609132
#1	.0577448	-.046775	2.367221	.0072991	.0283109	150.7169	.7844672
#2	.0548744	-.044399	2.369107	.0035060	.0236763	150.5243	.7859035
#3	.0624803	-.039216	2.364813	-.003574	.0257116	151.0669	.7818675

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0075671	.0044593	139.9078	.2507645	.3028617	1.438185	377.3544
Stddev	.0000354	.0004760	.3341	.0015610	.0005281	.001692	1.9493
%RSD	.4676796	10.67443	.2387652	.6225020	.1743678	.1176491	.5165734
#1	.0076080	.0046615	139.5281	.2489620	.3030075	1.436949	375.9070
#2	.0075457	.0039155	140.1566	.2516535	.3033016	1.440114	379.5710
#3	.0075478	.0048008	140.0386	.2516778	.3022760	1.437493	376.5853

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.364104	161.3528	.5970991	-.008440	38.08033	.6671572	3.453220
Stddev	.012504	.5881	.0007657	.000587	.20855	.0030384	.015380
%RSD	.2330974	.3644677	.1282421	6.951475	.5476560	.4554225	.4453750
#1	5.351201	160.6961	.5969388	-.008762	37.99048	.6636558	3.435467
#2	5.376165	161.5317	.5979323	-.007762	38.31874	.6691008	3.462507
#3	5.364945	161.8307	.5964263	-.008794	37.93176	.6687149	3.461685

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.615801	-.220707	.0041084	.1172835	19.23736	5.010124	6.625072
Stddev	.065043	.008224	.0001661	.0016869	.01305	.027705	.018744
%RSD	.6764208	3.726052	4.042838	1.438293	.0678538	.5529745	.2829324
#1	9.590217	-.219606	.0042870	.1154086	19.22244	4.989932	6.629475
#2	9.689747	-.213089	.0040797	.1177634	19.24294	5.041709	6.604518
#3	9.567440	-.229426	.0039585	.1186783	19.24669	4.998732	6.641223

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-05 Acquired: 4/14/2025 21:34:11 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	3.520197	.2663146	.6303842
Stddev	.014281	.0010849	.0010479
%RSD	.4056781	.4073689	.1662315
#1	3.530984	.2655818	.6301128
#2	3.504002	.2675609	.6315411
#3	3.525604	.2658011	.6294986

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2964.422	72451.64	15349.09	1965.637	3658.983
Stddev	4.137	351.39	62.80	16.568	3.898
%RSD	.1395663	.4850054	.4091263	.8428960	.1065294
#1	2967.218	72842.97	15410.01	1984.243	3662.925
#2	2959.669	72163.10	15352.68	1952.478	3655.131
#3	2966.379	72348.85	15284.57	1960.189	3658.893

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV09 Acquired: 4/14/2025 21:38:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV09 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.765360	4.828431	4.842652	4.800686	4.823701	9.518328	9.607728
Stddev	.003910	.040031	.009320	.011872	.016798	.024971	.132091
%RSD	.0820547	.8290738	.1924665	.2473052	.3482356	.2623488	1.374838
#1	4.761448	4.854183	4.832455	4.798490	4.815779	9.533904	9.696838
#2	4.765366	4.848799	4.844770	4.790065	4.812328	9.531556	9.670376
#3	4.769268	4.782312	4.850732	4.813503	4.842994	9.489526	9.455970

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2461386	2.434094	23.90796	.9725987	2.441303	1.223169	4.833292
Stddev	.0014813	.004473	.12586	.0030241	.003619	.002435	.021734
%RSD	.6018252	.1837749	.5264385	.3109339	.1482310	.1990698	.4496663
#1	.2473099	2.429826	24.01349	.9691086	2.438625	1.222037	4.814710
#2	.2466324	2.438747	23.94174	.9742453	2.445420	1.221506	4.827975
#3	.2444734	2.433708	23.76866	.9744422	2.439864	1.225963	4.857190

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.400362	23.60352	2.426888	1.215906	25.74984	2.397057	2.412243
Stddev	.012996	.13092	.002221	.000865	.05361	.009124	.006340
%RSD	.5414328	.5546459	.0915120	.0711136	.2082085	.3806181	.2628313
#1	2.411000	23.71312	2.424754	1.216285	25.69729	2.398389	2.416221
#2	2.404209	23.63889	2.429187	1.216517	25.80446	2.405441	2.415576
#3	2.385876	23.45856	2.426725	1.214917	25.74777	2.387340	2.404931

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.44747	4.906809	4.877590	4.861934	4.776317	4.858539	4.908939
Stddev	.04546	.039243	.006414	.009406	.017456	.039146	.019749
%RSD	.1786232	.7997713	.1315022	.1934703	.3654684	.8057205	.4023091
#1	25.39639	4.937403	4.872046	4.854802	4.789841	4.814139	4.907227
#2	25.46257	4.920460	4.876110	4.872594	4.782498	4.873398	4.929488
#3	25.48345	4.862563	4.884615	4.858404	4.756612	4.888081	4.890101

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV09 Acquired: 4/14/2025 21:38:16 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV09 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.840260	4.740826	4.869940
Stddev	.004694	.010215	.036847
%RSD	.0969858	.2154743	.7566268
#1	4.842021	4.750075	4.891219
#2	4.843820	4.742543	4.827393
#3	4.834940	4.729862	4.891209

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2756.870	66009.21	12959.82	1811.027	4117.542
Stddev	3.420	207.37	74.26	.565	4.062
%RSD	.1240359	.3141505	.5730359	.0311786	.0986566
#1	2757.255	66221.70	12919.38	1811.679	4116.383
#2	2760.081	65807.37	12914.55	1810.712	4114.185
#3	2753.274	65998.57	13045.53	1810.690	4122.058

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB09 Acquired: 4/14/2025 21:42:28 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB09 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0017841	-.001765	.0000656	-.000084	.0009262	-.001080
Stddev	.0014845	.000338	.0007240	.003445	.0007096	.004307
%RSD	83.20505	19.12865	1103.864	4097.088	76.61496	398.9861
#1	.0034830	-.001532	-.000135	-.000848	.0015777	.000442
#2	.0007374	-.002153	-.000537	.003679	.0010309	-.005941
#3	.0011319	-.001611	.000869	-.003083	.0001701	.002261

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000393	-.000032	-.000116	-.008304	.0002238	.0000206
Stddev	.000844	.000068	.000051	.005841	.0001338	.0002339
%RSD	214.7391	210.6937	44.15412	70.34158	59.77327	1137.290
#1	-.000239	-.000092	-.000060	-.015040	.0003097	.0001521
#2	.000363	.000042	-.000125	-.005237	.0000697	-.000249
#3	-.001303	-.000048	-.000161	-.004635	.0002921	.000159

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000217	.0001267	.0007958	.0202636	-.000297	-.000518
Stddev	.0003078	.0030947	.0000875	.0151978	.000090	.000186
%RSD	1421.866	2441.635	11.00047	75.00042	30.44710	35.94828
#1	.0003752	.0035086	.0008331	.0376585	-.000318	-.000499
#2	-.000124	-.002564	.0006958	.0095574	-.000198	-.000342
#3	-.000186	-.000565	.0008585	.0135749	-.000375	-.000713

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0318534	.0011834	-.000411	-.017162	.0052713	-.000024
Stddev	.0053711	.0005024	.000229	.010738	.0009047	.000341
%RSD	16.86191	42.45821	55.69474	62.57018	17.16312	1397.196
#1	.0267978	.0017181	-.000404	-.006804	.0063055	-.000389
#2	.0312699	.0007210	-.000186	-.016437	.0048815	.000287
#3	.0374924	.0011110	-.000644	-.028244	.0046267	.000028

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB09 Acquired: 4/14/2025 21:42:28 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB09 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000449	.0001537	.0139272	.0034526	F .0102412	.0001145
Stddev	.000430	.0008881	.0037554	.0029455	.0008869	.0010354
%RSD	95.62470	577.7296	26.96449	85.31424	8.660248	903.9056
#1	-.000553	.0011791	.0161782	.0000517	.0109666	-.000976
#2	-.000817	-.000374	.0095919	.0051087	.0105046	.001084
#3	.000023	-.000344	.0160114	.0051973	.0092524	.000236

Elem	Sr4077
Units	ppm
Avg	-.000075
Stddev	.000017
%RSD	22.58199
#1	-.000091
#2	-.000075
#3	-.000058

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2833.209	68761.24	14040.61	1877.156	4502.575
Stddev	1.900	90.36	43.61	5.329	4.614
%RSD	.0670725	.1314066	.3106154	.2839104	.1024817
#1	2835.345	68687.72	13994.95	1878.635	4506.648
#2	2831.707	68862.12	14081.84	1881.589	4503.515
#3	2832.574	68733.89	14045.03	1871.243	4497.564

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09 Acquired: 4/14/2025 21:46:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0282766	.0032710	.1299552	-.002194	-.004975	85.54787	.3107724
Stddev	.0040363	.0022682	.0010038	.002269	.002443	.15358	.0019169
%RSD	14.27429	69.34102	.7724394	103.4268	49.10082	.1795260	.6168195
#1	.0242587	.0058682	.1291029	-.004412	-.002693	85.39682	.3087985
#2	.0323310	.0016801	.1310617	.000123	-.007552	85.70386	.3126267
#3	.0282401	.0022647	.1297009	-.002292	-.004679	85.54295	.3108920

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0065700	.0014732	8.048050	.1251362	.0687200	.1394327	152.4339
Stddev	.0000316	.0001319	.012876	.0006909	.0002007	.0003984	.2049
%RSD	.4802446	8.950160	.1599836	.5521231	.2920876	.2857450	.1344174
#1	.0066063	.0014495	8.033482	.1254485	.0686626	.1391205	152.4414
#2	.0065550	.0013548	8.057905	.1256159	.0685542	.1392961	152.6350
#3	.0065488	.0016153	8.052764	.1243443	.0689431	.1398814	152.2254

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.570175	22.02133	.1262929	-.007001	1.108849	.1874191	.2790276
Stddev	.006604	.00801	.0008747	.000094	.010880	.0017672	.0019207
%RSD	.4205701	.0363662	.6926288	1.337515	.9811823	.9428958	.6883535
#1	1.565177	22.02931	.1268210	-.007049	1.097010	.1889172	.2812432
#2	1.577661	22.01329	.1252832	-.006893	1.118408	.1854702	.2780066
#3	1.567686	22.02138	.1267745	-.007062	1.111129	.1878699	.2778330

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	10.25866	-.159524	.0026953	.0018573	2.026019	9.937855	5.192545
Stddev	.06517	.000524	.0002205	.0006957	.008794	.010917	.018233
%RSD	.6352479	.3282265	8.179373	37.45866	.4340498	.1098553	.3511415
#1	10.19311	-.159237	.0029210	.0025127	2.018628	9.925259	5.174103
#2	10.32344	-.159208	.0026843	.0011273	2.035745	9.944598	5.192968
#3	10.25943	-.160129	.0024805	.0019318	2.023685	9.943707	5.210562

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09 Acquired: 4/14/2025 21:46:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1916398	.1565080	.0659171
Stddev	.0017417	.0010132	.0003136
%RSD	.9088345	.6473764	.4758041
#1	.1910075	.1565218	.0656196
#2	.1903025	.1575143	.0662447
#3	.1936093	.1554880	.0658868

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3307.378	80552.63	16046.99	2180.760	4104.298
Stddev	6.708	245.38	3.32	21.197	10.912
%RSD	.2028223	.3046169	.0207023	.9719839	.2658739
#1	3312.234	80282.11	16043.17	2157.069	4111.372
#2	3310.177	80614.95	16048.61	2187.281	4109.791
#3	3299.724	80760.84	16049.18	2197.930	4091.731

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09DUP Acquired: 4/14/2025 21:50:55 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0270636	.0030754	.1254064	.0009807	-.006035	84.79812	.3252276
Stddev	.0028242	.0010427	.0011337	.0021546	.001299	.07779	.0002659
%RSD	10.43527	33.90580	.9039999	219.6911	21.52246	.0917347	.0817700
#1	.0265395	.0020329	.1266078	.0018199	-.006187	84.83203	.3250941
#2	.0301131	.0041184	.1243555	-.001467	-.007251	84.70914	.3250549
#3	.0245382	.0030748	.1252560	.002589	-.004667	84.85321	.3255339

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0063139	-.001611	8.179893	.1224325	.0674647	.1360233	162.8849
Stddev	.0000236	.000046	.031684	.0006804	.0000288	.0003865	.6660
%RSD	.3733829	2.860976	.3873349	.5557048	.0426772	.2841351	.4088720
#1	.0063029	-.001567	8.194595	.1230514	.0674861	.1364414	163.1898
#2	.0062977	-.001607	8.143529	.1217040	.0674761	.1359494	162.1211
#3	.0063409	-.001659	8.201555	.1225422	.0674320	.1356791	163.3439

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.587563	21.95958	.1241816	-.005454	1.225789	.1898338	.2778996
Stddev	.005423	.06802	.0007217	.000245	.008549	.0005313	.0016599
%RSD	.3415946	.3097495	.5811858	4.493760	.6973886	.2798958	.5972852
#1	1.593302	21.94428	.1237527	-.005736	1.230335	.1898585	.2793019
#2	1.582524	21.90051	.1250149	-.005322	1.215928	.1892906	.2783300
#3	1.586862	22.03394	.1237773	-.005302	1.231104	.1903524	.2760670

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.12204	-.096798	.0027475	.0003120	2.067428	10.45966	5.286217
Stddev	.03500	.003474	.0003894	.0018479	.007860	.02335	.005269
%RSD	.3147181	3.588585	14.17152	592.2427	.3801973	.2231996	.0996750
#1	11.13784	-.096808	.0031926	.0016103	2.073154	10.45069	5.291345
#2	11.08192	-.100267	.0024696	-.001804	2.058466	10.44213	5.280817
#3	11.14635	-.093320	.0025803	.001129	2.070664	10.48616	5.286488

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09DUP Acquired: 4/14/2025 21:50:55 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1848843	.1627284	.0684850
Stddev	.0010602	.0003679	.0002001
%RSD	.5734445	.2260905	.2921943
#1	.1840852	.1627503	.0687157
#2	.1844807	.1623500	.0683582
#3	.1860870	.1630848	.0683811

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3324.666	80620.49	16914.29	2233.193	4143.217
Stddev	4.867	69.12	28.75	.323	7.238
%RSD	.1463814	.0857390	.1699611	.0144415	.1746930
#1	3320.206	80542.08	16886.80	2233.556	4134.896
#2	3329.857	80646.72	16911.93	2233.084	4146.698
#3	3323.935	80672.65	16944.15	2232.939	4148.057

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09LX5 Acquired: 4/14/2025 21:55:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0097227	.0015611	.0290658	-.002441	-.000379	19.69735	.0779728
Stddev	.0013892	.0007899	.0006004	.001655	.000244	.03084	.0006758
%RSD	14.28811	50.59809	2.065739	67.79916	64.52515	.1565919	.8667082
#1	.0103252	.0024534	.0296878	-.001964	-.000250	19.73256	.0785864
#2	.0107090	.0012782	.0284896	-.004281	-.000661	19.67511	.0780836
#3	.0081340	.0009516	.0290199	-.001077	-.000226	19.68437	.0772485

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0015135	-.001794	1.903509	.0289297	.0137094	.0335278	38.92784
Stddev	.0000269	.000070	.000586	.0002175	.0000743	.0002085	.17034
%RSD	1.775585	3.901565	.0307772	.7517371	.5415690	.6219319	.4375753
#1	.0015264	-.001814	1.903296	.0286914	.0137514	.0336351	39.05230
#2	.0014826	-.001852	1.903059	.0289801	.0136237	.0336608	38.99750
#3	.0015316	-.001716	1.904171	.0291175	.0137532	.0332875	38.73371

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.3834485	5.112693	.0246576	-.001882	.2901566	.0450391	.0642255
Stddev	.0013060	.017805	.0003449	.000398	.0057019	.0013884	.0005665
%RSD	.3406048	.3482464	1.398767	21.13806	1.965098	3.082555	.8821113
#1	.3848896	5.133135	.0246619	-.001515	.2878554	.0453410	.0648797
#2	.3823430	5.100576	.0243105	-.002305	.2966495	.0462516	.0638990
#3	.3831131	5.104368	.0250003	-.001827	.2859650	.0435246	.0638979

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.521842	-.020044	.0003341	-.000432	.4871837	2.448375	1.052162
Stddev	.036258	.000408	.0002689	.000197	.0013433	.008879	.004780
%RSD	1.437741	2.033542	80.49035	45.62795	.2757248	.3626504	.4543300
#1	2.502583	-.020005	.0002561	-.000264	.4884268	2.458354	1.046847
#2	2.563666	-.019657	.0001128	-.000649	.4857587	2.445422	1.053530
#3	2.499279	-.020469	.0006333	-.000383	.4873656	2.441349	1.056110

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09LX5 Acquired: 4/14/2025 21:55:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0404715	.0370786	.0162222
Stddev	.0027597	.0002671	.0000446
%RSD	6.818902	.7203310	.2750791
#1	.0431003	.0369830	.0162526
#2	.0375972	.0368724	.0161709
#3	.0407170	.0373803	.0162429

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2988.035	72666.03	15313.89	2020.383	4420.564
Stddev	4.354	128.36	37.80	6.339	4.780
%RSD	.1457124	.1766374	.2468566	.3137658	.1081217
#1	2984.184	72543.99	15311.36	2014.786	4417.336
#2	2992.760	72654.22	15352.89	2027.267	4426.055
#3	2987.163	72799.89	15277.41	2019.095	4418.300

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09MS Acquired: 4/14/2025 21:59:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6225133	1.764191	1.012645	1.445261	.6000122	85.63089	.4526589
Stddev	.0035067	.007035	.003977	.003108	.0033162	.14525	.0012494
%RSD	.5633204	.3987938	.3927415	.2150691	.5526831	.1696202	.2760104
#1	.6185846	1.756090	1.008799	1.445216	.5973355	85.46975	.4525896
#2	.6253269	1.767711	1.012394	1.442175	.6037219	85.67119	.4539414
#3	.6236285	1.768772	1.016742	1.448391	.5989790	85.75174	.4514455

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1574859	.1857133	8.719559	.4257396	.2474107	.3576305	152.3486
Stddev	.0004889	.0003410	.020442	.0013418	.0010514	.0003003	.6906
%RSD	.3104123	.1835941	.2344368	.3151608	.4249646	.0839817	.4533254
#1	.1570868	.1854568	8.697143	.4270805	.2484699	.3574223	153.1404
#2	.1580312	.1855827	8.724362	.4257413	.2463673	.3574944	151.8703
#3	.1573396	.1861002	8.737171	.4243970	.2473947	.3579748	152.0352

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.692713	23.28734	.5694077	.0495411	3.157699	.4030595	.4219411
Stddev	.004591	.05703	.0010048	.0002914	.028225	.0014358	.0008570
%RSD	.2711958	.2448778	.1764678	.5881312	.8938496	.3562182	.2031092
#1	1.690569	23.24275	.5690672	.0496342	3.185773	.4014745	.4221384
#2	1.697983	23.26767	.5686174	.0497745	3.157997	.4034307	.4210027
#3	1.689587	23.35159	.5705385	.0492146	3.129325	.4042732	.4226824

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	17.43224	.0628242	.3145754	.6360764	2.149917	10.30202	10.42511
Stddev	.10478	.0044551	.0005631	.0002753	.001076	.03714	.01156
%RSD	.6010494	7.091399	.1790156	.0432729	.0500571	.3605168	.1109192
#1	17.54539	.0677236	.3144939	.6362101	2.148875	10.32149	10.43818
#2	17.41275	.0590162	.3140576	.6362592	2.151024	10.25920	10.41623
#3	17.33858	.0617329	.3151749	.6357598	2.149851	10.32538	10.42091

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09MS Acquired: 4/14/2025 21:59:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1754117	.3103947	.2165164
Stddev	.0009637	.0005565	.0003679
%RSD	.5494157	.1792922	.1698980
#1	.1763635	.3109980	.2163481
#2	.1744365	.3102847	.2169383
#3	.1754349	.3099014	.2162627

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3326.435	79873.79	15816.52	2191.275	4143.746
Stddev	6.740	164.70	48.05	8.630	4.624
%RSD	.2026106	.2062050	.3038024	.3938272	.1115923
#1	3332.677	79686.01	15865.60	2181.380	4142.966
#2	3327.339	79993.80	15769.57	2195.200	4148.711
#3	3319.289	79941.55	15814.37	2197.244	4139.562

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09MSD Acquired: 4/14/2025 22:03:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6286399	1.785432	1.015362	1.457856	.6117300	85.34733	.4570721
Stddev	.0018556	.005092	.001617	.003392	.0020598	.10752	.0017968
%RSD	.2951749	.2852199	.1592625	.2326972	.3367198	.1259751	.3931015
#1	.6265840	1.783003	1.013993	1.453975	.6106116	85.37232	.4589683
#2	.6291454	1.791284	1.017146	1.460261	.6104713	85.22952	.4568533
#3	.6301904	1.782010	1.014947	1.459330	.6141071	85.44016	.4553948

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1506459	.1847531	8.739014	.4284703	.2471313	.3561578	158.9362
Stddev	.0002570	.0006819	.015784	.0024009	.0001172	.0004485	.8227
%RSD	.1705732	.3691039	.1806174	.5603516	.0474217	.1259338	.5176545
#1	.1506346	.1849104	8.752375	.4279552	.2470096	.3566647	159.2356
#2	.1503948	.1840063	8.743068	.4310870	.2471407	.3559962	159.5673
#3	.1509084	.1853427	8.721597	.4263687	.2472434	.3558124	158.0057

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.673621	23.21437	.5686451	.0515200	3.318200	.4065816	.4251106
Stddev	.005837	.03778	.0002152	.0002562	.045304	.0013641	.0028135
%RSD	.3487357	.1627475	.0378352	.4972116	1.365304	.3355021	.6618178
#1	1.679422	23.23391	.5686333	.0517042	3.334789	.4073161	.4268649
#2	1.673692	23.17082	.5684361	.0516283	3.352870	.4050076	.4266015
#3	1.667749	23.23839	.5688659	.0512275	3.266940	.4074209	.4218655

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	18.38160	.0873980	.3229637	.6432668	2.156062	10.83827	10.38037
Stddev	.12343	.0048535	.0006462	.0010020	.005128	.03406	.00409
%RSD	.6715139	5.553384	.2000818	.1557660	.2378383	.3142563	.0394021
#1	18.48298	.0890097	.3222585	.6440282	2.158048	10.84538	10.38004
#2	18.41766	.0912406	.3231054	.6421317	2.159901	10.86822	10.38461
#3	18.24415	.0819436	.3235273	.6436406	2.150238	10.80122	10.37645

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09MSD Acquired: 4/14/2025 22:03:19 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1679701	.3136992	.2195151
Stddev	.0023441	.0008861	.0005604
%RSD	1.395543	.2824729	.2552874
#1	.1696103	.3146916	.2201526
#2	.1690147	.3134187	.2192927
#3	.1652853	.3129873	.2191001

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3305.159	78978.49	16475.12	2149.758	4151.681
Stddev	4.937	315.89	47.48	5.418	2.001
%RSD	.1493681	.3999737	.2882037	.2520448	.0481885
#1	3309.947	79136.82	16524.59	2150.186	4152.330
#2	3300.086	78614.74	16470.85	2144.138	4149.436
#3	3305.443	79183.90	16429.92	2154.949	4153.276

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09A Acquired: 4/14/2025 22:07:20 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.6387896	1.803341	1.024466	1.478230	.5921733	85.43215	.4695395
Stddev	.0054062	.006136	.001948	.004875	.0025570	.05870	.0016237
%RSD	.8463114	.3402337	.1901630	.3298089	.4318059	.0687142	.3458008
#1	.6342252	1.797423	1.023182	1.472682	.5892796	85.49959	.4689923
#2	.6373840	1.802926	1.023508	1.480174	.5931120	85.40438	.4713661
#3	.6447598	1.809673	1.026707	1.481833	.5941283	85.39250	.4682601

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1450164	.1859479	8.735155	.4305205	.2496604	.3569333	166.1354
Stddev	.0010080	.0005137	.026991	.0001935	.0007267	.0015168	.5654
%RSD	.6950790	.2762586	.3089922	.0449376	.2910710	.4249480	.3403330
#1	.1460420	.1855965	8.766270	.4305257	.2488238	.3562183	165.5191
#2	.1449802	.1857098	8.718046	.4303244	.2500222	.3559061	166.6301
#3	.1440270	.1865375	8.721150	.4307113	.2501351	.3586754	166.2571

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.690310	23.08104	.5756237	.0531832	3.558576	.4087219	.4255707
Stddev	.007142	.11269	.0014504	.0002472	.031780	.0004531	.0011566
%RSD	.4225318	.4882381	.2519730	.4648307	.8930507	.1108670	.2717760
#1	1.695269	23.21115	.5747386	.0530142	3.522251	.4083747	.4262429
#2	1.693537	23.01433	.5748350	.0530685	3.572230	.4085564	.4242352
#3	1.682123	23.01764	.5772976	.0534669	3.581247	.4092345	.4262340

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	19.31363	.1112066	.3121794	.6291274	2.169402	11.26590	10.33800
Stddev	.12659	.0021875	.0005776	.0014934	.006682	.06199	.01833
%RSD	.6554238	1.967056	.1850064	.2373712	.3080096	.5502042	.1772922
#1	19.16827	.1091602	.3119607	.6280484	2.171745	11.20024	10.32226
#2	19.37301	.1109475	.3117432	.6285020	2.174597	11.32341	10.33362
#3	19.39960	.1135121	.3128344	.6308318	2.161864	11.27406	10.35812

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1771-09A Acquired: 4/14/2025 22:07:20 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.1661751	.3163041	.2239085
Stddev	.0059907	.0014018	.0004775
%RSD	3.605053	.4431924	.2132591
#1	.1730914	.3150242	.2241408
#2	.1626092	.3178023	.2242254
#3	.1628246	.3160857	.2233593

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3312.520	79338.50	17275.02	2163.490	4139.902
Stddev	12.082	129.05	123.48	7.247	12.740
%RSD	.3647336	.1626546	.7148113	.3349498	.3077440
#1	3321.384	79257.09	17132.62	2159.862	4153.013
#2	3317.417	79487.29	17339.95	2171.834	4139.124
#3	3298.758	79271.13	17352.50	2158.775	4127.568

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1769-08 Acquired: 4/14/2025 22:11:22 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000369	-.003489	.0006180	.0011269	.0017408	.0545865	-.002127
Stddev	.000930	.001204	.0009968	.0023880	.0029710	.0021448	.000414
%RSD	252.2624	34.50205	161.3041	211.9050	170.6664	3.929227	19.45015
#1	-.001437	-.002272	-.000077	.0021845	.0024736	.0525920	-.001729
#2	.000070	-.004679	.000171	.0028034	-.001528	.0543121	-.002095
#3	.000261	-.003516	.001760	-.001607	.004277	.0568553	-.002555

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000215	-.000265	.0147911	.0002877	-.000359	.0004912	.0610209
Stddev	.000019	.000031	.0056018	.0001484	.000093	.0002079	.0021241
%RSD	8.985711	11.90503	37.87249	51.59165	25.97967	42.31422	3.480894
#1	-.000207	-.000239	.0211595	.0004503	-.000263	.0006030	.0593214
#2	-.000201	-.000300	.0125880	.0002532	-.000449	.0002514	.0603392
#3	-.000237	-.000255	.0106258	.0001596	-.000363	.0006193	.0634022

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000940	.0191161	.0005889	-.000445	-.170721	.0015850	.0346791
Stddev	.000235	.0010440	.0004267	.000191	.010966	.0018862	.0003749
%RSD	25.01920	5.461186	72.46033	42.89907	6.423613	119.0058	1.081081
#1	-.001211	.0202517	.0003925	-.000587	-.162448	.0024471	.0350797
#2	-.000825	.0188984	.0002958	-.000228	-.183160	.0028861	.0343367
#3	-.000785	.0181981	.0010784	-.000519	-.166554	-.000578	.0346208

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.149098	-.000675	-.000077	-.000343	.0000263	.0672368	.0089973
Stddev	.020136	.000225	.000225	.000376	.0003345	.0087491	.0033817
%RSD	13.50525	33.27761	291.7744	109.5178	1272.830	13.01241	37.58569
#1	-.167763	-.000653	-.000020	.000028	.0004073	.0772903	.0109907
#2	-.127758	-.000910	.000114	-.000333	-.000109	.0613482	.0109084
#3	-.151773	-.000463	-.000325	-.000723	-.000219	.0630720	.0050927

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1769-08 Acquired: 4/14/2025 22:11:22 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0136907	-.002980	.0000489
Stddev	.0034831	.000357	.0000226
%RSD	25.44147	11.98522	46.31971
#1	.0158807	-.002790	.0000665
#2	.0096742	-.002758	.0000233
#3	.0155171	-.003392	.0000568

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2872.806	69910.58	14329.53	1881.843	4666.342
Stddev	5.822	151.74	16.11	6.697	17.480
%RSD	.2026751	.2170506	.1124372	.3558604	.3746024
#1	2866.317	69876.79	14313.04	1880.120	4659.504
#2	2877.573	69778.58	14330.31	1876.175	4686.208
#3	2874.529	70076.37	14345.24	1889.232	4653.315

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-01 Acquired: 4/14/2025 22:15:42 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0248730	-.000256	.0635782	-.004391	-.008039	60.68142	.6075226
Stddev	.0021062	.002405	.0015056	.005354	.000959	.11436	.0002512
%RSD	8.467692	939.1563	2.368038	121.9314	11.93016	.1884609	.0413504
#1	.0225471	-.002335	.0636078	-.009858	-.009035	60.55101	.6075994
#2	.0266514	-.000811	.0620581	-.004156	-.007121	60.72867	.6072420
#3	.0254205	.002378	.0650687	.000842	-.007961	60.76459	.6077265

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0064063	.0023296	64.21366	.0625867	.0934804	.2119414	234.7313
Stddev	.0000136	.0005288	.14475	.0001337	.0001987	.0004401	1.1876
%RSD	.2119112	22.70051	.2254237	.2135417	.2126024	.2076397	.5059388
#1	.0064002	.0017490	64.09510	.0626208	.0934260	.2114946	236.1023
#2	.0063969	.0024562	64.37497	.0627000	.0933145	.2123744	234.0199
#3	.0064219	.0027836	64.17089	.0624393	.0937006	.2119553	234.0718

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	5.191352	38.27711	.0836038	-.013158	1.854414	.1194014	.4139495
Stddev	.009539	.12528	.0001113	.000201	.018323	.0005979	.0006159
%RSD	.1837530	.3273011	.1331588	1.526948	.9880600	.5007461	.1487965
#1	5.193566	38.13705	.0835438	-.013055	1.875559	.1194819	.4146014
#2	5.199590	38.37849	.0835354	-.013029	1.843218	.1187673	.4138698
#3	5.180900	38.31578	.0837323	-.013389	1.844464	.1199549	.4133772

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	22.47881	-.292664	.0092439	-.011427	5.543421	3.063528	8.108884
Stddev	.14052	.004154	.0002081	.000936	.003742	.017508	.043277
%RSD	.6251165	1.419334	2.251084	8.187131	.0675005	.5715061	.5337000
#1	22.63727	-.287896	.0092920	-.010861	5.546046	3.083507	8.093421
#2	22.36936	-.295496	.0090160	-.010913	5.545080	3.050862	8.075462
#3	22.42980	-.294600	.0094238	-.012507	5.539136	3.056215	8.157768

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-01 Acquired: 4/14/2025 22:15:42 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	21.31131	.1820275	.0829599
Stddev	.06622	.0006054	.0003177
%RSD	.3107235	.3326047	.3829044
#1	21.28799	.1826131	.0833110
#2	21.25991	.1814040	.0828760
#3	21.38604	.1820654	.0826926

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3184.185	78925.41	15349.90	2151.071	3916.754
Stddev	1.905	165.88	67.03	4.896	5.797
%RSD	.0598232	.2101709	.4366496	.2276067	.1479946
#1	3185.620	78789.36	15425.91	2153.422	3922.968
#2	3182.024	79110.20	15299.29	2145.443	3915.801
#3	3184.910	78876.67	15324.50	2154.349	3911.493

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-03 Acquired: 4/14/2025 22:19:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0594499	-.006179	.5929066	.0014236	-.009305	104.8336	.9341700
Stddev	.0021130	.001672	.0035385	.0039543	.001122	.5716	.0052769
%RSD	3.554179	27.06176	.5968005	277.7650	12.05883	.5452579	.5648799
#1	.0576743	-.004560	.5891190	-.001754	-.008012	104.5683	.9298366
#2	.0588885	-.007900	.5934732	.005852	-.010021	104.4430	.9326269
#3	.0617868	-.006077	.5961275	.000173	-.009882	105.4897	.9400465

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0116087	.0028949	21.81996	.2534824	.1355789	.6303547	267.9502
Stddev	.0000937	.0002526	.10521	.0001795	.0002864	.0008230	.4218
%RSD	.8072907	8.727047	.4821755	.0708233	.2112176	.1305540	.1573990
#1	.0116158	.0026106	21.71090	.2532927	.1355430	.6303851	268.0089
#2	.0115116	.0029806	21.82811	.2535047	.1353122	.6295170	267.5022
#3	.0116986	.0030937	21.92085	.2536497	.1358815	.6311621	268.3396

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.810424	58.39926	.2790086	-.010689	1.196557	.3284300	.9173524
Stddev	.024550	.31101	.0004099	.000387	.007469	.0006660	.0025851
%RSD	.5103484	.5325586	.1469002	3.618573	.6241954	.2027681	.2817977
#1	4.785194	58.10562	.2785445	-.010677	1.188487	.3278349	.9182888
#2	4.811845	58.36703	.2791600	-.010308	1.203226	.3283057	.9193387
#3	4.834232	58.72513	.2793211	-.011082	1.197959	.3291493	.9144296

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	27.49526	-.178099	.0012039	.0097545	5.904885	5.311112	8.670878
Stddev	.08755	.006396	.0002361	.0013367	.026635	.023155	.010146
%RSD	.3184276	3.591359	19.61516	13.70321	.4510621	.4359732	.1170147
#1	27.57096	-.170767	.0014306	.0083828	5.881981	5.334573	8.664966
#2	27.39938	-.182535	.0012219	.0110531	5.898563	5.288276	8.665075
#3	27.51543	-.180995	.0009593	.0098276	5.934112	5.310488	8.682594

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-03 Acquired: 4/14/2025 22:19:48 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.4352877	.3183581	.1192116
Stddev	.0016349	.0013668	.0006100
%RSD	.3755974	.4293328	.5116773
#1	.4364590	.3174920	.1187733
#2	.4359844	.3176484	.1189532
#3	.4334199	.3199338	.1199082

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3284.487	79961.80	16676.63	2188.800	3956.636
Stddev	9.405	171.97	81.24	8.600	8.445
%RSD	.2863412	.2150687	.4871780	.3928940	.2134412
#1	3292.704	79877.72	16754.16	2178.887	3966.081
#2	3286.526	80159.64	16683.61	2194.259	3954.012
#3	3274.229	79848.06	16592.12	2193.253	3949.813

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-05 Acquired: 4/14/2025 22:23:53 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0461072	.0096968	.1790632	-.004714	-.009664	104.4254	.8594698
Stddev	.0005424	.0029419	.0013304	.004594	.002036	.1048	.0032285
%RSD	1.176351	30.33862	.7429567	97.45465	21.06775	.1003864	.3756373
#1	.0467053	.0124751	.1784632	-.005003	-.008800	104.4026	.8560220
#2	.0456472	.0066149	.1781385	.000018	-.011990	104.5397	.8624216
#3	.0459691	.0100005	.1805879	-.009156	-.008203	104.3338	.8599657

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0123367	.0013152	19.09382	.2332434	.1391380	.3587583	260.2846
Stddev	.0001442	.0003965	.02297	.0005842	.0008961	.0013764	1.3581
%RSD	1.169065	30.14744	.1203047	.2504868	.6440679	.3836643	.5217755
#1	.0123590	.0014762	19.09805	.2330407	.1381277	.3588376	258.7300
#2	.0121827	.0008635	19.11438	.2327875	.1394492	.3573440	261.2403
#3	.0124685	.0016058	19.06903	.2339020	.1398370	.3600934	260.8835

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	6.489757	59.91985	.3110859	-.011823	1.293636	.2674864	.6181757
Stddev	.014819	.08978	.0014507	.000493	.006504	.0004675	.0013311
%RSD	.2283391	.1498368	.4663458	4.171536	.5028075	.1747685	.2153190
#1	6.477061	60.01760	.3097698	-.012352	1.292050	.2676680	.6193723
#2	6.506040	59.84107	.3108463	-.011741	1.300787	.2669554	.6184127
#3	6.486171	59.90089	.3126415	-.011376	1.288071	.2678359	.6167421

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	22.50106	-.208218	.0017366	-.000225	3.262732	3.034708	6.140609
Stddev	.11951	.008095	.0002342	.001400	.010424	.001189	.009403
%RSD	.5311147	3.887687	13.48330	622.0148	.3194781	.0391708	.1531290
#1	22.36490	-.217362	.0014662	-.000802	3.257358	3.033650	6.141020
#2	22.58855	-.205326	.0018683	.001372	3.274745	3.034479	6.131007
#3	22.54974	-.201967	.0018752	-.001245	3.256091	3.035994	6.149800

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-05 Acquired: 4/14/2025 22:23:53 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0186412	.3535326	.1245513
Stddev	.0037274	.0026381	.0005022
%RSD	19.99537	.7462210	.4031776
#1	.0229343	.3525627	.1241315
#2	.0167600	.3565184	.1251076
#3	.0162293	.3515167	.1244147

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3245.936	78336.39	16151.78	2124.872	3976.750
Stddev	8.001	199.27	32.32	3.708	14.052
%RSD	.2464875	.2543768	.2001212	.1744915	.3533485
#1	3253.123	78529.91	16118.36	2128.773	3990.274
#2	3247.370	78347.43	16182.89	2121.394	3977.753
#3	3237.315	78131.83	16154.10	2124.450	3962.224

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV10 Acquired: 4/14/2025 22:28:00 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV10 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.832151	4.899929	4.868382	4.878142	4.876278	9.553704	9.666422
Stddev	.005475	.017447	.019015	.025836	.017662	.020639	.090288
%RSD	.1133073	.3560683	.3905770	.5296379	.3621938	.2160328	.9340392
#1	4.826846	4.883278	4.867309	4.851080	4.858999	9.537819	9.770034
#2	4.837781	4.918076	4.849927	4.880798	4.875537	9.577032	9.624630
#3	4.831824	4.898434	4.887911	4.902548	4.894299	9.546262	9.604601

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2433406	2.448303	23.84570	.9771533	2.452846	1.232302	4.884234
Stddev	.0012595	.005598	.02890	.0031036	.006745	.004361	.009359
%RSD	.5176087	.2286637	.1212133	.3176119	.2749786	.3538710	.1916108
#1	.2426116	2.448223	23.81262	.9795412	2.451753	1.228985	4.892642
#2	.2447950	2.442746	23.86605	.9782736	2.446715	1.230679	4.874151
#3	.2426153	2.453941	23.85844	.9736452	2.460071	1.237241	4.885909

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.382521	23.64280	2.438274	1.221226	24.01037	2.396969	2.428445
Stddev	.006649	.05339	.006895	.000599	.11382	.006180	.006987
%RSD	.2790784	.2258265	.2827680	.0490642	.4740478	.2578408	.2877176
#1	2.378734	23.58145	2.438239	1.220960	24.02029	2.395817	2.420994
#2	2.378629	23.67873	2.431397	1.221912	23.89192	2.391446	2.434851
#3	2.390198	23.66823	2.445186	1.220806	24.11891	2.403644	2.429489

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	24.39691	4.854064	4.920228	4.895711	4.771564	4.853942	4.885769
Stddev	.02442	.021130	.018078	.013020	.009325	.002696	.013259
%RSD	.1000934	.4353068	.3674195	.2659417	.1954338	.0555348	.2713838
#1	24.40539	4.831704	4.905894	4.897149	4.762515	4.852703	4.880274
#2	24.36938	4.873700	4.914252	4.882032	4.771036	4.852089	4.876141
#3	24.41596	4.856788	4.940537	4.907953	4.781143	4.857035	4.900892

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV10 Acquired: 4/14/2025 22:28:00 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV10 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.866179	4.721860	4.885621
Stddev	.011874	.017553	.013275
%RSD	.2440055	.3717307	.2717183
#1	4.870285	4.707805	4.900817
#2	4.852798	4.716242	4.876283
#3	4.875455	4.741534	4.879761

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2741.038	65747.14	13112.40	1783.112	4106.573
Stddev	8.997	240.52	73.88	6.087	7.831
%RSD	.3282400	.3658217	.5634554	.3413675	.1906897
#1	2747.898	65675.66	13150.97	1778.833	4109.462
#2	2744.365	65550.46	13027.22	1780.423	4112.549
#3	2730.851	66015.29	13159.02	1790.081	4097.708

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB10 Acquired: 4/14/2025 22:32:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB10 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0019772	-.000026	.0005613	-.000530	.0004469	.0011490	-.001384
Stddev	.0010229	.001193	.0012179	.003567	.0019839	.0008671	.000922
%RSD	51.73363	4597.445	216.9720	673.5161	443.9410	75.46657	66.60017
#1	.0028842	-.001261	.0019677	-.004085	.0019639	.0015293	-.000653
#2	.0021790	.000065	-.000144	.003048	-.001798	.0017611	-.002420
#3	.0008685	.001119	-.000140	-.000552	.001175	.0001567	-.001080

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0000106	-.000132	-.001939	-.000159	-.000128	.0000536	.0032169
Stddev	.0000275	.000032	.004619	.000268	.000128	.0003337	.0034584
%RSD	259.3243	24.56280	238.2198	168.6824	99.87244	622.1290	107.5059
#1	.0000098	-.000111	-.006571	-.000238	-.000006	.0003964	.0041237
#2	-.000016	-.000169	-.001912	.000140	-.000116	.0000346	.0061316
#3	.000039	-.000115	.002666	-.000377	-.000261	-.000270	-.000605

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0005497	.0115057	-.000125	-.000224	-.050086	.0005780	-.000383
Stddev	.0004250	.0094002	.000061	.000170	.008973	.0013529	.000151
%RSD	77.32958	81.70089	48.84745	76.19637	17.91568	234.0761	39.37029
#1	.0003954	.0184643	-.000195	-.000029	-.041546	-.000579	-.000267
#2	.0010303	.0008120	-.000083	-.000345	-.059437	.002065	-.000553
#3	.0002232	.0152408	-.000096	-.000296	-.049274	.000248	-.000328

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.015974	.0051306	-.000143	-.000016	-.000338	.0143974	.0027382
Stddev	.004241	.0002685	.000367	.001247	.000433	.0044602	.0001600
%RSD	26.54708	5.233609	255.8186	7704.247	127.9047	30.97931	5.843149
#1	-.016308	.0053526	-.000357	-.000559	-.000833	.0175140	.0027217
#2	-.011577	.0048322	.000280	.001410	-.000156	.0092882	.0025872
#3	-.020038	.0052071	-.000353	-.000900	-.000026	.0163899	.0029059

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB10 Acquired: 4/14/2025 22:32:10 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB10 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0021047	-.000670	-.000078
Stddev	.0023950	.000750	.000017
%RSD	113.7953	112.0135	21.24089
#1	.0015009	-.001157	-.000097
#2	.0047437	-.001047	-.000072
#3	.0000693	.000194	-.000066

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2805.285	67749.37	13091.37	1855.331	4449.182
Stddev	5.089	198.13	22.39	4.554	11.525
%RSD	.1814014	.2924392	.1710618	.2454789	.2590332
#1	2809.233	67843.57	13101.57	1857.907	4457.974
#2	2807.079	67882.82	13065.69	1850.072	4453.437
#3	2799.542	67521.72	13106.85	1858.014	4436.134

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-07 Acquired: 4/14/2025 22:36:31 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0628865	.0094547	.2308584	.0022632	-.012500	117.2883	1.167381
Stddev	.0026222	.0021577	.0011078	.0067593	.002664	.1131	.002569
%RSD	4.169718	22.82146	.4798639	298.6662	21.31451	.0964451	.2200555
#1	.0652868	.0107121	.2298676	.0098013	-.011434	117.3881	1.167292
#2	.0632848	.0069633	.2306531	-.003258	-.010533	117.1654	1.164858
#3	.0600880	.0106889	.2320545	.000247	-.015532	117.3113	1.169993

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0147541	.0053324	24.47305	.2810235	.1858370	.6225114	321.7083
Stddev	.0001083	.0004054	.02274	.0008784	.0008299	.0013523	1.4089
%RSD	.7342390	7.601755	.0929134	.3125652	.4465934	.2172396	.4379403
#1	.0147884	.0049196	24.48336	.2820315	.1850866	.6210504	322.0447
#2	.0146328	.0053477	24.48881	.2804221	.1856960	.6227644	322.9186
#3	.0148412	.0057299	24.44698	.2806168	.1867284	.6237193	320.1617

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	11.11354	69.45086	.3903747	-.012466	1.745191	.3328409	.6910284
Stddev	.00785	.03048	.0011041	.000230	.010772	.0011592	.0020215
%RSD	.0706518	.0438909	.2828256	1.842367	.6172242	.3482775	.2925369
#1	11.10476	69.43386	.3903478	-.012355	1.736443	.3315726	.6924285
#2	11.11596	69.43267	.3892843	-.012312	1.757222	.3331043	.6887108
#3	11.11989	69.48605	.3914919	-.012730	1.741907	.3338457	.6919458

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	28.57179	-.189278	.0023653	-.000905	4.276762	2.902669	8.583096
Stddev	.06253	.008827	.0002658	.000660	.003304	.014220	.047304
%RSD	.2188473	4.663691	11.23941	72.97991	.0772587	.4899028	.5511314
#1	28.59616	-.185436	.0024683	-.001331	4.277779	2.908492	8.540802
#2	28.61846	-.183022	.0020633	-.001239	4.273069	2.913054	8.574309
#3	28.50074	-.199375	.0025641	-.000144	4.279438	2.886462	8.634178

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-07 Acquired: 4/14/2025 22:36:31 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0149211	.4185566	.1521771
Stddev	.0007718	.0014991	.0002763
%RSD	5.172546	.3581535	.1815453
#1	.0152420	.4175652	.1521085
#2	.0140406	.4178236	.1519415
#3	.0154806	.4202812	.1524812

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	3445.088	84009.85	17760.12	2310.295	3903.776
Stddev	1.688	132.22	36.77	9.953	2.741
%RSD	.0489951	.1573895	.2070157	.4308196	.0702212
#1	3443.146	83954.24	17769.58	2315.764	3901.544
#2	3446.194	83914.51	17791.24	2298.806	3906.836
#3	3445.926	84160.79	17719.55	2316.314	3902.949

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV11 Acquired: 4/14/2025 22:40:35 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.801447	4.868814	4.846705	4.850158	4.846623	9.488575	9.832116
Stddev	.028388	.035197	.017665	.033216	.028801	.003090	.106482
%RSD	.5912284	.7229078	.3644693	.6848421	.5942513	.0325696	1.083004
#1	4.789941	4.835965	4.832486	4.827592	4.832422	9.485039	9.949056
#2	4.780619	4.864513	4.841148	4.834583	4.827681	9.490756	9.740748
#3	4.833781	4.905964	4.866480	4.888300	4.879767	9.489931	9.806543

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.2406105	2.453422	24.13629	.9582528	2.461496	1.233110	4.934821
Stddev	.0008079	.007181	.03086	.0030553	.007162	.005484	.014391
%RSD	.3357563	.2926943	.1278369	.3188390	.2909496	.4447442	.2916310
#1	.2396794	2.449925	24.16620	.9549493	2.457139	1.229813	4.951435
#2	.2411249	2.448659	24.10457	.9588322	2.457587	1.230077	4.926219
#3	.2410272	2.461682	24.13811	.9609769	2.469761	1.239441	4.926808

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	2.424011	23.49527	2.442224	1.209089	25.68438	2.402649	2.398582
Stddev	.007959	.05353	.007831	.000896	.15313	.008776	.004181
%RSD	.3283555	.2278179	.3206481	.0741180	.5961828	.3652754	.1743290
#1	2.433157	23.46195	2.438357	1.208523	25.85943	2.412684	2.403267
#2	2.418652	23.46684	2.437080	1.208622	25.61847	2.398862	2.397251
#3	2.420226	23.55701	2.451237	1.210122	25.57525	2.396403	2.395228

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	25.17356	4.824848	4.852226	4.898287	4.811666	4.788308	5.014163
Stddev	.07630	.015619	.025402	.017255	.012168	.008381	.032941
%RSD	.3031143	.3237250	.5235135	.3522748	.2528851	.1750205	.6569512
#1	25.26008	4.807035	4.837007	4.885823	4.825042	4.786500	4.982205
#2	25.14470	4.831303	4.838120	4.891057	4.801254	4.780979	5.012277
#3	25.11589	4.836205	4.881551	4.917981	4.808700	4.797445	5.048006

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV11 Acquired: 4/14/2025 22:40:35 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	4.973354	4.775492	4.907778
Stddev	.020404	.014421	.029730
%RSD	.4102746	.3019720	.6057746
#1	4.973562	4.790066	4.875976
#2	4.952846	4.775181	4.912484
#3	4.993653	4.761230	4.934875

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2743.878	66928.71	13269.11	1849.862	4061.272
Stddev	12.910	86.33	17.84	6.185	12.959
%RSD	.4705183	.1289863	.1344796	.3343310	.3190888
#1	2747.880	66887.25	13280.45	1843.037	4063.109
#2	2754.315	67027.94	13278.33	1855.096	4073.214
#3	2729.441	66870.92	13248.54	1851.452	4047.492

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB11 Acquired: 4/14/2025 22:44:47 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0037228	-.000382	.0003771	-.004208	.0004884	.0008770	.0008307
Stddev	.0009536	.000500	.0009273	.001866	.0013156	.0041822	.0008399
%RSD	25.61478	130.8398	245.8551	44.33856	269.3928	476.8505	101.1119
#1	.0026268	.000194	.0013857	-.003178	.0014931	.0044501	.0012339
#2	.0043625	-.000706	.0001842	-.003084	.0009727	-.003723	-.000135
#3	.0041789	-.000635	-.000438	-.006361	-.001001	.001904	.001393

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000002	-.000063	-.004386	-.000357	.0000363	.0002354	.0013959
Stddev	.000080	.000054	.002808	.000055	.0002634	.0002526	.0074498
%RSD	5032.781	85.33850	64.01480	15.52573	724.9012	107.3381	533.6785
#1	.000083	-.000092	-.001161	-.000299	.0001628	.0002781	-.004940
#2	-.000076	-.000001	-.005709	-.000364	.0002127	-.000036	.009603
#3	-.000012	-.000097	-.006288	-.000409	-.000266	.000464	-.000475

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0004375	.0055519	-.000007	-.000271	-.053879	.0002791	-.000518
Stddev	.0002571	.0123826	.000217	.000100	.009832	.0007209	.000227
%RSD	58.77345	223.0326	3257.403	36.78345	18.24753	258.2303	43.89653
#1	.0006546	.0185319	.000227	-.000156	-.049748	.0010779	-.000403
#2	.0001535	-.006131	-.000200	-.000323	-.046787	-.000323	-.000779
#3	.0005043	.004255	-.000047	-.000334	-.065102	.000082	-.000371

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.027060	.0063454	-.000029	-.000357	-.000878	.0174138	.0040973
Stddev	.018261	.0002066	.000180	.000432	.000321	.0038770	.0005791
%RSD	67.48402	3.255490	618.0455	121.0621	36.52775	22.26402	14.13319
#1	-.046547	.0064186	.000133	-.000782	-.001248	.0159410	.0042562
#2	-.024293	.0065055	.000003	.000082	-.000709	.0144890	.0034554
#3	-.010340	.0061122	-.000222	-.000370	-.000677	.0218115	.0045804

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB11 Acquired: 4/14/2025 22:44:47 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0021135	-.000277	.0000158
Stddev	.0036735	.000956	.0000327
%RSD	173.8160	345.7059	206.5048
#1	.0033420	-.000232	.0000057
#2	.0050153	-.001254	-.000011
#3	-.002017	.000657	.000052

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2903.532	71820.39	13717.05	1937.941	4661.367
Stddev	5.484	49.57	26.28	5.883	7.627
%RSD	.1888801	.0690160	.1915577	.3035582	.1636186
#1	2908.429	71776.49	13736.10	1943.106	4669.184
#2	2904.562	71810.54	13687.08	1931.538	4660.970
#3	2897.606	71874.14	13727.98	1939.181	4653.945

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-02 Acquired: 4/14/2025 22:49:07 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.003003	-.004702	.0025599	.0045849	.0013186	.0674596	.2638110
Stddev	.001690	.000527	.0006837	.0008436	.0024848	.0030773	.0009342
%RSD	56.26083	11.21768	26.70802	18.39965	188.4462	4.561656	.3541287
#1	-.001336	-.004990	.0021423	.0049108	-.000920	.0659771	.2641681
#2	-.002960	-.005022	.0021884	.0036269	.000883	.0709976	.2645141
#3	-.004714	-.004093	.0033489	.0052169	.003992	.0654043	.2627509

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000155	.0001930	43.87379	.0001825	.0060209	.0104109	.0404170
Stddev	.000029	.0000305	.18756	.0000789	.0001532	.0003469	.0028304
%RSD	18.93462	15.80947	.4275018	43.22899	2.545222	3.331721	7.002896
#1	-.000133	.0002194	43.97625	.0002679	.0059144	.0100174	.0398355
#2	-.000188	.0001596	43.98781	.0001124	.0059518	.0105431	.0434929
#3	-.000143	.0002000	43.65732	.0001671	.0061965	.0106722	.0379225

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.315124	.9769199	.0037052	-.000167	325.6490	.0011179	.1008209
Stddev	.003840	.0114276	.0002756	.000354	2.6935	.0011467	.0006848
%RSD	.2919759	1.169756	7.437047	212.6886	.8271314	102.5776	.6791885
#1	1.318272	.9781770	.0040228	-.000569	326.5159	.0007629	.1000638
#2	1.316253	.9649157	.0035296	.000099	327.8025	.0001907	.1013970
#3	1.310846	.9876669	.0035632	-.000030	322.6288	.0024002	.1010019

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	3.752852	.0327534	-.000005	-.002115	-.000958	.8723058	.0130459
Stddev	.021014	.0010144	.000176	.001218	.000182	.0048563	.0057471
%RSD	.5599496	3.097216	3484.515	57.59192	18.99178	.5567237	44.05250
#1	3.728696	.0326736	.000102	-.003501	-.001051	.8776445	.0096849
#2	3.762935	.0338053	.000091	-.001215	-.000748	.8681507	.0196819
#3	3.766924	.0317811	-.000208	-.001629	-.001074	.8711221	.0097710

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-02 Acquired: 4/14/2025 22:49:07 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	1.408441	-.008354	.0497666
Stddev	.013056	.001093	.0002156
%RSD	.9269755	13.08487	.4331416
#1	1.397199	-.009336	.0499677
#2	1.405363	-.008550	.0497931
#3	1.422761	-.007176	.0495390

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2623.065	64324.45	13546.11	1736.446	3864.977
Stddev	13.307	14.08	59.08	6.034	16.381
%RSD	.5072933	.0218892	.4361048	.3474638	.4238364
#1	2638.412	64336.37	13496.43	1742.842	3882.266
#2	2616.040	64328.07	13530.46	1730.856	3862.978
#3	2614.742	64308.92	13611.43	1735.641	3849.687

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-04. Acquired: 4/14/2025 22:53:33 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000844	-.005538	.0223149	.0057593	.0019701	.0163885	.3732264
Stddev	.000952	.000516	.0015193	.0024584	.0007429	.0037033	.0004923
%RSD	112.7631	9.323107	6.808385	42.68588	37.71020	22.59671	.1319156
#1	-.001906	-.005438	.0233404	.0051225	.0020330	.0164612	.3734363
#2	-.000562	-.005079	.0205695	.0036819	.0011978	.0200549	.3735790
#3	-.000065	-.006097	.0230349	.0084734	.0026796	.0126494	.3726639

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000112	.0014020	13.42223	-.000235	.0019942	.0248252	.0021429
Stddev	.000030	.0001222	.01664	.000103	.0001255	.0002904	.0052939
%RSD	26.38392	8.719410	.1239726	43.86472	6.295206	1.169973	247.0476
#1	-.000135	.0015429	13.42125	-.000116	.0019047	.0246496	.0075074
#2	-.000079	.0013394	13.40610	-.000300	.0021377	.0246657	-.003077
#3	-.000123	.0013238	13.43934	-.000290	.0019401	.0251605	.001999

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.372774	1.011501	.0092865	-.000435	313.3215	.0006974	.2726940
Stddev	.001882	.011242	.0001752	.000307	5.4852	.0011682	.0012829
%RSD	.1370798	1.111399	1.886328	70.51478	1.750648	167.5218	.4704444
#1	1.372134	1.021507	.0091879	-.000723	317.5021	.0002272	.2715699
#2	1.374892	1.013659	.0091830	-.000471	315.3518	.0020274	.2724206
#3	1.371295	.999336	.0094888	-.000112	307.1107	-.000163	.2740916

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.302985	.0310241	.0000950	-.001248	-.000136	.6104802	.1059103
Stddev	.028241	.0005234	.0002357	.000820	.000131	.0058622	.0034644
%RSD	2.167434	1.687175	248.1965	65.73001	95.94801	.9602540	3.271046
#1	1.326956	.0314919	.0003637	-.000320	-.000067	.6131840	.1080519
#2	1.310146	.0304588	-.000077	-.001547	-.000054	.6037541	.1077656
#3	1.271852	.0311217	-.000002	-.001876	-.000287	.6145025	.1019134

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-04. Acquired: 4/14/2025 22:53:33 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.5286225	-.001567	.0866993
Stddev	.0041069	.000219	.0001130
%RSD	.7769040	13.98152	.1303613
#1	.5245060	-.001348	.0868267
#2	.5286420	-.001569	.0866602
#3	.5327197	-.001786	.0866111

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2596.332	63592.92	13620.91	1717.053	3871.351
Stddev	10.432	57.16	42.87	2.311	11.320
%RSD	.4017828	.0898860	.3147458	.1345887	.2923938
#1	2594.852	63658.93	13575.88	1719.282	3872.598
#2	2607.424	63559.66	13661.23	1717.211	3881.996
#3	2586.719	63560.18	13625.62	1714.668	3859.460

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-06 Acquired: 4/14/2025 22:57:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.002048	-.006726	.0334190	.0064325	.0028657	.0804360	.3023993
Stddev	.002860	.001398	.0011237	.0029860	.0024443	.0022753	.0019924
%RSD	139.6838	20.78218	3.362555	46.42035	85.29429	2.828717	.6588553
#1	-.000753	-.008054	.0344505	.0063794	.0013626	.0821383	.3045426
#2	-.005327	-.005267	.0335850	.0034735	.0015485	.0813180	.3020517
#3	-.000063	-.006858	.0322215	.0094448	.0056862	.0778518	.3006036

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0002036	.0003073	9.184594	-.000727	-.000494	.0153834	.0073999
Stddev	.0000432	.0000260	.033461	.000266	.000085	.0002421	.0009873
%RSD	21.21355	8.463793	.3643134	36.54047	17.27136	1.573639	13.34191
#1	.0002534	.0003356	9.184782	-.001034	-.000513	.0151717	.0084311
#2	.0001804	.0003015	9.217960	-.000581	-.000401	.0153313	.0064633
#3	.0001769	.0002846	9.151039	-.000566	-.000569	.0156473	.0073054

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0458870	2.971444	.0078105	-.000634	312.1755	.0006776	.1118990
Stddev	.0005513	.020385	.0002289	.000210	.8280	.0009019	.0008450
%RSD	1.201373	.6860252	2.930677	33.07476	.2652362	133.1086	.7551671
#1	.0463181	2.957887	.0080224	-.000441	313.1311	.0016507	.1128341
#2	.0460770	2.994887	.0075677	-.000603	311.6717	-.000130	.1111903
#3	.0452658	2.961558	.0078412	-.000857	311.7237	.000512	.1116725

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.638825	.0386875	-.000280	-.000338	-.000750	.4624048	.0263670
Stddev	.018692	.0006682	.000311	.000518	.000309	.0040488	.0013814
%RSD	1.140592	1.727260	110.9931	152.9496	41.24148	.8755894	5.239040
#1	1.642268	.0394509	-.000176	-.000924	-.001082	.4577297	.0275067
#2	1.618650	.0382081	-.000035	-.000151	-.000698	.4647326	.0248307
#3	1.655556	.0384036	-.000630	.000060	-.000470	.4647521	.0267635

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-06 Acquired: 4/14/2025 22:57:58 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2823424	-.003733	.0677016
Stddev	.0034174	.000671	.0003972
%RSD	1.210385	17.96545	.5866385
#1	.2862877	-.004489	.0680894
#2	.2802990	-.003211	.0677199
#3	.2804406	-.003498	.0672957

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2681.565	65439.43	13734.50	1790.339	3899.962
Stddev	8.019	101.83	22.50	5.283	8.741
%RSD	.2990519	.1556168	.1638326	.2950752	.2241276
#1	2684.026	65329.65	13740.08	1785.059	3907.935
#2	2688.065	65530.80	13709.74	1790.332	3901.335
#3	2672.603	65457.85	13753.69	1795.625	3890.615

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-08 Acquired: 4/14/2025 23:02:25 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.001007	-.005888	.0123612	.0026468	.0023164	.0857562	.3807250
Stddev	.001691	.001160	.0006557	.0022860	.0012943	.0084702	.0012771
%RSD	167.8679	19.70787	5.304571	86.36566	55.87411	9.877051	.3354391
#1	-.000281	-.006884	.0117344	.0042155	.0008668	.0920773	.3818347
#2	.000199	-.006166	.0130424	.0037010	.0027263	.0761321	.3810112
#3	-.002940	-.004614	.0123067	.0000240	.0033562	.0890590	.3793290

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0001864	.0006608	9.041033	.0010586	-.000268	.0250279	.0703566
Stddev	.0000090	.0000867	.014451	.0001153	.000378	.0001301	.0014943
%RSD	4.831845	13.12886	.1598332	10.89146	141.2014	.5198005	2.123898
#1	.0001760	.0007587	9.053950	.0011894	-.000012	.0251528	.0686311
#2	.0001914	.0006297	9.025427	.0009717	-.000702	.0248931	.0712182
#3	.0001919	.0005938	9.043722	.0010148	-.000089	.0250379	.0712205

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.1773876	2.101196	.0138563	-.000642	295.9862	.0009676	.1549540
Stddev	.0003673	.008701	.0001007	.000234	3.2983	.0006493	.0010594
%RSD	.2070831	.4140876	.7268260	36.46612	1.114339	67.10560	.6837138
#1	.1777994	2.103117	.0139571	-.000374	299.7721	.0013415	.1538820
#2	.1770937	2.091696	.0138562	-.000747	294.4519	.0002178	.1549797
#3	.1772697	2.108776	.0137557	-.000805	293.7344	.0013433	.1560004

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.258237	.0318456	.0000030	.0007547	-.000350	.3797030	.0220414
Stddev	.007411	.0003959	.0001719	.0009991	.000513	.0035853	.0040570
%RSD	.5889859	1.243043	5750.437	132.3836	146.4815	.9442278	18.40639
#1	1.264034	.0317223	-.000195	-.000329	-.000942	.3829369	.0226768
#2	1.260790	.0322885	.000110	.001640	-.000033	.3803246	.0257432
#3	1.249887	.0315261	.000094	.000953	-.000075	.3758476	.0177041

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: Q1752-08 Acquired: 4/14/2025 23:02:25 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.2895249	-.003994	.0733786
Stddev	.0056211	.000222	.0001155
%RSD	1.941504	5.564450	.1574510
#1	.2909251	-.004245	.0734996
#2	.2943135	-.003822	.0732695
#3	.2833360	-.003915	.0733666

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2678.277	65975.08	12834.17	1811.139	3926.954
Stddev	.930	80.03	28.40	7.137	1.830
%RSD	.0347191	.1212981	.2213175	.3940590	.0465903
#1	2677.817	65948.91	12801.86	1814.674	3928.209
#2	2679.347	65911.41	12845.45	1802.924	3924.855
#3	2677.667	66064.91	12855.21	1815.818	3927.799

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV12 Acquired: 4/14/2025 23:06:51 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.757475	4.853323	4.828409	4.802317	4.825215	9.434112
Stddev	.031698	.059091	.018302	.028669	.024725	.024229
%RSD	.6662675	1.217534	.3790571	.5969771	.5124191	.2568285
#1	4.729754	4.832210	4.821544	4.784886	4.813123	9.426508
#2	4.750638	4.807688	4.814531	4.786661	4.808863	9.414596
#3	4.792033	4.920070	4.849151	4.835405	4.853659	9.461231

Elem	Ba4934	Be2348	Cd2265	Ca3736	Cr2677	Co2286
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	9.897762	.2286958	2.434041	23.89444	.9652877	2.443740
Stddev	.019965	.0008050	.008011	.03524	.0041358	.008144
%RSD	.2017104	.3519996	.3291066	.1474969	.4284523	.3332688
#1	9.914579	.2278021	2.431721	23.86900	.9686834	2.442011
#2	9.903010	.2289213	2.427446	23.87965	.9606818	2.436599
#3	9.875698	.2293640	2.442955	23.93467	.9664979	2.452610

Elem	Cu2247	Fe2404	Mn2576	Mg2790	Ni2316	Ag3280
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	1.223591	5.057546	2.378820	23.19543	2.424651	1.204253
Stddev	.005189	.014776	.007046	.12274	.008251	.003328
%RSD	.4240440	.2921649	.2962017	.5291600	.3402872	.2763724
#1	1.220969	5.064262	2.372594	23.06560	2.421687	1.207890
#2	1.220238	5.040605	2.377397	23.30958	2.418292	1.201360
#3	1.229568	5.067773	2.386469	23.21112	2.433974	1.203509

Elem	Na5895	V_2924	Zn2138	K_7664	B_2496	Mo2020
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	F 27.52088	2.384350	2.410413	27.18895	4.565890	4.879024
Stddev	.28344	.007271	.012305	.26449	.022137	.023570
%RSD	1.029896	.3049347	.5104766	.9727677	.4848378	.4830839
#1	27.80209	2.382823	2.420153	27.41578	4.540668	4.862056
#2	27.23527	2.377965	2.396584	26.89844	4.582096	4.869081
#3	27.52528	2.392263	2.414501	27.25263	4.574908	4.905937

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCV12 Acquired: 4/14/2025 23:06:51 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCV11 Custom ID2: Custom ID3:
Comment:

Elem	Sn1899	Ti3361	Si2881	P_1774	S_1820	Li6707
Units	ppm	ppm	ppm	ppm	ppm	ppm
Avg	4.861277	4.767320	4.964567	4.924931	4.856910	4.681208
Stddev	.020530	.009855	.031890	.034323	.024736	.017005
%RSD	.4223156	.2067194	.6423458	.6969247	.5092986	.3632675
#1	4.850360	4.769918	4.985820	4.928182	4.845784	4.688049
#2	4.848511	4.756426	4.927898	4.889099	4.839691	4.661848
#3	4.884958	4.775615	4.979982	4.957514	4.885256	4.693727

Elem	Sr4077
Units	ppm
Avg	4.885940
Stddev	.037027
%RSD	.7578373
#1	4.927016
#2	4.875678
#3	4.855125

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2763.980	66870.74	13939.30	1816.860	4123.206
Stddev	7.642	267.48	41.54	12.318	10.450
%RSD	.2764887	.3999970	.2980269	.6779788	.2534391
#1	2769.851	66595.00	13986.97	1803.243	4126.225
#2	2766.750	67129.12	13910.79	1827.228	4131.814
#3	2755.339	66888.09	13920.15	1820.109	4111.579

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB12 Acquired: 4/14/2025 23:11:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	As1890	Tl1908	Pb2203	Se1960	Sb2068	Al3961	Ba4934
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0028297	-.001349	.0000980	-.000518	-.001306	.0020160	-.000083
Stddev	.0015926	.000516	.0004386	.000979	.001196	.0023150	.000760
%RSD	56.28071	38.24069	447.3975	189.0720	91.61365	114.8296	915.4287
#1	.0036497	-.001945	.0005621	-.001649	-.001794	.0012349	-.000860
#2	.0038452	-.001037	.0000414	.000046	-.002181	.0046205	-.000047
#3	.0009942	-.001066	-.000309	.000049	.000057	.0001926	.000658

Elem	Be2348	Cd2265	Ca3736	Cr2677	Co2286	Cu2247	Fe2404
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.000032	-.000073	-.004927	.0000505	.0000749	.0003293	-.000431
Stddev	.000028	.000108	.004376	.0002071	.0001159	.0004348	.003056
%RSD	88.75729	148.1394	88.81040	410.5737	154.7954	132.0691	708.4979
#1	-.000033	-.000145	-.008713	.0001512	-.000035	.0006752	-.003572
#2	-.000059	.000051	-.005931	-.000188	.000064	.0004714	.002531
#3	-.000003	-.000125	-.000136	.000188	.000196	-.000159	-.000253

Elem	Mn2576	Mg2790	Ni2316	Ag3280	Na5895	V_2924	Zn2138
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	.0003420	.0143025	.0000311	-.000423	.0227053	.0006103	-.000443
Stddev	.0001251	.0054976	.0001911	.000401	.0028565	.0005791	.000312
%RSD	36.57106	38.43815	615.2579	94.68901	12.58063	94.89299	70.30172
#1	.0003577	.0189058	-.000170	-.000825	.0198397	.0000207	-.000196
#2	.0002099	.0082152	.000053	-.000023	.0227238	.0006319	-.000340
#3	.0004586	.0157864	.000210	-.000421	.0255526	.0011783	-.000793

Elem	K_7664	B_2496	Mo2020	Sn1899	Ti3361	Si2881	P_1774
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Avg	-.007425	.0048077	.0000347	-.000367	.0000270	.0133751	.0020514
Stddev	.034724	.0005236	.0002111	.000557	.0001885	.0040781	.0026877
%RSD	467.6543	10.89185	608.9828	151.7034	697.2006	30.48997	131.0177
#1	-.013944	.0054119	.0002164	-.000781	-.000190	.0087934	.0019267
#2	.030096	.0044848	.0000845	-.000586	.000124	.0166074	-.000572
#3	-.038428	.0045264	-.000197	.000266	.000148	.0147245	.004799

Reviewed By:mohan
On:4/15/2025 1:12:12 PM
Inst Id :P4
LB :LB135424

Sample Name: CCB12 Acquired: 4/14/2025 23:11:03 Type: Unk
Method: NON EPA-6010-200.7 NEW LR(v3) Mode: CONC Corr. Factor: 1.000000
User: Kareem Custom ID1: CCB11 Custom ID2: Custom ID3:
Comment:

Elem	S_1820	Li6707	Sr4077
Units	ppm	ppm	ppm
Avg	.0005766	.0018424	.0000627
Stddev	.0010342	.0005552	.0000664
%RSD	179.3428	30.13683	105.9268
#1	.0006989	.0014993	.0001390
#2	.0015443	.0024831	.0000312
#3	-.000513	.0015450	.0000179

Int. Std.	Y_2243	Y_3600	Y_3710	Y_2243	In2306
Units	Cts/S	Cts/S	Cts/S	Cts/S	Cts/S
Avg	2819.072	68983.88	14120.29	1877.640	4468.159
Stddev	6.221	168.83	37.59	9.242	10.728
%RSD	.2206762	.2447337	.2662441	.4922210	.2400989
#1	2821.866	69078.99	14078.14	1882.342	4469.312
#2	2823.407	68788.95	14132.38	1866.992	4478.263
#3	2811.944	69083.69	14150.35	1883.586	4456.901


Reviewed By:Sagar
On:4/16/2025 12:02:38 PM
Inst Id :CV1
LB :LB135337

LB135337

7471B

INSTRUMENT ID: CV1

Linear



A=	0.0000e+000
B=	2.0569e-004
C=	7.2770e-002
Rho=	0.9995736
Accept=	Accepted

Std ID	Conc.	Calc.	Dev.	Mean	SD or %RSD	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5	%D
0.0	0.000	0.054	0.054	-93	0.000	-93					
0.2	0.200	0.238	0.038	804	0.0 %	804					19
2.5	2.500	2.453	-0.047	11571	0.0 %	11571					-2
5.0	5.000	5.002	0.002	23967	0.0 %	23967					0
7.5	7.500	7.300	-0.200	35139	0.0 %	35139					-3
10.0	10.000	10.153	0.153	49005	0.0 %	49005					2

Reviewed By:Sagar
On:4/16/2025 12:02:38 PM
Inst Id :CV1
LB :LB135337

LB135337 INSTRUMENT ID : CV1

Method: 7471B Operator: Admin Date of Analysis: 08 Apr 2025 09:20:31

Sample ID	Extended ID	µ Abs	Conc	Stnd Conc	Method	Units	Date	Type	Type
0.0 - 1	50	-93	-	0.0000	7471B	PPB	08 Apr 2025 09:28:41	S	Std
0.2 - 1	50-2	804	-	0.2000	7471B	PPB	08 Apr 2025 09:30:58	S	Std
2.5 - 1	52.5	11571	-	2.5000	7471B	PPB	08 Apr 2025 09:33:15	S	Std
5.0 - 1	55	23967	-	5.0000	7471B	PPB	08 Apr 2025 09:35:32	S	Std
7.5 - 1	57.5	35139	-	7.5000	7471B	PPB	08 Apr 2025 09:37:50	S	Std
10.0 - 1	510	49005	-	10.0000	7471B	PPB	08 Apr 2025 09:40:09	S	Std
ICV80 - 1	ICV80	17528	3.6781		-7471B	PPB	08 Apr 2025 09:43:08	U	SMPL
ICB80 - 1	ICB80	-297	0.0117		-7471B	PPB	08 Apr 2025 09:45:25	U	SMPL
CCV42 - 1	CCV42	24236	5.0578		-7471B	PPB	08 Apr 2025 09:47:43	U	SMPL
CCB42 - 1	CCB42	-375	-0.0044		-7471B	PPB	08 Apr 2025 09:49:58	U	SMPL
CRA - 1	CRA	682	0.2130		-7471B	PPB	08 Apr 2025 09:52:16	U	SMPL
HighStd - 1	HighStd	47839	9.9127		-7471B	PPB	08 Apr 2025 09:54:31	U	SMPL
ChkStd - 1	ChkStd	31514	6.5548		-7471B	PPB	08 Apr 2025 09:56:47	U	SMPL
PB167516BL - 1	PBS	-444	-0.0186		-7471B	PPB	08 Apr 2025 09:59:12	U	SMPL
PB167516BS - 1	LCSS	16458	3.4580		-7471B	PPB	08 Apr 2025 10:01:35	U	SMPL
Q1730-01 - 1	OU4-VSL-15-040325	1502	0.3817		-7471B	PPB	08 Apr 2025 10:03:51	U	SMPL
Q1730-03 - 1	OU4-VSL-16-040325	266	0.1275		-7471B	PPB	08 Apr 2025 10:06:10	U	SMPL
Q1730-05 - 1	OU4-VSL-17-040325	-85	0.0553		-7471B	PPB	08 Apr 2025 10:08:29	U	SMPL
Q1730-07 - 1	OU4-PCS-TC-21-040325	137	0.1009		-7471B	PPB	08 Apr 2025 10:10:48	U	SMPL
Q1730-09 - 1	OU4-PCS-TC-22-040325	-3	0.0722		-7471B	PPB	08 Apr 2025 10:13:04	U	SMPL
CCV43 - 1	CCV43	22995	4.8026		-7471B	PPB	08 Apr 2025 10:15:19	U	SMPL
CCB43 - 1	CCB43	-378	-0.0050		-7471B	PPB	08 Apr 2025 10:17:34	U	SMPL
Q1730-11 - 1	OU4-PCS-TC-23-040325	479	0.1713		-7471B	PPB	08 Apr 2025 10:19:52	U	SMPL
Q1730-13 - 1	OU4-PCS-TC-24-040325	156	0.1049		-7471B	PPB	08 Apr 2025 10:22:08	U	SMPL
Q1730-15 - 1	OU4-PCS-TC-25-040325	217	0.1174		-7471B	PPB	08 Apr 2025 10:24:23	U	SMPL
Q1730-17 - 1	OU4-PCS-TC-26-040325	93	0.0919		-7471B	PPB	08 Apr 2025 10:26:40	U	SMPL
Q1730-19 - 1	OU4-CF-15-040325	217	0.1174		-7471B	PPB	08 Apr 2025 10:28:56	U	SMPL
Q1732-01 - 1	TT-8	10404	2.2127		-7471B	PPB	08 Apr 2025 10:31:12	U	SMPL
Q1733-01 - 1	ETGI-328	511	0.1779		-7471B	PPB	08 Apr 2025 10:33:29	U	SMPL
Q1735-01 - 1	50660-50661-50662-5663-COMP	3859	0.8665		-7471B	PPB	08 Apr 2025 10:35:48	U	SMPL
Q1736-01 - 1	GST1	26805	5.5862		-7471B	PPB	08 Apr 2025 10:38:05	U	SMPL
Q1736-02 - 1	GST2	293	0.1330		-7471B	PPB	08 Apr 2025 10:40:22	U	SMPL
CCV44 - 1	CCV44	22039	4.6059		-7471B	PPB	08 Apr 2025 10:42:44	U	SMPL
CCB44 - 1	CCB44	-280	0.0152		-7471B	PPB	08 Apr 2025 10:44:59	U	SMPL
Q1737-01 - 1	RT3069	5343	1.1718		-7471B	PPB	08 Apr 2025 10:47:19	U	SMPL
Q1738-01 - 1	OK-02-040425	357	0.1462		-7471B	PPB	08 Apr 2025 10:49:35	U	SMPL
Q1740-01 - 1	TP-20	408	0.1567		-7471B	PPB	08 Apr 2025 10:51:53	U	SMPL
Q1743-01 - 1	TP-16	1552	0.3920		-7471B	PPB	08 Apr 2025 10:54:08	U	SMPL
Q1743-01DUP - 1	TP-16DUP	1624	0.4068		-7471B	PPB	08 Apr 2025 10:56:24	U	SMPL
Q1743-01MS - 1	TP-16MS	18021	3.7795		-7471B	PPB	08 Apr 2025 10:58:40	U	SMPL
Q1743-01MSD - 1	TP-16MSD	19611	4.1065		-7471B	PPB	08 Apr 2025 11:00:57	U	SMPL
Q1743-01LX5 - 1		383	0.1515		-7471B	PPB	08 Apr 2025 11:09:38	U	SMPL
Q1743-01A - 1		23732	4.9542		-7471B	PPB	08 Apr 2025 11:11:55	U	SMPL
CCV45 - 1	CCV45	25261	5.2687		-7471B	PPB	08 Apr 2025 11:14:11	U	SMPL
CCB45 - 1	CCB45	-367	-0.0027		-7471B	PPB	08 Apr 2025 11:16:29	U	SMPL

Alliance TECHNICAL GROUP

Soil/Sludge Metals Preparation Sheet

PB167482

SOP ID : M3050B-Digestion-20

SDG No : N/A

Matrix : SOIL

Pippete ID: ICP A

Balance ID : M SC-2

Filter paper ID : N/A

pH Strip ID : N/A

Hood ID : #3

Block ID: 1. HOT BLOCK #3 2. N/A

Start Digest Date: 04/07/2025 **Time :** 10:05 **Temp :** 96 °C

End Digest Date: 04/07/2025 **Time :** 12:10 **Temp :** 96 °C

Digestion tube ID: M6054

Block thermometer ID: MET-DIG. #3

Dig Technician Signature: SKG.

Supervisor Signature:

Temp : 1. 96°C 2. N/A

Standared Name	MLS USED	STD REF. # FROM LOG
LFS-1	1.00	M6003
LFS-2	1.00	M6012
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
1:1 HNO3	10.00	MP84041
Conc. HNO3	5.00	M6158
30% H2O2	3.00	M6125
Conc. HCL	10.00	M6151
PTFE Boiling Stones	N/A	M5581
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK # 3 CELL 35 Temp :96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
04/07/25 13:10	SKG. met.dig	Metals Lab
	Preparation Group	Analysis Group

Alliance TECHNICAL GROUP

Soil/Sludge Metals Preparation Sheet

PB167482

Lab Sample ID	Client Sample ID	pH	Initial Weight (g)	Final Vol (ml)	Color Before	Color After	Texture	Artifact	Comment	Prep Pos
PB167482BL	PBS482	N/A	2.20	100	Colorless	Colorless	Fine	N/A	N/A	1
PB167482BS	LCS482	N/A	2.16	100	Colorless	Colorless	Fine	N/A	M6003,M6012	2
Q1730-01	OU4-VSL-15-040325	N/A	2.36	100	Gray	Yellow	Medium	N/A	N/A	3
Q1730-03	OU4-VSL-16-040325	N/A	2.02	100	Gray	Yellow	Medium	N/A	N/A	4
Q1730-05	OU4-VSL-17-040325	N/A	2.46	100	Gray	Yellow	Medium	N/A	N/A	5
Q1730-07	OU4-PCS-TC-21-040325	N/A	2.09	100	Gray	Yellow	Medium	N/A	N/A	6
Q1730-09	OU4-PCS-TC-22-040325	N/A	2.10	100	Gray	Yellow	Medium	N/A	N/A	7
Q1730-11	OU4-PCS-TC-23-040325	N/A	2.08	100	Gray	Yellow	Medium	N/A	N/A	8
Q1730-13	OU4-PCS-TC-24-040325	N/A	2.34	100	Gray	Yellow	Medium	N/A	N/A	9
Q1730-15	OU4-PCS-TC-25-040325	N/A	2.19	100	Gray	Yellow	Medium	N/A	N/A	10
Q1730-17	OU4-PCS-TC-26-040325	N/A	2.33	100	Gray	Yellow	Medium	N/A	N/A	11
Q1730-19	OU4-CF-15-040325	N/A	2.47	100	Gray	Yellow	Medium	N/A	N/A	12
Q1732-01	TT-8	N/A	2.21	100	Brown	Yellow	Medium	N/A	N/A	13
Q1733-01	ETGI-328	N/A	2.14	100	Brown	Yellow	Medium	N/A	N/A	14
Q1735-01	50660-50661-50662-5663-COMP	N/A	2.15	100	Brown	Yellow	Medium	N/A	N/A	15
Q1736-01	GST1	N/A	2.23	100	Black	Yellow	Medium	N/A	N/A	16
Q1736-02	GST2	N/A	2.31	100	Brown	Yellow	Medium	N/A	N/A	17
Q1737-01	RT3069	N/A	2.11	100	Black	Yellow	Medium	N/A	N/A	18
Q1738-01	OK-02-040425	N/A	2.07	100	Gray	Yellow	Medium	N/A	N/A	19
Q1738-01MS	OK-02-040425MS	N/A	2.18	100	Gray	Yellow	Medium	N/A	M6003,M6012	21
Q1738-01MSD	OK-02-040425MSD	N/A	2.26	100	Gray	Yellow	Medium	N/A	M6003,M6012	22
Q1738-01DUP	OK-02-040425DUP	N/A	2.07	100	Gray	Yellow	Medium	N/A	N/A	20
Q1740-01	TP-20	N/A	2.48	100	Brown	Yellow	Medium	N/A	N/A	23
Q1743-01	TP-16	N/A	2.15	100	Brown	Yellow	Medium	N/A	N/A	24

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PB167482 **WorkList ID :** 188768 **Department :** Digestion **Date :** 04-07-2025 09:38:37

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1730-01	OU4-VSL-15-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-03	OU4-VSL-16-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-05	OU4-VSL-17-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-07	OU4-PCS-TC-21-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-09	OU4-PCS-TC-22-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-11	OU4-PCS-TC-23-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-13	OU4-PCS-TC-24-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-15	OU4-PCS-TC-25-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-17	OU4-PCS-TC-26-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1730-19	OU4-CF-15-040325	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1732-01	TT-8	Solid	Metals ICP-TAL	Cool 4 deg C	NOBI03	L31	04/03/2025	6010D
Q1733-01	ETGI-328	Solid	Metals ICP-TAL	Cool 4 deg C	PSEG03	L31	04/04/2025	6010D
Q1735-01	50660-50661-50662-5663-COM	Solid	Metals ICP-TAL	Cool 4 deg C	PSEG03	I31	04/04/2025	6010D
Q1736-01	GST1	Solid	Metals ICP-TAL	Cool 4 deg C	PSEG03	L31	04/04/2025	6010D
Q1736-02	GST2	Solid	Metals ICP-TAL	Cool 4 deg C	GENV01	L21	04/04/2025	6010D
Q1737-01	RT3069	Solid	Metals ICP-TAL	Cool 4 deg C	GENV01	L21	04/04/2025	6010D
Q1738-01	OK-02-040425	Solid	Metals ICP-TAL	Cool 4 deg C	PSEG03	L31	04/04/2025	6010D
Q1740-01	TP-20	Solid	Metals ICP-TAL	Cool 4 deg C	PSEG05	L31	04/04/2025	6010D
Q1743-01	TP-16	Solid	Metals ICP-TAL	Cool 4 deg C	PSEG03	L21	04/04/2025	6010D
					PSEG03	L33	04/07/2025	6010D

Date/Time 04/07/25 9:50
Raw Sample Received by: SLD3.met.drg
Raw Sample Relinquished by: JM (SM)

Date/Time 04/07/25 10:50
Raw Sample Received by: JM (am)
Raw Sample Relinquished by: SLD3.met.drg

Alliance TECHNICAL GROUP

Soil/Sludge Mercury Preparation Sheet

PB167516

SOP ID : M7471B-Mercury-18

SDG No : NA

Matrix : SOIL

Pippete ID: HG A

Balance ID : M SC-3

Filter paper ID : N/A

pH Strip ID : NA

Hood ID : #1

Block ID: 1. HG HOT BLOCK#3 2. N/A

Start Digest Date: 04/08/2025 **Time :** 07:20 **Temp :** 93 °C

End Digest Date: 04/08/2025 **Time :** 07:50 **Temp :** 94 °C

Digestion tube ID: M5595

Block thermometer ID: HG-DIG#3

Dig Technician Signature:

Supervisor Signature:

Temp : 1. 93°C 2. N/A

Standared Name	MLS USED	STD REF. # FROM LOG
ICV	30mL	MP85164
CCV	30mL	MP85166
CRA	30mL	MP85168
Blank Spike	0.48mL	MP85157
Matrix Spike	0.48mL	MP85157

Chemical Used	ML/SAMPLE USED	Lot Number
AQUA REGIA	1.5mL	MP85170
KMnO4 (5%)	4.5mL	MP84564
Hydroxylamine HCL (12%)	2.0mL	MP84566
PTFE Boiling Stones	----------	M4583
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
0.0 ppb	S0	30mL	MP85158
0.05 ppb	S0.05	N/A	N/A
0.2 ppb	S0.2	30mL	MP85159
2.5 ppb	S2.5	30mL	MP85160
5.0 ppb	S5.0	30mL	MP85161
7.5 ppb	S7.5	30mL	MP85162
10.0 ppb	S10.0	30mL	MP85163
ICV	ICV	30mL	MP85164
ICB	ICB	30mL	MP85165
CCV	CCV	30mL	MP85166
CCB	CCB	30mL	MP85167
CRI	CRI	30mL	MP85168
CHK STD	CHK STD	30mL	MP85169

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
4/8/25 8:35	MB - Dig. Lab	MB - metal Lab
	Preparation Group	Analysis Group

Alliance TECHNICAL GROUP

Soil/Sludge Mercury Preparation Sheet

PB167516

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Comment	Prep Pos
PB167516BL	PBS516	0.52	35	NA	N/A	3-1
PB167516BS	LCS516	0.57	35	NA	MP85157	2
Q1730-01	OU4-VSL-15-040325	0.60	35	NA	N/A	3
Q1730-03	OU4-VSL-16-040325	0.58	35	NA	N/A	4
Q1730-05	OU4-VSL-17-040325	0.57	35	NA	N/A	5
Q1730-07	OU4-PCS-TC-21-040325	0.51	35	NA	N/A	6
Q1730-09	OU4-PCS-TC-22-040325	0.54	35	NA	N/A	7
Q1730-11	OU4-PCS-TC-23-040325	0.58	35	NA	N/A	8
Q1730-13	OU4-PCS-TC-24-040325	0.51	35	NA	N/A	9
Q1730-15	OU4-PCS-TC-25-040325	0.56	35	NA	N/A	10
Q1730-17	OU4-PCS-TC-26-040325	0.50	35	NA	N/A	11
Q1730-19	OU4-CF-15-040325	0.56	35	NA	N/A	12
Q1732-01	TT-8	0.52	35	NA	N/A	13
Q1733-01	ETGI-328	0.50	35	NA	N/A	14
Q1735-01	50660-50661-50662-5663-COMP	0.51	35	NA	N/A	15
Q1736-01	GST1	0.58	35	NA	N/A	16
Q1736-02	GST2	0.58	35	NA	N/A	17
Q1737-01	RT3069	0.56	35	NA	N/A	18
Q1738-01	OK-02-040425	0.55	35	NA	N/A	19
Q1740-01	TP-20	0.51	35	NA	N/A	20
Q1743-01	TP-16	0.53	35	NA	N/A	21
Q1743-01DUP	TP-16DUP	0.53	35	NA	N/A	22
Q1743-01MS	TP-16MS	0.55	35	NA	MP85157	23
Q1743-01MSD	TP-16MSD	0.58	35	NA	MP85157	24

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 040725_7471 **WorkList ID :** 188776 **Department :** Digestion **Date :** 04-07-2025 12:23:59

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1736-01	GST1	Solid	Mercury	Cool 4 deg C	GENV01	L21	04/04/2025	7471B
Q1736-02	GST2	Solid	Mercury	Cool 4 deg C	GENV01	L21	04/04/2025	7471B
Q1730-01	OU4-VSL-15-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-03	OU4-VSL-16-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-05	OU4-VSL-17-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-07	OU4-PCS-TC-21-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-09	OU4-PCS-TC-22-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-11	OU4-PCS-TC-23-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-13	OU4-PCS-TC-24-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-15	OU4-PCS-TC-25-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-17	OU4-PCS-TC-26-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1730-19	OU4-CF-15-040325	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1732-01	TT-8	Solid	Mercury	Cool 4 deg C	NOBI03	L31	04/03/2025	7471B
Q1733-01	ETGI-328	Solid	Mercury	Cool 4 deg C	PSEG03	L31	04/04/2025	7471B
Q1735-01	50660-50661-50662-5663-COM	Solid	Mercury	Cool 4 deg C	PSEG03	I31	04/04/2025	7471B
Q1737-01	RT3069	Solid	Mercury	Cool 4 deg C	PSEG03	L31	04/04/2025	7471B
Q1740-01	TP-20	Solid	Mercury	Cool 4 deg C	PSEG03	L31	04/04/2025	7471B
Q1743-01	TP-16	Solid	Mercury	Cool 4 deg C	PSEG03	L21	04/04/2025	7471B
Q1738-01	OK-02-040425	Solid	Mercury	Cool 4 deg C	PSEG05	L31	04/04/2025	7471B

Date/Time 4/8/25 0 7:00

Raw Sample Received by: DSG-DIG-LAB

Raw Sample Relinquished by: DSG-DIG-LAB

Date/Time 4/8/25 0 7:40

Raw Sample Received by: DSG-DIG-LAB

Raw Sample Relinquished by: DSG-DIG-LAB

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/7/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/04/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 04/05/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC: LB135307

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q1729-05	SVOC-GPC-BLANK	1	1.00	1.00	2.00	2.00	100.0	
Q1729-06	PEST-GPC-BLANK	2	1.00	1.00	2.00	2.00	100.0	
Q1729-07	PEST-GPC-BLANK-SPIKE	3	1.00	1.00	2.00	2.00	100.0	
Q1729-08	PCB-GPC-BLANK	4	1.00	1.00	2.00	2.00	100.0	
Q1729-09	PCB-GPC-BLANK-SPIKE	5	1.00	1.00	2.00	2.00	100.0	
Q1729-10	SVOC-GPC2-BLANK	6	1.00	1.00	2.00	2.00	100.0	
Q1729-11	PEST-GPC2-BLANK	7	1.00	1.00	2.00	2.00	100.0	
Q1729-12	PEST-GPC2-BLANK-SPIKE	8	1.00	1.00	2.00	2.00	100.0	
Q1729-13	PCB-GPC2-BLANK	9	1.00	1.00	2.00	2.00	100.0	
Q1729-14	PCB-GPC2-BLANK-SPIKE	10	1.00	1.00	2.00	2.00	100.0	
Q1730-01	OU4-VSL-15-040325	11	1.14	10.58	11.72	11.39	96.9	
Q1730-03	OU4-VSL-16-040325	12	1.15	10.28	11.43	10.86	94.5	
Q1730-05	OU4-VSL-17-040325	13	1.16	11.32	12.48	11.62	92.4	
Q1730-07	OU4-PCS-TC-21-040325	14	1.18	10.92	12.1	10.9	89.0	
Q1730-09	OU4-PCS-TC-22-040325	15	1.16	11.79	12.95	11.87	90.8	
Q1730-11	OU4-PCS-TC-23-040325	16	1.19	11.24	12.43	11.41	90.9	
Q1730-13	OU4-PCS-TC-24-040325	17	1.18	10.42	11.6	10.69	91.3	
Q1730-15	OU4-PCS-TC-25-040325	18	1.14	11.13	12.27	11.43	92.5	
Q1730-17	OU4-PCS-TC-26-040325	19	1.15	10.84	11.99	11.13	92.1	
Q1730-19	OU4-CF-15-040325	20	1.15	10.74	11.89	11.23	93.9	
Q1732-01	TT-8	21	1.15	10.40	11.55	10.48	89.7	
Q1732-02	TT-8-EPH	22	1.15	10.33	11.48	10.34	89.0	
Q1732-03	TT-8-VOC	23	1.19	10.01	11.2	10.11	89.1	
Q1733-01	ETGI-328	24	1.18	10.19	11.37	8.37	70.6	
Q1733-02	ETGI-328-E2	25	1.18	10.29	11.47	8.27	68.9	
Q1734-01	HEH6237-1-1	26	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-02	HEH6237-1-2	27	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-03	STJ23-1-1	28	1.00	1.00	2.00	2.00	100.0	pilc

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/7/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/04/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:25
Out Date: 04/05/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC: LB135307

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q1734-04	STJ23-1-2	29	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-05	HIA989S-1-1	30	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-06	HIA989S-1-2	31	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-07	HED302R-1-1	32	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-08	HED302R-1-2	33	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-09	HED302R-2-1	34	1.00	1.00	2.00	2.00	100.0	pilc
Q1734-10	HED302R-2-2	35	1.00	1.00	2.00	2.00	100.0	pilc
Q1735-01	50660-50661-50662-5663 -COMP	36	1.18	10.92	12.1	10.42	84.6	
Q1736-01	GST1	37	1.18	10.04	11.22	9.07	78.6	
Q1736-02	GST2	38	1.18	10.93	12.11	9.98	80.5	
Q1737-01	RT3069	39	1.19	11.58	12.77	11.34	87.7	
Q1738-01	OK-02-040425	40	1.16	10.34	11.5	10.06	86.1	
Q1738-02	OK-02-040425-E2	41	1.19	10.54	11.73	10.37	87.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

VB 135307

WorkList Name : %1-040425 **WorkList ID :** 188724 **Department :** Wet-Chemistry **Date :** 04-04-2025 08:12:22

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1736-01	GST1	Solid	Percent Solids	Cool 4 deg C	GENV01	L21	04/04/2025	Chemtech -SO
Q1736-02	GST2	Solid	Percent Solids	Cool 4 deg C	GENV01	L21	04/04/2025	Chemtech -SO
Q1730-01	OU4-VSL-15-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-03	OU4-VSL-16-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-05	OU4-VSL-17-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-07	OU4-PCS-TC-21-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-09	OU4-PCS-TC-22-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-11	OU4-PCS-TC-23-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-13	OU4-PCS-TC-24-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-15	OU4-PCS-TC-25-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-17	OU4-PCS-TC-26-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1730-19	OU4-CF-15-040325	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1729-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	NOBI03	L31	04/03/2025	Chemtech -SO
Q1729-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1729-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1729-08	PCB-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1729-09	PCB-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1729-10	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1729-11	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1729-12	PEST-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1729-13	PCB-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO

Date/Time 04/04/25 1520

Raw Sample Received by: JB CCDC

Raw Sample Relinquished by: SM

Date/Time 04/04/25 17:15

Raw Sample Received by: SM

Raw Sample Relinquished by: JB CCDC

WORKLIST(Hardcopy Internal Chain)

WP135307

WorkList Name : %1-040425 **WorkList ID :** 188724 **Department :** Wet-Chemistry **Date :** 04-04-2025 08:12:22

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1729-14	PCB-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	04/04/2025	Chemtech -SO
Q1732-01	TT-8	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1732-02	TT-8-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1732-03	TT-8-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1733-01	ETGI-328	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1733-02	ETGI-328-E2	Solid	Percent Solids	Cool 4 deg C	PSEG03	I31	04/04/2025	Chemtech -SO
Q1734-01	HEH6237-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	I31	04/04/2025	Chemtech -SO
Q1734-08	HED302R-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-09	HED302R-2-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-10	HED302R-2-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1735-01	50660-50661-50662-5663-COM	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1737-01	RT3069	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-02	HEH6237-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-03	STJ23-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-04	STJ23-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-05	HIA989S-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-06	HIA989S-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1734-07	HED302R-1-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1738-01	OK-02-040425	Solid	Percent Solids	Cool 4 deg C	PSEG03	L31	04/04/2025	Chemtech -SO
Q1738-02	OK-02-040425-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	L31	04/04/2025	Chemtech -SO
Q1738-02	OK-02-040425-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	L31	04/04/2025	Chemtech -SO

Date/Time 04/04/25 15:20

Raw Sample Received by: [signature]

Raw Sample Relinquished by: [signature]

Date/Time 04/04/25 17:15

Raw Sample Received by: [signature]

Raw Sample Relinquished by: [signature]

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QCBatch ID # LB135337

Review By	mohan	Review On	4/16/2025 12:00:31 PM
Supervise By	Sagar	Supervise On	4/16/2025 12:02:38 PM

STD. NAME	STD REF.#
ICAL Standard	MP85158,MP85159,MP85160,MP85161,MP85162,MP85163
ICV Standard	MP85164
CCV Standard	MP85166
ICSA Standard	
CRI Standard	MP85168
LCS Standard	
Chk Standard	MP85165,MP85167,MP85169,MP85171

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	04/08/25 09:28		mohan	OK
2	S0.2	S0.2	CAL2	04/08/25 09:30		mohan	OK
3	S2.5	S2.5	CAL3	04/08/25 09:33		mohan	OK
4	S5	S5	CAL4	04/08/25 09:35		mohan	OK
5	S7.5	S7.5	CAL5	04/08/25 09:37		mohan	OK
6	S10	S10	CAL6	04/08/25 09:40		mohan	OK
7	ICV80	ICV80	ICV	04/08/25 09:43		mohan	OK
8	ICB80	ICB80	ICB	04/08/25 09:45		mohan	OK
9	CCV42	CCV42	CCV	04/08/25 09:47		mohan	OK
10	CCB42	CCB42	CCB	04/08/25 09:49		mohan	OK
11	CRA	CRA	CRDL	04/08/25 09:52		mohan	OK
12	HighStd	HighStd	HIGH STD	04/08/25 09:54		mohan	OK
13	ChkStd	ChkStd	SAM	04/08/25 09:56		mohan	OK
14	PB167516BL	PB167516BL	MB	04/08/25 09:59		mohan	OK
15	PB167516BS	PB167516BS	LCS	04/08/25 10:01		mohan	OK
16	Q1730-01	OU4-VSL-15-040325	SAM	04/08/25 10:03		mohan	OK
17	Q1730-03	OU4-VSL-16-040325	SAM	04/08/25 10:06		mohan	OK
18	Q1730-05	OU4-VSL-17-040325	SAM	04/08/25 10:08		mohan	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QCBatch ID # LB135337

Review By	mohan	Review On	4/16/2025 12:00:31 PM
Supervise By	Sagar	Supervise On	4/16/2025 12:02:38 PM

STD. NAME	STD REF.#
ICAL Standard	MP85158,MP85159,MP85160,MP85161,MP85162,MP85163
ICV Standard	MP85164
CCV Standard	MP85166
ICSA Standard	
CRI Standard	MP85168
LCS Standard	
Chk Standard	MP85165,MP85167,MP85169,MP85171

19	Q1730-07	OU4-PCS-TC-21-040	SAM	04/08/25 10:10		mohan	OK
20	Q1730-09	OU4-PCS-TC-22-040	SAM	04/08/25 10:13		mohan	OK
21	CCV43	CCV43	CCV	04/08/25 10:15		mohan	OK
22	CCB43	CCB43	CCB	04/08/25 10:17		mohan	OK
23	Q1730-11	OU4-PCS-TC-23-040	SAM	04/08/25 10:19		mohan	OK
24	Q1730-13	OU4-PCS-TC-24-040	SAM	04/08/25 10:22		mohan	OK
25	Q1730-15	OU4-PCS-TC-25-040	SAM	04/08/25 10:24		mohan	OK
26	Q1730-17	OU4-PCS-TC-26-040	SAM	04/08/25 10:26		mohan	OK
27	Q1730-19	OU4-CF-15-040325	SAM	04/08/25 10:28		mohan	OK
28	Q1732-01	TT-8	SAM	04/08/25 10:31		mohan	OK
29	Q1733-01	ETGI-328	SAM	04/08/25 10:33		mohan	OK
30	Q1735-01	50660-50661-50662-5	SAM	04/08/25 10:35		mohan	OK
31	Q1736-01	GST1	SAM	04/08/25 10:38		mohan	OK
32	Q1736-02	GST2	SAM	04/08/25 10:40		mohan	OK
33	CCV44	CCV44	CCV	04/08/25 10:42		mohan	OK
34	CCB44	CCB44	CCB	04/08/25 10:44		mohan	OK
35	Q1737-01	RT3069	SAM	04/08/25 10:47		mohan	OK
36	Q1738-01	OK-02-040425	SAM	04/08/25 10:49		mohan	OK
37	Q1740-01	TP-20	SAM	04/08/25 10:51		mohan	OK
38	Q1743-01	TP-16	SAM	04/08/25 10:54		mohan	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: CV1

Daily Analysis Runlog For Sequence/QCBatch ID # LB135337

Review By	mohan	Review On	4/16/2025 12:00:31 PM
Supervise By	Sagar	Supervise On	4/16/2025 12:02:38 PM

STD. NAME	STD REF.#
ICAL Standard	MP85158,MP85159,MP85160,MP85161,MP85162,MP85163
ICV Standard	MP85164
CCV Standard	MP85166
ICSA Standard	
CRI Standard	MP85168
LCS Standard	
Chk Standard	MP85165,MP85167,MP85169,MP85171

39	Q1743-01DUP	TP-16DUP	DUP	04/08/25 10:56		mohan	OK
40	Q1743-01MS	TP-16MS	MS	04/08/25 10:58		mohan	OK
41	Q1743-01MSD	TP-16MSD	MSD	04/08/25 11:00		mohan	OK
42	Q1743-01L	TP-16L	SD	04/08/25 11:09		mohan	OK
43	Q1743-01A	TP-16A	PS	04/08/25 11:11		mohan	OK
44	CCV45	CCV45	CCV	04/08/25 11:14		mohan	OK
45	CCB45	CCB45	CCB	04/08/25 11:16		mohan	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: P4

Daily Analysis Runlog For Sequence/QCBatch ID # LB135424

Review By	jaswal	Review On	4/15/2025 1:01:00 PM
Supervise By	mohan	Supervise On	4/15/2025 1:12:12 PM

STD. NAME	STD REF.#
ICAL Standard	MP85016,MP85017,MP85018,MP85019,MP85020,MP85022
ICV Standard	MP85023
CCV Standard	MP85026
ICSA Standard	MP85024,MP85025
CRI Standard	MP85022
LCS Standard	
Chk Standard	MP85030,MP85031

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	04/14/25 13:13		Kareem	OK
2	S1	S1	CAL2	04/14/25 13:17		Kareem	OK
3	S2	S2	CAL3	04/14/25 13:22		Kareem	OK
4	S3	S3	CAL4	04/14/25 13:26		Kareem	OK
5	S4	S4	CAL5	04/14/25 13:30		Kareem	OK
6	S5	S5	CAL6	04/14/25 13:34		Kareem	OK
7	ICV01	ICV01	ICV	04/14/25 13:56		Kareem	OK
8	LLICV01	LLICV01	LLICV	04/14/25 14:01		Kareem	OK
9	ICB01	ICB01	ICB	04/14/25 14:05		Kareem	OK
10	CRI01	CRI01	CRDL	04/14/25 14:09		Kareem	OK
11	ICSA01	ICSA01	ICSA	04/14/25 14:14		Kareem	OK
12	ICSAB01	ICSAB01	ICSAB	04/14/25 14:18		Kareem	OK
13	ICSADL	ICSADL	ICSA	04/14/25 14:22		Kareem	OK
14	ICSABDL	ICSABDL	ICSAB	04/14/25 14:27		Kareem	OK
15	CCV01	CCV01	CCV	04/14/25 14:31		Kareem	OK
16	CCB01	CCB01	CCB	04/14/25 14:35		Kareem	OK
17	Q1743-04	TP-16	SAM	04/14/25 14:39		Kareem	OK
18	Q1743-04DUP	TP-16DUP	DUP	04/14/25 14:44		Kareem	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: P4

Daily Analysis Runlog For Sequence/QCBatch ID # LB135424

Review By	jaswal	Review On	4/15/2025 1:01:00 PM
Supervise By	mohan	Supervise On	4/15/2025 1:12:12 PM

STD. NAME	STD REF.#
ICAL Standard	MP85016,MP85017,MP85018,MP85019,MP85020,MP85022
ICV Standard	MP85023
CCV Standard	MP85026
ICSA Standard	MP85024,MP85025
CRI Standard	MP85022
LCS Standard	
Chk Standard	MP85030,MP85031

19	Q1743-04L	TP-16L	SD	04/14/25 14:48		Kareem	OK
20	Q1743-04MS	TP-16MS	MS	04/14/25 14:52		Kareem	OK
21	Q1743-04MSD	TP-16MSD	MSD	04/14/25 14:57		Kareem	OK
22	Q1743-04A	TP-16A	PS	04/14/25 15:01		Kareem	OK
23	Q1774-02	TT-073-IDWGW-2025	SAM	04/14/25 15:05		Kareem	OK
24	Q1774-03	TT-074-IDWGW-2025	SAM	04/14/25 15:09		Kareem	OK
25	Q1774-04	TT-075-IDWGW-2025	SAM	04/14/25 15:14		Kareem	OK
26	Q1774-02DUP	TT-073-IDWGW-2025	DUP	04/14/25 15:18		Kareem	OK
27	CCV02	CCV02	CCV	04/14/25 15:22		Kareem	OK
28	CCB02	CCB02	CCB	04/14/25 15:26		Kareem	OK
29	Q1774-02L	TT-073-IDWGW-2025	SD	04/14/25 15:31		Kareem	OK
30	Q1774-02MS	TT-073-IDWGW-2025	MS	04/14/25 15:35		Kareem	OK
31	Q1774-02MSD	TT-073-IDWGW-2025	MSD	04/14/25 15:39		Kareem	OK
32	Q1774-02A	TT-073-IDWGW-2025	PS	04/14/25 15:43		Kareem	OK
33	Q1705-04	ETGI-327	SAM	04/14/25 15:47		Kareem	OK
34	Q1705-05	ETGI-275	SAM	04/14/25 15:52		Kareem	OK
35	PB167533BL	PB167533BL	MB	04/14/25 15:56		Kareem	OK
36	PB167533BS	PB167533BS	LCS	04/14/25 16:01		Kareem	OK
37	Q1753-04	WC-1	SAM	04/14/25 16:05		Kareem	OK
38	Q1753-08	WC-2	SAM	04/14/25 16:09		Kareem	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: P4

Daily Analysis Runlog For Sequence/QCBatch ID # LB135424

Review By	jaswal	Review On	4/15/2025 1:01:00 PM
Supervise By	mohan	Supervise On	4/15/2025 1:12:12 PM

STD. NAME	STD REF.#
ICAL Standard	MP85016,MP85017,MP85018,MP85019,MP85020,MP85022
ICV Standard	MP85023
CCV Standard	MP85026
ICSA Standard	MP85024,MP85025
CRI Standard	MP85022
LCS Standard	
Chk Standard	MP85030,MP85031

39	CCV03	CCV03	CCV	04/14/25 16:28		Kareem	OK
40	CCB03	CCB03	CCB	04/14/25 16:32		Kareem	OK
41	Q1753-01	WC-1	SAM	04/14/25 16:37		Kareem	OK
42	Q1753-05	WC-2	SAM	04/14/25 16:41		Kareem	OK
43	Q1768-01	CRUSHED STONE	SAM	04/14/25 16:45	Zn high	Kareem	Dilution
44	Q1756-01	TP-9	SAM	04/14/25 16:49		Kareem	OK
45	Q1760-01	TP-17	SAM	04/14/25 16:53		Kareem	OK
46	Q1760-05	TP-15	SAM	04/14/25 16:57		Kareem	OK
47	Q1779-01	TP-22	SAM	04/14/25 17:01		Kareem	OK
48	Q1779-05	TP-23	SAM	04/14/25 17:06		Kareem	OK
49	Q1779-05DUP	TP-23DUP	DUP	04/14/25 17:10		Kareem	OK
50	Q1779-05L	TP-23L	SD	04/14/25 17:14		Kareem	OK
51	CCV04	CCV04	CCV	04/14/25 17:18		Kareem	OK
52	CCB04	CCB04	CCB	04/14/25 17:22		Kareem	OK
53	Q1779-05MS	TP-23MS	MS	04/14/25 17:27		Kareem	OK
54	Q1779-05MSD	TP-23MSD	MSD	04/14/25 17:31		Kareem	OK
55	Q1779-05A	TP-23A	PS	04/14/25 17:35		Kareem	OK
56	Q1781-01	WC-13	SAM	04/14/25 17:39		Kareem	OK
57	Q1781-05	WC-12	SAM	04/14/25 17:43		Kareem	OK
58	Q1781-09	WC-11	SAM	04/14/25 17:48		Kareem	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: P4

Daily Analysis Runlog For Sequence/QCBatch ID # LB135424

Review By	jaswal	Review On	4/15/2025 1:01:00 PM
Supervise By	mohan	Supervise On	4/15/2025 1:12:12 PM

STD. NAME	STD REF.#
ICAL Standard	MP85016,MP85017,MP85018,MP85019,MP85020,MP85022
ICV Standard	MP85023
CCV Standard	MP85026
ICSA Standard	MP85024,MP85025
CRI Standard	MP85022
LCS Standard	
Chk Standard	MP85030,MP85031

59	PB167567BL	PB167567BL	MB	04/14/25 17:52		Kareem	OK
60	PB167567BS	PB167567BS	LCS	04/14/25 17:56		Kareem	OK
61	PB167482BL	PB167482BL	MB	04/14/25 18:00		Kareem	OK
62	PB167482BS	PB167482BS	LCS	04/14/25 18:12		Kareem	OK
63	CCV05	CCV05	CCV	04/14/25 18:16		Kareem	OK
64	CCB05	CCB05	CCB	04/14/25 18:20		Kareem	OK
65	PB167530BL	PB167530BL	MB	04/14/25 18:25		Kareem	OK
66	PB167530BS	PB167530BS	LCS	04/14/25 18:29		Kareem	OK
67	PB167548BL	PB167548BL	MB	04/14/25 18:33		Kareem	OK
68	PB167548BS	PB167548BS	LCS	04/14/25 18:38		Kareem	OK
69	PB167566BL	PB167566BL	MB	04/14/25 18:42		Kareem	OK
70	PB167566BS	PB167566BS	LCS	04/14/25 18:46		Kareem	OK
71	PB167500BL	PB167500BL	MB	04/14/25 18:50		Kareem	OK
72	PB167500BS	PB167500BS	LCS	04/14/25 18:54		Kareem	OK
73	Q1768-01DL	CRUSHED STONEDL	SAM	04/14/25 18:58	5X for Zn	Kareem	Confirms
74	Q1730-01	OU4-VSL-15-040325	SAM	04/14/25 19:02		Kareem	OK
75	CCV06	CCV06	CCV	04/14/25 19:07		Kareem	OK
76	CCB06	CCB06	CCB	04/14/25 19:11		Kareem	OK
77	Q1730-03	OU4-VSL-16-040325	SAM	04/14/25 19:15		Kareem	OK
78	Q1730-05	OU4-VSL-17-040325	SAM	04/14/25 19:19		Kareem	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: P4

Daily Analysis Runlog For Sequence/QCBatch ID # LB135424

Review By	jaswal	Review On	4/15/2025 1:01:00 PM
Supervise By	mohan	Supervise On	4/15/2025 1:12:12 PM

STD. NAME	STD REF.#
ICAL Standard	MP85016,MP85017,MP85018,MP85019,MP85020,MP85022
ICV Standard	MP85023
CCV Standard	MP85026
ICSA Standard	MP85024,MP85025
CRI Standard	MP85022
LCS Standard	
Chk Standard	MP85030,MP85031

79	Q1730-07	OU4-PCS-TC-21-040	SAM	04/14/25 19:23		Kareem	OK
80	Q1730-09	OU4-PCS-TC-22-040	SAM	04/14/25 19:27		Kareem	OK
81	Q1730-11	OU4-PCS-TC-23-040	SAM	04/14/25 19:32		Kareem	OK
82	Q1730-13	OU4-PCS-TC-24-040	SAM	04/14/25 19:36		Kareem	OK
83	Q1730-15	OU4-PCS-TC-25-040	SAM	04/14/25 19:40		Kareem	OK
84	Q1730-17	OU4-PCS-TC-26-040	SAM	04/14/25 19:44		Kareem	OK
85	Q1730-19	OU4-CF-15-040325	SAM	04/14/25 19:49		Kareem	OK
86	Q1736-01	GST1	SAM	04/14/25 19:53		Kareem	OK
87	CCV07	CCV07	CCV	04/14/25 19:57		Kareem	OK
88	CCB07	CCB07	CCB	04/14/25 20:01		Kareem	OK
89	Q1736-02	GST2	SAM	04/14/25 20:05		Kareem	OK
90	Q1738-01	OK-02-040425	SAM	04/14/25 20:10		Kareem	OK
91	Q1738-01DUP	OK-02-040425DUP	DUP	04/14/25 20:14		Kareem	OK
92	Q1738-01L	OK-02-040425L	SD	04/14/25 20:18		Kareem	OK
93	Q1738-01MS	OK-02-040425MS	MS	04/14/25 20:22		Kareem	OK
94	Q1738-01MSD	OK-02-040425MSD	MSD	04/14/25 20:26		Kareem	OK
95	Q1738-01A	OK-02-040425A	PS	04/14/25 20:30		Kareem	OK
96	Q1746-02	B-149-SB01	SAM	04/14/25 20:34		Kareem	OK
97	Q1746-04	B-149-SB02	SAM	04/14/25 20:39		Kareem	OK
98	Q1749-04	TP-14	SAM	04/14/25 20:43		Kareem	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: P4

Daily Analysis Runlog For Sequence/QCBatch ID # LB135424

Review By	jaswal	Review On	4/15/2025 1:01:00 PM
Supervise By	mohan	Supervise On	4/15/2025 1:12:12 PM

STD. NAME	STD REF.#
ICAL Standard	MP85016,MP85017,MP85018,MP85019,MP85020,MP85022
ICV Standard	MP85023
CCV Standard	MP85026
ICSA Standard	MP85024,MP85025
CRI Standard	MP85022
LCS Standard	
Chk Standard	MP85030,MP85031

99	CCV08	CCV08	CCV	04/14/25 20:48		Kareem	OK
100	CCB08	CCB08	CCB	04/14/25 20:52		Kareem	OK
101	Q1746-05	B-158-GW01	SAM	04/14/25 20:56		Kareem	OK
102	Q1746-06	B-149-GW01	SAM	04/14/25 21:00		Kareem	OK
103	Q1746-06DUP	B-149-GW01DUP	DUP	04/14/25 21:05		Kareem	OK
104	Q1746-06L	B-149-GW01L	SD	04/14/25 21:09		Kareem	OK
105	Q1746-06MS	B-149-GW01MS	MS	04/14/25 21:13		Kareem	OK
106	Q1746-06MSD	B-149-GW01MSD	MSD	04/14/25 21:17		Kareem	OK
107	Q1746-06A	B-149-GW01A	PS	04/14/25 21:21		Kareem	OK
108	Q1746-07	EB-2025-4-7	SAM	04/14/25 21:25		Kareem	OK
109	Q1771-01	TP-6C	SAM	04/14/25 21:30		Kareem	OK
110	Q1771-05	TP-7C	SAM	04/14/25 21:34		Kareem	OK
111	CCV09	CCV09	CCV	04/14/25 21:38		Kareem	OK
112	CCB09	CCB09	CCB	04/14/25 21:42		Kareem	OK
113	Q1771-09	TP-3A	SAM	04/14/25 21:46		Kareem	OK
114	Q1771-09DUP	TP-3ADUP	DUP	04/14/25 21:50		Kareem	OK
115	Q1771-09L	TP-3AL	SD	04/14/25 21:55		Kareem	OK
116	Q1771-09MS	TP-3AMS	MS	04/14/25 21:59		Kareem	OK
117	Q1771-09MSD	TP-3AMSD	MSD	04/14/25 22:03		Kareem	OK
118	Q1771-09A	TP-3AA	PS	04/14/25 22:07		Kareem	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: P4

Daily Analysis Runlog For Sequence/QCBatch ID # LB135424

Review By	jaswal	Review On	4/15/2025 1:01:00 PM
Supervise By	mohan	Supervise On	4/15/2025 1:12:12 PM

STD. NAME	STD REF.#
ICAL Standard	MP85016,MP85017,MP85018,MP85019,MP85020,MP85022
ICV Standard	MP85023
CCV Standard	MP85026
ICSA Standard	MP85024,MP85025
CRI Standard	MP85022
LCS Standard	
Chk Standard	MP85030,MP85031

119	Q1769-08	EB01-040925	SAM	04/14/25 22:11		Kareem	OK
120	Q1752-01	TP-1	SAM	04/14/25 22:15		Kareem	OK
121	Q1752-03	TP-2	SAM	04/14/25 22:19		Kareem	OK
122	Q1752-05	TP-4	SAM	04/14/25 22:23		Kareem	OK
123	CCV10	CCV10	CCV	04/14/25 22:28		Kareem	OK
124	CCB10	CCB10	CCB	04/14/25 22:32		Kareem	OK
125	Q1752-07	TP-3	SAM	04/14/25 22:36		Kareem	OK
126	CCV11	CCV11	CCV	04/14/25 22:40		Kareem	OK
127	CCB11	CCB11	CCB	04/14/25 22:44		Kareem	OK
128	Q1752-02	TP-1	SAM	04/14/25 22:49		Kareem	OK
129	Q1752-04	TP-2	SAM	04/14/25 22:53		Kareem	OK
130	Q1752-06	TP-4	SAM	04/14/25 22:57		Kareem	OK
131	Q1752-08	TP-3	SAM	04/14/25 23:02		Kareem	OK
132	CCV12	CCV12	CCV	04/14/25 23:06	Fail for Na	Kareem	OK
133	CCB12	CCB12	CCB	04/14/25 23:11		Kareem	OK

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Prep Standard - Chemical Standard Summary

Order ID : Q1736

Test : Mercury,Metals ICP-TAL

Prepbatch ID : PB167482,PB167516,

Sequence ID/Qc Batch ID: LB135337,LB135424,

Standard ID :

MP84041,MP84564,MP84566,MP84980,MP84981,MP84982,MP84983,MP84984,MP84985,MP84986,MP84987,MP849
88,MP84989,MP84990,MP84993,MP84996,MP84997,MP84998,MP84999,MP85157,MP85158,MP85159,MP85160,MP
85161,MP85162,MP85163,MP85164,MP85165,MP85166,MP85167,MP85168,MP85169,MP85170,MP85171,

Chemical ID :

M4371,M4583,M4916,M5062,M5305,M5519,M5520,M5532,M5545,M5581,M5658,M5739,M5751,M5798,M5799,M5800
,M5801,M5811,M5815,M5817,M5873,M5874,M5882,M5884,M5942,M5961,M5962,M5977,M5981,M5983,M6003,M6012
,M6019,M6020,M6021,M6023,M6025,M6028,M6030,M6032,M6055,M6058,M6079,M6086,M6125,M6126,M6127,M612
8,M6137,M6144,M6145,M6146,M6150,M6151,M6153,M6156,M6158,M6159,W3112,

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
169	1:1HNO3	MP84041	01/14/2025	07/14/2025	Eman Mughal	None	None	Sarabjit Jaswal 01/16/2025

FROM 1250.00000ml of M6126 + 1250.00000ml of W3112 = Final Quantity: 2500.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
65	POTASSIUM PERMANGANATE SOLUTION 5 %	MP84564	02/18/2025	08/18/2025	Mohan Bera	None	None	Janvi Patel 02/19/2025

FROM 100.00000gram of M4916 + 2000.00000ml of W3112 = Final Quantity: 2000.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
67	SODIUM CHLORIDE - HYDROXYL- CHLORIDE SOLUTION	MP84566	02/18/2025	06/25/2025	Mohan Bera	METALS_SCALE_3 (M SC-3)	None	Janvi Patel 02/19/2025

FROM 2000.00000ml of W3112 + 240.00000gram of M4371 + 240.00000gram of M5884 = Final Quantity: 2000.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3947	S7(SFAM,6020,200.8)	MP84980	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 1.00000ml of M5799 + 1.00000ml of M5981 + 1.00000ml of M6079 + 1.00000ml of M6137 + 1.00000ml of M6153 + 1.90000ml of M6159 + 10.00000ml of M5942 + 10.00000ml of M5977 + 10.00000ml of M6158 + 2.00000ml of M5815 + 2.00000ml of M5817 + 4.00000ml of M6025 + 4.00000ml of M6032 + 4.90000ml of M5519 + 4.90000ml of M5811 + 5.00000ml of M6151 + 50.00000ml of M5305 + 829.60000ml of W3112 + 9.00000ml of M5751 + 9.00000ml of M6128 + 9.00000ml of M6145 + 9.90000ml of M6086 + 9.90000ml of M6127 + 9.90000ml of M6144 = Final Quantity: 1000.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1122	ICPMS CALIB BLANK(S0/ICB/CCB)	MP84981	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 25.00000ml of M6151 + 4925.00000ml of W3112 + 50.00000ml of M6158 = Final Quantity: 5000.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
2902	S8 ICPMS	MP84982	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 1.00000ml of M6159 + 2.50000ml of M5520 + 2.50000ml of M5811 + 5.00000ml of M6086 + 5.00000ml of M6127 + 5.00000ml of M6144 + 79.00000ml of MP84981 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3948	S6(SFAM,6020,200.8)	MP84983	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.50000ml of M6151 + 1.00000ml of M6158 + 48.50000ml of W3112 + 50.00000ml of MP84980 = Final Quantity: 100.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3949	S5(SFAM,6020,200.8)	MP84984	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.50000ml of M6151 + 1.00000ml of M6158 + 73.50000ml of W3112 + 25.00000ml of MP84980 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3954	S4(SFAM,6020,200.8)	MP84985	03/25/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.50000ml of M6151 + 1.00000ml of M6158 + 86.00000ml of W3112 + 12.50000ml of MP84980 = Final Quantity: 100.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3951	S3(SFAM, 6020,200.8)	MP84986	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.50000ml of M6151 + 1.00000ml of M6158 + 88.50000ml of W3112 + 10.00000ml of MP84983 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3955	S2CONC(SFAM,6020,200.8)	MP84987	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.00500ml of M6153 + 0.05000ml of M5798 + 0.05000ml of M5800 + 0.05000ml of M5801 + 0.05000ml of M5961 + 0.05000ml of M5981 + 0.05000ml of M6023 + 0.05000ml of M6025 + 0.05000ml of M6028 + 0.05000ml of M6030 + 0.05000ml of M6079 + 0.05000ml of M6128 + 0.10000ml of M5658 + 0.10000ml of M5751 + 0.10000ml of M6146 + 0.10000ml of M6159 + 0.25000ml of M5799 + 0.25000ml of M5811 + 0.25000ml of M5942 + 0.25000ml of M5962 + 0.25000ml of M5977 + 0.25000ml of M6021 + 0.25000ml of M6145 + 0.50000ml of M6032 + 0.50000ml of M6137 + 1.25000ml of M5815 + 1.25000ml of M5817 + 1.25000ml of M6151 + 2.50000ml of M5520 + 2.50000ml of M6086 + 2.50000ml of M6127 + 2.50000ml of M6144 + 2.50000ml of M6158 + 230.04500ml of W3112 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3956	S2(SFAM,6020,200.8)	MP84988	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.50000ml of M6151 + 1.00000ml of M6158 + 98.00000ml of W3112 + 0.50000ml of MP84987 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3957	S1(SFAM,6020,200.8)	MP84989	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.50000ml of M6151 + 1.00000ml of M6158 + 88.50000ml of W3112 + 10.00000ml of MP84988 = Final Quantity: 100.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3959	ICV(6020,200.8)	MP84990	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.05000ml of M5983 + 0.05000ml of M6019 + 0.05000ml of M6020 + 0.05000ml of M6058 + 0.45000ml of M5545 + 0.45000ml of M6156 + 2.00000ml of M6150 + 96.90000ml of MP84981 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1142	ICSA ICPMS	MP84993	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 10.00000ml of M5873 + 90.00000ml of MP84981 = Final Quantity: 100.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1143	ICSAB ICPMS	MP84996	03/25/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.00500ml of M5983 + 0.00500ml of M6019 + 0.00500ml of M6020 + 0.00500ml of M6058 + 10.00000ml of M5873 + 10.00000ml of M5874 + 79.98000ml of MP84981 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3962	MG 10PPM FOR TUNE	MP84997	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 0.01000ml of M6127 + 9.99000ml of MP84981 = Final Quantity: 100.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3894	TUNE 200PPB	MP84998	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 2.00000ml of M6055 + 2.00000ml of MP84997 + 96.00000ml of MP84981 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3903	ISS 3PPM	MP84999	03/24/2025	04/14/2025	Janvi Patel	None	METALS_PIPETTE_3 (A)	Sarabjit Jaswal 04/07/2025

FROM 5.00000ml of M6158 + 75.00000ml of M5739 + 170.00000ml of MP84981 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
871	MERCURY INTERMEDIATE B 250PPB WORKING STD.	MP85157	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HG A)	Sarabjit Jaswal 04/15/2025

FROM 1.00000ml of M6158 + 2.50000ml of M5062 + 96.50000ml of W3112 = Final Quantity: 100.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1340	Hg 0.00 PPB STD	MP85158	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 247.50000ml of W3112 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1341	Hg 0.2 PPB STD	MP85159	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 247.30000ml of W3112 + 0.20000ml of MP85157 = Final Quantity: 250.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1342	Hg 2.5 PPB STD	MP85160	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 245.00000ml of W3112 + 2.50000ml of MP85157 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1343	Hg 5.0 PPB STD	MP85161	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 242.50000ml of W3112 + 5.00000ml of MP85157 = Final Quantity: 250.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1344	Hg 7.5 PPB STD	MP85162	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 240.00000ml of W3112 + 7.50000ml of MP85157 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1345	Hg 10.0 PPB STD	MP85163	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 237.50000ml of W3112 + 50.00000ml of MP85157 = Final Quantity: 250.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1346	Hg ICV SOLUTION	MP85164	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M5532 + 2.50000ml of M6158 + 245.00000ml of W3112 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1351	ICB (Hg 0.00 PPB SOLUTION)	MP85165	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 247.50000ml of W3112 = Final Quantity: 250.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1358	CCV (Hg 5.0 PPB SOLUTION)	MP85166	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 485.00000ml of W3112 + 5.00000ml of M6158 + 10.00000ml of MP85157 = Final Quantity: 500.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1352	CCB (Hg 0.00 PPB SOLUTION)	MP85167	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 495.00000ml of W3112 + 5.00000ml of M6158 = Final Quantity: 500.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1349	CRA/CRI (Hg 0.2 PPB SOLUTION)	MP85168	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 247.30000ml of W3112 + 0.20000ml of MP85157 = Final Quantity: 250.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1350	CHK STD (Hg 7.0 PPB SOLUTION)	MP85169	04/08/2025	04/09/2025	Mohan Bera	None	METALS_PIPETTE_5 (HGA)	Sarabjit Jaswal 04/15/2025

FROM 2.50000ml of M6158 + 240.50000ml of W3112 + 7.00000ml of MP85157 = Final Quantity: 250.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
887	AQUA REGIA FOR HG ON 7471A	MP85170	04/08/2025	04/09/2025	Mohan Bera	None	None	Sarabjit Jaswal 04/15/2025

FROM 150.00000ml of M6151 + 50.00000ml of M6158 = Final Quantity: 200.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
68	STANNOUS CHLORIDE SOLUTION	MP85171	04/08/2025	04/09/2025	Mohan Bera	None	None	Sarabjit Jaswal 04/15/2025

FROM 450.00000ml of W3112 + 50.00000gram of M5882 + 50.00000ml of M6151 = Final Quantity: 500.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-2196-01 / Hydroxylamine Hydrochloride, Crystal (cs/4x500g)	0000215387	06/25/2025	07/01/2019 / RICHARD	06/07/2019 / RICHARD	M4371

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Labpure	0919120 / Boiling Stones	26275770	07/07/2025	07/03/2020 / mohan	05/07/2020 / mohan	M4583

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3227-05 / Potassium Permanganate (2.5kg)	210800	03/31/2026	11/30/2022 / mohan	07/28/2021 / mohan	M4916

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	MSHG-10PPM / MERCURY HCl 125mL 10ug/mL	S2-HG709270	09/22/2026	05/28/2022 / mohan	01/27/2022 / mohan	M5062

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	6020CAL-1 / Calibration Standard Method 6020	S2-MEB711244	10/20/2026	03/07/2025 / JANVI	04/01/2022 / jaswal	M5305

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57119 / Potassium (K) 10,000PPM	120822	12/08/2025	01/08/2024 / bin	03/17/2023 / bin	M5519

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57119 / Potassium (K) 10,000PPM	120822	12/08/2025	08/01/2024 / Jaswal	03/17/2023 / bin	M5520

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	ICV-5 / ICV (HG) STOCK SOLN	ICV5-0415	04/30/2025	01/02/2025 /	03/30/2023 / mohan	M5532

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57022 / Titanium (Ti) 1000PPM	050223	05/02/2026	05/08/2023 / jaswal	05/08/2023 / jaswal	M5545

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	26397-103 / PTFE BOILING STONES	W126678	03/20/2026	03/20/2025 /	06/12/2023 / jaswal	M5581

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58024 / Chromium, Cr, 500 ml, 1000 PPM	060523	06/05/2026	08/28/2023 / jaswal	08/25/2023 / jaswal	M5658

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	6020ISS / 6020ISS, 10 ug/ml, Bi, Ho, In, 6Li, Rh, Sc, TB, Y	T2-MEB709511	09/03/2026	08/07/2024 / jaswal	04/11/2022 / jaswal	M5739

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58029 / Cu, 1000 PPM, 500 ml	071723	07/17/2026	10/01/2024 / Jaswal	08/25/2023 / jaswal	M5751

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57004 / Be, 1000 PPM, 125 ml	102523	10/25/2026	02/09/2024 / bin	02/09/2024 / bin	M5798

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57050 / Sn, 1000 PPM, 125 ml	071123	07/11/2026	02/09/2024 / bin	02/09/2024 / bin	M5799

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57027 / CO, 1000 PPM, 125 ml	091923	09/19/2026	05/31/2024 / bin	02/09/2024 / bin	M5800

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57033 / As, 1000 PPM, 125 ml	111323	11/13/2026	02/09/2024 / bin	02/09/2024 / bin	M5801

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58126 / Fe, 10000 PPM, 500 ml	051523	05/15/2026	02/06/2025 / kareem	01/03/2024 / jaswal	M5811

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57115 / P, 10000 PPM, 125 ml	041723	04/17/2026	05/21/2024 / Jaswal	02/09/2024 / jaswal	M5815

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57116 / S, 10000 PPM, 125 ml	071123	07/11/2026	03/01/2024 / jaswal	02/09/2024 / jaswal	M5817

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	PART A / ICSA (ICPMS) STOCK SOLN	CP-MS ICSA-0803	04/30/2025	04/17/2024 / jaswal	07/14/2022 / jaswal	M5873

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	PART B / ICSB (ICPMS) STOCK SOLUTION	CP-MS ICSB-0803	04/30/2025	04/17/2024 / jaswal	07/14/2022 / jaswal	M5874

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3980-01 / Stannous Chloride (cs/4x500g)	232820	08/31/2028	04/30/2024 / mohan	04/25/2024 / mohan	M5882

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3624-05 / Sodium Chloride, Crystal (cs/4x2.5kg)	0000281938	07/06/2026	04/30/2024 / mohan	04/25/2024 / mohan	M5884

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGTI1-1 / TITANIUM 125mL 1000ug/mL	T2-TI719972	06/17/2027	06/18/2024 / Jaswal	02/22/2024 / Jaswal	M5942

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57028 / Ni, 1000 PPM, 125 ml	041124	04/11/2027	07/02/2024 / Jaswal	06/11/2024 / Jaswal	M5961

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57034 / Se, 1000 PPM, 125 ml	060624	06/06/2027	07/02/2024 / Jaswal	06/14/2024 / Jaswal	M5962

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGMO1-1 / MOLYBDENUM 125mL 1000ug/mL	T2-MO720876	07/17/2027	01/16/2025 / JANVI	02/22/2024 / Jaswal	M5977

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57092 / U, 1000 PPM, 125 ml	060724	06/07/2027	07/29/2024 / Jaswal	06/11/2024 / Jaswal	M5981

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57040 / Zr, 1000 PPM, 125 ml	071423	07/14/2026	07/29/2024 / Jaswal	06/11/2024 / Jaswal	M5983

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	WW-LFS-1 / Laboratory Fortified Stock Solution 1, 125 ml	T2-MEB723367	08/26/2025	02/26/2025 / Eman	05/14/2024 / Jaswal	M6003

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	WW-LFS-2 / Laboratory Fortified Stock Solution 2, 125 ml	U2-MEB731108	09/17/2025	03/17/2025 / Eman	05/14/2024 / Jaswal	M6012

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGSR1-1 / Strontium, 125 ml, 1000 PPM	U2-SR730227	03/03/2028	01/14/2025 / Jaswal	08/05/2024 / Jaswal	M6019

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGU1-1 / Uranium 1000 ug/ml	U2-U735194	04/03/2028	01/15/2025 / Jaswal	08/05/2024 / Jaswal	M6020

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57023 / V, 1000 PPM, 125 ml	062424	06/24/2027	09/28/2024 / jaswal	08/05/2024 / Jaswal	M6021

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57081 / Tl, 1000 PPM, 125 ml	0624724	06/27/2027	08/05/2024 / kareem	08/05/2024 / Jaswal	M6023

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57082 / Pb, 1000 PPM, 125 ml	061224	11/09/2026	08/05/2024 / Jaswal	08/05/2024 / Jaswal	M6025

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57048 / Cd, 1000 PPM, 125 ml	070124	07/01/2027	08/05/2024 / kareem	08/05/2024 / Jaswal	M6028

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57047 / Ag, 1000 PPM, 125 ml	122823	12/28/2026	08/05/2024 / kareem	08/05/2024 / Jaswal	M6030

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57056 / Ba, 1000 PPM, 125 ml	010924	01/09/2027	01/14/2025 / Jaswal	08/05/2024 / Jaswal	M6032

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	IV-STOCK-12 / ICP-MS TUNING SOLUTION, 125mL	U2-MEB734294	06/21/2028	08/21/2024 / Jaswal	08/19/2024 / Jaswal	M6055

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CHEM-QC-4 / CHEM-QC-4, Second Source, 1000 ug/ml, B, Mo, Si, Sn, Ti	V2-MEB746173	01/29/2026	01/29/2025 / JANVI	08/22/2024 / Jaswal	M6058

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57040 / Zr, 1000 PPM, 125 ml	071423	07/14/2026	01/15/2025 / Jaswal	09/30/2024 / Jaswal	M6079

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58120 / Calcium, 500 ml, 10000 PPM	082324	08/23/2027	03/06/2025 / JANVI	10/14/2024 / jaswal	M6086

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	1403 / Hydrogen Peroxide, 30% 1 gal	820803	05/25/2025	11/26/2024 / Eman	11/22/2024 / Eman	M6125

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	06/03/2025	12/03/2024 / Janvi	11/12/2024 / Janvi	M6126

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58112 / Mg, 10000 PPM, 500 ml	112124	11/21/2027	01/13/2025 / kareem	01/13/2025 / kareem	M6127

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58025 / Mn, 1000 PPM, 500 ml	101124	10/11/2027	01/13/2025 / kareem	01/13/2025 / kareem	M6128

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGSI1-1 / SILICON 125mL 1000ug/mL	V2-SI744713	07/10/2029	01/14/2025 / Jaswal	10/03/2024 / Jaswal	M6137

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58111 / Na, 10000 PPM, 500 ml	072424	07/24/2027	01/23/2025 / kareem	01/13/2025 / Jaswal	M6144

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58030 / Zinc, Zn, 500 ml, 1000 PPM	121724	12/17/2027	02/04/2025 /	01/13/2025 / Jaswal	M6145

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57051 / Sb, 1000 PPM, 125 ml	071724	07/17/2027	01/31/2025 / kareem	10/18/2024 / kareem	M6146

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	ICV-1 / ICV (ICP/ICPMS) STOCK SOLN	ICV1-1014	07/07/2025	02/07/2025 / JANVI	04/20/2021 / JANVI	M6150

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	08/18/2025	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Inorganic Ventures	CGSR10 / Strontium (SR), 125mL 10,000ppm	V2-SR754329	02/28/2026	02/28/2025 / JANVI	01/07/2025 / JANVI	M6153

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	57042 / Mo, 1000 PPM, 125 ml	032123	03/21/2026	11/06/2024 / JANVI	06/12/2024 / JANVI	M6156

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9598-34 / Nitric Acid, Instra-Analyzed (cs/4x2.5L)	24D1062002	03/25/2029	03/10/2025 / Eman	02/02/2025 / Sagar	M6158

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	58113 / Al, 10000 PPM, 500 ml	011325	03/18/2026	03/18/2025 / kareem	02/09/2025 / kareem	M6159

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

Certificate of Analysis

ThermoFisher SCIENTIFIC

M5882 M3

Certificate of Analysis

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120633

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	T142	Quality Test / Release Date	08/17/2023
Lot Number	232820		
Description	STANNOUS CHLORIDE, DIHYDRATE CERTIFIED ACS (Suitable for Mercury Determination)		
Country of Origin	United States	Suggested Retest Date	Aug/2028
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear crystals
ASSAY	%	Inclusive Between 98 - 103	100.65
CALCIUM	%	<= 0.005	0.0017
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
IRON (Fe)	%	<= 0.003	0.0011
LEAD (Pb)	%	<= 0.01	0.0006
MERCURY (Hg)	ppm	<= 0.05	<0.05
POTASSIUM (K)	%	<= 0.005	0.0001
SODIUM (Na)	%	<= 0.01	<0.01
SOLUBILITY IN HCL	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	PASS/FAIL	= P.T. (ABOUT 0.003%)	P.T. (ABOUT 0.003%)

Harout Sahagian - Quality Control Supervisor - Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
If there are any questions with this certificate, please call at (800) 227-6701.
*Based on suggested storage condition.

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M6032

R: 8/5/24

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


CERTIFIED WEIGHT REPORT:

Part Number:	**57056**		**Lot #**		
Lot Number:	**010924**	**Solvent:**	24002546	Nitric Acid	
Description:	**Barium (Ba)**				
		2%	40.0 (mL)	Nitric Acid	
Expiration Date:	010927				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**1000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Weight shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty		

Giovanni Esposito

Formulated By:	Giovanni Esposito	010924
Reviewed By:	Pedro L. Rentas	010924

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Barium nitrate (Ba)	IN023	BAD022019A1	1000	99.999	0.10	52.3	3.82417	3.82441	**1000.1**	**2.0**	10022-31-8	0.5 mg/m3	orl-rat 355 mg/kg	3104a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	T	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

Revd 10/14/2024 M6085/M6086/M6087

CERTIFIED WEIGHT REPORT:


Part Number:	**58120**		**Solvent:**	24002546	Nitric Acid
Lot Number:	**082324**				
Description:	**Calcium (Ca)**		2%	80.0	Nitric Acid
Expiration Date:	082327			(mL)	
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**10000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Weight shown below was diluted to (mL):	4000.1	0.15	Flask Uncertainty		

Lot #

Giovanni Esposito

Formulated By:	Giovanni Esposito	082324
Reviewed By:	Pedro L. Rentas	082324

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Calcium carbonate (Ca)	IN014	CAD03203B3	10000	99.999	0.10	39.9	100.2537	100.2656	**10001.2**	**20.0**	471-34-1	5 mg/m3	ori-rat >2000mg/kg	3109a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	T	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	30	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R 8/5/24

M6028

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


CERTIFIED WEIGHT REPORT:

Part Number:	**57048**		**Lot #**		
Lot Number:	**070124**	**Solvent:**	24002546	Nitric Acid	
Description:	**Cadmium (Cd)**	2%	40.0 (mL)	Nitric Acid	
Expiration Date:	070127				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**1000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Weight shown below was diluted to (mL):	2000.07	0.100	Flask Uncertainty		

Aleah O'Brady

Formulated By:	Aleah O'Brady	070124
Reviewed By:	Pedro L. Rentas	070124

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Cadmium nitrate tetrahydrate (Cd)	IN024	CDM092021A1	1000	99.999	0.10	36.5	5.4797	5.4804	**1000.1**	**2.0**	10022-68-1	0.01 mg/m3	orl-rat 60.2mg/kg	3108



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	T	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R : 01/03/24. M5810, M5811

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

Part Number: 58126
Lot Number: 051523
Description: Iron (Fe)


Expiration Date: 051526
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 10000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 5000.1 ± 0.12 Flask Uncertainty

		Lot #	
Solvent:	21110221	Nitric Acid	
	5.0%	250.0 (mL)	Nitric Acid
	5E-05	Balance Uncertainty	

Giovanni Esposito

Formulated By:	Giovanni Esposito	051523
Reviewed By:	Pedro L. Rentas	051523

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Iron (Fe)	IN346	2302010-500	10000	99.995	0.10	100.0	50.0034	50.0111	**10001.5**	**20.0**	7439-89-6	5 mg/m3	orl-rat 7500mg/kg	3126a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.10	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.10	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.05	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.10	Ge	<0.10	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.10
B	<0.02	Cu	<0.10	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R: 8/15/24 M6025

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

Part Number: 57182
Lot Number: 110923
Description: Lead (Pb)

Expiration Date: 110926
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 10000
NIST Test Number: 6UTB


Weight shown below was diluted to (mL): 2000.02 0.058 Flask Uncertainty

		Lot #	
Solvent:	24002546	Nitric Acid	
2%	40.0 (mL)	Nitric Acid	

5E-05 Balance Uncertainty

Formulated By:	Lawence Barry	110923
Reviewed By:	Pedro L. Rentas	110923

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Lead(II) nitrate (Pb)	IN029	PBD122016A1	10000	99.999	0.10	62.5	32.0006	32.0040	**10001.1**	**20.0**	10099-74-8	0.05 mg/m3	intrvns-rat 93 mg/kg	3128



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	T	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES™

Refine your results. Redefine your industry.

Certificate of Analysis

RD:05/14/2024

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01

ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution
Catalog Number:	WW-LFS-1
Lot Number:	T2-MEB723367
Matrix:	5% (v/v) HNO3

Value / Analyte(s):	1 000 µg/mL ea: Potassium,	
	600 µg/mL ea: Phosphorus,	
	300 µg/mL ea: Sodium,	Iron,
	200 µg/mL ea: Magnesium, Cerium, Thallium,	Aluminum, Selenium,
	100 µg/mL ea: Lead,	Calcium,
	80 µg/mL ea: Arsenic,	
	70 µg/mL ea: Mercury,	
	50 µg/mL ea: Nickel,	
	40 µg/mL ea: Chromium,	
	30 µg/mL ea: Copper, Vanadium,	Boron,
	20 µg/mL ea: Zinc, Barium, Cadmium, Manganese,	Strontium, Beryllium, Cobalt, Lithium,
	7.5 µg/mL ea: Silver	

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Aluminum, Al	200.0 ± 0.7 µg/mL	Arsenic, As	80.0 ± 0.7 µg/mL
Barium, Ba	20.00 ± 0.09 µg/mL	Beryllium, Be	20.00 ± 0.13 µg/mL
Boron, B	30.00 ± 0.18 µg/mL	Cadmium, Cd	20.00 ± 0.09 µg/mL
Calcium, Ca	100.0 ± 0.4 µg/mL	Cerium, Ce	200.0 ± 0.8 µg/mL
Chromium, Cr	40.00 ± 0.30 µg/mL	Cobalt, Co	20.00 ± 0.10 µg/mL
Copper, Cu	30.00 ± 0.13 µg/mL	Iron, Fe	300.0 ± 1.3 µg/mL
Lead, Pb	100.0 ± 0.4 µg/mL	Lithium, Li	20.00 ± 0.08 µg/mL
Magnesium, Mg	200.0 ± 0.8 µg/mL	Manganese, Mn	20.00 ± 0.08 µg/mL
Mercury, Hg	70.0 ± 0.3 µg/mL	Nickel, Ni	50.00 ± 0.22 µg/mL
Phosphorus, P	600.0 ± 2.7 µg/mL	Potassium, K	1 000 ± 4 µg/mL
Selenium, Se	200.0 ± 1.3 µg/mL	Silver, Ag	7.50 ± 0.03 µg/mL
Sodium, Na	300.0 ± 1.4 µg/mL	Strontium, Sr	20.01 ± 0.08 µg/mL
Thallium, Tl	200.0 ± 1.4 µg/mL	Vanadium, V	30.00 ± 0.13 µg/mL
Zinc, Zn	20.00 ± 0.09 µg/mL		

Density: 1.034 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Ag	ICP Assay	3151	160729
Ag	Volhard	999c	999c
Ag	Calculated		See Sec. 4.2
Al	ICP Assay	3101a	140903
Al	EDTA	928	928
As	ICP Assay	3103a	100818
B	ICP Assay	3107	190605
Ba	ICP Assay	3104a	140909
Ba	Gravimetric		See Sec. 4.2
Be	ICP Assay	3105a	090514
Ca	ICP Assay	3109a	130213
Ca	EDTA	928	928
Cd	ICP Assay	3108	130116
Cd	EDTA	928	928
Ce	ICP Assay	3110	090504
Ce	EDTA	928	928
Co	ICP Assay	3113	190630
Co	EDTA	928	928
Cr	ICP Assay	3112a	170630
Cu	ICP Assay	3114	121207
Cu	EDTA	928	928
Fe	ICP Assay	3126a	140812
Fe	EDTA	928	928
Hg	ICP Assay	3133	160921
Hg	EDTA	928	928
K	ICP Assay	3141a	140813
K	Gravimetric		See Sec. 4.2
Li	ICP Assay	3129a	100714
Li	Gravimetric		See Sec. 4.2
Mg	ICP Assay	3131a	140110
Mg	EDTA	928	928
Mn	ICP Assay	3132	050429
Mn	EDTA	928	928
Na	ICP Assay	Traceable to 3152A	S2-NA700842
Na	Gravimetric		See Sec. 4.2
Ni	ICP Assay	3136	120619
Ni	EDTA	928	928
P	ICP Assay	3139a	060717
P	Acidimetric	84L	84L
Pb	ICP Assay	3128	101026
Pb	EDTA	928	928
Se	ICP Assay	3149	100901
Sr	EDTA	928	928
Sr	ICP Assay	Traceable to 3153a	K2-SR650985
Tl	ICP Assay	3158	151215
V	IC Assay	3165	160906
V	EDTA	928	928
Zn	ICP Assay	3168a	120629
Zn	EDTA	928	928

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Low Silver Note: This solution contains "LOW" levels of Silver. Please store this entire bottle inside a sealed glass jar.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

August 30, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **August 30, 2026**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



INORGANIC VENTURES

Refine your results. Redefine your industry.

Certificate of Analysis

RD:05/14/2024

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 863.01 ACCREDITED Reference Material Producer Certificate 863.02

2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution
Catalog Number:	WW-LFS-2
Lot Number:	U2-MEB731108
Matrix:	5% (v/v) HNO3 tr. HF
Value / Analyte(s):	200 µg/mL ea: Silica, 80 µg/mL ea: Antimony, 70 µg/mL ea: Tin, 40 µg/mL ea: Molybdenum, 20 µg/mL ea: Titanium

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Antimony, Sb	80.1 ± 0.6 µg/mL	Molybdenum, Mo	40.03 ± 0.18 µg/mL
Silica, SiO2	200.2 ± 1.3 µg/mL	Tin, Sn	70.0 ± 0.4 µg/mL
Titanium, Ti	20.01 ± 0.13 µg/mL		

Density: 1.025 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Mo	ICP Assay	3134	130418
Mo	Calculated		See Sec. 4.2
Sb	ICP Assay	3102a	140911
SiO2	ICP Assay	3150	130912
Sn	ICP Assay	3161a	140917
Ti	ICP Assay	3162a	130925
Ti	Calculated		See Sec. 4.2

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\ (u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\ (u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\ (u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\ (u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

March 17, 2023

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- March 17, 2028

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



M4371

Hydroxylamine Hydrochloride, Crystal
BAKER ANALYZED® A.C.S. Reagent
Suitable for Mercury Determination
(hydroxylammonium chloride)

Rec – 06.07.19

J.T.Baker® | avantor™

Material No.: 2196-01
Batch No.: 0000215387
Manufactured Date: 2018/06/27
Retest Date: 2025/06/25
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ($NH_2OH \cdot HCl$) (by $KMnO_4$ titrn)	>= 96.0 %	99.1
Clarity of Alcohol Solution	Passes Test	PT
Residue after Ignition	<= 0.050 %	0.017
Titrable Free Acid (meq/g)	<= 0.25	0.19
Ammonium (NH_4)	Passes Test	PT
Sulfur Compounds (as SO_4)	<= 0.005 %	< 0.003
Trace Impurities - ACS - Heavy Metals (as Pb)	<= 5 ppm	4
Trace Impurities - Iron (Fe)	<= 5 ppm	< 3
Trace Impurities - Mercury (Hg)	<= 0.050 ppm	< 0.005

For Laboratory, Research or Manufacturing Use

Country of Origin: CN
Packaging Site: Paris Mfg Ctr & DC

ISO
Phillipsburg, NJ 9001:2015, FSSC22000
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Gliwice, Poland 9001:2015, 13485:2012
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2015, 17025:2005
Panoli, India 9001:2015

James Ethier
Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

M45 P3
Expd Dt. 5 7 24
MB

SAINT-GOBAIN

Manufacturer:
Saint-Gobain Performance Plastics
11 Sicho Drive
Poestenkill, NY 12140

Certificate of Conformance

Part Number/ Revision:	D1069103 0	**Customer Part Number/ Revision:**	1069103 N/A
Description:	*PTFE BOILING STONES-450 GRAMS		
Lot Number:	26275770	**Lot Quantity:**	10 EA
Date of Manufacture (MM/DD/YY)	03/23/20	**Expiration Date: (MM/DD/YY)**	N/A
Post Processing Run Number: (Refer to the attached Certificate for Additional Detail)		N/A	

We certify the material listed above confirms in full with the following specifications:

All items have been manufactured, inspected, tested, and accepted in accordance with our Quality Management system, ISO 9001-2015. Documentation substantiating this certification is kept on record per the Company's retention policy and is available for review.
All materials and processes used in manufacturing conform to the materials and/or manufacturing specifications and notes indicated on the purchase order, drawing, specifications, quality assurance requirements, or other applicable documents effective on the date of manufacture.
Saint-Gobain does not warrant the product for any particular application and it is the responsibility of the user to conduct tests that are deemed necessary to determine the suitability of the product for any particular use. Saint-Gobain's sole responsibility shall be for failure to manufacture the product in accordance with specifications and requirements of the buyer, and from defects in material and workmanship. This warranty is expressly made in lieu of any and all other warranties and Saint-Gobain's sole liability shall be to replace any product not in conformance with the specification and requirements of the buyer.

Quality Approval:	Jonathan Kimble	**Date:**	05/13/20

ThermoFisher SCIENTIFIC

M4913-16

MB

Certificate of Analysis

1 Reagent Lane
Fair Lawn, NJ 07410
201.796.7100 tel
201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P279	Quality Test / Release Date	01/12/2021
Lot Number	210306		
Description	POTASSIUM PERMANGANATE, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Jan/2026

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Dark purple to purple green crystals
ASSAY	%	>= 99	99.3
CHLORIDE & CHLORATE	%	<= 0.005	<0.005
IDENTIFICATION	PASS/FAIL	= PASS TEST	pass test
INSOLUBLE MATTER	%	<= 0.2	<0.2
MERCURY (Hg)	ppm	<= 0.05	<0.004
SULFATE (SO4)	%	<= 0.02	<0.02

Julian Burton

Julian Burton - Quality Control Manager – Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
If there are any questions with this certificate, please call at (800) 227-6701.
*Based on suggested storage condition.

INORGANIC VENTURES
Refine your results. Redefine your industry.

Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

M5062
M5063
M3

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Single Analyte Mass Spec Solution
Catalog Number:	MSHG-10PPM
Lot Number:	S2-HG709270
Matrix:	10% (v/v) HCl
Value / Analyte(s):	10 µg/mL ea: Mercury
Starting Material:	Hg metal
Starting Material Lot#:	1959
Starting Material Purity:	99.9994%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 10.001 ± 0.053 µg/mL

Density: 1.020 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Hg	ICP Assay	3133	160921
Hg	EDTA	928	928
Hg	Calculated		See Sec. 4.2

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance.

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

O	Ag		0.000011	M	Eu	<	0.000201	O	Na		0.000004	M	Se	<	0.015915	O	Zn	<	0.001510
O	Al		0.000001	O	Fe		0.000001	M	Nb	<	0.000201	O	Si		0.000005	M	Zr	<	0.000201
M	As	<	0.000402	M	Ga	<	0.000201	M	Nd	<	0.000201	M	Sm	<	0.000201				
M	Au	<	0.003631	M	Gd	<	0.000201	M	Ni	<	0.000402	M	Sn	<	0.001007				
M	B	<	0.001208	M	Ge	<	0.000201	M	Os	<	0.000605	M	Sr	<	0.000201				
M	Ba	<	0.000201	M	Hf	<	0.000201	O	P	<	0.032370	M	Ta	<	0.000201				
M	Be	<	0.000201	s	Hg	<		M	Pb	<	0.000201	M	Tb	<	0.000201				
M	Bi	<	0.000201	M	Ho	<	0.000201	M	Pd	<	0.000403	M	Te	<	0.002216				
O	Ca		0.000007	M	In	<	0.000201	M	Pr	<	0.000201	M	Th	<	0.000201				
M	Cd	<	0.000201	M	Ir	<	0.000201	M	Pt	<	0.000402	M	Ti	<	0.000402				
M	Ce	<	0.000201	O	K		0.000020	M	Rb	<	0.000201	O	Tl	<	0.016508				
M	Co	<	0.000201	M	La	<	0.000201	M	Re	<	0.000201	M	Tm	<	0.000201				
O	Cr	<	0.003021	O	Li	<	0.000107	M	Rh	<	0.000201	M	U	<	0.008058				
M	Cs	<	0.001208	M	Lu	<	0.000201	M	Ru	<	0.000201	M	V	<	0.000201				
M	Cu	<	0.000402	O	Mg		0.000001	O	S	<	0.053950	M	W	<	0.000604				
M	Dy	<	0.000201	M	Mn	<	0.000604	M	Sb	<	0.001208	M	Y	<	0.000201				
M	Er	<	0.000201	M	Mo		0.000009	M	Sc	<	0.000201	M	Yb	<	0.000201				

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 200.59 +2 4 Hg(OH)(aq) 1+

Chemical Compatibility - Stable in HNO_3. Avoid basic media forming insoluble carbonate. The sulfide, basic carbonate, oxalate, phosphate, arsenite, arsenate and iodide are insoluble in water.

Stability - 2-100 ppb levels not stable in 1% HNO_3 / LDPE container, stable in 10% HNO_3 packaged in borosilicate glass. 1-100 ppm levels stable in 7% HNO_3 packaged in borosilicate glass. 1000-10,000 ppm solutions are chemically stable for years in 5-10% HNO_3 / LDPE container.

Hg Containing Samples (Preparation and Solution) - Metal (soluble in HNO_3); Oxide (Soluble in HNO_3); Ores and Organic based (The literature has more references to the preparation of Hg containing samples than any other element. Please consult the literature for your specific sample type, since such preparations are prone to error. Or e-mail our technical staff and we will contact you to discuss your particular sample preparation questions in further detail.).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	**Estimated D.L.**	**Order**	**Interferences** (underlined indicates severe)
ICP-MS 202 amu	9 ppt	n/a	186W16O
ICP-OES 184.950 nm	0.03 / 0.005 µg/mL	1	
ICP-OES 194.227 nm	0.03 / 0.005 µg/mL	1	V
ICP-OES 253.652 nm	0.1 / 0.03 µg/mL	1	Ta, Co, Th ,Rh , Fe, U

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

September 22, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- September 22, 2026

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Supervisor, Product Documentation



Certificate Approved By:

Michael Booth
Director, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



INORGANIC VENTURES™
Refine your results. Redefine your industry.

Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution
Catalog Number:	6020CAL-1
Lot Number:	S2-MEB711244
Matrix:	5% (v/v) HNO3 tr. HF
Value / Analyte(s):	20 µg/mL ea:

Silver,	Aluminum,
Arsenic,	Barium,
Beryllium,	Calcium,
Cadmium,	Cobalt,
Chromium,	Copper,
Iron,	Potassium,
Magnesium,	Manganese,
Sodium,	Nickel,
Lead,	Antimony,
Selenium,	Thallium,
Vanadium,	Zinc

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Aluminum, Al	**20.01 ± 0.08 µg/mL**	**Antimony, Sb**	**20.01 ± 0.12 µg/mL**
Arsenic, As	**20.01 ± 0.18 µg/mL**	**Barium, Ba**	**20.01 ± 0.11 µg/mL**
Beryllium, Be	**20.01 ± 0.14 µg/mL**	**Cadmium, Cd**	**20.01 ± 0.11 µg/mL**
Calcium, Ca	**20.01 ± 0.10 µg/mL**	**Chromium, Cr**	**20.01 ± 0.16 µg/mL**
Cobalt, Co	**20.01 ± 0.11 µg/mL**	**Copper, Cu**	**20.01 ± 0.10 µg/mL**
Iron, Fe	**20.01 ± 0.09 µg/mL**	**Lead, Pb**	**20.01 ± 0.11 µg/mL**
Magnesium, Mg	**19.99 ± 0.10 µg/mL**	**Manganese, Mn**	**20.01 ± 0.10 µg/mL**
Nickel, Ni	**20.01 ± 0.11 µg/mL**	**Potassium, K**	**20.01 ± 0.10 µg/mL**
Selenium, Se	**20.02 ± 0.14 µg/mL**	**Silver, Ag**	**20.02 ± 0.09 µg/mL**
Sodium, Na	**20.01 ± 0.10 µg/mL**	**Thallium, Tl**	**20.01 ± 0.13 µg/mL**
Vanadium, V	**20.01 ± 0.11 µg/mL**	**Zinc, Zn**	**20.01 ± 0.11 µg/mL**

Density: 1.026 g/mL (measured at 20 ± 4 ºC)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Ag	ICP Assay	3151	160729
Ag	Volhard	999c	999c
Al	ICP Assay	3101a	140903
Al	EDTA	928	928
As	ICP Assay	3103a	100818
Ba	ICP Assay	3104a	140909
Ba	Gravimetric		See Sec. 4.2
Be	ICP Assay	3105a	090514
Ca	ICP Assay	3109a	130213
Ca	EDTA	928	928
Cd	ICP Assay	3108	130116
Cd	EDTA	928	928
Co	ICP Assay	3113	190630
Co	EDTA	928	928
Cr	ICP Assay	3112a	170630
Cu	ICP Assay	3114	121207
Cu	EDTA	928	928
Fe	ICP Assay	3126a	140812
Fe	EDTA	928	928
Fe	Calculated		See Sec. 4.2
K	ICP Assay	3141a	140813
K	Gravimetric		See Sec. 4.2
Mg	ICP Assay	3131a	140110
Mg	EDTA	928	928
Mn	ICP Assay	3132	050429
Mn	EDTA	928	928
Na	ICP Assay	3152a	120715
Na	Gravimetric		See Sec. 4.2
Ni	ICP Assay	3136	120619
Ni	EDTA	928	928
Pb	ICP Assay	3128	101026
Pb	EDTA	928	928
Se	ICP Assay	3149	100901
Se	Calculated		See Sec. 4.2
Tl	ICP Assay	3158	151215
Tl	Calculated		See Sec. 4.2
V	ICP Assay	3165	160906
V	EDTA	928	928
Zn	ICP Assay	3168a	120629
Zn	EDTA	928	928

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

HF Note: This standard should not be prepared or stored in glass.

Low Silver Note: This solution contains “LOW” levels of Silver. Please store this entire bottle inside a sealed glass jar.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

October 20, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **October 20, 2026**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Michael Booth
Director, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M519. M520 (BH) R:03/17/23

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

Part Number: 58119
Lot Number: 120822
Description: Potassium (K)

Expiration Date: 120825
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 10000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 3000.4


Lot #		
Solvent: 20510011		Nitric Acid
2%	60.0 (mL)	Nitric Acid

5E-05 Balance Uncertainty
0.06 Flask Uncertainty

Giovanni Esposito

Formulated By:	Giovanni Esposito	120822
Reviewed By:	Pedro L. Rentas	120822

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Potassium nitrate (K)	IN034	KD022021A1	10000	99.999	0.10	37.6	79.7990	79.8075	**10001.1**	**20.0**	7757-79-1	5 mg/m3	orl-rat 3015 mg/kg	3141a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	T	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M519. M520 (BH) R:03/17/23

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

Part Number: 58119
Lot Number: 120822
Description: Potassium (K)

Expiration Date: 120825
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 10000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 3000.4


Lot #		
Solvent: 20510011		Nitric Acid
2%	60.0 (mL)	Nitric Acid

5E-05 Balance Uncertainty
0.06 Flask Uncertainty

Giovanni Esposito

Formulated By:	Giovanni Esposito	120822
Reviewed By:	Pedro L. Rentas	120822

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Potassium nitrate (K)	IN034	KD022021A1	10000	99.999	0.10	37.6	79.7990	79.8075	**10001.1**	**20.0**	7757-79-1	5 mg/m3	orl-rat 3015 mg/kg	3141a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	T	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

QATS LABORATORY INORGANIC REFERENCE MATERIAL INITIAL CALIBRATION VERIFICATION SOLUTIONS (ICV1, ICV5, AND ICV6)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.

MSS28-37
MB

Contains Metals in Dilute Acidic or Cyanide in Basic Aqueous Solutions
HAZARDOUS MATERIAL

Safety Data Sheets Available Upon Request

(A) *SAMPLE DESCRIPTION*

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. **For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.**

(B) *BREAKAGE OR MISSING ITEMS*

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) *ANALYSIS OF SAMPLES*

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in µg/L (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

ICV1-1014 For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid.

The Quality Assurance Technical Support (QATS) contract is operated by APTIM Federal Services, LLC.

Instructions for QATS Reference Material: *Inorganic ICV Solutions*

ICV1-1014 For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

ICV5-0415 For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) $K_2Cr_2O_7$ and 5% (v/v) nitric acid.

ICV6-0400 For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from $K_3Fe(CN)_6$, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) *CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS*

ICV1-1014		
Element	**Concentration (µg/L) (after 10-fold dilution)**	**Concentration (µg/L) (after 50-fold dilution)**
Al	2500	500
Sb	1000	200
As	1000	200
Ba	520	100
Be	510	100
Cd	510	100
Ca	10000	2000
Cr	520	100
Co	520	100
Cu	510	100
Fe	10000	2000
Pb	1000	200
Mg	6000	1200
Mn	520	100
Ni	530	110
K	9900	2000
Se	1000	200
Ag	250	50
Na	10000	2000
Tl	1000	210
V	500	100
Zn	1000	200

ICV5-0415		ICV6-0400	
Element	**Concentration (µg/L) (after 100-fold dilution)**	**Analyte**	**Concentration (µg/L) (after 100-fold dilution)**
Hg	4.0	**CN^-**	99

RD: 06/12/2023, M5581, M5582, M5583, M5584, M5585

JENSEN INERT PRODUCTS

MATERIAL CERTIFICATE OF COMPLIANCE

DATE: JUNE 12, 2023

CUSTOMER:	PCI SCIENTIFIC SUPPLY, INC
PURCHASE ORDER NO.	6054931
CATALOG NO.	BOI5021-450L
PRODUCT DESCRIPTION:	BOILING STONES, TFE, 454GMS
QUANTITY:	10 EACH
LOT NO.	W126678
SPECIFICATION (S):	Made from Virgin PTFE Resin

We certify that we have complied with the terms and conditions of the above Purchase Order and the Part Specifications in the manufacturing of the above product.

Laura Valencia

Laura Valencia
Quality Assurance Inspector

F:U:J:CF:PCISCI:COC-68118-BOI5021-061223

3773 NW 126th Avenue • Coral Springs, Florida 33065 • Fax (954) 344-2008 • 1-800 446-3781
Email: jensen@jenseninert.com Visit our Web Site at www.jenseninert.com

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M5658 R ! 8/25/23


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**58024**	21110221	Nitric Acid	
Lot Number:	**060523**			
Description:	**Chromium (Cr)**			
		2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	060526			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty	

Formulated By:	Lawrence Barry	060523
Reviewed By:	Pedro L. Rentas	060523

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Chromium(III) nitrate nonahydrate (Cr)	58124	071122	0.1000	200.0	0.084	1000	10000.1	**1000.0**	**2.2**	7789-02-8	0.5 mg(Cr)/m3	orl-rat 3250 mg/kg	3112a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	T	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R: 8/25/23 M5751


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**58029**	21110221	Nitric Acid	
Lot Number:	**071723**			
Description:	**Copper (Cu)**			
		2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	071726			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty	

Formulated By:	Benson Chan	071723
Reviewed By:	Pedro L. Rentas	071723

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Copper(II) nitrate trihydrate (Cu)	58129	022723	0.1000	200.0	0.084	1000	10000.5	**1000.0**	**2.2**	10031-43-3	1 mg/m3	orl-rat 794 mg/kg	3114



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	T	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R: 02/09/24 M5798


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**57004**	24002546	Nitric Acid	
Lot Number:	**102523**			
Description:	**Beryllium (Be)**	2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	102526			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty	

Formulated By:	Benson Chan	102523
Reviewed By:	Pedro L. Rentas	102523

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Beryllium nitrate (Be)	58104	091423	0.1000	200.0	0.084	1000	10001.5	**1000.0**	**2.2**	13597-99-4	0.2ug/m3	intrvns-rat 3.16mg/kg	NA



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	T	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R? 02/09/24 IV15799

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

Part Number: 57050
Lot Number: 071123
Description: Tin (Sn)


Expiration Date: 071126
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 1000
NIST Test Number: 6UTB
Weight shown below was diluted to (mL): 499.93

	Lot #	
Solvents:	21110221	Nitric Acid
	22D0562008	Hydrochloric acid
2%	10.0	Nitric Acid
6%	30.0	Hydrochloric acid
	(mL)	

5E-05 Balance Uncertainty
0.058 Flask Uncertainty

Formulated By:	Benson Chan	071123
Reviewed By:	Pedro L. Rentas	071123

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Ammonium hexafluorostannate(IV) (Sn)	IN010	SND042023A1	1000	99.999	0.10	44.2	1.13107	1.13286	**1001.6**	**2.0**	16919-24-7	7 mg/m3	NA	3161a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<500	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	T	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R: 02/09/24 IM5800 BH


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:		
Part Number:	**57027**	24002546	Nitric Acid		
Lot Number:	**091923**				
Description:	**Cobalt (Co)**	2.0%	40.0 (mL)	Nitric Acid	
Expiration Date:	091926				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**1000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Volume shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty		

Formulated By:	Lawrence Barry	091923
Reviewed By:	Pedro L. Rentas	091923

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Cobalt(II) nitrate hexahydrate (Co)	58127	050923	0.1000	200.0	0.084	1000	10000.0	**1000.0**	**2.2**	10026-22-9	0.02 mg/m3	orl-rat 691 mg/kg	3113



Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	T	Gé	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R: 02/09/24 IM5801 BH


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED **WEIGHT** REPORT:

		Lot #	Solvent:		
Part Number:	**57033**	24002546	Nitric Acid		
Lot Number:	**111323**				
Description:	**Arsenic (As)**	2.0%	80.0 (mL)	Nitric Acid	
Expiration Date:	111326				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**1000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Volume shown below was diluted to (mL):	4000.0	0.06	Flask Uncertainty		

Formulated By:	Lawrence Barry	111323
Reviewed By:	Pedro L. Rentas	111323

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Arsenic (As)	58133	020522	0.1000	400.0	0.084	1000	10001.0	**1000.0**	**2.0**	7440-38-2	0.5 mg/m3	orl-rat 500 mg/kg	3103a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	T	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge*	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R1 02/09/24. M58165


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

			Lot #	
Part Number:	**57115**	**Solvent:**	21110221	Nitric Acid
Lot Number:	**041723**			
Description:	**Phosphorous (P)**	2%	40.0 (mL)	Nitric Acid
Expiration Date:	041726			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**10000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Weight shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty	

Formulated By:	Lawrence Barry	041723
Reviewed By:	Pedro L. Rentas	041723

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Ammonium dihydrogen phosphate (P)	IN008	PV082019A1	10000	99.999	0.10	27.5	72.7287	72.7289	**10000.0**	**20.0**	7722-76-1	5 mg/m3	orl-rat >2000mg/kg	3186



Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	T	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R: 02/09/24 M5817

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:


Part Number: 57116
Lot Number: 071123
Description: Sulfur (S)

Lot #
Solvent: 071123 ASTM Type 1 Water

Expiration Date: 071126
Recommended Storage: Ambient (20 °C)
Nominal Concentration (µg/mL): 10000
NIST Test Number: 6UTB 5E-05 Balance Uncertainty
Weight shown below was diluted to (mL): 1999.48 0.058 Flask Uncertainty

Formulated By:	Lawrence Barry	071123
Reviewed By:	Pedro L. Rentas	071123

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Ammonium sulfate (S)	IN117	SLBR7225V	10000	99.9	0.10	24.3	82.4675	82.4682	**10000.1**	**20.0**	7783-20-2	NA	orl-rat 4250mg/kg	3181



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	T	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Sodium Chloride, Crystal
BAKER ANALYZED® A.C.S. Reagent

MT884
MB

avantor™ | J.T.Baker®

Material No.: 3624-01
Batch No.: 0000281938
Manufactured Date: 2021-06-07
Retest Date: 2026-06-07
Revision No.: 1

Certificate of Analysis

Test	Specification	Result
Assay (NaCl) (by Ag titrn)	≥ 99.0 %	100.0 %
pH of 5% Solution at 25°C	5.0 - 9.0	6.3
Insoluble Matter	≤ 0.005 %	0.003 %
Iodide (I)	≤ 0.002 %	< 0.002 %
Bromide (Br)	≤ 0.01 %	< 0.01 %
Chlorate and Nitrate (as NO_3)	≤ 0.003 %	< 0.001 %
ACS - Phosphate (PO_4)	≤ 5 ppm	< 5 ppm
Sulfate (SO_4)	≤ 0.004 %	< 0.004 %
Barium (Ba)	Passes Test	Passes Test
ACS - Heavy Metals (as Pb)	≤ 5 ppm	< 5 ppm
Iron (Fe)	≤ 2 ppm	< 1 ppm
Calcium (Ca)	≤ 0.002 %	< 0.001 %
Magnesium (Mg)	≤ 0.001 %	< 0.001 %
Potassium (K)	≤ 0.005 %	0.001 %

For Laboratory,Research,or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs
Country of Origin: USA
Packaging Site: Paris Mfg Ctr & DC

James T Ethier

Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Mansford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700

INORGANIC VENTURES™
Refine your results. Redefine your industry.

Certificate of Analysis

R: 02/22/24 M5942

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Single Analyte Custom Grade Solution
Catalog Number:	CGTI1
Lot Number:	T2-TI719972
Matrix:	2% (v/v) HNO3 tr. HF
Value / Analyte(s):	1 000 µg/mL ea: Titanium
Starting Material:	Ti Metal
Starting Material Lot#:	2094
Starting Material Purity:	99.9975%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 1002 ± 5 µg/mL

Density: 1.012 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1 **1002 ± 4 µg/mL**
ICP Assay NIST SRM 3162a Lot Number: 130925

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\ (u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\ (u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.000536	M	Eu	<	0.000268	O	Na	<	0.032670	M	Se		0.001204	O	Zn	<	0.003267
O	Al		0.000872	O	Fe		0.003225	O	Nb	<	0.043560	O	Si		0.004735	O	Zr	<	0.043560
M	As	<	0.008586	M	Ga	<	0.000268	M	Nd	<	0.000268	M	Sm	<	0.000268				
M	Au	<	0.004577	M	Gd	<	0.000268	O	Ni	<	0.010890	M	Sn		0.000096				
O	B	<	0.008929	M	Ge	<	0.002146	M	Os	<	0.000269	O	Sr		0.000096				
M	Ba	<	0.002683	M	Hf		0.002161	O	P	<	0.054450	M	Ta		0.010560				
M	Be	<	0.005366	M	Hg	<	0.003231	M	Pb	<	0.001073	M	Tb	<	0.000268				
M	Bi	<	0.001609	M	Ho	<	0.000268	M	Pd	<	0.000268	M	Te	<	0.001341				
O	Ca		0.000676	M	In	<	0.002683	M	Pr	<	0.000268	M	Th	<	0.053663				
M	Cd	<	0.000268	M	Ir	<	0.000269	M	Pt	<	0.000536	s	Ti	<					
M	Ce	<	0.000268	M	K		0.001172	M	Rb	<	0.000268	M	Tl	<	0.000268				
M	Co	<	0.004293	M	La	<	0.000268	M	Re	<	0.000268	M	Tm	<	0.000268				
M	Cr		0.000752	O	Li	<	0.027225	M	Rh	<	0.000268	M	U	<	0.000268				
M	Cs	<	0.000268	M	Lu	<	0.000268	M	Ru	<	0.000269	M	V	<	0.019855				
O	Cu	<	0.010890	O	Mg	<	0.005445	i	S	<		M	W		0.000473				
M	Dy	<	0.000268	O	Mn	<	0.003267	M	Sb	<	0.006976	M	Y	<	0.002146				
M	Er	<	0.000268	M	Mo		0.000774	O	Sc	<	0.004900	M	Yb	<	0.000536				

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 47.87 +4 6 Ti(F)6-2

Chemical Compatibility - Soluble in concentrated HCl, HF, H3PO4 H2SO4 and HNO3. Avoid neutral to basic media. Unstable at ppm levels with metals that would pull F- away (i.e. Do not mix with Alkaline or Rare Earths or high levels of transition elements unless they are fluorinated). Stable with most inorganic anions with a tendency to hydrolyze forming the hydrated oxide in all dilute acids except HF.

Stability - 2-100 ppb levels stable (Alone or mixed with all other metals) as the Ti(F)6-2 for months in 1% HNO3 / LDPE container. 1-10,000 ppm single element solutions as the Ti(F)6-2 chemically stable for years in 2-5% HNO3 / trace HF in an LDPE container.

Ti Containing Samples (Preparation and Solution) - Metal (Soluble in H2O / HF caution -powder reacts violently); Oxide - low temperature history anatase or rutile (Dissolved by heating in 1:1:1 H2O / HF / H2SO4); Oxide - high temperature history (~800EC) brookite (fuse in Pt0 with K2S2O7); Ores (fuse in Pt0 with KF + K2S2O7 - no KF if silica not present); Organic Matrices (Dry ash at 450EC in Pt0 and dissolve by heating with 1:1:1 H2O / HF / H2SO4 or fuse ash with pyrosulfate if oxide is as plastic pigment and likely in brookite crystalline form).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	**Estimated D.L.**	**Order**	**Interferences** (underlined indicates severe)
ICP-MS 48 amu	14 ppt	N/A	32S16O, 32S14N, 14N16O18O, 14N17N2, 36Ar12C, 48Ca, [96X=2 (where X = Zr, Mo, Ru)]
ICP-OES 323.452 nm	0.0054 / 0.00092 µg/mL	1	Ce, Ar, Ni
ICP-OES 334.941 nm	0.0038 / 0.000028 µg/mL	1	Nb, Ta, Cr, U
ICP-OES 336.121 nm	0.0053 / 0.000034 µg/mL	1	W, Mo, Co

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

June 17, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **June 17, 2027**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M5961 R: 6/11/24


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

			Lot #	
Part Number:	**57028**	**Solvent:**	24002546	Nitric Acid
Lot Number:	**041124**			
Description:	**Nickel (Ni)**			
		2%	5.0 (mL)	Nitric Acid
Expiration Date:	041127			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Weight shown below was diluted to (mL):	249.85	0.002	Flask Uncertainty	

Formulated By:	Brian Geddes	041124
Reviewed By:	Pedro L. Rentas	041124

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Nickel(II) nitrate hexahydrate (Ni)	IN033	NIM052023A1	1000	99.999	0.10	20.2	1.2369	1.2369	**1000.0**	**2.0**	13478-00-7	1 mg/m3	orl-rat 1620 mg/kg	3136



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	T	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M5962 R! 06/14/24.


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**57034**	24002546	Nitric Acid	
Lot Number:	**060624**			
Description:	**Selenium (Se)**			
		2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	060627			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.07	0.100	Flask Uncertainty	

Formulated By:	Benson Chan	060624
Reviewed By:	Pedro L. Rentas	060624

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Selenium (Se)	58134	071223	0.1000	200.0	0.084	1000	10002.5	**1000.0**	**2.2**	7782-49-2	0.2 mg/m3	orl-rat 6700 mg/kg	3149



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																		
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	T	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES
Refine your results. Redefine your industry.

Certificate of Analysis

M5976, M5977
R: 02/22/24

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Single Analyte Custom Grade Solution
Catalog Number:	CGMO1
Lot Number:	T2-MO720876
Matrix:	H2O tr. NH4OH
Value / Analyte(s):	1 000 µg/mL ea: Molybdenum
Starting Material:	Ammonium Molybdate
Starting Material Lot#:	2361
Starting Material Purity:	99.9893%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 998 ± 7 µg/mL

Density: 1.000 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1 **998 ± 4 µg/mL**
ICP Assay NIST SRM 3134 Lot Number: 130418

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance.

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.000590	M	Eu	<	0.000300	M	Na		0.000879	M	Se	<	0.008000	M	Zn		0.000598
M	Al		0.000563	M	Fe	<	0.006500	M	Nb	<	0.029000	i	Si	<		M	Zr	<	0.001800
M	As	<	0.002100	M	Ga	<	0.000300	i	Nd	<		M	Sm	<	0.000300				
M	Au	<	0.000300	M	Gd	<	0.000300	M	Ni	<	0.008000	M	Sn	<	0.008900				
M	B	<	0.003300	M	Ge	<	0.000300	M	Os	<	0.000590	M	Sr		0.000175				
M	Ba		0.001689	M	Hf	<	0.001800	i	P	<		M	Ta	<	0.004200				
M	Be	<	0.000890	M	Hg	<	0.003300	M	Pb	<	0.000300	M	Tb	<	0.000300				
M	Bi	<	0.000890	M	Ho	<	0.000300	M	Pd	<	0.001800	M	Te	<	0.021000				
O	Ca		0.006334	M	In	<	0.032000	M	Pr	<	0.013000	M	Th	<	0.000300				
O	Cd	<	0.026000	M	Ir	<	0.000300	M	Pt	<	0.000300	O	Tl	<	0.032000				
M	Ce	<	0.008300	M	K		0.130213	M	Rb		0.004575	M	Tl		0.001266				
M	Co		0.000598	M	La	<	0.000300	M	Re	<	0.000300	M	Tm	<	0.000300				
M	Cr		0.000527	O	Li		0.000059	M	Rh	<	0.000300	M	U	<	0.005300				
M	Cs		0.000527	M	Lu	<	0.000300	M	Ru	<	0.079000	M	V	<	0.000890				
M	Cu		0.002252	M	Mg		0.000563	i	S	<		M	W		0.087982				
M	Dy	<	0.000300	M	Mn	<	0.005900	M	Sb		0.001513	M	Y	<	0.000300				
M	Er	<	0.000300	s	Mo	<		M	Sc	<	0.001200	M	Yb	<	0.000300				

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 95.94 +6 6,7,8,9 [MoO4]-2(chemical form as received)

Chemical Compatibility -Mo is received in a NH4OH matrix giving the operator the option of using HCl or HF to stabilize acidic solutions. The [MoO4]-2 is soluble in concentrated HCl [MoOCl5]-2, dilute HF / HNO3 [MoOF5]-2 and basic media [MoO4]-2. Stable at ppm levels with some metals provided it is fluorinated. Do not mix with Alkaline or Rare Earths when HF is present. Stable with most inorganic anions provided it is in the [MoO4]-2 chemical form.

Stability - 2-100 ppb levels stable (alone or mixed with all other metals that are at comparable levels) as the [MoOF5]-2 for months in 1% HNO3 / LDPE container. 1-10,000 ppm single element solutions as the [MoO4]-2 chemically stable for years in 1% NH4OH in a LDPE container.

Mo Containing Samples (Preparation and Solution) -Metal (Soluble in HF / HNO3 or hot dilute HCl); Oxide (soluble in HF or NH4OH) ; Organic Matrices (Dry ash at 450EC in Pt0 and dissolve oxide with HF or HCl).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	**Estimated D.L.**	**Order**	**Interferences** (underlined indicates severe)
ICP-MS 95 amu	3 ppt	n/a	40Ar39K16O,79Br1 6O,190Os2+,190Pt 2+
ICP-OES 202.030 nm	0.008 / 0.0002 µg/mL	1	Os, Hf
ICP-OES 203.844 nm	0.012 / 0.002 µg/mL	1	
ICP-OES 204.598 nm	0.012 / 0.001 µg/mL	1	Ir, Ta

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

July 17, 2022

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- July 17, 2027

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Supervisor, Product Documentation



Certificate Approved By:

Michael Booth
Director, Technical



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

H5981 R:6/11/24

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	57092	24002546	Nitric Acid	
Lot Number:	060724			
Description:	Uranium (U)	2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	060727			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	1000			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.07	0.100	Flask Uncertainty	


Giovanni Esposito

Formulated By:	Giovanni Esposito	060724

Pedro Rentas

Reviewed By:	Pedro L. Rentas	060724

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Uranyl nitrate hexahydrate (U)	58192	041524	0.1000	200.0	0.084	1000	10001.5	**1000.0**	**2.2**	13520-83-7	0.05 mg/m3	orl-rat 1040 mg/kg	3164



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	T
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M5983 R: 6/11/24


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**57040**	21110221	Nitric Acid	
Lot Number:	**071423**			
Description:	**Zirconium (Zr)**			
		2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	071426			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty	

Formulated By:	Benson Chan	071423
Reviewed By:	Pedro L. Rentas	071423

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Zirconyl chloride octahydrate (Zr)	58140	070621	0.1000	200.0	0.084	1000	10000.3	**1000.0**	**2.2**	13520-92-8	NA	NA	NA



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	T

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES™
Refine your results. Redefine your industry.

Certificate of Analysis

R 8/19/24, M60055

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution
Catalog Number:	IV-STOCK-12
Lot Number:	U2-MEB734294
Matrix:	5% (v/v) HNO3
Value / Analyte(s):	10 µg/mL ea:

Barium, Beryllium,
Bismuth, Cerium,
Cobalt, Indium,
Lithium, Nickel,
Lead, Uranium

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Barium, Ba	10.01 ± 0.04 µg/mL	Beryllium, Be	10.01 ± 0.05 µg/mL
Bismuth, Bi	10.01 ± 0.06 µg/mL	Cerium, Ce	10.01 ± 0.04 µg/mL
Cobalt, Co	10.01 ± 0.05 µg/mL	Indium, In	10.01 ± 0.04 µg/mL
Lead, Pb	10.00 ± 0.04 µg/mL	Lithium, Li	10.01 ± 0.04 µg/mL
Nickel, Ni	10.01 ± 0.04 µg/mL	Uranium, U	10.01 ± 0.05 µg/mL

Density: 1.025 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Ba	ICP Assay	3104a	140909
Ba	Calculated		See Sec. 4.2
Ba	Gravimetric		See Sec. 4.2
Be	ICP Assay	3105a	090514
Be	Calculated		See Sec. 4.2
Bi	ICP Assay	3106	180815
Ce	ICP Assay	3110	160830
Ce	EDTA	928	928
Ce	Calculated		See Sec. 4.2
Co	ICP Assay	3113	190630
Co	EDTA	928	928
Co	Calculated		See Sec. 4.2
In	ICP Assay	3124a	110516
In	EDTA	928	928
In	Calculated		See Sec. 4.2
Li	ICP Assay	3129a	100714
Li	Calculated		See Sec. 4.2
Li	Gravimetric		See Sec. 4.2
Ni	ICP Assay	3136	120619
Ni	EDTA	928	928
Ni	Calculated		See Sec. 4.2
Pb	ICP Assay	3128	101026
Pb	EDTA	928	928
Pb	Calculated		See Sec. 4.2
U	ICP Assay	traceable to 3164	R2-U689597
U	Calculated		See Sec. 4.2

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Certified Abundance:

IV's Certified Abundance

Isotope	Atom %
Uranium 238U	99.8 ± 0.1
Uranium 235U	0.19 ± 0.05

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

June 21, 2023

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- June 21, 2028

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



INORGANIC VENTURES
Refine your results. Redefine your industry.

Certificate of Analysis

R! 08/22/24 M6058, M6059

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution
Catalog Number:	CHEM-CLP-4
Lot Number:	V2-MEB746172
Matrix:	3% (v/v) HNO_3 3% (v/v) HF
Value / Analyte(s):	1 000 µg/mL ea: Boron, Molybdenum, Silicon, Tin, Titanium

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
Boron, B	1 000 ± 5 µg/mL	Molybdenum, Mo	1 000 ± 5 µg/mL
Silicon, Si	1 000 ± 7 µg/mL	Tin, Sn	1 000 ± 5 µg/mL
Titanium, Ti	1 000 ± 6 µg/mL		

Density: 1.032 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
B	ICP Assay	3107	190605
B	Calculated		See Sec. 4.2
Mo	ICP Assay	traceable to 3134	U2-MO739068
Si	ICP Assay	Traceable to 3150	S2-SI702546
Sn	ICP Assay	3161a	140917
Ti	ICP Assay	traceable to 3162a	T2-TI725816

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

August 12, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- August 12, 2029

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Joseph Burns
Custom VS Manager



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M6079 R: 9/30/24


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**57040**	21110221	Nitric Acid	
Lot Number:	**071423**			
Description:	**Zirconium (Zr)**	2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	071426			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty	

Formulated By:	Benson Chan	071423
Reviewed By:	Pedro L. Rentas	071423

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Zirconyl chloride octahydrate (Zr)	58140	070621	0.1000	200.0	0.084	1000	10000.3	**1000.0**	**2.2**	13520-92-8	NA	NA	NA



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	T

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

M6125 Receive -> 11/22/24

CORCO CHEMICAL CORPORATION

Manufacturers of ACS Reagents and Semiconductor Grade Chemicals


Office and Plant
299 Cedar Lane
Fairless Hills, PA 19030

Phone: 215-295-5006
Fax: 215-295-0781

Hydrogen Peroxide 30%, ACS

Reagent Grade

SPECIFICATION	MAXIMUM LIMITS
Appearance	Colorless and free from suspended matter or sediment
Assay	29-32%
Color (APHA)	10
Residue after Evaporation	0.002%
Titratable Acid	0.0006 meq/g
Chloride (Cl)	3 ppm
Nitrate (NO_3)	2 ppm
Phosphate	2 ppm
Sulfate (SO_4)	5 ppm
Ammonium (NH_4)	5 ppm
Heavy Metals (as Pb)	1 ppm
Iron (Fe)	0.5 ppm



Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

R -> 11/12/24

M6126

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO_3)	69.0 - 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	1 ppm
Chloride (Cl)	≤ 0.08 ppm	< 0.03 ppm
Phosphate (PO_4)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO_4)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities - Aluminum (Al)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities - Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Bismuth (Bi)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities - Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities - Calcium (Ca)	≤ 50.0 ppb	2.3 ppb
Trace Impurities - Chromium (Cr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities - Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Germanium (Ge)	≤ 20 ppb	< 10 ppb
Trace Impurities - Gold (Au)	≤ 20 ppb	< 5 ppb
Heavy Metals (as Pb)	≤ 100 ppb	100 ppb
Trace Impurities - Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Trace Impurities - Lead (Pb)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities - Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities - Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Nickel (Ni)	≤ 20.0 ppb	< 5.0 ppb

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result

For Microelectronic Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak
Director Quality Operations, Bioscience Production

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

R -> 1/13/25


M 6127

			Lot #	
Part Number:	**58112**	**Solvent:**	24012496	Nitric Acid
Lot Number:	**112124**			
Description:	**Magnesium (Mg)**	2%	40.0 (mL)	Nitric Acid
Expiration Date:	112127			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**10000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Weight shown below was diluted to (mL):	2000.07	0.100	Flask Uncertainty	

Giovanni Esposito

Formulated By:	Giovanni Esposito	112124
Reviewed By:	Pedro L. Rentas	112124

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Magnesium nitrate hexahydrate (Mg)	IN030	MGD052023A1	10000	99.999	0.10	8.51	234.9183	234.9459	**10001.2**	**20.0**	13446-18-9	NA	orl-rat 5440 mg/kg	3131a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	T	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

R->1/13/28

M6128

Part Number:	**58025**	**Solvent:**	**Lot #** 24002546	Nitric Acid
Lot Number:	**101124**			
Description:	**Manganese (Mn)**	2%	80.0 (mL)	Nitric Acid
Expiration Date:	101127			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Weight shown below was diluted to (mL):	4000.2	0.10	Flask Uncertainty	


Giovanni Esposito

Formulated By:	Giovanni Esposito	101124

Pedro Rentas

Reviewed By:	Pedro L. Rentas	101124

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	**Actual Conc. (µg/mL)**	Expanded Uncertainty +/- (µg/mL)	**SDS Information** (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Manganese(II) nitrate hydrate (Mn)	IN031	MNM092020A1	1000	99.999	0.10	20.8	19.2322	19.2344	**1000.1**	**2.0**	15710-66-4	5 mg/m3	orl-rat >300mg/kg	3132



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	T	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES™
Refine your results. Redefine your industry.

Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

M6137 R→10/3/24

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Single Analyte Custom Grade Solution
Catalog Number:	CGSI1
Lot Number:	V2-SI744713
Matrix:	tr. HNO3 tr. HF
Value / Analyte(s):	1 000 µg/mL ea: Silicon
Starting Material:	Silica
Starting Material Lot#:	1771
Starting Material Purity:	99.9981%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 999 ± 6 µg/mL

Density: 1.003 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1	**999 ± 5 µg/mL** ICP Assay NIST SRM Traceable to 3150 Lot Number: S2-SI702546
Assay Method #2	**1000 ± 7 µg/mL** Calculated NIST SRM Lot Number: See Sec. 4.2

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2 (u_{char\ i})^2)]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.000310	M	Eu	<	0.000310	O	Na		0.001656	M	Se	<	0.022000	M	Zn	<	0.002500
M	Al		0.010787	M	Fe	<	0.027000	M	Nb	<	0.001300	s	Si	<		O	Zr	<	0.001900
M	As	<	0.001900	M	Ga	<	0.001300	M	Nd	<	0.000310	M	Sm	<	0.000310				
M	Au	<	0.000910	M	Gd	<	0.000310	M	Ni	<	0.005500	M	Sn		0.000096				
M	B		0.016180	M	Ge	<	0.001900	M	Os	<	0.000610	O	Sr		0.000092				
M	Ba		0.000096	M	Hf		0.000423	i	P	<		M	Ta		0.002542				
O	Be	<	0.000570	M	Hg	<	0.000610	M	Pb	<	0.000310	M	Tb	<	0.000310				
M	Bi	<	0.000310	M	Ho	<	0.000610	M	Pd	<	0.000610	M	Te	<	0.000910				
O	Ca		0.011557	M	In	<	0.000310	M	Pr	<	0.000310	M	Th	<	0.001900				
M	Cd	<	0.000310	M	Ir	<	0.000310	M	Pt	<	0.000310	M	Ti		0.001078				
M	Ce	<	0.000610	O	K		0.000577	M	Rb	<	0.009100	M	Tl	<	0.000310				
M	Co	<	0.001600	M	La	<	0.000310	M	Re	<	0.000310	M	Tm	<	0.000310				
M	Cr	<	0.010000	O	Li	<	0.000460	M	Rh	<	0.000310	M	U	<	0.000310				
M	Cs	<	0.000310	M	Lu	<	0.000310	M	Ru	<	0.000310	O	V	<	0.001300				
M	Cu	<	0.002500	O	Mg		0.001348	O	S	<	0.570000	M	W	<	0.001900				
M	Dy	<	0.000310	M	Mn	<	0.002500	M	Sb	<	0.000310	M	Y	<	0.000310				
M	Er	<	0.000310	M	Mo	<	0.000310	O	Sc	<	0.000590	M	Yb	<	0.000310				

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 28.09 +4 6 Si(OH)x(F)y2-

Chemical Compatibility -Soluble in HCl, HF, H3PO4 H2SO4 and HNO3 as the Si(OH)x(F)y2-. Avoid neutral to basic media. Unstable at ppm levels with metals that would pull F- away (i.e. Do not mix with Alkaline or Rare Earths, or high levels of transition elements unless they are fluorinated. Stable with most inorganic anions with a tendency to hydrolyze forming silicic acid (silicic acid is soluble up to ∼100 ppm in water) in all dilute acids except HF.

Stability - 2-100 ppb levels - stability unknown - (alone or mixed with all other metals) as the Si(OH)x(F)y2-. 1-10,000 ppm single element solutions as the Si(OH)x(F)y2- chemically stable for years in 2-5 % HNO3 / trace HF in a LDPE container.

Si Containing Samples (Preparation and Solution) -Metal (Soluble in 1:1:1 H2O / HF / HNO3); Oxide - SiO2, amorphic (dissolve by heating in 1:1:1 H2O / HF / HNO3); Oxide - quartz (fuse in Pt0 with Na2CO3); Geological Samples(fuse in Pt0with Na2CO3 followed by HCl solution of the fuseate); Organic Matrices containing silicates and non volatile silicon compounds (dry ash at 4500C in Pt0 and dissolve by gently warming with 1:1:1 H2O / HF / H2SO4 or fuse / ash with Na2CO3 and dissolve fuseate with HCl / H2O); Silicone Oils - dimethyl silicones depolymerize to form volatile monomer units when heated (Measure directly in alcoholic KOH / xylene mixture where sample is treated first with the KOH at 60-1000C to "unzip" the Si- O-Si polymeric structure or digest with conc. H2SO4 / H2O2 followed by cooling and dissolution of the dehydrated silica with HF.) Note that the direct analysis of silicone oils in an organic solvent will result in false high results due to high vapor pressure of volatile monomer units like hexamethylcyclotrisiloxane. The KOH forms the K2+Si(CH3)2O= salt which is not volatile at room temperature.

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	**Estimated D.L.**	**Order**	**Interferences** (underlined indicates severe)
ICP-MS 28 amu	4000 - 8000 ppt	N/A	N2, 12C16O
ICP-OES 212.412 nm	0.02/0.01 µg/mL	1	Hf, Os, Mo, Ta
ICP-OES 251.611 nm	0.012/0.003 µg/mL	1	Ta, U, Zn, Th
ICP-OES 288.158 nm	0.03/0.004 µg/mL	1	Ta, Ce, Cr, Cd, Th

HF Note: This standard should not be prepared or stored in glass.

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

July 10, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **July 10, 2029**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Custom Processing Supervisor



Certificate Approved By:

Muzzammil Khan
Stock Laboratory Supervisor



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


CERTIFIED WEIGHT REPORT:

R->1/13/25

Part Number:	**58111**		**Lot #**		
Lot Number:	**072424**	**Solvent:**	24002546	Nitric Acid	
Description:	**Sodium (Na)**				
		MG144 2%	80.0 (mL)	Nitric Acid	
Expiration Date:	072427				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**10000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Weight shown below was diluted to (mL):	4000.2	0.10	Flask Uncertainty		

Formulated By:	Benson Chan 072424
Reviewed By:	Pedro L. Rentas 072424

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Sodium nitrate (Na)	IN036	NAV012015I1	10000	99.999	0.10	26.9	148.7096	######	**10000.0**	**20.0**	7631-99-4	5 mg/m3	orl-rat 3430 mg/kg	3152a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Sc	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	T	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


CERTIFIED WEIGHT REPORT:

Part Number:	**58030**	R → 1/13/25	**Solvent:**	**Lot #** 24012496	Nitric Acid
Lot Number:	**121724**				
Description:	**Zinc (Zn)**	M6145	2%	40.0 (mL)	Nitric Acid
Expiration Date:	121727				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**1000**				
NIST Test Number:	6UTB	5E-05 Balance Uncertainty			
Weight shown below was diluted to (mL):	2000.1	0.10 Flask Uncertainty			

Aleah O'Brady

Formulated By:	Aleah O'Brady	121724
Reviewed By:	Pedro L. Rentas	121724

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Zinc nitrate hexahydrate (Zn)	IN016	ZNE032021A1	1000	99.999	0.10	24.3	8.2308	8.2311	**1000.0**	**2.0**	10196-18-6	1 mg/m3	orl-rat 1190mg/kg	3168



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	T
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

R : 4/20/21

QATS LABORATORY INORGANIC REFERENCE MATERIAL INITIAL CALIBRATION VERIFICATION SOLUTIONS (ICV1, ICV5, AND ICV6)

M6150

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Metals in Dilute Acidic or Cyanide in Basic Aqueous Solutions
HAZARDOUS MATERIAL

Safety Data Sheets
Available Upon Request

(A) *SAMPLE DESCRIPTION*

Enclosed is a set of one (1) or more Aqueous Inorganic Reference Materials containing various analyte concentrations. ICV1 and ICV5 are in a matrix of dilute nitric acid. ICV6 is in a matrix of dilute basic solution. **For the reference material source in reporting ICVs use "USEPA". For the reference material lot number for the ICV1, ICV5, and ICV6 solutions use "ICV1-1014", "ICV5-0415", and "ICV6-0400", respectively.**

(B) *BREAKAGE OR MISSING ITEMS*

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to Mr. Keith Strout, APTIM Federal Services, LLC, at (702) 895-8722. If requested, return the chain-of-custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) *ANALYSIS OF SAMPLES*

The Initial Calibration Verification Solutions (ICVs) are to be used to evaluate the accuracy of the initial calibrations of ICP, AA, and Cyanide colorimetric instruments, and are to be used with the CLP SOWs and revisions. The values for each element in the ICVs are listed below in µg/L (ppb) for the resulting solution(s) after the dilution of the concentrate(s) according to the following instructions. Use Class 'A' glassware to prepare the solution(s).

ICV1-1014 For ICP-AES analysis, use a 10-fold dilution by pipetting 10 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid.

The Quality Assurance Technical Support (QATS) contract is operated by APTIM Federal Services, LLC.

ICV1-1014 For ICP-MS analysis, use a 50-fold dilution by pipetting 2 mL of the ICV1 concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

ICV5-0415 For the cold vapor analysis of mercury by AA, use a 100-fold dilution by pipetting 1 mL of the ICV5 concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) $K_2Cr_2O_7$ and 5% (v/v) nitric acid.

ICV6-0400 For the analysis of cyanide, use a 100-fold dilution by pipetting 1 mL of the ICV6 concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from $K_3Fe(CN)_6$, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

(D) *CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS*

ICV1-1014		
Element	**Concentration (µg/L) (after 10-fold dilution)**	**Concentration (µg/L) (after 50-fold dilution)**
Al	2500	500
Sb	1000	200
As	1000	200
Ba	520	100
Be	510	100
Cd	510	100
Ca	10000	2000
Cr	520	100
Co	520	100
Cu	510	100
Fe	10000	2000
Pb	1000	200
Mg	6000	1200
Mn	520	100
Ni	530	110
K	9900	2000
Se	1000	200
Ag	250	50
Na	10000	2000
Tl	1000	210
V	500	100
Zn	1000	200

ICV5-0415		ICV6-0400	
Element	**Concentration (µg/L) (after 100-fold dilution)**	**Analyte**	**Concentration (µg/L) (after 100-fold dilution)**
Hg	4.0	**CN^-**	99

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™ | J.T.Baker®

M6151

R-> 1/15/25

Material No.: 9530-33
Batch No.: 22G2862015
Manufactured Date: 2022-06-15
Retest Date: 2027-06-14
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCl) (by acid-base titrn)	36.5 – 38.0 %	37.9 %
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Specific Gravity at 60°/60°F	1.185 – 1.192	1.191
ACS – Bromide (Br)	≤ 0.005 %	< 0.005 %
ACS – Extractable Organic Substances	≤ 5 ppm	< 1 ppm
ACS – Free Chlorine (as Cl_2)	≤ 0.5 ppm	< 0.5 ppm
Phosphate (PO_4)	≤ 0.05 ppm	< 0.03 ppm
Sulfate (SO_4)	≤ 0.5 ppm	< 0.3 ppm
Sulfite (SO_3)	≤ 0.8 ppm	0.3 ppm
Ammonium (NH_4)	≤ 3 ppm	< 1 ppm
Trace Impurities – Arsenic (As)	≤ 0.010 ppm	< 0.003 ppm
Trace Impurities – Aluminum (Al)	≤ 10.0 ppb	1.3 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Barium (Ba)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Bismuth (Bi)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities – Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities – Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™ | J.T.Baker®

Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities - Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities - Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities - Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities - Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities - Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities - Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities - Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities - Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities - Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities - Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities - Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities - Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities - Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities - Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities - Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities - Thallium (Tl)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities - Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities - Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities - Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities - Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Trace Impurities - Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

avantor™ | J.T.Baker®

Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result

For Laboratory,Research,or Manufacturing Use
Product Information (not specifications):
Appearance (clear, fuming liquid)
Meets ACS Specifications
Storage Condition: Store below 25 °C.

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

James T Ethier

Jamie Ethier
Vice President Global Quality

INORGANIC VENTURES
Refine your results. Redefine your industry.

Certificate of Analysis

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

R→1/7/23
M6153

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01
ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Single Analyte Custom Grade Solution
Catalog Number:	CGSR10
Lot Number:	V2-SR745329
Matrix:	2% (v/v) HNO3
Value / Analyte(s):	10 000 µg/mL ea: Strontium
Starting Material:	Strontium Carbonate
Starting Material Lot#:	2647
Starting Material Purity:	99.9960%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 10081 ± 39 µg/mL

Density: 1.030 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1 **10059 ± 50 µg/mL**
ICP Assay NIST SRM Traceable to 3153a Lot Number: K2-SR650985

Assay Method #2 **10087 ± 26 µg/mL**
EDTA NIST SRM 928 Lot Number: 928

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / \langle\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.000960	M	Eu	<	0.000480	O	Na		0.002964	M	Se	<	0.042000	M	Zn	0.004560
M	Al		0.003420	O	Fe		0.013225	M	Nb	<	0.000480	O	Si		0.012997	M	Zr	0.001847
M	As	<	0.007200	M	Ga	<	0.002900	M	Nd	<	0.000480	M	Sm	<	0.000480			
M	Au	<	0.003900	M	Gd	<	0.000480	O	Ni		0.001482	M	Sn	<	0.000480			
O	B	<	0.003200	M	Ge	<	0.004800	M	Os	<	0.001500	s	Sr	<				
M	Ba		0.638494	M	Hf	<	0.000480	O	P	<	0.017000	M	Ta	<	0.000480			
O	Be	<	0.000450	M	Hg	<	0.000960	M	Pb		0.010717	M	Tb	<	0.000480			
M	Bi	<	0.002000	M	Ho	<	0.000480	M	Pd	<	0.002000	M	Te	<	0.016000			
O	Ca		0.025083	M	In	<	0.008600	M	Pr		0.000547	M	Th	<	0.000480			
M	Cd	<	0.000960	M	Ir	<	0.000480	M	Pt	<	0.000480	M	Ti		0.004560			
M	Ce		0.000661	O	K		0.025083	M	Rb	<	0.003400	M	Tl	<	0.000480			
M	Co		0.001527	M	La	<	0.000480	M	Re	<	0.000480	M	Tm		0.004332			
O	Cr	<	0.004700	O	Li	<	0.005600	O	Rh	<	0.013000	M	U	<	0.000480			
M	Cs	<	0.000480	M	Lu	<	0.000480	M	Ru	<	0.000960	M	V	<	0.000960			
O	Cu	<	0.003800	O	Mg		0.001048	O	S	<	0.045000	M	W	<	0.002400			
M	Dy	<	0.000960	O	Mn		0.000319	M	Sb	<	0.009600	O	Y	<	0.001200			
M	Er	<	0.000480	M	Mo	<	0.002900	M	Sc	<	0.001500	M	Yb	<	0.000480			

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 87.62 +2 6 $Sr(H_2O)_{6}^{+2}$

Chemical Compatibility - Soluble in HCl, and HNO_3. Avoid H_2SO_4, HF and neutral to basic media. Stable with most metals and inorganic anions forming insoluble silicate, carbonate, hydroxide, oxide, fluoride, sulfate, oxalate, chromate, arsenate and tungstate in neutral aqueous media.

Stability - 2-100 ppb levels stable for months in 1% HNO_3 / LDPE container. 1-10,000 ppm solutions chemically stable for years in 1 - 3.5% HNO_3 / LDPE container.

Sr Containing Samples (Preparation and Solution) -Metal (Best dissolved in diluted HNO_3); Ores (Carbonate fusion in Pt0 followed by HCl dissolution); Organic Matrices (Dry ash and dissolution in dilute HCl).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	**Estimated D.L.**	**Order**	**Interferences** (underlined indicates severe)
ICP-MS 88 amu	1200 ppt	N/A	72Ge16O, 176Yb+2, 176Lu+2 , 176Hf+2
ICP-OES 407.771 nm	0.0004 / 0.00006 µg/mL	1	U, Ce
ICP-OES 421.552 nm	0.0008 / 0.00004 µg/mL	1	Rb
ICP-OES 460.733 nm	0.07 / 0.003 µg/mL	1	Ce

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

August 26, 2024

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- August 26, 2029

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Prepared By:

Uyen Truong
Custom Processing Supervisor



Certificate Approved By:

Muzzammil Khan
Stock Laboratory Supervisor



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

M6156

Certified Reference Material CRM

R→ 6/12/24


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**57042**			
Lot Number:	**032123**			
Description:	**Molybdenum (Mo)**	MKBQ8597V	Ammonium hydroxide	
		0.5%	15.0 (mL)	Ammonium hydroxide
Expiration Date:	032126			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	3000.41	0.058	Flask Uncertainty	

Formulated By:	Lawrence Barry	032123
Reviewed By:	Pedro L. Rentas	032123

	Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	**Final Conc. (µg/mL)**	Expanded Uncertainty +/- (µg/mL)	**SDS Information** (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1.	Ammonium molybdate (Mo)	58142	112322	0.1000	300.0	0.084	1000	10001.4	**1000.0**	**2.1**	13106-76-8	5 mg(Mo)/m3	orl-rat 333 mg/kg	3134



Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	T	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

R-02102/2025

M-6158

Material No.: 9606-03
Batch No.: 24D1062002
Manufactured Date: 2024-03-26
Retest Date: 2029-03-25
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay (HNO_3)	69.0 - 70.0 %	69.7 %
Appearance	Passes Test	Passes Test
Color (APHA)	≤ 10	5
Residue after Ignition	≤ 2 ppm	1 ppm
Chloride (Cl)	≤ 0.08 ppm	< 0.03 ppm
Phosphate (PO_4)	≤ 0.10 ppm	< 0.03 ppm
Sulfate (SO_4)	≤ 0.2 ppm	< 0.2 ppm
Trace Impurities - Aluminum (Al)	≤ 40.0 ppb	< 1.0 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities - Barium (Ba)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Beryllium (Be)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Bismuth (Bi)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities - Boron (B)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 50 ppb	< 1 ppb
Trace Impurities - Calcium (Ca)	≤ 50.0 ppb	2.3 ppb
Trace Impurities - Chromium (Cr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities - Cobalt (Co)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Copper (Cu)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Gallium (Ga)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Germanium (Ge)	≤ 20 ppb	< 10 ppb
Trace Impurities - Gold (Au)	≤ 20 ppb	< 5 ppb
Heavy Metals (as Pb)	≤ 100 ppb	100 ppb
Trace Impurities - Iron (Fe)	≤ 40.0 ppb	< 1.0 ppb
Trace Impurities - Lead (Pb)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities - Lithium (Li)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Magnesium (Mg)	≤ 20 ppb	< 1 ppb
Trace Impurities - Manganese (Mn)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Nickel (Ni)	≤ 20.0 ppb	< 5.0 ppb

>>> Continued on page 2 >>>

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result
Trace Impurities - Niobium (Nb)	≤ 50.0 ppb	< 1.0 ppb
Trace Impurities - Potassium (K)	≤ 50 ppb	16 ppb
Trace Impurities - Silicon (Si)	≤ 50 ppb	< 10 ppb
Trace Impurities - Silver (Ag)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Sodium (Na)	≤ 150.0 ppb	< 5.0 ppb
Trace Impurities - Strontium (Sr)	≤ 30.0 ppb	< 1.0 ppb
Trace Impurities - Tantalum (Ta)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities - Thallium (Tl)	≤ 10.0 ppb	< 5.0 ppb
Trace Impurities - Tin (Sn)	≤ 20.0 ppb	< 10.0 ppb
Trace Impurities - Titanium (Ti)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Vanadium (V)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Zinc (Zn)	≤ 20.0 ppb	< 1.0 ppb
Trace Impurities - Zirconium (Zr)	≤ 10.0 ppb	< 1.0 ppb
Particle Count - 0.5 µm and greater	≤ 60 par/ml	10 par/ml
Particle Count - 1.0 µm and greater	≤ 10 par/ml	3 par/ml

>>> Continued on page 3 >>>

Nitric Acid 69%
CMOS

avantor™ | J.T.Baker®

Material No.: 9606-03
Batch No.: 24D1062002

Test	Specification	Result

For Microelectronic Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak
Director Quality Operations, Bioscience Production

INORGANIC VENTURES™

Refine your results. Redefine your industry.

A: 4/11/22

Certificate of Analysis

M5738, M5739, M5740, M5741, M5742, M5743

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01 ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Multi Analyte Custom Grade Solution
Catalog Number:	6020ISS
Lot Number:	S2-MEB709511
Matrix:	7% (v/v) HNO3
Value / Analyte(s):	10 µg/mL ea:

Bismuth, Holmium,
Indium, 6-Lithium,
Rhodium, Scandium,
Terbium, Yttrium

3.0 CERTIFIED VALUES AND UNCERTAINTIES

ANALYTE	CERTIFIED VALUE	ANALYTE	CERTIFIED VALUE
6-Lithium, Li6	10.00 ± 0.03 µg/mL	Bismuth, Bi	10.00 ± 0.05 µg/mL
Holmium, Ho	10.00 ± 0.05 µg/mL	Indium, In	10.00 ± 0.04 µg/mL
Rhodium, Rh	10.00 ± 0.07 µg/mL	Scandium, Sc	10.00 ± 0.04 µg/mL
Terbium, Tb	10.00 ± 0.04 µg/mL	Yttrium, Y	10.00 ± 0.04 µg/mL

Density: 1.035 g/mL (measured at 20 ± 4 °C)

Assay Information:

ANALYTE	METHOD	NIST SRM#	SRM LOT#
Bi	ICP Assay	3106	180815
Bi	Calculated		See Sec. 4.2
Ho	ICP Assay	3123a	090408
Ho	EDTA	928	928
In	ICP Assay	3124a	110516
In	EDTA	928	928
In	Calculated		See Sec. 4.2
Li6	Gravimetric		See Sec. 4.2
Rh	ICP Assay	3144	070619
Sc	ICP Assay	3148a	100701
Sc	EDTA	928	928
Tb	ICP Assay	3157a	100518
Tb	EDTA	928	928
Tb	Calculated		See Sec. 4.2
Y	ICP Assay	3167a	120314
Y	EDTA	928	928
Y	Calculated		See Sec. 4.2

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2 (u_{char\ i})^2)]^{1/2}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{1/2}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Certified Abundance:

IV's Certified Abundance

Isotope	Atom %
Lithium Li6	95.6 ± 0.3
Lithium Li7	4.4 ± 0.1

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

N/A

6.0 INTENDED USE

- For the calibration of analytical instruments and validation of analytical methods as appropriate.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

September 03, 2021

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- September 03, 2026

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Michael Booth
Director, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



QATS LABORATORY INORGANIC REFERENCE MATERIAL INTERFERENCE CHECK SAMPLE SET FOR ICP-MS (ICSA WITH ICSB)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Heavy Metals
HAZARDOUS MATERIAL

Safety Data Sheets
Available Upon Request

(A) *SAMPLE DESCRIPTION*

Enclosed is a set of one (1) or more bottles of an Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix**. For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-0803" and for the ICSAB mixture use "ICSA-0803+ICSB-0803".**

CAUTION: The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

(B) *BREAKAGE OR MISSING ITEMS*

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to the Contracting Officer, Ross Miller at miller.ross@epa.gov. If directed by Ross Miller, return the chain of custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) *ANALYSIS OF SAMPLES*

This interference check sample set is to be used to verify elemental isobaric correction factors of inductively coupled plasma-mass spectrometers (ICP-MS). This reference material set consists of two (2) concentrated solutions. The ICSA solution contains several interferent elements and species; for a complete listing refer to the CLP SOW. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be, Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for the ICP-MS ICS Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

ICSA-0803, Inferferents: Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO_3. Analyze this solution by ICP-MS.

ICSB-0803, Analytes, mixed with ICSA-0803, Interferents: Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO_3. Analyze this ICSAB solution by ICP-MS.

(D) *"CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-MS ICS SOLUTION(S)*

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-MS ICSA-0803, AND ICSA-0803 MIXED WITH ICSB-0803

ICSA: M5873

ICSB: M5874

Element	CRQL	Part A (µg/L)	Lower Limit (µg/L)	Upper Limit (µg/L)	Part A +Part B (µg/L)	Lower Limit (µg/L)	Upper Limit (µg/L)
Al	20.0	[100000]			[100000]		
Sb	2.0	(1.5)	-2.5	5.5	(22.0)	18.0	26.0
As	1.0	(0.1)	-1.9	2.1	19.0	16.2	21.9
Ba	10.0	(1.2)	-18.8	21.2	(22.0)	2.0	42.0
Be	1.0	(0)	-2.0	2.0	19.0	16.2	21.9
Cd	1.0	(0.7)	-1.3	2.7	20.0	17.0	23.0
Ca	500	[100000]			[100000]		
C		[200000]			[200000]		
Cl		[1000000]			[1000000]		
Cr	2.0	(21.0)	17.0	25.0	40.0	34.0	46.0
Co	1.0	(1.0)	-1.0	3.0	20.0	17.0	23.0
Cu	2.0	(8.0)	4.0	12.0	(25.0)	21.0	29.0
Fe	200	[100000]			[100000]		
Pb	1.0	(4.0)	2.0	6.0	25.0	21.3	28.8
Mg	500	[100000]			[100000]		
Mn	1.0	(7.0)	5.0	9.0	27.0	23.0	31.1
Mo		[2000]			[2000]		
Ni	1.0	(6.0)	4.0	8.0	24.0	20.4	27.6
P		[100000]			[100000]		
K	500	[100000]			[100000]		
Se	5.0	(0.3)	-9.7	10.3	(19.0)	9.0	29.0
Ag	1.0	(0)	-2.0	2.0	18.0	15.3	20.7
Na	500	[100000]			[100000]		
S		[100000]			[100000]		
Tl	1.0	(0)	-2.0	2.0	21.0	17.9	24.2
Ti		[2000]			[2000]		
V	5.0	(0.5)	-9.5	10.5	(19.0)	9.0	29.0
Zn	5.0	(11.0)	1.0	21.0	(29.0)	19.0	39.0

[ ] Indicates analytes that do not require ICP-MS determination in the ICS.
The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value ± 2 times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value ± 15 percent of the listed certified value.

QATS LABORATORY INORGANIC REFERENCE MATERIAL INTERFERENCE CHECK SAMPLE SET FOR ICP-MS (ICSA WITH ICSB)

NOTE: These instructions are for advisory purposes only. If any apparent conflict exists between these instructions and the analytical protocol or your contract, disregard these instructions.

APPLICATION: For use with the CLP SFAM01.0 SOW and revisions.

CAUTION: Read instructions carefully before opening bottle(s) and proceeding with the analyses.

Contains Heavy Metals
HAZARDOUS MATERIAL

Safety Data Sheets
Available Upon Request

(A) *SAMPLE DESCRIPTION*

Enclosed is a set of one (1) or more bottles of an Aqueous Reference Material, each composed of metals at various concentrations and prepared with nitrate salts and oxy-acids of the respective elements in a 5% nitric acid matrix**. For the reference material source in reporting ICSA and ICSAB mixture use "USEPA". For the reference material lot number for the ICSA use "ICSA-0803" and for the ICSAB mixture use "ICSA-0803+ICSB-0803".**

CAUTION: The bottle(s) should be protected from light during storage to ensure the stability of silver which is contained in the ICSB solution. The bottle(s) should be stored at room temperature. **Do not allow the solution(s) to freeze.**

(B) *BREAKAGE OR MISSING ITEMS*

Check the contents of the shipment carefully for any broken, leaking, or missing items. Check that the seal is intact on each bottle. Refer to the enclosed chain of custody record. Report any problems to the Contracting Officer, Ross Miller at miller.ross@epa.gov. If directed by Ross Miller, return the chain of custody record with appropriate annotations and signatures to the address provided below.

QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY
APTIM Federal Services, LLC
2700 Chandler Avenue - Building C
Las Vegas, NV 89120

(C) *ANALYSIS OF SAMPLES*

This interference check sample set is to be used to verify elemental isobaric correction factors of inductively coupled plasma-mass spectrometers (ICP-MS). This reference material set consists of two (2) concentrated solutions. The ICSA solution contains several interferent elements and species; for a complete listing refer to the CLP SOW. The ICSB solution contains the analytes: Ag, As, Sb, Ba, Be, Cd, Co, Cr, Cu, Mn, Ni, Pb, Tl, Se, V, and Zn. This instruction sheet provides the nominal values for the ICP-MS ICS Part A and Part B target analytes when diluted as directed.

Using Class "A" glassware, preparation and analysis must be performed according to the following instructions:

ICSA-0803, Inferferents: Pipet 10 mL of the ICSA solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO_3. Analyze this solution by ICP-MS.

ICSB-0803, Analytes, mixed with ICSA-0803, Interferents: Pipet 10 mL of the ICSA solution and 10 mL of the ICSB solution into a 100 mL volumetric flask and dilute to volume with 1% v/v HNO_3. Analyze this ICSAB solution by ICP-MS.

(D) *"CERTIFIED VALUE" CONCENTRATIONS OF QATS ICP-MS ICS SOLUTION(S)*

The "Certified Value" concentrations of the elements, listed in Table 1 below, were derived from statistically pooled analysis results from the following sources, if available: QATS Laboratory, CLP laboratories, Quarterly Blind (QB)/Proficiency Testing (PT) events, CLP pre-award events, and external referee laboratories.

Table 1. "CERTIFIED VALUES" FOR INTERFERENCE CHECK SAMPLE ICP-MS ICSA-0803, AND ICSA-0803 MIXED WITH ICSB-0803

ICSA: M5873

ICSB: M5874

Element	CRQL	Part A (µg/L)	Lower Limit (µg/L)	Upper Limit (µg/L)	Part A +Part B (µg/L)	Lower Limit (µg/L)	Upper Limit (µg/L)
Al	20.0	[100000]			[100000]		
Sb	2.0	(1.5)	-2.5	5.5	(22.0)	18.0	26.0
As	1.0	(0.1)	-1.9	2.1	19.0	16.2	21.9
Ba	10.0	(1.2)	-18.8	21.2	(22.0)	2.0	42.0
Be	1.0	(0)	-2.0	2.0	19.0	16.2	21.9
Cd	1.0	(0.7)	-1.3	2.7	20.0	17.0	23.0
Ca	500	[100000]			[100000]		
C		[200000]			[200000]		
Cl		[1000000]			[1000000]		
Cr	2.0	(21.0)	17.0	25.0	40.0	34.0	46.0
Co	1.0	(1.0)	-1.0	3.0	20.0	17.0	23.0
Cu	2.0	(8.0)	4.0	12.0	(25.0)	21.0	29.0
Fe	200	[100000]			[100000]		
Pb	1.0	(4.0)	2.0	6.0	25.0	21.3	28.8
Mg	500	[100000]			[100000]		
Mn	1.0	(7.0)	5.0	9.0	27.0	23.0	31.1
Mo		[2000]			[2000]		
Ni	1.0	(6.0)	4.0	8.0	24.0	20.4	27.6
P		[100000]			[100000]		
K	500	[100000]			[100000]		
Se	5.0	(0.3)	-9.7	10.3	(19.0)	9.0	29.0
Ag	1.0	(0)	-2.0	2.0	18.0	15.3	20.7
Na	500	[100000]			[100000]		
S		[100000]			[100000]		
Tl	1.0	(0)	-2.0	2.0	21.0	17.9	24.2
Ti		[2000]			[2000]		
V	5.0	(0.5)	-9.5	10.5	(19.0)	9.0	29.0
Zn	5.0	(11.0)	1.0	21.0	(29.0)	19.0	39.0

[ ] Indicates analytes that do not require ICP-MS determination in the ICS.
The acceptance ranges for all analytes in parentheses in the above table were determined using the listed certified value ± 2 times the associated CLP SOW CRQL. The acceptance ranges for all other analytes were determined using the certified value ± 15 percent of the listed certified value.

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M6030

R: 8/5/24


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

Part Number:	**57047**		**Lot #**		
Lot Number:	**122823**	**Solvent:**	24002546	Nitric Acid	
Description:	**Silver (Ag)**	2%	80.0 (mL)	Nitric Acid	
Expiration Date:	122826				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**1000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Weight shown below was diluted to (mL):	4000.30	0.058	Flask Uncertainty		

Formulated By:	Benson Chan	122823
Reviewed By:	Pedro L. Rentas	122823

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Silver nitrate (Ag)	IN035	J0612AGA1	1000.0	99.9999	0.10	63.7	6.27992	6.27998	**1000.0**	**2.0**	7761-88-8	10 ug/m3	NA	3151



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	T	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R: 10/18/24

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

MG146

		Lot #	Solvent:	
Part Number:	**57051**	24002546	Nitric Acid	
Lot Number:	**071724**			
Description:	**Antimony (Sb)**			
		2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	071727			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.26	0.058	Flask Uncertainty	


Giovanni Esposito

Formulated By:	Giovanni Esposito	071724

Pedro Rentas

Reviewed By:	Pedro L. Rentas	071724

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	**Final Conc. (µg/mL)**	Expanded Uncertainty +/- (µg/mL)	**SDS Information** (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Antimony (Sb)	58151	060324	0.1000	200.0	0.084	1000	10001.4	**1000.0**	**2.2**	7440-36-0	0.5 mg/m3	orl-rat 7000 mg/kg	3102a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	T	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:



* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES™
Refine your results. Redefine your industry.

Certificate of Analysis

R: 8/5/24 M6019

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 888.01
ACCREDITED Reference Material Producer Certificate 888.02

2.0 PRODUCT DESCRIPTION

Product Code:	Single Analyte Custom Grade Solution
Catalog Number:	CGSR1
Lot Number:	U2-SR730227
Matrix:	0.1% (v/v) HNO3
Value / Analyte(s):	1 000 µg/mL ea: Strontium
Starting Material:	SrCO3
Starting Material Lot#:	M2-2192
Starting Material Purity:	99.9993%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 1001 ± 3 µg/mL

Density: 1.000 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1 **998 ± 4 µg/mL**
ICP Assay NIST SRM Traceable to 3153a Lot Number: K2-SR650985

Assay Method #2 **1001 ± 3 µg/mL**
EDTA NIST SRM 928 Lot Number: 928

Assay Method #3 **1001 ± 2 µg/mL**
Calculated NIST SRM Lot Number: See Sec. 4.2

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.001980	M	Eu	<	0.000495	O	Na		0.000200	M	Se	<	0.013862	O	Zn		0.000143
O	Al		0.000370	O	Fe		0.000410	M	Nb	<	0.000495	i	Si	<		M	Zr	<	0.000495
M	As	<	0.000495	M	Ga	<	0.000495	M	Nd	<	0.000495	M	Sm	<	0.000495				
M	Au	<	0.000989	M	Gd	<	0.000495	O	Ni	<	0.007631	M	Sn	<	0.000990				
M	B	<	0.039606	M	Ge	<	0.000495	M	Os	<	0.000494	s	Sr	<					
M	Ba		0.006486	M	Hf	<	0.000495	i	P	<		M	Ta	<	0.000495				
M	Be	<	0.000990	M	Hg	<	0.000989	M	Pb	<	0.002970	M	Tb	<	0.000495				
M	Bi	<	0.000495	M	Ho	<	0.000495	M	Pd	<	0.003957	M	Te	<	0.027724				
O	Ca		0.004255	M	In	<	0.000495	M	Pr	<	0.000495	M	Th	<	0.000990				
M	Cd		0.001339	M	Ir	<	0.000494	M	Pt	<	0.002970	M	Ti	<	0.005940				
M	Ce	<	0.004950	O	K	<	0.008184	M	Rb	<	0.002970	M	Tl	<	0.000495				
M	Co	<	0.000495	M	La	<	0.000495	M	Re	<	0.000495	M	Tm	<	0.000495				
O	Cr	<	0.003207	O	Li	<	0.000884	O	Rh	<	0.012829	M	U	<	0.001485				
M	Cs	<	0.000990	M	Lu	<	0.002970	M	Ru	<	0.000989	M	V	<	0.001980				
M	Cu		0.000099	O	Mg		0.000064	i	S	<		M	W	<	0.003960				
M	Dy	<	0.000495	O	Mn		0.000066	M	Sb	<	0.014852	O	Y	<	0.000995				
M	Er	<	0.000495	M	Mo	<	0.001980	M	Sc	<	0.001980	M	Yb	<	0.000495				

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 87.62 +2 6 $Sr(H_2O)_6^{+2}$

Chemical Compatibility - Soluble in HCl, and HNO_3. Avoid H_2SO_4, HF and neutral to basic media. Stable with most metals and inorganic anions forming insoluble silicate, carbonate, hydroxide, oxide, fluoride, sulfate, oxalate, chromate, arsenate and tungstate in neutral aqueous media.

Stability - 2-100 ppb levels stable for months in 1% HNO_3 / LDPE container. 1-10,000 ppm solutions chemically stable for years in 1 - 3.5% HNO_3 / LDPE container.

Sr Containing Samples (Preparation and Solution) -Metal (Best dissolved in diluted HNO_3); Ores (Carbonate fusion in Pt0 followed by HCl dissolution); Organic Matrices (Dry ash and dissolution in dilute HCl).

Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	**Estimated D.L.**	**Order**	**Interferences** (underlined indicates severe)
ICP-MS 88 amu	1200 ppt	N/A	72Ge16O, 176Yb+2, 176Lu+2 , 176Hf+2
ICP-OES 407.771 nm	0.0004 / 0.00006 µg/mL	1	U, Ce
ICP-OES 421.552 nm	0.0008 / 0.00004 µg/mL	1	Rb
ICP-OES 460.733 nm	0.07 / 0.003 µg/mL	1	Ce

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

March 03, 2023

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- **March 03, 2028**

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS

Certificate Approved By:

Thomas Kozikowski
Manager, Quality Control



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

R ! 8/5/24

M6023

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com


CERTIFIED WEIGHT REPORT:

Part Number:	**57081**		**Lot #**		
Lot Number:	**062724**	**Solvent:**	24002546	Nitric Acid	
Description:	**Thallium (Tl)**				
		2%	40.0 (mL)	Nitric Acid	
Expiration Date:	062727				
Recommended Storage:	Ambient (20 °C)				
Nominal Concentration (µg/mL):	**1000**				
NIST Test Number:	6UTB	5E-05	Balance Uncertainty		
Weight shown below was diluted to (mL):	2000.1	0.10	Flask Uncertainty		

Aleah O'Brady

Formulated By:	Aleah O'Brady	062724
Reviewed By:	Pedro L. Rentas	062724

Compound	RM#	Lot Number	Nominal Conc. (µg/mL)	Purity (%)	Uncertainty Purity (%)	Assay (%)	Target Weight (g)	Actual Weight (g)	Actual Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Thallium nitrate (Tl)	IN037	BCCF4399	1000	99.999	0.10	77.0	2.5975	2.5977	**1000.1**	**2.0**	10102-45-1	0.1 mg/m3	orl-mus 15mg/kg	3158



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	T	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

Certified by:

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM
M5545,M5546,M5547,M5548 RD:05/08/2023


ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**57022**	21110221	Nitric Acid	
Lot Number:	**050223**			
Description:	**Titanium (Ti)**	2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	050226			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.02	0.058	Flask Uncertainty	

Formulated By:	Lawrence Barry	050223
Reviewed By:	Pedro L. Rentas	050223

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Ammonium hexafluorotitanate (Ti)	58122	071122	0.1000	200.0	0.084	1000	10000.1	**1000.0**	**2.2**	16962-40-6	2.5 (F) mg/m3	NA	3162a



Instrumental Analysis by Inductively Coupled Plasma Mass Spectroscopy (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)																	
Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	<0.02
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	T	Zr	<0.02

(T)= Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).

INORGANIC VENTURES
Refine your results. Redefine your industry.

Certificate of Analysis

B: 8/13/24 M6020

300 Technology Drive
Christiansburg, VA 24073 USA
inorganicventures.com

P: 800-669-6799/540-585-3030
F: 540-585-3012
info@inorganicventures.com

1.0 ACCREDITATION / REGISTRATION

INORGANIC VENTURES is accredited to ISO 17034, "General Requirements for the Competence of Reference Material Producers" and ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories". Inorganic Ventures is also an ISO 9001 registered manufacturer (QSR Certificate Number QSR-1034).

ACCREDITED Testing Laboratory Certificate 883.01 ACCREDITED Reference Material Producer Certificate 883.02

2.0 PRODUCT DESCRIPTION

Product Code:	Single Analyte Custom Grade Solution
Catalog Number:	CGU1
Lot Number:	U2-U735194
Matrix:	2% (v/v) HNO3
Value / Analyte(s):	1 000 µg/mL ea: Uranium
Starting Material:	Uranyl Nitrate Hexahydrate
Starting Material Lot#:	2504
Starting Material Purity:	99.9993%

3.0 CERTIFIED VALUES AND UNCERTAINTIES

Certified Value: 1000 ± 5 µg/mL

Density: 1.010 g/mL (measured at 20 ± 4 °C)

Assay Information:

Assay Method #1 **1001 ± 4 µg/mL**
ICP Assay NIST SRM traceable to 3164 Lot Number: R2-U689597

Assay Method #2 **1000 ± 5 µg/mL**
Calculated NIST SRM Lot Number: See Sec. 4.2

- The Calculated Value is a value calculated from the weight of a starting material that has been certified directly vs. a National Institute of Standards and Technology (NIST) SRM/RM. See Sec 4.2 for balance traceability.

The following equations are used in the calculation of the certified value and the uncertainty. Reported uncertainties represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of k = 2.

Characterization of CRM/RM by Two or More Methods

Certified Value, $X_{CRM/RM}$, where two or more methods of characterization are used is the weighted mean of the results:

$X_{CRM/RM} = \Sigma(w_i)(X_i)$

X_i = mean of Assay Method i with standard uncertainty $u_{char\ i}$

w_i = the weighting factors for each method calculated using the inverse square of the variance:

$w_i = (1/u_{char\ i})^2 / (\Sigma(1/(u_{char\ i})^2)$

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char} = [\Sigma((w_i)^2\,(u_{char\ i})^2)]^{½}$ where $u_{char\ i}$ are the errors from each characterization method

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Characterization of CRM/RM by One Method

Certified Value, $X_{CRM/RM}$, where one method of characterization is used is the mean of individual results:

$X_{CRM/RM} = (X_a)\,(u_{char\ a})$

X_a = mean of Assay Method A with

$u_{char\ a}$ = the standard uncertainty of characterization Method A

CRM/RM Expanded Uncertainty (±) = $U_{CRM/RM} = k\,(u^2_{char\ a} + u^2_{bb} + u^2_{lts} + u^2_{ts})^{½}$

k = coverage factor = 2

$u_{char\ a}$ = the errors from characterization

u_{bb} = bottle to bottle homogeneity standard uncertainty

u_{lts} = long term stability standard uncertainty (storage)

u_{ts} = transport stability standard uncertainty

Certified Abundance:

IV's Certified Abundance

Isotope	Atom %
Uranium 238U	99.8 ± 0.1
Uranium 235U	0.19 ± 0.05

4.0 TRACEABILITY TO NIST

- This product is traceable to NIST via an unbroken chain of comparisons. The uncertainties for each certified value are reported, taking into account the SRM/RM uncertainty error and the measurement, weighing and volume dilution errors. In rare cases where no NIST SRM/RM are available, the term 'in-house std.' is specified.

4.1 Thermometer Calibration

- All thermometers are NIST traceable through thermometers that are calibrated by an accredited calibration laboratory.

4.2 Balance Calibration

- All analytical balances are calibrated by an accredited calibration laboratory and procedure. The weights used for testing are annually compared to master weights and are traceable to NIST.

4.3 Glassware Calibration

- An in-house procedure is used to calibrate all Class A glassware used in the manufacturing and quality control of CRM/RMs.

5.0 TRACE METALLIC IMPURITIES (TMI) DETERMINED BY ICP-MS AND ICP-OES (µg/mL)

CRM/RMs are tested for trace metallic impurities by Axial ICP-OES and ICP-MS. The result from the most sensitive method for each element, is reported below. Solutions tested by ICP-MS were analyzed in an ULPA-Filtered Clean Room. An ULPA-Filter is 99.9985% efficient for the removal of particles down to 0.3 µm.

M	Ag	<	0.001400	M	Eu	<	0.000270	M	Na		0.001811	M	Se	<	0.004800	M	Zn		0.002126
M	Al		0.000322	M	Fe		0.007481	M	Nb	<	0.000790	i	Si	<		M	Zr	<	0.000270
M	As	<	0.007300	M	Ga	<	0.000270	M	Nd	<	0.000270	M	Sm	<	0.000270				
M	Au	<	0.001400	M	Gd	<	0.000270	M	Ni		0.000905	M	Sn	<	0.120000				
M	B	<	0.017000	M	Ge	<	0.000800	M	Os	<	0.000270	M	Sr	<	0.000270				
M	Ba	<	0.003100	M	Hf	<	0.000270	i	P	<		M	Ta	<	0.000270				
M	Be	<	0.003200	M	Hg	<	0.000270	M	Pb		0.000511	M	Tb	<	0.000270				
M	Bi	<	0.003000	M	Ho	<	0.000270	M	Pd	<	0.000270	M	Te	<	0.001100				
M	Ca	<	0.048000	M	In	<	0.001400	M	Pr	<	0.000270	M	Th		0.000200				
M	Cd	<	0.000270	M	Ir	<	0.000270	M	Pt	<	0.000270	M	Ti	<	0.000530				
M	Ce	<	0.000270	O	K	<	0.047000	M	Rb	<	0.000660	M	Tl	<	0.000270				
M	Co	<	0.000270	M	La		0.000322	M	Re	<	0.000270	M	Tm	<	0.000270				
M	Cr		0.001732	M	Li	<	0.001100	M	Rh	<	0.000270	s	U	<					
M	Cs	<	0.003500	M	Lu	<	0.000270	M	Ru	<	0.000270	M	V	<	0.003500				
M	Cu	<	0.005600	M	Mg		0.000240	i	S	<		M	W	<	0.000270				
M	Dy	<	0.000270	M	Mn	<	0.006500	M	Sb	<	0.000270	M	Y	<	0.000270				
M	Er	<	0.000270	M	Mo		0.000433	M	Sc	<	0.000800	M	Yb	<	0.000270				

M - Checked by ICP-MS O - Checked by ICP-OES i - Spectral Interference
n - Not Checked For s - Solution Standard Element

6.0 INTENDED USE

6.1 This standard is intended for the calibration of analytical instruments and validation of analytical methods as appropriate. This CRM may be used in connection with EPA Methods 6010, 6020 (all versions), Standard Methods 3120 B and USP <232> / ICH Q3D.

6.2 For products attaining traceability through Inorganic Ventures' Primary Certified Reference Materials (PCRM™) see the Limited License to Use PCRM™ in the Inorganic Ventures Terms and Conditions of Sale, https://www.inorganicventures.com/terms-and-conditions-sale. The Terms and Conditions contain information on the use of materials traceable to PCRM™ certified reference materials. This Limited License agreement is especially pertinent for laboratories accredited under ISO:17034.

7.0 INSTRUCTIONS FOR THE CORRECT USE OF THIS REFERENCE MATERIAL

7.1 Storage and Handling Recommendations

- Store between approximately 4° - 30° C while in sealed TCT bag.

- While stored in the sealed TCT bag, transpiration of this CRM/RM is negligible. After opening the sealed TCT bag transpiration of the CRM/RM will occur, resulting in a gradual increase in the analyte concentration(s). It is the responsibility of the user to account for this effect. When the bottle is weighed both before and after being placed in storage, the mass difference observed will be a measure of transpiration mass loss.

- After opening the sealed TCT bag, keep cap tightly sealed when not in use and store between 4° - 24° C to minimize the effects of transpiration. Use at 20° ± 4° C to minimize volumetric dilution error when using the reported density. Do not pipette from the container. Do not return removed aliquots to container.

- For more information, visit **www.inorganicventures.com/TCT**

Atomic Weight; Valence; Coordination Number; Chemical Form in Solution - 238.03 +6 8 UO22+(uranyl)
Chemical Compatibility - Soluble in HCl and HNO3. Avoid H3PO4. H2SO4 and HF matrices should not be a problem depending upon [U]. Although the UO22+ ion is distinctly basic, any U+4 will precipitate in basic media. UO22+salts are generally soluble in water and UO22+ is stable with most metals and inorganic anions. The uranyl phosphate is insoluble in water. UF4 and UF6 are water soluble.
Stability - 2-100 ppb levels stable for months in 1% HNO3 / LDPE container. 1-10,000 ppm solutions chemically stable for years in 2-5% HNO3 / LDPE container.
U Containing Samples (Preparation and Solution) -Metal (Dissolves rapidly in HCl and HNO3); Oxide (Soluble in HNO3); Ores (Digest for 1-2 hours with 1 gram of ore to 30 mL 1:1 HNO3. Silica insolubles are removed by filtration after bringing the sample to fumes with conc. H2SO4.)
Atomic Spectroscopic Information (ICP-OES D.L.s are given as radial/axial view):

Technique/Line	**Estimated D.L.**	**Order**	**Interferences** (underlined indicates severe)
ICP-MS 238 amu	2 ppt	N/A	206Pb16O2
ICP-OES 263.553 nm	0.3 / 0.01 µg/mL	1	Ce, Ir, Th, Rh, W, Zr, Ta, Ti, V, Hf, Fe, Re, Ru
ICP-OES 367.007 nm	0.3 / 0.02 µg/mL	1	Th, Ce
ICP-OES 385.958 nm	0.3 / 0.01 µg/mL	1	Th, Fe

8.0 HAZARDOUS INFORMATION

- Please refer to the Safety Data Sheet for information regarding this CRM/RM.

9.0 HOMOGENEITY

- This solution was mixed according to an in-house procedure and is guaranteed to be homogeneous. Homogeneity data indicate that the end user should take a minimum sample size of 0.2 mL to assure homogeneity.

10.0 QUALITY STANDARD DOCUMENTATION

10.1 ISO 9001 Quality Management System Registration

- QSR Certificate Number QSR-1034

10.2 ISO/IEC 17025 "General Requirements for the Competence of Testing and Calibration Laboratories"

- Chemical Testing - Accredited / A2LA Certificate Number 883.01

10.3 ISO 17034 "General Requirements for the Competence of Reference Material Producers"

- Reference Material Producer - Accredited / A2LA Certificate Number 883.02

Inorganic Ventures, 300 Technology Drive, Christiansburg, Va. 24073, USA; Telephone: 800.669.6799; 540.585.3030, Fax: 540.585.3012; inorganicventures.com; info@inorganicventures.com

11.0 CERTIFICATION, LOT EXPIRATION AND PERIOD OF VALIDITY

11.1 Certification Issue Date

August 03, 2023

- The certification is valid within the measurement uncertainty specified provided the CRM/RM is stored and handled in accordance with instructions given in Sec 7.1. This certification is nullified if instructions in Sec 7.1 are not followed or if the CRM/RM is damaged, contaminated, or otherwise modified.

11.2 Lot Expiration Date

- August 03, 2028

- The date after which this CRM/RM should not be used.

- The lot expiration date reflects the period of time that the stability of a CRM/RM can be supported by long term stability studies conducted on properly stored and handled CRM/RMs. Lot expiration is limited primarily by transpiration (loss of water from the solution) and infrequently by chemical stability.

11.3 Period of Validity

- Sealed TCT Bag Open Date: _____

- This CRM/RM should not be used longer than one year (or six months in the case of a 30 mL bottle) from the date of opening the aluminized bag or after the date given in Sec. 11.2, whichever comes first. This is contingent upon the CRM/RM being stored and handled in accordance with the instructions given in Sec. 7.1.

12.0 NAMES AND SIGNATURES OF CERTIFYING OFFICERS


Certificate Prepared By:

Uyen Truong
Custom Processing Supervisor



Certificate Approved By:

Jodie Wall
Stock VSM Coordinator



Certifying Officer:

Paul Gaines
Chairman / Senior Technical Director



Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

M6021

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

Bc. 8/5/24

CERTIFIED WEIGHT REPORT:

		Lot #	Solvent:	
Part Number:	**57023**			
Lot Number:	**062424**	24002546	Nitric Acid	
Description:	**Vanadium (V)**			
		2.0%	40.0 (mL)	Nitric Acid
Expiration Date:	062427			
Recommended Storage:	Ambient (20 °C)			
Nominal Concentration (µg/mL):	**1000**			
NIST Test Number:	6UTB	5E-05	Balance Uncertainty	
Volume shown below was diluted to (mL):	2000.3	0.06	Flask Uncertainty	


Aleah O'Brady

Formulated By:	Aleah O'Brady	062424

Pedro Rentas

Reviewed By:	Pedro L. Rentas	062424

Compound	Part Number	Lot Number	Dilution Factor	Initial Vol. (mL)	Uncertainty Pipette (mL)	Nominal Conc. (µg/mL)	Initial Conc. (µg/mL)	Final Conc. (µg/mL)	Expanded Uncertainty +/- (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50	NIST SRM
1. Ammonium metavanadate (V)	58123	021224	0.1000	200.0	0.084	1000	10000.3	**1000.0**	**2.2**	7803-55-6	0.05 mg/m3	orl-rat 58.1mg/kg	3165



Instrumental Analysis by Inductively Coupled Plasma Mass Spectrometry (ICP-MS):

Trace Metals Verification by ICP-MS (µg/mL)

Al	<0.02	Cd	<0.02	Dy	<0.02	Hf	<0.02	Li	<0.02	Ni	<0.02	Pr	<0.02	Se	<0.2	Tb	<0.02	W	<0.02
Sb	<0.02	Ca	<0.2	Er	<0.02	Ho	<0.02	Lu	<0.02	Nb	<0.02	Re	<0.02	Si	<0.02	Te	<0.02	U	<0.02
As	<0.2	Ce	<0.02	Eu	<0.02	In	<0.02	Mg	<0.01	Os	<0.02	Rh	<0.02	Ag	<0.02	Tl	<0.02	V	T
Ba	<0.02	Cs	<0.02	Gd	<0.02	Ir	<0.02	Mn	<0.02	Pd	<0.02	Rb	<0.02	Na	<0.2	Th	<0.02	Yb	<0.02
Be	<0.01	Cr	<0.02	Ga	<0.02	Fe	<0.2	Hg	<0.2	P	<0.02	Ru	<0.02	Sr	<0.02	Tm	<0.02	Y	<0.02
Bi	<0.02	Co	<0.02	Ge	<0.02	La	<0.02	Mo	<0.02	Pt	<0.02	Sm	<0.02	S	<0.02	Sn	<0.02	Zn	<0.02
B	<0.02	Cu	<0.02	Au	<0.02	Pb	<0.02	Nd	<0.02	K	<0.2	Sc	<0.02	Ta	<0.02	Ti	<0.02	Zr	<0.02

(T) = Target analyte

Physical Characterization:

Certified by:

Homogeneity: No heterogeneity was observed in the preparation of this standard.

* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
* Purified acids, 18.2 megohm deionized water, calibrated Class A glassware and the highest purity raw materials are used in the preparation of all standards.
* All standard containers are meticulously cleaned prior to use.
* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
* Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
* All Standards should be stored with caps tight and under appropriate laboratory conditions.
* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, D.C. (1994).



SHIPPING DOCUMENTS

Alliance TECHNICAL GROUP

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

ALLIANCE PROJECT NO. Q1736
QUOTE NO.
COC Number 2045979

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: GEI & CARRIER
ADDRESS:
CITY Succasunna STATE: NJ ZIP 07876
ATTENTION:
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Stockton
PROJECT NO.: LOCATION: NJ
PROJECT MANAGER: GL
e-mail:
PHONE: 9732941771 FAX:

CLIENT BILLING INFORMATION

BILL TO: GEI & CARRIER PO#:
ADDRESS:
CITY Succasunna STATE: NJ ZIP 07871
ATTENTION: PHONE:

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): Standard DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC + Raw Data) ☐ NYS ASP A ☐ NYS ASP B
☐ Other excel
☒ EDD FORMAT NJDEP edd

ANALYSIS

1: PCBs 2: TAL Metals 3: EDH Cat 2 4: 1,4 Dioxane 5: 6: 7: 8: 9:

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE COMP	SAMPLE TYPE GRAB	SAMPLE COLLECTION DATE	SAMPLE COLLECTION TIME	# OF BOTTLES	PRESERVATIVES 1	2	3	4	5	6	7	8	9	COMMENTS
1.	GST1	SO1		X	4/4/25	1230	1	X	X	X	X						
2.	GST2	SO1		X	4/4/25	1246	1	X	X	X	X						
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

← Specify Preservatives
A-HCl D-NaOH
B-HN03 E-ICE
C-H2SO4 F-OTHER

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:
1.	4/4/25	1. 4/4/25 0834
2.		2.
3.		3.

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 2.8°C (adjust Factor +1) IR Gun #1
Comments:

Page ____ of

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete ☐ YES ☐ NO

Copyright © 2024

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY

284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

QA Control Code: A2070148