

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A NF Start Digest Date: 04/07/2025 04/08/2025 Time : 15:00 Temp : N/A

Matrix : SOIL 04/11/25 End Digest Date: 04/08/2025 Time : 16:30 Temp : N/A

Pipette ID : N/A 04/07/2025

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
04/08/2025 16:45	NF/WC	NF/WC
04/07/2025	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB167498BL	PBS498	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1732-04DUP	TT-8DUP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1732-04	TT-8	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1737-02	RT3069	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1740-04	TP-20	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1743-04	TP-16	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1744-02	B-158-SB01	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1744-04	B-158-SB02	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1745-04	IB-6A-WC	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1745-12	IB-6.5-WC	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1746-02	B-149-SB01	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1746-04	B-149-SB02	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A