

## Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	04/05/25 17:10
Project:	Amtrak Sawtooth Bridges 2025	Date Received:	04/07/25
Client Sample ID:	B-158-SB02	SDG No.:	Q1744
Lab Sample ID:	Q1744-03	Matrix:	SOIL
		% Solid:	56

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.12	U	1	0.12	0.71	mg/Kg	04/07/25 11:40	04/07/25 15:23	7196A
pH	6.45	H	1	0	0	pH		04/07/25 16:33	9045D
Trivalent Chromium	25.6		1	0.89	0.89	mg/Kg		04/10/25 14:19	6010D

Comments: pH result reported at temperature 22.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits