

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: Q1744
Project: Amtrak Sawtooth Bridges 2025	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 04/02/2025 04/02/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	04/02/2025	16:44	PS029656.D	6.96	0.00
HSTDICC200	HSTDICC200	04/02/2025	17:32	PS029657.D	6.96	0.00
HSTDICC500	HSTDICC500	04/02/2025	17:56	PS029658.D	6.96	0.00
HSTDICC750	HSTDICC750	04/02/2025	18:44	PS029659.D	6.96	0.00
HSTDICC1000	HSTDICC1000	04/02/2025	19:32	PS029660.D	6.96	0.00
HSTDICC1500	HSTDICC1500	04/02/2025	20:44	PS029661.D	6.96	0.00
IBLK	IBLK	04/09/2025	20:10	PS029763.D	6.94	0.00
HSTDCCC750	HSTDCCC750	04/09/2025	20:34	PS029764.D	6.94	0.00
WC-LIQUID-20250404MS	Q1739-02MS	04/09/2025	21:46	PS029766.D	6.94	0.00
WC-LIQUID-20250404MSD	Q1739-02MSD	04/09/2025	22:10	PS029767.D	6.94	0.00
PB167536BL	PB167536BL	04/09/2025	22:34	PS029768.D	6.94	0.00
PB167536BS	PB167536BS	04/09/2025	22:58	PS029769.D	6.94	0.00
PB167517TB	PB167517TB	04/09/2025	23:47	PS029771.D	6.94	0.00
IBLK	IBLK	04/10/2025	00:10	PS029772.D	6.94	0.00
HSTDCCC750	HSTDCCC750	04/10/2025	01:46	PS029773.D	6.94	0.00
B-158-SB01	Q1744-02	04/10/2025	02:11	PS029774.D	6.94	0.00
B-158-SB02	Q1744-04	04/10/2025	02:35	PS029775.D	6.96	0.00
IBLK	IBLK	04/10/2025	03:46	PS029778.D	6.96	0.00
HSTDCCC750	HSTDCCC750	04/10/2025	04:10	PS029779.D	6.96	0.00

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: Q1744
Project: Amtrak Sawtooth Bridges 2025	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 04/02/2025 04/02/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	04/02/2025	16:44	PS029656.D	7.48	0.00
HSTDICC200	HSTDICC200	04/02/2025	17:32	PS029657.D	7.48	0.00
HSTDICC500	HSTDICC500	04/02/2025	17:56	PS029658.D	7.48	0.00
HSTDICC750	HSTDICC750	04/02/2025	18:44	PS029659.D	7.48	0.00
HSTDICC1000	HSTDICC1000	04/02/2025	19:32	PS029660.D	7.48	0.00
HSTDICC1500	HSTDICC1500	04/02/2025	20:44	PS029661.D	7.48	0.00
IBLK	IBLK	04/09/2025	20:10	PS029763.D	7.47	0.00
HSTDCCC750	HSTDCCC750	04/09/2025	20:34	PS029764.D	7.47	0.00
WC-LIQUID-20250404MS	Q1739-02MS	04/09/2025	21:46	PS029766.D	7.47	0.00
WC-LIQUID-20250404MSD	Q1739-02MSD	04/09/2025	22:10	PS029767.D	7.47	0.00
PB167536BL	PB167536BL	04/09/2025	22:34	PS029768.D	7.47	0.00
PB167536BS	PB167536BS	04/09/2025	22:58	PS029769.D	7.47	0.00
PB167517TB	PB167517TB	04/09/2025	23:47	PS029771.D	7.47	0.00
IBLK	IBLK	04/10/2025	00:10	PS029772.D	7.47	0.00
HSTDCCC750	HSTDCCC750	04/10/2025	01:46	PS029773.D	7.48	0.00
B-158-SB01	Q1744-02	04/10/2025	02:11	PS029774.D	7.48	0.00
B-158-SB02	Q1744-04	04/10/2025	02:35	PS029775.D	7.50	0.00
IBLK	IBLK	04/10/2025	03:46	PS029778.D	7.50	0.00
HSTDCCC750	HSTDCCC750	04/10/2025	04:10	PS029779.D	7.50	0.00