

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041025\
 Data File : VY021827.D
 Acq On : 10 Apr 2025 10:28
 Operator : SY/MD
 Sample : VY0410SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0410SBL01

Quant Time: Apr 11 01:49:03 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 28 02:30:29 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.713	168	241941	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.616	114	436661	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.420	117	362482	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.352	152	131635	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.067	65	122060	46.564	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	93.120%
35) Dibromofluoromethane	7.640	113	141417	49.926	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	99.860%
50) Toluene-d8	10.109	98	522401	48.479	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	96.960%
62) 4-Bromofluorobenzene	12.408	95	139589	38.297	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	76.600%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY041025\
Data File : VY021827.D
Acq On : 10 Apr 2025 10:28
Operator : SY/MD
Sample : VY0410SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0410SBL01

Quant Time: Apr 11 01:49:03 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y032725S.M
Quant Title : SW846 8260
QLast Update : Fri Mar 28 02:30:29 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.713 min Scan# 99
Delta R.T. 0.006 min
Lab File: VY021827.D
Acq: 10 Apr 2025 10:28




Instrument :
MSVOA_Y
ClientSampleId :
VY0410SBL01


Tgt Ion:168 Resp: 241941
Ion Ratio Lower Upper
168 100
99 56.8 46.7 70.1



#33
1,2-Dichloroethane-d4
Concen: 46.564 ug/l
RT: 8.067 min Scan# 1041
Delta R.T. 0.006 min
Lab File: VY021827.D
Acq: 10 Apr 2025 10:28

Tgt Ion: 65 Resp: 122060
Ion Ratio Lower Upper
65 100
67 51.5 0.0 104.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.616 min Scan# 1131

Delta R.T. 0.000 min

Lab File: VY021827.D

Acq: 10 Apr 2025 10:28

Instrument :

MSVOA_Y

ClientSampleId :

VY0410SBL01





Tgt Ion:114 Resp: 436661

Ion Ratio Lower Upper

114 100

63 20.8 0.0 40.2

88 15.0 0.0 29.8



#35

Dibromofluoromethane

Concen: 49.926 ug/l

RT: 7.640 min Scan# 971

Delta R.T. 0.006 min

Lab File: VY021827.D

Acq: 10 Apr 2025 10:28




Tgt Ion:113 Resp: 141417


Ion Ratio Lower Upper

113 100

111 102.9 82.6 123.8

192 19.4 16.2 24.4









#50
Toluene-d8
Concen: 48.479 ug/l
RT: 10.109 min Scan# 1376
Delta R.T. 0.000 min
Lab File: VY021827.D
Acq: 10 Apr 2025 10:28




Instrument :
MSVOA_Y
ClientSampleId :
VY0410SBL01


Tgt Ion: 98 Resp: 522401
Ion Ratio Lower Upper
98 100
100 64.6 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 38.297 ug/l
RT: 12.408 min Scan# 1753
Delta R.T. 0.000 min
Lab File: VY021827.D
Acq: 10 Apr 2025 10:28

Tgt Ion: 95 Resp: 139589
Ion Ratio Lower Upper
95 100
174 83.3 0.0 170.8
176 80.5 0.0 162.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.420 min Scan# 11

Delta R.T. 0.000 min

Lab File: VY021827.D

Acq: 10 Apr 2025 10:28

Instrument :

MSVOA_Y

ClientSampleId :

VY0410SBL01





Tgt Ion:117 Resp: 362482

Ion Ratio Lower Upper

117 100

82 55.6 42.8 64.2

119 32.1 25.7 38.5



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.352 min Scan# 1908

Delta R.T. 0.006 min

Lab File: VY021827.D

Acq: 10 Apr 2025 10:28

Tgt Ion:152 Resp: 131635

Ion Ratio Lower Upper

152 100

115 58.3 28.8 86.5

150 157.0 0.0 348.4

