

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	04/05/25 20:25
Project:	Amtrak Sawtooth Bridges 2025	Date Received:	04/07/25
Client Sample ID:	B-149-SB01	SDG No.:	Q1746
Lab Sample ID:	Q1746-01	Matrix:	SOIL
		% Solid:	89.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.076	U	1	0.076	0.43	mg/Kg	04/07/25 11:40	04/07/25 15:26	7196A
pH	7.07	H	1	0	0	pH		04/07/25 16:50	9045D
Trivalent Chromium	12.0		1	0.56	0.56	mg/Kg		04/10/25 16:17	6010D

Comments: pH result reported at temperature 22.9 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits