

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	04/05/25
Project:	Amtrak Sawtooth Bridges 2025	Date Received:	04/07/25
Client Sample ID:	B-149-SB01	SDG No.:	Q1746
Lab Sample ID:	Q1746-02	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	34.8	U	1	34.8	100	ug/L	04/09/25 12:30	04/14/25 20:34	SW6010	SW3050
7440-39-3	Barium	952	N	1	62.8	500	ug/L	04/09/25 12:30	04/14/25 20:34	SW6010	SW3050
7440-43-9	Cadmium	2.20	J	1	0.94	30.0	ug/L	04/09/25 12:30	04/14/25 20:34	SW6010	SW3050
7440-47-3	Chromium	6.60	U	1	6.60	50.0	ug/L	04/09/25 12:30	04/14/25 20:34	SW6010	SW3050
7439-92-1	Lead	116		1	35.1	60.0	ug/L	04/09/25 12:30	04/14/25 20:34	SW6010	SW3050
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	04/10/25 09:45	04/10/25 13:50	SW7470A	
7782-49-2	Selenium	58.8	U	1	58.8	100	ug/L	04/09/25 12:30	04/14/25 20:34	SW6010	SW3050
7440-22-4	Silver	5.80	U	1	5.80	50.0	ug/L	04/09/25 12:30	04/14/25 20:34	SW6010	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits