

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1746

Client: Portal Partners Tri-Venture

Analytical Method: SW8260D

Datafile : VY021829.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY0410SBSD01	Dichlorodifluoromethane	20	18.2	ug/Kg	91	1		40 (64)	160 (136)	30 (20)
	Chloromethane	20	19.7	ug/Kg	99	1		40 (70)	160 (130)	30 (20)
	Vinyl chloride	20	18.6	ug/Kg	93	3		70 (72)	130 (129)	30 (20)
	Bromomethane	20	18.7	ug/Kg	94	1		40 (58)	160 (141)	30 (20)
	Chloroethane	20	19.1	ug/Kg	96	1		40 (69)	160 (130)	30 (20)
	Trichlorofluoromethane	20	19.3	ug/Kg	97	0		40 (69)	160 (134)	30 (20)
	1,1,2-Trichlorotrifluoroethane	20	20.0	ug/Kg	100	3		70 (81)	130 (123)	30 (20)
	1,1-Dichloroethene	20	18.8	ug/Kg	94	6		70 (79)	130 (121)	30 (20)
	Acetone	100	94.7	ug/Kg	95	3		40 (60)	160 (131)	30 (20)
	Carbon disulfide	20	18.3	ug/Kg	92	1		40 (45)	160 (154)	30 (20)
	Methyl tert-butyl Ether	20	18.7	ug/Kg	94	8		70 (77)	130 (129)	30 (20)
	Methyl Acetate	20	20.8	ug/Kg	104	14		70 (69)	130 (149)	30 (20)
	Methylene Chloride	20	20.0	ug/Kg	100	4		70 (56)	130 (174)	30 (20)
	trans-1,2-Dichloroethene	20	19.3	ug/Kg	97	1		70 (80)	130 (123)	30 (20)
	1,1-Dichloroethane	20	19.9	ug/Kg	100	2		70 (82)	130 (123)	30 (20)
	Cyclohexane	20	18.1	ug/Kg	91	1		70 (76)	130 (122)	30 (20)
	2-Butanone	100	92.4	ug/Kg	92	6		40 (69)	160 (131)	30 (20)
	Carbon Tetrachloride	20	20.1	ug/Kg	101	2		70 (76)	130 (129)	30 (20)
	cis-1,2-Dichloroethene	20	19.3	ug/Kg	97	2		70 (82)	130 (123)	30 (20)
	Bromochloromethane	20	19.3	ug/Kg	97	1		70 (80)	130 (127)	30 (20)
	Chloroform	20	20.1	ug/Kg	101	1		70 (82)	130 (125)	30 (20)
	1,1,1-Trichloroethane	20	19.7	ug/Kg	99	2		70 (80)	130 (126)	30 (20)
	Methylcyclohexane	20	19.1	ug/Kg	96	2		70 (77)	130 (123)	30 (20)
	Benzene	20	20.3	ug/Kg	102	0		70 (84)	130 (121)	30 (20)
	1,2-Dichloroethane	20	20.0	ug/Kg	100	1		70 (81)	130 (126)	30 (20)
	Trichloroethene	20	20.5	ug/Kg	103	0		70 (83)	130 (122)	30 (20)
	1,2-Dichloropropane	20	20.3	ug/Kg	102	2		70 (83)	130 (122)	30 (20)
	Bromodichloromethane	20	20.6	ug/Kg	103	1		70 (82)	130 (123)	30 (20)
	4-Methyl-2-Pentanone	100	96.0	ug/Kg	96	11		40 (70)	160 (135)	30 (20)
	Toluene	20	20.7	ug/Kg	104	1		70 (83)	130 (122)	30 (20)
	t-1,3-Dichloropropene	20	19.3	ug/Kg	97	1		70 (78)	130 (124)	30 (20)
	cis-1,3-Dichloropropene	20	19.1	ug/Kg	96	2		70 (81)	130 (122)	30 (20)
	1,1,2-Trichloroethane	20	20.7	ug/Kg	104	4		70 (82)	130 (125)	30 (20)
	2-Hexanone	100	94.7	ug/Kg	95	10		40 (66)	160 (138)	30 (20)
	Dibromochloromethane	20	20.8	ug/Kg	104	3		70 (79)	130 (125)	30 (20)
	1,2-Dibromoethane	20	19.9	ug/Kg	100	0		70 (80)	130 (125)	30 (20)
	Tetrachloroethene	20	20.6	ug/Kg	103	1		70 (83)	130 (125)	30 (20)
	Chlorobenzene	20	20.1	ug/Kg	101	2		70 (84)	130 (122)	30 (20)
	Ethyl Benzene	20	19.9	ug/Kg	100	3		70 (82)	130 (124)	30 (20)
	m/p-Xylenes	40	40.6	ug/Kg	102	3		70 (83)	130 (124)	30 (20)
	o-Xylene	20	20.2	ug/Kg	101	1		70 (83)	130 (123)	30 (20)
	Styrene	20	20.3	ug/Kg	102	1		70 (82)	130 (124)	30 (20)
	Bromoform	20	20.2	ug/Kg	101	3		70 (75)	130 (127)	30 (20)
	Isopropylbenzene	20	19.1	ug/Kg	96	3		70 (82)	130 (124)	30 (20)
	1,1,2,2-Tetrachloroethane	20	18.6	ug/Kg	93	2		70 (77)	130 (127)	30 (20)
	1,3-Dichlorobenzene	20	19.9	ug/Kg	100	3		70 (83)	130 (122)	30 (20)
	1,4-Dichlorobenzene	20	20.1	ug/Kg	101	2		70 (84)	130 (121)	30 (20)
	1,2-Dichlorobenzene	20	20.1	ug/Kg	101	1		70 (83)	130 (124)	30 (20)

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1746
Client: Portal Partners Tri-Venture
Analytical Method: SW8260D **Datafile :** VY021829.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY0410SBSD01	1,2-Dibromo-3-Chloropropane	20	19.5	ug/Kg	98	11		40 (66)	160 (134)	30 (20)
	1,2,4-Trichlorobenzene	20	20.7	ug/Kg	104	3		70 (78)	130 (127)	30 (20)
	1,2,3-Trichlorobenzene	20	21.0	ug/Kg	105	7		70 (70)	130 (137)	30 (20)