

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 04/10/25 12:00 Project: Date Received: PSEG 14th St 04/10/25 Client Sample ID: WC-11 SDG No.: Q1781 Lab Sample ID: Q1781-09 Matrix: SOIL % Solid: 87.3

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh	nt) Prep Date	Date Ana.	Ana Met.	
Hexavalent Chromium	0.45	U	1	0.079	0.45	mg/Kg	04/14/25 09:00	04/14/25 12:18	7196A	
Ignitability	NO		1	0	0	oC		04/11/25 12:20	1030	
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		04/11/25 10:58	9095B	

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits