

Hit Summary Sheet
SW-846

SDG No.: Q1793

Order ID: Q1793

Client: Chemtech Consulting Group

Project ID: Weekly Storage Blanks

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : PCB-GPC2-BLANK-SPIKE								
Q1793-14	PCB-GPC2-BLANK-§ SOIL		Aroclor-1016	210		2.30	50.0	ug/kg
Q1793-14	PCB-GPC2-BLANK-§ SOIL		Aroclor-1260	220		2.40	50.0	ug/kg
Total Concentration:				430.000				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	04/11/25
Project:	Weekly Storage Blanks	Date Received:	04/11/25
Client Sample ID:	PCB-GPC2-BLANK	SDG No.:	Q1793
Lab Sample ID:	Q1793-13	Matrix:	SOIL
Analytical Method:	SFAM_PCB	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ070215.D	1	04/14/25 11:30	04/15/25 11:09	PB167591

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	2.30	U	2.30	50.0	ug/kg
11104-28-2	Aroclor-1221	2.40	U	2.40	50.0	ug/kg
11141-16-5	Aroclor-1232	2.40	U	2.40	50.0	ug/kg
53469-21-9	Aroclor-1242	2.40	U	2.40	50.0	ug/kg
12672-29-6	Aroclor-1248	2.40	U	2.40	50.0	ug/kg
11097-69-1	Aroclor-1254	2.40	U	2.40	50.0	ug/kg
11096-82-5	Aroclor-1260	2.40	U	2.40	50.0	ug/kg
37324-23-5	Aroclor-1262	2.40	U	2.40	50.0	ug/kg
11100-14-4	Aroclor-1268	2.40	U	2.40	50.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	04/11/25
Project:	Weekly Storage Blanks	Date Received:	04/11/25
Client Sample ID:	PCB-GPC2-BLANK-SPIKE	SDG No.:	Q1793
Lab Sample ID:	Q1793-14	Matrix:	SOIL
Analytical Method:	SFAM_PCB	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PQ070216.D	1	04/14/25 11:30	04/15/25 11:24	PB167591

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	210		2.30	50.0	ug/kg
11104-28-2	Aroclor-1221	2.40	U	2.40	50.0	ug/kg
11141-16-5	Aroclor-1232	2.40	U	2.40	50.0	ug/kg
53469-21-9	Aroclor-1242	2.40	U	2.40	50.0	ug/kg
12672-29-6	Aroclor-1248	2.40	U	2.40	50.0	ug/kg
11097-69-1	Aroclor-1254	2.40	U	2.40	50.0	ug/kg
11096-82-5	Aroclor-1260	220		2.40	50.0	ug/kg
37324-23-5	Aroclor-1262	2.40	U	2.40	50.0	ug/kg
11100-14-4	Aroclor-1268	2.40	U	2.40	50.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID: Q1793
Client: Chemtech Consulting Group
Contact: QA Officer

OrderDate: 4/11/2025 1:28:00 PM
Project: Weekly Storage Blanks
Location: K11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1793-13	PCB-GPC2-BLANK	SOIL	PCB	SFAM_PCB	04/11/25	04/14/25	04/15/25	04/11/25
Q1793-14	PCB-GPC2-BLANK-SPI KE	SOIL	PCB	SFAM_PCB	04/11/25	04/14/25	04/15/25	04/11/25