

Analytical Sequence

Client: ENTACT	SDG No.: Q1800
Project: 540 Degraw St, Brooklyn, NY - E9309	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 04/02/2025 04/02/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	04/02/2025	16:44	PS029656.D	6.96	0.00
HSTDICC200	HSTDICC200	04/02/2025	17:32	PS029657.D	6.96	0.00
HSTDICC500	HSTDICC500	04/02/2025	17:56	PS029658.D	6.96	0.00
HSTDICC750	HSTDICC750	04/02/2025	18:44	PS029659.D	6.96	0.00
HSTDICC1000	HSTDICC1000	04/02/2025	19:32	PS029660.D	6.96	0.00
HSTDICC1500	HSTDICC1500	04/02/2025	20:44	PS029661.D	6.96	0.00
IBLK	IBLK	04/16/2025	15:05	PS029822.D	6.95	0.00
HSTDCCC750	HSTDCCC750	04/16/2025	16:48	PS029823.D	6.95	0.00
PB167608BL	PB167608BL	04/16/2025	17:12	PS029824.D	6.95	0.00
PB167587TB	PB167587TB	04/16/2025	18:01	PS029826.D	6.95	0.00
WC-A4-01-C	Q1800-03	04/16/2025	19:13	PS029829.D	6.95	0.00
WC-A4-01-CMS	Q1800-03MS	04/16/2025	19:37	PS029830.D	6.95	0.00
WC-A4-01-CMSD	Q1800-03MSD	04/16/2025	20:01	PS029831.D	6.95	0.00
IBLK	IBLK	04/16/2025	20:25	PS029832.D	6.95	0.00
HSTDCCC750	HSTDCCC750	04/16/2025	20:49	PS029833.D	6.95	0.00
IBLK	IBLK	04/17/2025	08:37	PS029835.D	6.95	0.00
HSTDCCC750	HSTDCCC750	04/17/2025	09:01	PS029836.D	6.95	0.00
PB167608BS	PB167608BS	04/17/2025	12:55	PS029837.D	6.95	0.00
IBLK	IBLK	04/17/2025	15:37	PS029838.D	6.95	0.00
HSTDCCC750	HSTDCCC750	04/17/2025	16:01	PS029839.D	6.95	0.00

Analytical Sequence

Client: ENTACT	SDG No.: Q1800
Project: 540 Degraw St, Brooklyn, NY - E9309	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 04/02/2025 04/02/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	04/02/2025	16:44	PS029656.D	7.48	0.00
HSTDICC200	HSTDICC200	04/02/2025	17:32	PS029657.D	7.48	0.00
HSTDICC500	HSTDICC500	04/02/2025	17:56	PS029658.D	7.48	0.00
HSTDICC750	HSTDICC750	04/02/2025	18:44	PS029659.D	7.48	0.00
HSTDICC1000	HSTDICC1000	04/02/2025	19:32	PS029660.D	7.48	0.00
HSTDICC1500	HSTDICC1500	04/02/2025	20:44	PS029661.D	7.48	0.00
IBLK	IBLK	04/16/2025	15:05	PS029822.D	7.48	0.00
HSTDCCC750	HSTDCCC750	04/16/2025	16:48	PS029823.D	7.48	0.00
PB167608BL	PB167608BL	04/16/2025	17:12	PS029824.D	7.48	0.00
PB167587TB	PB167587TB	04/16/2025	18:01	PS029826.D	7.48	0.00
WC-A4-01-C	Q1800-03	04/16/2025	19:13	PS029829.D	7.48	0.00
WC-A4-01-CMS	Q1800-03MS	04/16/2025	19:37	PS029830.D	7.48	0.00
WC-A4-01-CMSD	Q1800-03MSD	04/16/2025	20:01	PS029831.D	7.48	0.00
IBLK	IBLK	04/16/2025	20:25	PS029832.D	7.48	0.00
HSTDCCC750	HSTDCCC750	04/16/2025	20:49	PS029833.D	7.48	0.00
IBLK	IBLK	04/17/2025	08:37	PS029835.D	7.47	0.00
HSTDCCC750	HSTDCCC750	04/17/2025	09:01	PS029836.D	7.47	0.00
PB167608BS	PB167608BS	04/17/2025	12:55	PS029837.D	7.47	0.00
IBLK	IBLK	04/17/2025	15:37	PS029838.D	7.47	0.00
HSTDCCC750	HSTDCCC750	04/17/2025	16:01	PS029839.D	7.47	0.00