

Report of Analysis

Client:	PSEG	Date Collected:	04/14/25
Project:	Oradell Gas and Appliance Service MA00006789	Date Received:	04/14/25
Client Sample ID:	OR-03-041425DL	SDG No.:	Q1806
Lab Sample ID:	Q1806-01DL	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	89.8
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049954.D	4	04/15/25 09:35	04/16/25 16:05	PB167598

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.42	UD	0.42	0.88	mg/Kg
108-95-2	Phenol	0.059	UD	0.059	0.45	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.065	UD	0.065	0.45	mg/Kg
95-57-8	2-Chlorophenol	0.065	UD	0.065	0.45	mg/Kg
95-48-7	2-Methylphenol	0.080	UD	0.080	0.45	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.10	UD	0.10	0.45	mg/Kg
98-86-2	Acetophenone	0.079	UD	0.079	0.45	mg/Kg
65794-96-9	3+4-Methylphenols	0.11	UD	0.11	0.88	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.13	UD	0.13	0.21	mg/Kg
67-72-1	Hexachloroethane	0.047	UD	0.047	0.45	mg/Kg
98-95-3	Nitrobenzene	0.049	UD	0.049	0.45	mg/Kg
78-59-1	Isophorone	0.088	UD	0.088	0.45	mg/Kg
88-75-5	2-Nitrophenol	0.16	UD	0.16	0.45	mg/Kg
105-67-9	2,4-Dimethylphenol	0.17	UD	0.17	0.45	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.082	UD	0.082	0.45	mg/Kg
120-83-2	2,4-Dichlorophenol	0.076	UD	0.076	0.45	mg/Kg
91-20-3	Naphthalene	0.061	UD	0.061	0.45	mg/Kg
106-47-8	4-Chloroaniline	0.095	UD	0.095	0.45	mg/Kg
87-68-3	Hexachlorobutadiene	0.068	UD	0.068	0.45	mg/Kg
105-60-2	Caprolactam	0.14	UD	0.14	0.88	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.077	UD	0.077	0.45	mg/Kg
91-57-6	2-Methylnaphthalene	0.068	UD	0.068	0.45	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.31	UD	0.31	0.88	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.053	UD	0.053	0.45	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.078	UD	0.078	0.45	mg/Kg
92-52-4	1,1-Biphenyl	0.058	UD	0.058	0.45	mg/Kg
91-58-7	2-Chloronaphthalene	0.060	UD	0.060	0.45	mg/Kg
88-74-4	2-Nitroaniline	0.13	UD	0.13	0.45	mg/Kg
131-11-3	Dimethylphthalate	0.072	UD	0.072	0.45	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	04/14/25
Project:	Oradell Gas and Appliance Service MA00006789	Date Received:	04/14/25
Client Sample ID:	OR-03-041425DL	SDG No.:	Q1806
Lab Sample ID:	Q1806-01DL	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	89.8
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049954.D	4	04/15/25 09:35	04/16/25 16:05	PB167598

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.077	UD	0.077	0.45	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.090	UD	0.090	0.45	mg/Kg
99-09-2	3-Nitroaniline	0.12	UD	0.12	0.45	mg/Kg
83-32-9	Acenaphthene	0.24	JD	0.057	0.45	mg/Kg
51-28-5	2,4-Dinitrophenol	0.61	UD	0.61	0.88	mg/Kg
100-02-7	4-Nitrophenol	0.29	UD	0.29	0.88	mg/Kg
132-64-9	Dibenzofuran	0.061	UD	0.061	0.45	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.13	UD	0.13	0.45	mg/Kg
84-66-2	Diethylphthalate	0.076	UD	0.076	0.45	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.071	UD	0.071	0.45	mg/Kg
86-73-7	Fluorene	0.27	JD	0.068	0.45	mg/Kg
100-01-6	4-Nitroaniline	0.17	UD	0.17	0.45	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.28	UD	0.28	0.88	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.088	UD	0.088	0.45	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.074	UD	0.074	0.45	mg/Kg
118-74-1	Hexachlorobenzene	0.068	UD	0.068	0.45	mg/Kg
1912-24-9	Atrazine	0.091	UD	0.091	0.45	mg/Kg
87-86-5	Pentachlorophenol	0.14	UD	0.14	0.88	mg/Kg
85-01-8	Phenanthrene	2.40	D	0.056	0.45	mg/Kg
120-12-7	Anthracene	0.63	D	0.089	0.45	mg/Kg
86-74-8	Carbazole	0.25	JD	0.083	0.45	mg/Kg
84-74-2	Di-n-butylphthalate	0.13	UD	0.13	0.45	mg/Kg
206-44-0	Fluoranthene	3.20	D	0.080	0.45	mg/Kg
129-00-0	Pyrene	2.70	D	0.096	0.45	mg/Kg
85-68-7	Butylbenzylphthalate	0.19	UD	0.19	0.45	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.098	UD	0.098	0.88	mg/Kg
56-55-3	Benzo(a)anthracene	1.20	D	0.061	0.45	mg/Kg
218-01-9	Chrysene	1.10	D	0.053	0.45	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.16	UD	0.16	0.45	mg/Kg
117-84-0	Di-n-octyl phthalate	0.23	UD	0.23	0.88	mg/Kg
205-99-2	Benzo(b)fluoranthene	1.20	D	0.051	0.45	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	04/14/25
Project:	Oradell Gas and Appliance Service MA00006789	Date Received:	04/14/25
Client Sample ID:	OR-03-041425DL	SDG No.:	Q1806
Lab Sample ID:	Q1806-01DL	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	89.8
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM049954.D	4	04/15/25 09:35	04/16/25 16:05	PB167598

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.46	D	0.060	0.45	mg/Kg
50-32-8	Benzo(a)pyrene	1.00	D	0.079	0.45	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.51	D	0.078	0.45	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.073	UD	0.073	0.45	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.61	D	0.069	0.45	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.068	UD	0.068	0.45	mg/Kg
123-91-1	1,4-Dioxane	0.12	UD	0.12	0.45	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.073	UD	0.073	0.45	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	67.1		18 - 112	45%	SPK: 150
13127-88-3	Phenol-d6	66.7		15 - 107	44%	SPK: 150
4165-60-0	Nitrobenzene-d5	45.6		18 - 107	46%	SPK: 100
321-60-8	2-Fluorobiphenyl	43.4		20 - 109	43%	SPK: 100
118-79-6	2,4,6-Tribromophenol	63.9		10 - 116	43%	SPK: 150
1718-51-0	Terphenyl-d14	37.4		10 - 105	37%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	435000	7.769
1146-65-2	Naphthalene-d8	1470000	10.563
15067-26-2	Acenaphthene-d10	897000	14.41
1517-22-2	Phenanthrene-d10	1670000	17.156
1719-03-5	Chrysene-d12	1670000	21.397
1520-96-3	Perylene-d12	1850000	24.403

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products