

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	
Project:	Former Schlumberger STC PTC Site D3868221	Date Received:	
Client Sample ID:	VN0416WBS01	SDG No.:	Q1812
Lab Sample ID:	VN0416WBS01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086289.D	1		04/16/25 11:52	VN041625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	18.8		0.22	1.00	ug/L
74-87-3	Chloromethane	17.2		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	17.8		0.26	1.00	ug/L
74-83-9	Bromomethane	19.7		1.40	5.00	ug/L
75-00-3	Chloroethane	17.3		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	17.9		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	18.2		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	17.1		0.23	1.00	ug/L
67-64-1	Acetone	100		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	16.8		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	17.5		0.16	1.00	ug/L
79-20-9	Methyl Acetate	17.3		0.27	1.00	ug/L
75-09-2	Methylene Chloride	17.1		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	17.4		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	17.7		0.23	1.00	ug/L
110-82-7	Cyclohexane	17.5		1.50	5.00	ug/L
78-93-3	2-Butanone	93.4		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	17.9		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	17.5		0.19	1.00	ug/L
74-97-5	Bromochloromethane	25.4		0.22	1.00	ug/L
67-66-3	Chloroform	17.5		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	17.9		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	18.1		0.16	1.00	ug/L
71-43-2	Benzene	17.9		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	17.7		0.22	1.00	ug/L
79-01-6	Trichloroethene	18.2		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	17.8		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	18.1		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	89.9		0.68	5.00	ug/L
108-88-3	Toluene	18.0		0.14	1.00	ug/L

Report of Analysis

Client:	JACOBS Engineering Group, Inc.		Date Collected:	
Project:	Former Schlumberger STC PTC Site D3868221		Date Received:	
Client Sample ID:	VN0416WBS01		SDG No.:	Q1812
Lab Sample ID:	VN0416WBS01		Matrix:	Water
Analytical Method:	SW8260		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086289.D	1		04/16/25 11:52	VN041625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	18.2		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	17.7		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	17.9		0.21	1.00	ug/L
591-78-6	2-Hexanone	92.6		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	18.0		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	18.1		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	18.6		0.23	1.00	ug/L
108-90-7	Chlorobenzene	17.9		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	18.0		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	36.3		0.24	2.00	ug/L
95-47-6	o-Xylene	18.0		0.12	1.00	ug/L
100-42-5	Styrene	18.1		0.15	1.00	ug/L
75-25-2	Bromoform	18.1		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	17.8		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	17.1		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	18.0		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	17.9		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	17.9		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	18.7		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	19.4		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	19.0		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.6		70 (74) - 130 (125)	101%	SPK: 50
1868-53-7	Dibromofluoromethane	50.4		70 (75) - 130 (124)	101%	SPK: 50
2037-26-5	Toluene-d8	50.8		70 (86) - 130 (113)	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.8		70 (77) - 130 (121)	100%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	283000	8.218			
540-36-3	1,4-Difluorobenzene	522000	9.094			
3114-55-4	Chlorobenzene-d5	460000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	209000	13.788			

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	
Project:	Former Schlumberger STC PTC Site D3868221	Date Received:	
Client Sample ID:	VN0416WBS01	SDG No.:	Q1812
Lab Sample ID:	VN0416WBS01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN086289.D	1		04/16/25 11:52	VN041625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products