



SAMPLE DATA

Report of Analysis

Client:	Mars Chocolate North America, LLC	Date Collected:	04/17/25 05:00
Project:	W.T.P. Final Effluent 2025	Date Received:	04/17/25
Client Sample ID:	EFFLUENT-COMPOSITE	SDG No.:	Q1831
Lab Sample ID:	Q1831-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	38.8		1	1.50	5.00	mg/L	04/17/25 14:00	04/18/25 09:51	SM 4500-NH3 B plus G-11
BOD Soluble	40.4		1	0.20	2.00	mg/L		04/18/25 13:45	SM 5210 B-16
BOD5	45.3		1	0.20	2.00	mg/L		04/18/25 13:45	SM 5210 B-16
COD	140		1	1.50	10.0	mg/L		04/21/25 13:57	SM 5220 D-11
Apparent Color	800	D	20	100	100	cu		04/18/25 09:40	SM 2120 B-11
Phosphorus, Total	1.56	OR	1	0.0050	0.050	mg/L	04/18/25 09:45	04/18/25 11:51	365.3
TDS	4150		1	1.00	10.0	mg/L		04/17/25 17:00	SM 2540 C-15
TSS	50.4		1	1.00	4.00	mg/L		04/21/25 10:00	SM 2540 D-15

Comments: Apparent color result reported at pH 7.93

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Mars Chocolate North America, LLC	Date Collected:	04/17/25 05:00
Project:	W.T.P. Final Effluent 2025	Date Received:	04/17/25
Client Sample ID:	EFFLUENT-COMPOSITEDL	SDG No.:	Q1831
Lab Sample ID:	Q1831-01DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Phosphorus, Total	3.89	D	5	0.023	0.25	mg/L	04/18/25 09:45	04/18/25 11:54	365.3

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Mars Chocolate North America, LLC	Date Collected:	04/17/25 05:00
Project:	W.T.P. Final Effluent 2025	Date Received:	04/17/25
Client Sample ID:	EFFLUENT-GRAB	SDG No.:	Q1831
Lab Sample ID:	Q1831-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Oil and Grease	0.29	U	1	0.29	5.00	mg/L		04/22/25 10:20	1664A

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits



QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

RunNo.: LB135482

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Ammonia as N	mg/L	0.98	1	98	90-110	04/18/2025
Sample ID: CCV1 Ammonia as N	mg/L	0.96	1	96	90-110	04/18/2025
Sample ID: CCV2 Ammonia as N	mg/L	0.95	1	95	90-110	04/18/2025
Sample ID: CCV3 Ammonia as N	mg/L	1	1	100	90-110	04/18/2025
Sample ID: CCV4 Ammonia as N	mg/L	1	1	100	90-110	04/18/2025

Initial and Continuing Calibration Verification

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

RunNo.: LB135487

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV Phosphorus, Total	mg/L	0.487	0.50	97	90-110	04/18/2025
Sample ID: CCV1 Phosphorus, Total	mg/L	0.500	0.50	100	90-110	04/18/2025
Sample ID: CCV2 Phosphorus, Total	mg/L	0.493	0.50	99	90-110	04/18/2025
Sample ID: CCV3 Phosphorus, Total	mg/L	0.499	0.50	100	90-110	04/18/2025

Initial and Continuing Calibration Verification

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

RunNo.: LB135532

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV COD	mg/L	49.329	50	99	95-105	01/22/2025
Sample ID: CCV1 COD	mg/L	50.319	50	101	95-105	04/21/2025
Sample ID: CCV2 COD	mg/L	49.329	50	99	95-105	04/21/2025

Initial and Continuing Calibration Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

RunNo.: LB135482

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	04/18/2025
Sample ID: CCB1 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	04/18/2025
Sample ID: CCB2 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	04/18/2025
Sample ID: CCB3 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	04/18/2025
Sample ID: CCB4 Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	04/18/2025

Initial and Continuing Calibration Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

RunNo.: LB135487

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB Phosphorus, Total	mg/L	0.006	0.0250	J	0.0045	0.05	04/18/2025
Sample ID: CCB1 Phosphorus, Total	mg/L	< 0.0250	0.0250	U	0.0045	0.05	04/18/2025
Sample ID: CCB2 Phosphorus, Total	mg/L	0.006	0.0250	J	0.0045	0.05	04/18/2025
Sample ID: CCB3 Phosphorus, Total	mg/L	< 0.0250	0.0250	U	0.0045	0.05	04/18/2025

Initial and Continuing Calibration Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

RunNo.: LB135532

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB COD	mg/L	< 5.0000	5.0000	U	1.50	10	01/22/2025
Sample ID: CCB1 COD	mg/L	< 5.0000	5.0000	U	1.50	10	04/21/2025
Sample ID: CCB2 COD	mg/L	< 5.0000	5.0000	U	1.50	10	04/21/2025

Initial and Continuing Calibration Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

RunNo.: LB135532

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
---------	-------	--------	----------------------	--------------	-----	-----	------------------

Preparation Blank Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB135481BL							
Apparent Color	cu	< 2.5000	2.5000	U	5.0	5.0	04/18/2025
Sample ID: LB135486BL							
TDS	mg/L	< 5.0000	5.0000	U	1.0	10	04/17/2025
Sample ID: LB135492BL							
BOD Soluble	mg/L	< 1.0000	1.0000	U	0.20	2	04/18/2025
Sample ID: LB135493BL							
BOD5	mg/L	< 0.2000	0.2000	U	0.20	2.0	04/18/2025
Sample ID: LB135500BL							
TSS	mg/L	1	2.0000	J	1	4	04/21/2025
Sample ID: LB135516BL							
Oil and Grease	mg/L	< 2.5000	2.5000	U	0.29	5.0	04/22/2025
Sample ID: LB135532BL							
COD	mg/L	< 5.0000	5.0000	U	1.5	10.0	04/21/2025
Sample ID: PB167618BL							
Ammonia as N	mg/L	< 0.0500	0.0500	U	0.03	0.1	04/18/2025
Sample ID: PB167651BL							
Phosphorus, Total	mg/L	0.007	0.0250	J	0.005	0.05	04/18/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1782-01
Client ID:	MW-1MS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Ammonia as N	mg/L	75-125	0.97		0.030	U	1	1	97		04/18/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1782-01
Client ID:	MW-1MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Ammonia as N	mg/L	75-125	0.96		0.030	U	1	1	96		04/18/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-01DL
Client ID:	EFFLUENT-COMPOSITEMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Phosphorus, Total	mg/L	90-110	4.28	D	3.89	D	0.5	5	78	*	04/18/2025
COD	mg/L	75-125	184		140		50.0	2	88		04/21/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-01DL
Client ID:	EFFLUENT-COMPOSITMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Phosphorus, Total	mg/L	90-110	4.28	D	3.89	D	0.5	5	78	*	04/18/2025
COD	mg/L	75-125	186		140		50.0	2	92		04/21/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-02
Client ID:	EFFLUENT-GRABMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	20.3		0.29	U	20.0	1	102		04/22/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-02
Client ID:	EFFLUENT-GRABMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	20.5		0.29	U	20.0	1	103		04/22/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1835-01
Client ID:	EFFLUENTMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	24.9		4.60	J	20.0	1	102		04/22/2025

Matrix Spike Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1835-01
Client ID:	EFFLUENTMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	24.7		4.60	J	20.0	1	101		04/22/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1782-01
Client ID:	MW-1DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	0.030	U	0.030	U	1	0		04/18/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1782-01
Client ID:	MW-1MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	0.97		0.96		1	1		04/18/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-01
Client ID:	EFFLUENT-COMPOSITEDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
TDS	mg/L	+/-5	4150		4170		1	0.5		04/17/2025
BOD Soluble	mg/L	+/-20	40.4		41.5		1	2.71		04/18/2025
BOD5	mg/L	+/-20	45.3		45.8		1	1.12		04/18/2025
TSS	mg/L	+/-5	50.4		48.3		1	4.26		04/21/2025
COD	mg/L	+/-20	140		142		1	1.42		04/21/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-01DL
Client ID:	EFFLUENT-COMPOSITEDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Apparent Color	cu	+/-20	800	D	800	D	20	0		04/18/2025
Phosphorus, Total	mg/L	+/-20	3.89	D	3.89	D	5	0		04/18/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-01DL
Client ID:	EFFLUENT-COMPOSITMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Phosphorus, Total	mg/L	+/-20	4.28	D	4.28	D	5	0		04/18/2025
COD	mg/L	+/-20	184		186		2	1.08		04/21/2025

Duplicate Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Sample ID:	Q1831-02
Client ID:	EFFLUENT-GRABMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	20.3		20.5		1	0.98		04/22/2025

Duplicate Sample Summary

Client: Mars Chocolate North America, LLC	SDG No.: Q1831
Project: W.T.P. Final Effluent 2025	Sample ID: Q1835-01
Client ID: EFFLUENTMSD	Percent Solids for Spike Sample: 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	24.9		24.7		1	0.81		04/22/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Run No.: LB135486

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135486BS							
TDS	mg/L	100	94.0		94	1	90-110	04/17/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Run No.: LB135492

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135492BS							
BOD Soluble	mg/L	198	207		105	1	84.6-115.4	04/18/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Run No.: LB135493

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135493BS							
BOD5	mg/L	198	208		105	1	84.6-115.4	04/18/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Run No.: LB135500

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135500BS							
TSS	mg/L	550	532		97	1	90-110	04/21/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Run No.: LB135516

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135516BS							
Oil and Grease	mg/L	20.0	16.8		84	1	78-114	04/22/2025

Laboratory Control Sample Summary

Client:	Mars Chocolate North America, LLC	SDG No.:	Q1831
Project:	W.T.P. Final Effluent 2025	Run No.:	LB135532

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB135532BS							
COD	mg/L	50	47.4		95	1	90-110	04/21/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Run No.: LB135482

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB167618BS							
Ammonia as N	mg/L	1	0.95		95	1	90-110	04/18/2025

Laboratory Control Sample Summary

Client: Mars Chocolate North America, LLC

SDG No.: Q1831

Project: W.T.P. Final Effluent 2025

Run No.: LB135487

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB167651BS							
Phosphorus, Total	mg/L	0.50	0.47		95	1	90-110	04/18/2025

Instrument ID: NESSLER TUBES

Daily Analysis Runlog For Sequence/QC Batch ID # LB135481

Review By	Iwona	Review On	4/18/2025 10:43:22 AM
Supervise By	jignesh	Supervise On	4/18/2025 10:44:03 AM
SubDirectory	LB135481	Test	Color
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	LB135481BL	LB135481BL	MB	04/18/25 09:35		Iwona	OK
2	Q1831-01	EFFLUENT-COMPOS	SAM	04/18/25 09:40		Iwona	OK
3	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/18/25 09:45		Iwona	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB135482

Review By	rubina	Review On	4/21/2025 9:42:09 AM
Supervise By	Iwona	Supervise On	4/21/2025 1:09:57 PM
SubDirectory	LB135482	Test	Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP112763		
ICV Standard	WP112765		
CCV Standard	WP112764		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP112614		
Chk Standard	WP112537,WP111745,WP111385,WP111660		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPM	0.0PPM	CAL1	04/18/25 08:45		rubina	OK
2	0.1PPM	0.1PPM	CAL2	04/18/25 08:45		rubina	OK
3	0.2PPM	0.2PPM	CAL3	04/18/25 08:45		rubina	OK
4	0.4PPM	0.4PPM	CAL4	04/18/25 08:45		rubina	OK
5	1.0PPM	1.0PPM	CAL5	04/18/25 08:45		rubina	OK
6	1.3PPM	1.3PPM	CAL6	04/18/25 08:45		rubina	OK
7	2.0PPM	2.0PPM	CAL7	04/18/25 08:45		rubina	OK
8	ICV1	ICV1	ICV	04/18/25 09:29		rubina	OK
9	ICB1	ICB1	ICB	04/18/25 09:29		rubina	OK
10	CCV1	CCV1	CCV	04/18/25 09:29		rubina	OK
11	CCB1	CCB1	CCB	04/18/25 09:29		rubina	OK
12	RL	RL	SAM	04/18/25 09:29		rubina	OK
13	PB167618BL	PB167618BL	MB	04/18/25 09:40		rubina	OK
14	PB167618BS	PB167618BS	LCS	04/18/25 09:40		rubina	OK
15	Q1782-01	MW-1	SAM	04/18/25 09:40		rubina	OK
16	Q1782-01DUP	MW-1DUP	DUP	04/18/25 09:40		rubina	OK
17	Q1782-01MS	MW-1MS	MS	04/18/25 09:40		rubina	OK
18	Q1782-01MSD	MW-1MSD	MSD	04/18/25 09:40		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB135482

Review By	rubina	Review On	4/21/2025 9:42:09 AM
Supervise By	Iwona	Supervise On	4/21/2025 1:09:57 PM
SubDirectory	LB135482	Test	Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP112763		
ICV Standard	WP112765		
CCV Standard	WP112764		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP112614		
Chk Standard	WP112537,WP111745,WP111385,WP111660		

19	Q1782-03	MW-2	SAM	04/18/25 09:51	High	rubina	Dilution
20	Q1782-05	MW-3	SAM	04/18/25 09:51		rubina	OK
21	Q1782-07	MW-4	SAM	04/18/25 09:51		rubina	OK
22	CCV2	CCV2	CCV	04/18/25 09:51		rubina	OK
23	CCB2	CCB2	CCB	04/18/25 09:51		rubina	OK
24	Q1810-02	MOO-25-0118	SAM	04/18/25 09:51		rubina	OK
25	Q1831-01	EFFLUENT-COMPOS	SAM	04/18/25 09:51		rubina	OK
26	Q1835-01	EFFLUENT	SAM	04/18/25 09:51	High	rubina	Dilution
27	Q1835-05	INFLUENT	SAM	04/18/25 09:51	High	rubina	Dilution
28	CCV3	CCV3	CCV	04/18/25 09:56		rubina	OK
29	CCB3	CCB3	CCB	04/18/25 09:56		rubina	OK
30	Q1782-03DL	MW-2DL	SAM	04/18/25 11:06	Report 2X	rubina	Confirms
31	Q1835-01DL	EFFLUENTDL	SAM	04/18/25 11:06	Report 10X	rubina	Confirms
32	Q1835-05DL	INFLUENTDL	SAM	04/18/25 11:06	Report 2X	rubina	Confirms
33	CCV4	CCV4	CCV	04/18/25 11:06		rubina	OK
34	CCB4	CCB4	CCB	04/18/25 11:06		rubina	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB135486

Review By	jignesh	Review On	4/18/2025 12:55:19 PM
Supervise By	Iwona	Supervise On	4/18/2025 1:01:03 PM
SubDirectory	LB135486	Test	TDS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	LB135486BL	LB135486BL	MB	04/17/25 13:30		jignesh	OK
2	LB135486BS	LB135486BS	LCS	04/17/25 13:30		jignesh	OK
3	Q1831-01	EFFLUENT-COMPOS	SAM	04/17/25 13:30		jignesh	OK
4	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/17/25 13:30		jignesh	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB135487

Review By	Iwona	Review On	4/18/2025 1:20:21 PM
Supervise By	jignesh	Supervise On	4/18/2025 1:25:12 PM
SubDirectory	LB135487	Test	Phosphorus-Total
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP112758,WP112757,WP112756,WP112755,WP112754,WP112753,WP112759,WP110380,WP112762,WP111415,V		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	04/18/25 11:45		Iwona	OK
2	CAL2	CAL2	CAL	04/18/25 11:45		Iwona	OK
3	CAL3	CAL3	CAL	04/18/25 11:46		Iwona	OK
4	CAL4	CAL4	CAL	04/18/25 11:46		Iwona	OK
5	CAL5	CAL5	CAL	04/18/25 11:47		Iwona	OK
6	CAL6	CAL6	CAL	04/18/25 11:47		Iwona	OK
7	ICV	ICV	ICV	04/18/25 11:48		Iwona	OK
8	ICB	ICB	ICB	04/18/25 11:48		Iwona	OK
9	CCV1	CCV1	CCV	04/18/25 11:49		Iwona	OK
10	CCB1	CCB1	CCB	04/18/25 11:49		Iwona	OK
11	RL Check	RL Check	SAM	04/18/25 11:50		Iwona	OK
12	PB167651BL	PB167651BL	MB	04/18/25 11:50		Iwona	OK
13	PB167651BS	PB167651BS	LCS	04/18/25 11:51		Iwona	OK
14	Q1831-01	EFFLUENT-COMPOS	SAM	04/18/25 11:51		Iwona	OK
15	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/18/25 11:52		Iwona	OK
16	Q1831-01MS	EFFLUENT-COMPOS	MS	04/18/25 11:52		Iwona	OK
17	Q1831-01MSD	EFFLUENT-COMPOS	MSD	04/18/25 11:53		Iwona	OK
18	Q1835-01	EFFLUENT	SAM	04/18/25 11:53		Iwona	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB135487

Review By	Iwona	Review On	4/18/2025 1:20:21 PM
Supervise By	jignesh	Supervise On	4/18/2025 1:25:12 PM
SubDirectory	LB135487	Test	Phosphorus-Total
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP112758,WP112757,WP112756,WP112755,WP112754,WP112753,WP112759,WP110380,WP112762,WP111415,V		

19	Q1831-01DL	EFFLUENT-COMPOS	SAM	04/18/25 11:54		Iwona	OK
20	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/18/25 11:54		Iwona	OK
21	CCV2	CCV2	CCV	04/18/25 11:55		Iwona	OK
22	CCB2	CCB2	CCB	04/18/25 11:56		Iwona	OK
23	Q1831-01MS	EFFLUENT-COMPOS	MS	04/18/25 11:56		Iwona	OK
24	Q1831-01MSD	EFFLUENT-COMPOS	MSD	04/18/25 11:57		Iwona	OK
25	CCV3	CCV3	CCV	04/18/25 11:57		Iwona	OK
26	CCB3	CCB3	CCB	04/18/25 11:58		Iwona	OK

Instrument ID: DO METER

Daily Analysis Runlog For Sequence/QC Batch ID # LB135492

Review By	rubina	Review On	4/24/2025 2:14:53 PM
Supervise By	Iwona	Supervise On	4/24/2025 2:15:57 PM
SubDirectory	LB135492	Test	BOD Soluble
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP112768,W3149,WP110386,W3103,W3109,W3105,WP112771,WP112769,WP111323		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB135492BL	LB135492BL	MB	04/18/25 13:45		rubina	OK
2	LB135492BS	LB135492BS	LCS	04/18/25 13:45		rubina	OK
3	LB135492BSD1	LB135492BSD1	LCS	04/18/25 13:45		rubina	OK
4	LB135492BSD2	LB135492BSD2	LCS	04/18/25 13:45		rubina	OK
5	Q1831-01	EFFLUENT-COMPOS	SAM	04/18/25 13:45		rubina	OK
6	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/18/25 13:45		rubina	OK

Instrument ID: DO METER

Daily Analysis Runlog For Sequence/QC Batch ID # LB135493

Review By	rubina	Review On	4/24/2025 2:14:49 PM
Supervise By	Iwona	Supervise On	4/24/2025 2:15:15 PM
SubDirectory	LB135493	Test	BOD5
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP112768,W3149,WP110386,W3103,W3109,W3105,WP112771,WP112769,WP111323		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB135493BL	LB135493BL	MB	04/18/25 13:45		rubina	OK
2	LB135493BS	LB135493BS	LCS	04/18/25 13:45		rubina	OK
3	Q1831-01	EFFLUENT-COMPOS	SAM	04/18/25 13:45		rubina	OK
4	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/18/25 13:45		rubina	OK
5	Q1833-02	EFF-WASTE-WATER	SAM	04/18/25 13:45	Intermediate dilution-10x	rubina	OK
6	Q1835-01	EFFLUENT	SAM	04/18/25 13:45	Intermediate dilution-100x	rubina	OK
7	Q1835-05	INFLUENT	SAM	04/18/25 13:45	Intermediate dilution-100x	rubina	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB135500

Review By	jignesh	Review On	4/21/2025 11:48:18 AM
Supervise By	Iwona	Supervise On	4/21/2025 11:52:17 AM
SubDirectory	LB135500	Test	TSS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB135500BL	LB135500BL	MB	04/21/25 10:00		jignesh	OK
2	LB135500BS	LB135500BS	LCS	04/21/25 10:00		jignesh	OK
3	Q1831-01	EFFLUENT-COMPOS	SAM	04/21/25 10:00		jignesh	OK
4	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/21/25 10:00		jignesh	OK
5	Q1833-02	EFF-WASTE-WATER	SAM	04/21/25 10:00		jignesh	OK
6	Q1835-01	EFFLUENT	SAM	04/21/25 10:00		jignesh	OK
7	Q1835-04	AERATION-1	SAM	04/21/25 10:00		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB135516

Review By	jignesh	Review On	4/22/2025 9:28:21 AM
Supervise By	Iwona	Supervise On	4/24/2025 4:39:20 PM
SubDirectory	LB135516	Test	Oil and Grease
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3153,M6069,EP2604,WP110826,NA,NA,WP110827,NA,WP110828		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB135516BL	LB135516BL	MB	04/22/25 10:20		jignesh	OK
2	LB135516BS	LB135516BS	LCS	04/22/25 10:20		jignesh	OK
3	Q1831-02	EFFLUENT-GRAB	SAM	04/22/25 10:20		jignesh	OK
4	Q1831-03	Q1831-02MS	MS	04/22/25 10:20		jignesh	OK
5	Q1831-04	Q1831-02MSD	MSD	04/22/25 10:20		jignesh	OK
6	Q1835-01	EFFLUENT	SAM	04/22/25 10:20		jignesh	OK
7	Q1835-02	Q1835-01MS	MS	04/22/25 10:20		jignesh	OK
8	Q1835-03	Q1835-01MSD	MSD	04/22/25 10:20		jignesh	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB135532

Review By	Iwona	Review On	4/23/2025 4:55:23 PM
Supervise By	jignesh	Supervise On	4/23/2025 4:55:58 PM
SubDirectory	LB135532	Test	COD
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP111522,WP111519,WP111517,WP111520,WP111518,WP111516,W3127,WP112718,WP112717		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	01/22/25 13:30		Iwona	OK
2	CAL2	CAL2	CAL	01/22/25 13:30		Iwona	OK
3	CAL3	CAL3	CAL	01/22/25 13:31		Iwona	OK
4	CAL4	CAL4	CAL	01/22/25 13:31		Iwona	OK
5	CAL5	CAL5	CAL	01/22/25 13:32		Iwona	OK
6	ICV	ICV	ICV	01/22/25 13:32		Iwona	OK
7	ICB	ICB	ICB	01/22/25 13:33		Iwona	OK
8	CCV1	CCV1	CCV	04/21/25 13:55		Iwona	OK
9	CCB1	CCB1	CCB	04/21/25 13:55		Iwona	OK
10	LB135532BL	LB135532BL	MB	04/21/25 13:56		Iwona	OK
11	LB135532BS	LB135532BS	LCS	04/21/25 13:56		Iwona	OK
12	Q1831-01	EFFLUENT-COMPOS	SAM	04/21/25 13:57		Iwona	OK
13	Q1831-01DUP	EFFLUENT-COMPOS	DUP	04/21/25 13:57		Iwona	OK
14	Q1831-01MS	EFFLUENT-COMPOS	MS	04/21/25 13:58		Iwona	OK
15	Q1831-01MSD	EFFLUENT-COMPOS	MSD	04/21/25 13:58		Iwona	OK
16	CCV2	CCV2	CCV	04/21/25 13:59		Iwona	OK
17	CCB2	CCB2	CCB	04/21/25 13:59		Iwona	OK

LAB CHRONICLE

OrderID:	Q1831	OrderDate:	4/17/2025 1:16:00 PM
Client:	Mars Chocolate North America, LLC	Project:	W.T.P. Final Effluent 2025
Contact:	Jeff Kram	Location:	L31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1831-01	EFFLUENT-COMPOSITE	WATER			04/17/25 05:00			04/17/25
			Ammonia	SM4500-NH3		04/17/25	04/18/25 09:51	
			BOD Soluble	SM5210 B			04/18/25 13:45	
			BOD5	SM5210 B			04/18/25 13:45	
			COD	SM5220 D			04/21/25 13:57	
			Apparent Color	SM2120 B			04/18/25 09:40	
			Phosphorus-Total	365.3		04/18/25	04/18/25 11:51	
			TDS	SM2540 C			04/17/25 13:30	
			TSS	SM2540 D			04/21/25 10:00	
Q1831-01DL	EFFLUENT-COMPOSITE	WATER			04/17/25 05:00			04/17/25
	EDL		Phosphorus-Total	365.3		04/18/25	04/18/25 11:54	
Q1831-02	EFFLUENT-GRAB	WATER			04/17/25 05:00			04/17/25
			Oil and Grease	1664A			04/22/25 10:20	

SOP ID : MSM4500-NH3 B,G-Ammonia-17

SDG No : N/A

Matrix : WATER

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : N/A

Start Digest Date: 04/17/2025 Time : 14:00 Temp : 150 °C

End Digest Date: 04/17/2025 Time : 15:00 Temp : 160 °C

IT both
04/17/2025 15:00 150°C
04/17/2025 16:00 160°C

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Filter paper ID : N/A

Prep Technician Signature: *RM*

pH Meter ID : N/A

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP112614
MS/MSD SPIKE SOL.	1.0ML	WP112613
PBW	50.0ML	W3112
RL CHECK	0.1ML	WP112613
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
BORATE BUFFER	2.5ML	WP111325
NAOH 6N	0.5-2.0ML	WP111318
H2SO4 0.04N	5.0ML	WP110335
pH strip-Ammonia	N/A	W3133
KI-starch paper	N/A	W3155
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

ALL GLASSWEAR ARE STEAMED OUT AND THERE WERE NO TRACE OF AMMONIA USING NESLER REAGENT WP111604. Due to bad matrix and client history 1ML was taken as an initial vol for Q1835-01,Q1835-05,Q1831-01

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
04/17/2025 17:00	<i>RM WWC</i>	<i>RM WWC</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167618BL	PBW618	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
PB167618BS	LCS618	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1782-01DUP	MW-1DUP	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1782-01MS	MW-1MS	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1782-01MSD	MW-1MSD	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1782-01	MW-1	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1782-03	MW-2	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1782-05	MW-3	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1782-07	MW-4	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1810-02	MOO-25-0118	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q1831-01	EFFLUENT-COMPOSITE	1	50	<2	N/A	Negative	N/A	PH AFTER ADDING DIST BUFFER>11	N/A
Q1835-01	EFFLUENT	1	50	<2	N/A	Negative	N/A	PH AFTER ADDING DIST BUFFER>11	N/A
Q1835-05	INFLUENT	1	50	<2	N/A	Negative	N/A	PH AFTER ADDING DIST BUFFER>11	N/A

SOP ID : M365.3 & SM4500-P E-18

SDG No : N/A

Start Digest Date: 04/18/2025 Time : 09:45 Temp : 95 °C

Matrix : WATER

End Digest Date: 04/18/2025 Time : 10:50 Temp : 96 °C

Pippete ID : WC

Balance ID : N/A

Hood ID : HOOD#3

Digestion tube ID : M5595

Block Thermometer ID : WC-BLOCK#1

Block ID : WC S-1, WC S-2

Filter paper ID : 400213

Prep Technician Signature: 12

Weigh By : IZ

pH Meter ID : N/A

Supervisor Signature: JP

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	0.5ML	WP110401
MS/MSD SPIKE SOL.	0.5ML	WP110400
PBW	50ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
11N H2SO4	1ML	WP112615
AMMONIUM PERSULFATE	0.4g	W3035
pH Paper 0-14	N/A	W3140
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
CAL1	CAL1	50.0ML	WP112753
CAL2	CAL2	50.0ML	WP112754
CAL3	CAL3	50.0ML	WP112755
CAL4	CAL4	50.0ML	WP112756
CAL5	CAL5	50.0ML	WP112757
CAL6	CAL6	50.0ML	WP112758
ICV	ICV	50.0ML	WP112758
ICB	ICB	50.0ML	W3112
CCV	CCV	50.0ML	WP112759
CCB	CCB	50.0ML	W3112

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

04/18/25

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167651BL	PBW651	50	50	<2	N/A	N/A	N/A	N/A	N/A
PB167651BS	LCS651	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q1831-01DUP	EFFLUENT-COMPOSITEDUP	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q1831-01MS	EFFLUENT-COMPOSITEMS	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q1831-01MSD	EFFLUENT-COMPOSITMSD	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q1831-01	EFFLUENT-COMPOSITE	50	50	<2	N/A	N/A	N/A	N/A	N/A
Q1835-01	EFFLUENT	50	50	<2	N/A	N/A	N/A	N/A	N/A